LENGTH OF STAY BY DIAGNOSIS

MEDICARE
1969

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
SOCIAL SECURITY ADMINISTRATION
Office of Research and Statistics

PUBS
RA
412
.3
M433
1969 Length o
stay

DHEW PUBLICATION NO. (SSA) 74-11704

MEDICARE

Health Insurance for the Aged, 1969

Length of Stay by Diagnosis

U.S. Department of Health, Education, and Welfare
Social Security Administration • Office of Research and Statistics

Library of Congress Catalog Card Number HEW 66-36

SUGGESTED CITATION

U.S. Social Security Administration, Office of Research and Statistics, *Medicare: Health Insurance for the Aged, 1969; Length of Stay by Diagnosis.* Washington, D.C. 1973.

United States
Government Printing Office
Washington: 1973

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402 — Price
Stock Number

Foreword

WITH THE enactment of Medicare, utilization review became a national requirement for third-party reimbursement of certain health care costs. The 1972 Amendments to the Social Security Act authorized the establishment of Professional Standards Review Organizations (PSRO's), which will be responsible for assuring that services furnished by or in institutions are medically necessary, are provided in accordance with recognized professional standards of care, and are furnished in the most efficient and economical manner consistent with quality care. To aid in studying these utilization patterns, this report presents data for 1969 on the number of discharges from short-stay hospitals under the Medicare program, the mean and median length of stay and percentile distribution of days of care for selected diagnoses. Data are presented for selected patient characteristics: age, the presence of complicating conditions, and whether or not surgery was performed.

The preparation of this report is the function of the Division of Health Insurance Studies of the Office of Research and Statistics in the Social Security Administration, under the supervision of Howard West, Director, and Aaron Krute, Deputy Director, Program Statistics. Text preparation was the responsibility of Penelope L. Pine of the Program Statistics Staff. Contributions to the tabulation and presentation of the statistical content of this report were made by Winston O. Edwards of Management Statistics and Willard P. Hess of Data Management.

The General Tables were produced by the "System for Automated Tabular Composition," a computer system at the Social Security Administration Headquarters in Baltimore, Maryland. They were set on Linotron equipment at the Government Printing Office in Washington, D.C.

JOHN J. CARROLL
Assistant Commissioner for
Research and Statistics

August 1973

Contents

	Page
Foreword	iii
Discharges from Short-Stay Hospitals for Selected Diagnoses and Patient Characteristics, 1969	vii
Introduction	vii
Source and Limitations of Data	vii
Coding of Diagnoses	viii
Provisions of the Law	xi

General Tables

Notes		xvi
1.	Northeastern States: discharges from short-stay hospitals by length of stay for selected diagnoses and patient characteristiics	1
2.	North Central States: discharges from short-stay hospitals by length of stay for selected diagnoses and patient characteristics	11
3.	South: discharges from short-stay hospitals by length of stay for selected diagnoses and patient characteristics	21
4.	West: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	31
5.	New England: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	41
6.	Middle Atlantic: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	51
7.	East North Central: discharges from short-stay hospitals length of stay for selected diagnoses, and patient characteristics	61
8.	West North Central: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	71
9.	South Atlantic: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	81
10.	East South Central: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	91
11.	West South Central: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	101
12.	Mountain: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	111
13.	Pacific: discharges from short-stay hospitals by length of stay for selected diagnoses, and patient characteristics	121

Symbols

Quantity zero	—
Quantity more than 0 but less than 0.05	0.0
Figure subject to relatively large variability	*

Discharges from Short-Stay Hospitals for Selected Diagnoses and Patient Characteristics, 1969

Introduction

The hospital insurance (HI) part of the Medicare program, effective July 1, 1966, has been providing payment for a large portion of the costs of inpatient hospital services for the insured population aged 65 and over. In calendar year 1971, for example, Medicare reimbursements for inpatient care in short-stay hospitals totaled almost $5.0 billion and represented more than three-fourths of the charges billed to the program for such services.

This report presents tables showing length of stay distributions for selected diagnoses by census region and division for Medicare patients discharged from short-stay hospitals during 1969. For each diagnosis, data are reported for selected patient characteristics, including age, the presence or absence of additional (complicating) conditions, and whether or not surgery was performed (see Notes preceding General Tables). These factors as well as the disease, illness, or injury that was the primary cause of a person's hospitalization are important in determining length of stay and, as a result, benefit payments under Medicare.

The report presents data on 139 specific diagnoses or diagnostic groups, representing 4.65 million stays for inpatients discharged from short-stay hospitals under Medicare during 1969. The figures reported were selected from some 5.4 million total discharges entered in the Social Security Administration's central records at the time the data were tabulated. Table A summarizes the length of stay experience under Medicare for the United States and Census regions of the total 5.4 million discharges recorded.

Source and Limitations of Data

The data in this report are derived from bills for inpatient services submitted for payment by short-stay hospitals for a 20-percent sample of Medicare beneficiaries. The data include all discharges, that is, those who died during hospitalization and those who were transferred to other facilities. The number of reported discharges is greater than the actual number of persons discharged during the year because a person could have more than one stay during the reporting period.

When a beneficiary is hospitalized, an admission notice and subsequent bills are received by the Social Security Administration (SSA) where they are processed and placed on file. Part of this process consists of coding medical information on the bills in the statistical sample to identify the disease, illness, condition or injury responsible for the hospitalization. Information from the billing forms is matched to other master records maintained by SSA, which contain information about the characteristics of each Medicare beneficiary as well as individual short-stay hospitals participating under Medicare. General and special hospitals reporting average stays of less than 30 days are included.

The data in this report are based on a sample of the approximately 5.4 million discharges from short-stay hospitals during 1969 which were recorded in SSA by December 2, 1970. The sample counts have been multiplied by five to give an estimate of the total number of discharges recorded as of this date. There is a lag between the time a person is discharged from a hospital and the time this information is received by SSA and posted to central records. Therefore, the

counts for this report understate the total number of discharges shown for each diagnosis. An additional small number of discharges were also excluded, i.e., emergency admissions to hospitals not participating in the Medicare program and those for which the hospital stay was over 90 days in duration.

A complete count of Medicare discharges from short-stay hospitals in 1969 would be about 5.9 million, 9 percent more than the total figure used in this study. It is assumed that this difference has no significant effect on the data. Discharges for which the hospital stays were over 90 days totaled about 21,000 and represented about four-tenths of 1 percent of all discharges reported. They accounted for over 2 million days of care, and would have raised the national average length of stay by about three-tenths of a day. The data shown by geographic division were summarized by address of the hospital, not by residence of the beneficiary. Included in the totals are the 50 States and the District of Columbia.

The data in this report are estimates derived from a sample of bills and therefore, are subject to sampling variability. Smaller numbers in table cells are generally subject to greater variability than larger estimates. Where the number of cases in the sample was judged too small to be reliable, an asterisk (*) appears in place of the estimate in the table. Both standard deviations and percentiles are provided to give some indication of that variability. The standard deviation measures the variability (dispersion) of the distribution of individual lengths of stay around the mean. For a normal distribution, we would expect 68 percent of the cases to fall within (plus or minus) one standard deviation of the mean. One should note that the value of the standard deviation may be influenced by extreme values of the distribution, while the value of percentiles is influenced primarily by the shape of the distribution and only to a limited extent by its extreme values. In this report, the standard deviation is computed on the basis of the sample data.

Table A: Number and percent of discharges from short-stay hospitals and the average length of stay and standard deviation by patient characteristics, by census region, 1969

Patient Characteristics	United States	North-eastern States	North Central States	South	West
			Number of discharges		
Total . .	5,355,560	1,133,140	1,625,155	1,741,390	855,875
			Percent distribution		
Age					
65-74 years. .	53.0	53.7	51.5	54.1	52.4
75-84 years. .	37.4	37.5	38.3	36.5	37.3
85 years and older	9.7	8.9	10.3	9.3	10.3
Single diagnosis	42.0	44.6	39.1	44.3	39.5
Multiple diagnoses . .	58.0	55.4	60.9	55.7	60.5
With surgery . .	30.6	35.7	30.1	26.9	32.2
Without surgery	69.4	64.3	69.9	73.1	67.8
			Average length of stay (days)		
Total . .	12.9	15.1	13.6	11.9	10.6
Age					
65-74 years. .	12.2	14.4	12.8	11.3	10.2
75-84 years. .	13.5	15.7	14.3	12.5	11.0
85 years and older	14.4	16.7	15.6	13.4	11.6
Single diagnosis	11.4	13.5	11.8	10.6	9.2
Multiple diagnoses . .	14.0	16.4	14.8	13.0	11.6
With surgery . .	14.2	16.0	15.0	13.5	11.4
Without surgery	12.3	14.5	13.0	11.3	10.3
			Standard deviation (days)		
Total . .	12.0	13.2	12.7	11.0	10.1
Age					
65-74 years. .	11.3	12.5	11.9	10.2	9.7
75-84 years. .	12.5	13.6	13.3	11.5	10.4
85 years and older	13.6	14.8	14.5	12.6	11.0
Single diagnosis	11.0	12.2	11.5	10.0	9.1
Multiple diagnoses . .	12.6	13.7	13.3	11.6	10.6
With surgery . .	12.6	13.8	13.2	11.7	10.4
Without surgery	11.7	12.8	12.5	10.6	10.0

Coding of Diagnoses

Participating hospitals use standard billing forms (SSA-1453) to identify the beneficiary and specify the services rendered during the stay (see Enclosure A for a facsimile of the billing form). The billing form includes a space for the entry of a detailed description of the patient's primary diagnosis at the time of discharge from the hospital. Space is also provided for the entry of any secondary diagnoses. The name and date of any surgical procedure performed during the hospital stay is also recorded.

The primary discharge diagnosis on each bill in the 20-percent sample is coded using the International Classification of Diseases Adapted - Seventh Revision (ICDA-7).[1] Four-digit codes are assigned for each primary diagnosis. If more than one diagnosis appears on the bill and there is no indication of which diagnosis is primary, the first diagnosis listed is coded. The only exception to this rule is when a symptom or ill-defined condition is listed first. In this case preference is given

[1] *International Classification of Disease*, adapted for *Indexing Hospital Records by Diseases and Operations*, Public Health Service Publication No. 719, Volumes 1 and 2, U.S. Department of Health, Education, and Welfare.

to the more substantive diagnosis appearing second. The presence or absence of additional diagnoses is indicated by a one-digit code.

Medical coding is done by personnel of the Social Security Administration who have completed special training in anatomy and medical terminology and the use of the statistical coding manuals. Also, review of the coding is performed with the assistance of skilled personnel including medical record technicians and registered record librarians.

INPATIENT HOSPITAL AND EXTENDED CARE ADMISSION AND BILLING

HOSPITAL AND MEDICAL INSURANCE BENEFITS—SOCIAL SECURITY ACT

Form Approved
Budget Bureau No.
72-RO734

NOTICE: Anyone who misrepresents or falsifies essential information requested by this form may upon conviction be subject to fine and imprisonment under Federal law.

1. Patient's last name	First name	MI	2. Sex ☐ M ☐ F	3. Health insurance claim number
4. Patient's address (*Street number, City, State, ZIP Code*)			5. Date of birth	6. Medical record number
7. Date of this admission	8. Provider name and address (*City and State*)		9. Provider number	10. Attending physician
11. Dates of qualifying stay FROM / THRU	12. Qualifying and other prior stay information			

If you have other health insurance or if your State Medical Assistance Agency will pay part of your medical expenses and you want information about this claim released to them upon their request, complete items 13 and 14.

13. Insuring organization or State agency name and address	14. Policy or medical assistance no.

15. Patient's Certification, Authorization to Release Information, and Payment Request. I certify that the information given by me in applying for payment under Title XVIII of the Social Security Act is correct. I authorize any holder of medical or other information about me to release to the Social Security Administration or its intermediaries or carriers any information needed for this or a related medicare claim. I request that payment of authorized benefits be made on my behalf.

☐ Contained in provider's record	Signature (*Patient or authorized representative*) (*Signature by mark must be witnessed*)	Date

16. Admitting diagnoses (*If employment related, also give name and address of employer*)	Do not use this space	17. Discharge or current diagnoses (a) Primary (b) Secondary	Do not use this space
18. Surgical procedures (*Show date of each*)			

19. STATEMENT OF SERVICES RENDERED				Total Charges	Non-covered Chg's.
Blood pints furnished A.	Pints replaced	Not replaced	Charge per pint		
Accommodation		Days	Rate		
B. 1-Bed					
C. 2-3-4 Bed					
D. 5 or more Beds					
FOR HOSPITAL ONLY	E. Intensive care				
	F. Self care				
	G. PIP total				
	H. Operating room				
	I. Anesthesia				
	J. Outpatient services				
K. Blood administration					
L. Pharmacy					
M. Radiology					
N. Laboratory					
O. Medical, surgical and central supplies					
P. Physical therapy					
Q. Occupational therapy					
R. Speech therapy					
S. Inhalation therapy					
T. Other (*Describe*)					
U. TOTALS					
V. Inpatient deductible					
W. Blood deductible pts. @					
X. Coinsurance days ( ) ( )					
Y. TOTAL DEDUCTIONS					

20. Statement covers period FROM	THRU
21. Date guarantee of payment began	22. Date UR notice received
23. Date active care ended	24. Date benefits exhausted
25. Patient status A. Date discharged	B. Date of death / C. ☐ Still patient
26. Lifetime reserve days used	27. Non-covered days / 28. Covered days

30. Remarks: PIP per diem amount $

31. Reimbursement amount $

29. I certify that the required physician's certification and recertifications are on file.

Signature of provider representative — Date received

FOR INTERMEDIARY USE

32. Verified non-covered stays From	Thru	33. Non-pmt. code	34. Days used

35. Approved by — Date approved

FORM SSA-1453 (6) (1-70)

Department of Health, Education, and Welfare
Social Security Administration

Provisions of the Law

The health insurance program for the aged, commonly called Medicare, was enacted on July 30, 1965, as Title XVIII of the Social Security Act, and became effective on July 1, 1966. The program, a part of the 1965 amendments (Public Law 89–97), makes available two separate but coordinated insurance coverages—hospital insurance, covering nearly all persons aged 65 and over, and supplementary medical insurance, covering those persons in this age group who enroll voluntarily and pay the premium. Changes in the program, effective in 1968, were incorporated in the 1967 amendments to the Social Security Act (Public Law 90–248), enacted on January 2, 1968.

Hospital Insurance Program

The hospital insurance program (Part A of Medicare) pays for a large portion of the costs of hospital and related post-hospital services. It is financed on a self–supporting basis through a tax on a portion of current earnings, paid by employees, employers, and self–employed persons. The proceeds of this tax are placed in the Hospital Insurance Trust Fund, from which reimbursements for benefits and administrative expenses incurred under the program are paid. The trust fund is reimbursed from general tax revenues for the costs of providing coverage for persons who qualify for hospital insurance but who are not eligible for monthly social security or railroad retirement benefits.

Inpatient hospital benefits.—The program covers the cost of covered services in a participating hospital for up to 90 days in a "benefit period" (a period beginning with the first day of hospitalization and ending 60 days after discharge from a hospital or a skilled nursing home). Full payment is made for the first 60 days of hospitalization after a deductible of $44 has been paid. For each of the remaining 30 days in the benefit period, the patient pays a coinsurance amount of $11 a day.

Each hospital insurance beneficiary also has a "lifetime reserve" of 60 additional hospital days, subject to a copayment of $22 a day. These additional days can be used at the patient's option whenever the 90 days covered in a benefit period are exhausted.

The program also provides benefits for emergency services rendered in a nonparticipating hospital. Each nonparticipating hospital providing emergency services elects whether to bill the program or to charge its patients directly. If they bill the program, they are reimbursed on the basis of reasonable costs of covered services rendered. If they bill the patient, he pays the bill and submits the itemized bill to SSA for reimbursement. The reimbursement paid is 60 percent of reasonable charges for room and board and 80 percent of the charges for ancillary services.

Inpatient tuberculosis and psychiatric hospital services are also covered. However, there is a lifetime limit of 190 days of care in a psychiatric hospital. Where an individual is a patient in a participating psychiatric hospital at the time he becomes entitled to hospital insurance, the number of days he was such an inpatient in the 150–day period immediately prior to his eligibility are deducted from his days of entitlement in that benefit period but not from the lifetime limitation.

Covered hospital services include hospital room and board in accommodations containing from two to four beds, nursing services except for private-duty nursing, drugs and biologicals, and all those services ordinarily furnished by a hospital to its inpatients. Coverage under the hospital insurance program does not include the services of physicians (including radiologists, anesthesiologists, pathologists and physiatrists) except for those services provided by interns or residents in training under approved teaching programs in a hospital.

The cost of the first three pints of blood (or equivalent amounts of packed red blood cells) furnished a patient during a benefit period is a deductible amount unless the patient arranges for replacement. Charges for any additional blood are covered under the program.

Post-hospital home health care benefits.—These benefits cover the cost of visiting nurse services and related home health services for as many as 100 visits for up to a year following the patient's most recent discharge from a hospital or participating extended care facility, provided he has been confined for at least 3 consecutive days in a hospital. A home health plan must be developed by a physician and implemented within 14 days after the patient's dis-

charge from the hospital or extended care facility. The home health care must be for further treatment of a condition for which he received services in the hospital or extended care facility.

Extended care facility benefits.—The program pays for the reasonable cost of all covered inpatient services in participating extended care facilities (ECF) for up to 100 days of such care in any benefit period, following discharge from a hospital after a stay of 3 consecutive days or more, and admission to an ECF within 14 days of discharge. Full payment is made for the first 20 days. For each of the remaining 80 days, the patient pays a coinsurance amount of $5.50 a day for benefit periods beginning after 1968. (The extended care coinsurance amount is set by law as one-eighth of the inpatient hospital deductible).

Supplementary Medical Insurance Program

The supplementary medical insurance program (Part B of Medicare) provides coverage of physicians' services, outpatient diagnostic and therapeutic services, additional home health services, other medical services and supplies, and outpatient physical therapy services. Individuals 65 years of age and over may enroll in the program regardless of whether they are eligible for social security retirement benefits. Monthly premiums paid by the individual are matched by the Federal government and paid into the Supplementary Medical Insurance Trust Fund, which reimburses carriers for benefits and administrative expenses incurred under the program.

The SMI program pays for 80 percent of the allowed charges for covered physician services and other medical services (or 80 percent of reasonable cost), after the patient has met a deductible of $50 during a calendar year. However, payment for outpatient psychiatric physician services is limited to the lesser of $250 or 50 percent of the allowed charges in any year after the $50 deductible has been met. The sum and percentage are derived from the statutory provision which permits an incurred expense for out-of-hospital treatment of mental illness of only $312.50 or 62.5 percent of actual expenses in a calendar year. Since only 80 percent of allowed charges can be reimbursed the effective maximum becomes $250.

To preclude the possibility of having to meet a deductible twice in a short period of time, a "carryover" provision is applied. Accordingly, covered expenses that are incurred in the last quarter of the year and counted toward the deductible in that year are also credited toward the deductible for the following year. However, the provisions concerning the deductible and the coinsurance do not apply to the services of radiologists and pathologists furnished to hospital inpatients.

Covered under the program are such benefits as physicians' services, including home, hospital, and office visits; services and supplies, including drugs and biologicals that cannot be self-administered, that are furnished as a part of a physician's professional service, most commonly in his office, and either rendered without charge or included in the physician's bills; diagnostic X-ray tests, diagnostic laboratory tests, and other diagnostic tests; X-ray; radium, and radioactive isotope therapy, including materials and the services of technicians; surgical dressings, splints, casts, and other devices used for reduction of fractures and dislocations; purchase or rental of durable medical equipment, including iron lungs, oxygen tents, hospital beds, and wheelchairs used in the patient's home (including an institution used as his home); ambulance service in cases where the use of other methods of transportation is contraindicated by the individual's condition; prosthetic devices (other than dental) that replace all or part of an internal organ, including replacement of such devices; leg, arm, back, and neck braces, and artificial legs, arms, eyes, including replacement if required because of a change in the patient's physical condition; and 100 home health visits during a calendar year—these visits being independent of those provided under the hospital insurance program.

Also covered are hospital services incident to physicians' services rendered to outpatients, and outpatient physical therapy services.

Eligibility

The Hospital Insurance Program.—Almost all persons aged 65 and over are eligible for benefits under the hospital insurance program. Included are those persons in this age group who are entitled to monthly social security cash benefits or payments from the railroad retirement system, regardless of whether they have applied for these cash benefits. During the period under consideration, a person could apply for hospital insurance protection even though he did not qualify for either social security cash benefits or a railroad retirement annuity if (1) he had attained age 65 before 1968, or (2) he would attain age 65 after 1967 with not less than three quarters of social security coverage, whenever acquired, for each calendar year elapsing after 1966 and before the year in which he would attain age 65; however, hospital insurance protection could not go into effect until the individual attained age 65. These two classes of individuals were "deemed insured" under a special transitional provision.

For persons who reach age 65 after 1968, the amount of work credits needed increases by three quarters each year—six quarters are needed by those who reached age 65 in 1969, nine will be needed by those who reach 65 in 1970, and so on. However, a person who qualifies for monthly benefits as the dependent or survivor of an insured worker does not need any work credits.

Federal employees who retired from the Federal service after July 1, 1960, and who had the opportunity to be covered under the Federal Employees Health Benefits Act of 1959, are ineligible for hospital insurance benefits under the transitional provisions. Also ineligible are aliens with less than 5 years of continuous residence in the United States, and those persons convicted of crimes against the security of the United States.

Hospital insurance protection can be retroactive for as many as 12 months before the month an individual files his application for entitlement. For example, an individual may apply 11 months after he attains age 65 and still be entitled to benefits from the month he attained age 65.

Supplementary medical insurance.—Persons entitled to benefits under the hospital insurance program (Part A), retired Federal employees and persons not eligible for hospital insurance under the transitional provisions may voluntarily participate in the SMI program.

Enrollment.—Individuals may enroll in the SMI program only during specified periods—the initial and the general enrollment periods. The initial enrollment period begins with the third month preceding the one in which an individual attains age 65 and ends 3 months after the month of attainment, a total period of 7 months. If he enrolls during the 3 months prior to the month in which he attains age 65, his coverage is effective with the month in which he attains age 65; if he enrolls during the month he attains age 65, his coverage begins the following month; if he enrolls in any of the 3 months after he attains age 65, his coverage begins from 2 to 3 months after enrollment, depending on how long he waited before enrolling.

The most recent general enrollment period was set between January 1, 1969, and March 31, 1969, for those who did not enroll in their initial enrollment period, or who having terminated their enrollment now wished to reenroll. Comparable periods are set to occur in every year. A person who enrolls during a general enrollment period may receive benefits starting on the first of July following the general enrollment period. An eligible individual must enroll within 3 years after the close of his initial enrollment period or within 3 years after termination of prior enrollment.

A State may enroll otherwise eligible individuals who receive cash payments under public assistance programs if the State requests such a State–Federal enrollment agreement to be established and pays the necessary premiums.

Enrollment terminates with the beginning of the month following the month of death. Up to April 1, 1968, railroad retirement beneficiaries and individuals entitled to monthly cash social security benefits could terminate their enrollment voluntarily by notifying the Social Security Administration in writing during a general enrollment period of the desire to withdraw from the program. Under the 1967 amendments effective April 1, 1968, beneficiaries may give notice of withdrawal at any time and their coverage will be terminated at the close of the following calendar quarter. Other enrolled persons may terminate their coverage by withholding payment of premiums or by notifying the Social Security Administration in writing of the desire to withdraw from the program. The enrollee is provided a 90–day grace period for the payment of overdue premiums after which coverage is automatically terminated. An individual who previously has terminated his enrollment may reenroll only in a general enrollment period beginning within 3 years of the date his previous enrollment had terminated. Reenrollment, however, is allowed only once.

Financing the Program

Hospital Insurance.—The hospital insurance program is financed on a long-range, self-supporting basis through a separate schedule of increasing tax rates on the first $7,800 of earnings in employment covered under the Social Security Act. The same tax rate applies to employees, employers, and self-employed persons. This rate was 0.60 percent for 1968–1972, and is scheduled to increase until it is 0.90 percent in 1987 and thereafter. The proceeds of this tax and that collected from the railroad retirement system are placed in a Hospital Insurance Trust Fund from which reimbursements for all benefits and administrative expenses incurred under the hospital insurance program are paid. The hospital insurance trust fund is reimbursed from general tax revenues for the cost of providing coverage for the almost 2½ million persons who qualify for hospital insurance but who do not receive monthly social security or railroad retirement benefits, that is, those "deemed insured."

Supplementary Medical Insurance.—Premiums are paid into the Federal Supplementary Medical Insurance Trust Fund by those persons enrolled for supplementary medical insurance (or on their behalf), and a matching amount is paid from general revenues by the Federal government.

The premiums of persons receiving social security cash benefits, railroad retirement, or Federal Civil Service annuities are deducted from their monthly benefit checks. Persons not receiving monthly benefits are billed quarterly for premiums by the Social Security Administration or the Railroad Retirement Board and have a 90–day grace period in which to make payment. Premiums may be paid for as long as a year in advance, and for individuals financially unable to make quarterly payments, arrangements can be made for monthly payments.

The monthly premium during 1969 was $4 a month. The premium rate of the supplementary medical insurance program may be adjusted annually if medical costs rise.

Under the 1967 amendments, States are permitted to enter into agreements with the Secretary, based on a request made before January 1, 1970, to buy in—that is, to pay the medical insurance premiums—for public assistance recipients aged 65 or over who were receiving money payments under an approved public assistance plan and for all aged persons eligible to receive medical assistance under an approved Title XIX plan.

Administration of the Program

Hospital Insurance.—Under the hospital insurance plan, groups or associations of providers, on behalf of their members, may nominate a national, State, or other public or private agency or organization to serve as intermediary in the claims process. A member of an association is free, however, to receive payment from an approved intermediary other than its association's nominee, if approved by the Secretary and agreeable to the intermediary selected. In addition, a provider may deal directly with the Social Security Administration.

The Secretary may enter into an agreement with a nominated organization if he finds this to be consistent with effective and efficient administration of the hospital insurance program. The intermediary makes payments to providers for covered items and services on the basis of reasonable cost determinations and assists in the application of safeguards against unnecessary utilization of covered services. The agreement may also call for (1) furnishing consultative services to assist providers to establish and maintain necessary fiscal records and otherwise qualify as providers of services, (2) serving as a center for communicating with providers, and (3) making audits of provider records. Generally speaking, the Social Security Administration utilizes the services of the hospital insurance intermediary in making payments for home health and outpatient hospital services covered under medical insurance.

Payment may be made for a beneficiary for covered emergency inpatient hospital services or covered emergency outpatient hospital services where the hospital is not a participating facility and agrees not to charge the beneficiary for covered services. Such a hospital may be outside the United States if it is more accessible than the nearest hospital in the United States adequately equipped to treat the patient.

Requests for payment for covered services must be signed by the beneficiary (or someone for him, if he is unable to do so). Payments are made on the basis of reasonable costs for these services to participating providers of services, that is, hospitals, extended-care facilities, and home health agencies, who have been certified for participation.

In some instances, hospitals may bill for physician services rendered to inpatients. In these cases, payment is made by the Part A intermediary. Depending on the nature of the billing, funds are transferred from the SMI trust fund to the HI trust fund to cover the cost of these services, or are paid directly from the SMI trust fund.

The intermediary selected by the provider reviews the claims for payment and pays the provider. Actual payment is made on the basis of an interim rate established between the provider and the intermediary. Final settlement based on each provider's operating year is made on the basis of a cost report submitted by the provider, and subject to an independent audit.

No payments can be made to Federal providers of services except for emergency services, unless this provider serves as a community institution. In addition, payment cannot be made to a provider for those services it is obligated to render at public expense under Federal law or contract.

Supplementary Medical Insurance.—Under the medical insurance program, the Secretary of Health, Education, and Welfare may enter into contracts with carriers for the performance of specified administrative functions. The carriers' principal function is to determine whether charges are allowable (reasonable) and to make payment.

The carrier selected by the Secretary of Health, Education, and Welfare to serve as an intermediary determines the allowed charges for bills submitted for each medical care service covered by the program and pays 80 percent of this amount after the $50 deductible has been met.

The allowed charge for the service may be paid to the patient, or the patient may assign the bill for collection to the physician or other supplier of the service, if he is willing to accept assignment. In the former situation, the patient submits an itemized bill to the carrier and is reimbursed; in the latter, the physician or other supplier submits the bill and is reimbursed. When the payment is made directly to the physician (or supplier) on assignment, the allowed or reasonable charge determined by the carrier is the total charge. In both situations, the patient is responsible for the first $50 of the charges for covered services he receives during the year and the amount of the bill over 80 percent of the allowed charges.

The law instructs the carrier to consider the following criteria in determining the "allowed" charge:

(1) the customary charge for the service generally made by the physician or other person furnishing such services; and
(2) the prevailing charge in the locality by other physicians and suppliers for similar services.

The law also specifies that the "allowed" charge cannot be higher than the charge applicable for the similar service rendered under comparable circumstances to the carriers' own policy holders or subscribers. For the year 1969, carriers were instructed

to maintain allowed charges at the levels existing at the beginning of the year.

Carriers also have the authority and responsibility to determine, in a given case, whether a claim is for a covered service and to deny claims for noncovered or excluded items or services. In addition, carriers are to assist in the application of safeguards against unnecessary utilization of services furnished eligible individuals.

Most services covered by the medical insurance program are rendered on a fee–for–service basis. However, services furnished under group practice prepayment plans are normally rendered in return for predetermined premium payments. In recognition of the need for special adaptation of the Medicare payment procedures for services rendered by group practice prepayment plans, the law provides that an organization which furnishes medical and other health services (or arranges for their availability) on a prepayment basis, may elect to be paid 80 percent of the reasonable cost of services in lieu of 80 percent of the allowed charge for such services.

The 1967 amendments to the Social Security Act introduced a time limit on filing of claims. For bills incurred in the supplementary medical insurance portion of the program after March 1968, claims must be filed no later than the close of the calendar year following the year in which the services are furnished. For services provided during the last 3 months of the calendar year, bills may be submitted through the end of the second year following.

General Tables

Notes

Health Insurance for the Aged: The program, commonly known as Medicare, that pays for part of the costs of hospital and medical services for participating persons aged 65 and over.

Short-stay hospital: General and special hospitals certified as participating facilities under Medicare and reporting average length of stays of less than 30 days.

Discharge: The formal release of an inpatient from a hospital. Includes those persons who died during their hospitalization.

Length of stay: The number of days of care for a discharge. The day of discharge is not counted as a day of care. A hospitalization of less than 1 day (i.e., the patient is admitted and discharged on the same day) is counted as 1 day.

Primary discharge diagnosis: The illness, condition, or injury recorded on the patient's billing form by the hospital as the primary diagnosis at the time of discharge. This diagnosis is coded using the International Classification of Diseases, Adapted, Seventh Revision.

Age of patient: The number of completed years at last birthday in month of admission to the hospital.

Percentile: The 10th, 25th, 50th, 75th, and 90th percentiles of stay are presented. The 50th percentile is the median of the distribution. That is, half of the stays fall above and below the distribution. The meaning of the percentiles can be illustrated by example: if the 10th percentile for a group of discharges is 2 days, then 10 percent of the discharges stay 2 days or less.

With surgery: A discharge is considered to involve surgery if it involved any operative procedure classified as such according to the *Current Procedural Terminology*, first edition, American Medical Association, Chicago, Illinois, 1966. Surgery includes procedures involving incision, excision, amputation, introduction, endoscopy, repair, destruction, suture, or manipulation.

Without surgery: All other discharges

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	6,675	15.9	14.5	2	5	11	21	35
Age:								
65 to 74 years	3,610	16.3	14.8	2	5	11	22	37
75 to 84 years	2,495	15.0	13.9	1	5	10	19	32
85 years and over	570	17.2	14.9	2	7	12	23	36
One diagnosis	2,730	13.4	13.4	1	4	9	17	30
Two or more diagnoses	3,945	17.6	14.9	3	7	13	24	38
With surgery	1,655	20.8	16.2	3	8	17	28	43
Without surgery	5,020	14.3	13.5	2	5	10	18	31
HERPES ZOSTER (088)								
Total	1,340	15.5	12.5	4	7	11	20	29
Age:								
65 to 74 years	660	13.7	11.6	4	6	10	18	24
75 to 84 years	545	16.8	12.6	5	7	13	21	31
85 years and over	135	18.9	14.9	3	7	13	24	40
One diagnosis	580	15.4	12.7	4	7	11	20	29
Two or more diagnoses	760	15.6	12.4	4	7	11	20	31
With surgery	115	25.4	19.0	8	10	18	26	55
Without surgery	1,225	14.6	11.3	4	6	11	19	29
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	2,845	16.3	16.6	2	4	10	20	37
Age:								
65 to 74 years	1,685	14.7	15.0	2	4	9	19	32
75 to 84 years	960	18.5	18.0	2	6	12	24	44
85 years and over	200	19.1	20.9	1	4	10	24	58
One diagnosis	1,575	13.8	15.3	2	4	8	17	31
Two or more diagnoses	1,270	19.3	17.7	3	6	14	25	44
With surgery	1,935	15.3	15.6	2	4	9	19	34
Without surgery	910	18.3	18.5	1	4	13	23	45
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	1,390	19.9	16.8	3	7	14	26	48
Age:								
65 to 74 years	825	20.3	18.0	3	6	14	27	49
75 to 84 years	455	19.4	14.0	3	9	16	25	40
85 years and over	110	18.5	18.0	5	7	13	19	33
One diagnosis	770	18.9	16.9	3	6	13	25	47
Two or more diagnoses	620	21.1	16.7	4	8	16	29	49
With surgery	785	23.0	17.9	4	8	17	33	50
Without surgery	605	15.8	14.2	2	6	11	20	33
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	3,820	20.4	14.4	4	9	17	28	39
Age:								
65 to 74 years	1,865	20.5	14.2	4	9	17	28	40
75 to 84 years	1,620	20.7	14.4	4	10	18	27	39
85 years and over	335	18.4	15.9	4	7	13	25	35
One diagnosis	1,570	18.9	13.7	4	9	15	25	34
Two or more diagnoses	2,250	21.5	14.8	5	10	19	29	42
With surgery	1,800	24.9	12.6	11	16	22	31	41
Without surgery	2,020	16.3	14.7	3	6	11	21	35
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	11,960	22.8	15.4	5	12	19	29	43
Age:								
65 to 74 years	6,470	22.4	15.1	5	12	19	29	41
75 to 84 years	4,660	23.2	15.6	5	12	20	30	44
85 years and over	830	23.2	16.1	6	11	19	32	46
One diagnosis	4,715	21.7	14.4	6	12	18	28	40
Two or more diagnoses	7,245	23.5	15.9	5	12	20	30	45
With surgery	7,745	25.8	14.3	11	16	22	32	44
Without surgery	4,215	17.2	15.7	2	6	12	23	39
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	5,630	23.7	16.5	4	11	21	31	46
Age:								
65 to 74 years	3,105	23.7	15.8	5	12	21	31	45
75 to 84 years	2,085	24.3	17.1	4	11	21	31	48
85 years and over	440	20.4	18.1	3	6	16	29	43
One diagnosis	2,815	22.8	15.6	4	11	20	29	43
Two or more diagnoses	2,815	24.6	17.3	5	11	21	32	48
With surgery	4,070	26.2	16.0	8	15	23	34	47
Without surgery	1,560	17.1	16.0	2	5	12	23	39
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	2,435	19.9	14.3	4	9	16	26	39
Age:								
65 to 74 years	1,370	20.3	14.5	4	9	17	27	40
75 to 84 years	945	19.1	13.3	5	9	16	25	36
85 years and over	120	21.3	18.6	2	7	13	30	47
One diagnosis	1,005	18.9	13.0	4	9	16	26	37
Two or more diagnoses	1,430	20.7	15.2	4	9	17	28	41
With surgery	1,050	25.4	14.5	10	14	21	33	44
Without surgery	1,385	15.8	12.7	3	6	12	22	31
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	2,710	21.7	14.7	4	11	19	29	41
Age:								
65 to 74 years	1,515	21.4	15.1	4	10	18	28	42
75 to 84 years	1,070	21.6	13.6	5	12	18	30	39
85 years and over	125	25.5	18.0	6	13	22	31	50
One diagnosis	990	22.0	15.7	4	10	19	30	43
Two or more diagnoses	1,720	21.5	14.1	4	11	18	29	40
With surgery	1,380	26.5	12.2	13	17	24	32	43
Without surgery	1,330	16.7	15.5	2	5	12	22	35
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	10,145	18.3	15.1	3	7	14	24	37
Age:								
65 to 74 years	7,145	18.5	14.9	3	7	15	24	37
75 to 84 years	2,725	18.2	15.8	3	7	14	24	38
85 years and over	275	14.4	14.2	1	6	10	17	26
One diagnosis	4,750	17.1	13.9	2	7	14	23	34
Two or more diagnoses	5,395	19.3	16.1	3	7	15	25	40
With surgery	4,500	20.8	14.5	5	10	17	26	39
Without surgery	5,645	16.3	15.4	2	5	12	22	35
MALIGNANT NEOPLASM OF BREAST (170)								
Total	9,550	16.1	11.7	5	9	13	19	30
Age:								
65 to 74 years	5,605	16.1	11.9	5	9	13	19	30
75 to 84 years	3,310	16.7	11.9	5	9	13	20	33
85 years and over	635	13.1	8.9	3	7	11	16	24
One diagnosis	4,395	14.0	8.5	5	9	12	16	24
Two or more diagnoses	5,155	17.9	13.6	4	9	14	22	36
With surgery	6,175	15.6	9.7	6	9	13	18	26
Without surgery	3,375	17.2	14.6	3	6	13	22	35
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	2,285	13.1	12.6	3	4	8	16	31
Age:								
65 to 74 years	1,610	12.8	12.6	2	4	8	16	29
75 to 84 years	615	14.0	12.4	3	5	9	17	32
85 years and over	60	14.0	14.8	4	5	7	12	46
One diagnosis	1,505	11.5	11.3	2	4	7	14	27
Two or more diagnoses	780	16.4	14.4	3	5	11	22	38
With surgery	1,550	12.2	11.8	3	4	7	15	28
Without surgery	735	15.2	14.0	2	4	10	21	37
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	3,365	15.6	13.5	3	6	11	19	32
Age:								
65 to 74 years	2,160	14.5	12.4	3	6	10	17	29
75 to 84 years	1,125	17.7	15.3	4	7	12	21	39
85 years and over	80	15.1	12.2	1	4	13	18	30
One diagnosis	1,675	13.1	11.7	3	5	10	15	24
Two or more diagnoses	1,690	18.0	14.7	4	8	13	23	37
With surgery	2,540	14.7	12.1	4	7	11	17	29
Without surgery	825	18.4	16.9	3	5	13	24	42
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	1,635	21.5	16.2	5	10	17	27	41
Age:								
65 to 74 years	1,095	21.8	16.9	5	10	16	28	47
75 to 84 years	500	20.8	15.0	4	11	18	26	36
85 years and over	40	22.2	11.0	8	9	21	27	36
One diagnosis	570	18.7	13.2	5	10	14	21	38
Two or more diagnoses	1,065	23.0	17.4	4	10	19	28	44
With surgery	890	23.7	15.4	10	13	19	28	43
Without surgery	745	18.9	16.7	3	5	14	27	37

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	9,935	17.1	13.5	4	8	13	22	34
Age:								
65 to 74 years	4,545	16.7	13.2	3	7	13	21	33
75 to 84 years	4,565	17.1	13.2	4	7	13	22	34
85 years and over	825	19.1	15.6	5	9	14	23	37
One diagnosis	4,520	15.0	11.7	3	7	12	19	30
Two or more diagnoses	5,415	18.8	14.5	4	8	15	24	38
With surgery	6,435	18.0	12.6	5	9	14	22	34
Without surgery	3,500	15.5	14.8	2	5	10	20	36
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	1,245	22.3	15.7	5	12	18	28	45
Age:								
65 to 74 years	770	21.0	15.8	3	11	17	24	45
75 to 84 years	435	25.0	15.5	9	13	22	31	47
85 years and over	40	20.6	10.4	4	11	18	30	33
One diagnosis	470	20.4	15.2	3	11	17	24	42
Two or more diagnoses	775	23.5	15.8	6	13	19	29	45
With surgery	805	24.2	14.0	10	15	20	29	44
Without surgery	440	18.9	17.9	2	6	13	23	47
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	9,025	13.5	13.3	2	4	9	18	30
Age:								
65 to 74 years	4,835	12.7	13.0	2	3	8	17	28
75 to 84 years	3,595	13.9	13.0	2	4	9	19	29
85 years and over	595	17.8	15.8	3	6	13	22	44
One diagnosis	5,450	11.6	12.0	1	3	7	15	26
Two or more diagnoses	3,575	16.4	14.4	2	5	12	22	35
With surgery	7,070	13.2	12.8	2	4	9	17	28
Without surgery	1,955	14.5	14.6	2	4	9	19	33
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	5,320	10.7	12.6	1	2	5	13	26
Age:								
65 to 74 years	2,830	9.4	11.2	1	2	5	12	21
75 to 84 years	1,945	12.1	14.5	1	2	6	15	29
85 years and over	545	12.3	12.1	1	3	7	17	30
One diagnosis	3,375	8.0	9.7	1	2	4	9	18
Two or more diagnoses	1,945	15.3	15.5	2	4	9	20	37
With surgery	4,475	9.9	12.0	1	2	5	12	24
Without surgery	845	14.9	15.1	2	4	10	18	32
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	11,520	19.2	16.6	2	7	14	26	42
Age:								
65 to 74 years	6,790	19.1	16.7	2	6	14	25	43
75 to 84 years	4,045	19.5	16.9	3	7	14	26	41
85 years and over	685	18.4	15.1	2	5	14	27	41
One diagnosis	6,490	18.1	16.4	2	6	13	24	40
Two or more diagnoses	5,030	20.6	16.8	3	8	16	27	43
With surgery	3,810	22.2	17.5	4	9	17	29	46
Without surgery	7,710	17.7	16.0	2	6	12	24	39
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	1,825	18.4	15.4	2	6	14	26	39
Age:								
65 to 74 years	1,030	19.8	16.0	2	6	16	29	41
75 to 84 years	715	15.5	12.9	2	5	11	22	34
85 years and over	80	25.2	21.0	5	12	15	31	54
One diagnosis	990	17.4	15.2	2	5	12	25	37
Two or more diagnoses	835	19.5	15.5	3	7	15	26	40
With surgery	710	20.5	15.9	4	8	16	26	43
Without surgery	1,115	17.0	14.9	2	5	12	25	38
LEUKEMIA AND ALEUKEMIA (204)								
Total	3,460	15.7	13.8	2	6	11	21	33
Age:								
65 to 74 years	1,690	16.1	14.4	2	6	11	21	34
75 to 84 years	1,555	15.5	13.1	2	5	12	21	33
85 years and over	215	14.4	14.5	2	6	10	17	24
One diagnosis	1,595	14.9	12.8	2	5	11	20	32
Two or more diagnoses	1,865	16.4	14.6	3	6	12	21	34
With surgery	470	20.1	16.6	4	8	14	28	46
Without surgery	2,990	15.1	13.2	2	5	11	20	32
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	2,880	18.4	15.6	3	6	14	24	38
Age:								
65 to 74 years	1,805	18.3	14.5	3	7	15	24	37
75 to 84 years	965	18.5	17.7	2	6	13	24	42
85 years and over	110	17.1	11.5	3	7	15	19	36
One diagnosis	1,435	16.1	14.1	2	6	12	21	35
Two or more diagnoses	1,445	20.6	16.5	3	8	16	28	42
With surgery	765	20.7	15.7	4	10	16	27	40
Without surgery	2,115	17.5	15.4	2	6	13	23	36
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	1,380	14.6	9.0	3	8	13	19	26
Age:								
65 to 74 years	955	14.8	8.5	3	9	13	19	26
75 to 84 years	360	13.9	9.3	3	6	13	17	27
85 years and over	65	16.3	12.3	4	8	12	20	24
One diagnosis	765	13.8	8.9	3	8	12	18	25
Two or more diagnoses	615	15.6	9.0	4	9	14	20	27
With surgery	1,085	15.8	9.0	5	10	14	20	27
Without surgery	295	10.1	7.1	2	4	8	14	18
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	1,625	10.0	9.6	2	3	6	13	24
Age:								
65 to 74 years	1,035	8.7	8.7	1	3	5	10	20
75 to 84 years	535	12.9	11.0	3	5	8	16	27
85 years and over	55	7.7	5.3	2	3	7	9	13
One diagnosis	915	8.0	8.2	1	2	5	8	19
Two or more diagnoses	710	12.6	10.7	3	5	8	16	28
With surgery	1,360	10.1	9.1	2	3	6	14	23
Without surgery	265	9.5	12.2	1	3	5	7	27
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	1,770	7.8	6.9	2	2	5	10	17
Age:								
65 to 74 years	1,280	7.5	6.6	2	2	4	10	16
75 to 84 years	450	8.0	6.2	2	3	6	10	18
85 years and over	40	14.5	17.0	3	4	7	13	34
One diagnosis	890	5.9	5.6	1	2	3	7	12
Two or more diagnoses	880	9.6	7.7	2	4	7	12	18
With surgery	1,645	7.4	6.2	2	2	5	9	16
Without surgery	125	12.9	12.0	2	4	10	18	21
LIPOMA (226)								
Total	1,660	6.1	6.5	1	2	3	7	12
Age:								
65 to 74 years	1,295	6.0	6.6	1	2	3	7	11
75 to 84 years	350	6.4	6.2	1	2	3	9	13
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	1,130	4.6	4.0	1	2	3	5	9
Two or more diagnoses	530	9.4	9.0	2	3	6	11	18
With surgery	1,550	6.0	6.5	1	2	3	7	12
Without surgery	110	7.4	6.6	1	3	5	9	11
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	3,345	7.8	9.2	1	2	4	9	19
Age:								
65 to 74 years	1,985	7.2	8.5	1	2	4	9	18
75 to 84 years	1,145	8.8	10.3	1	2	5	10	22
85 years and over	215	8.3	8.2	1	2	5	11	16
One diagnosis	2,625	7.0	8.8	1	2	3	8	14
Two or more diagnoses	720	10.7	9.8	1	2	7	14	26
With surgery	3,005	7.5	8.1	1	2	4	9	18
Without surgery	340	10.6	15.4	1	2	4	10	27
ASTHMA (241)								
Total	4,745	13.2	10.1	3	6	10	16	25
Age:								
65 to 74 years	3,175	12.8	10.0	3	6	10	16	23
75 to 84 years	1,415	14.1	10.2	4	6	11	18	29
85 years and over	155	13.3	12.0	4	6	9	13	31
One diagnosis	1,625	11.4	8.8	2	5	9	13	22
Two or more diagnoses	3,120	14.2	10.7	4	7	11	18	27
With surgery	290	19.2	12.7	7	10	15	26	36
Without surgery	4,455	12.8	9.8	3	6	10	16	24

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	2,590	14.5	12.7	4	6	10	17	29
Age:								
65 to 74 years	1,925	13.3	10.7	4	6	9	16	26
75 to 84 years	580	16.7	14.5	4	7	12	18	37
85 years and over	85	27.4	25.9	8	10	16	28	79
One diagnosis	965	12.0	9.6	4	6	9	14	21
Two or more diagnoses	1,625	16.0	14.0	4	7	11	20	33
With surgery	980	12.9	11.4	4	6	9	14	23
Without surgery	1,610	15.5	13.3	4	6	11	19	32
DIABETES MELLITUS (260)								
Total	34,695	16.0	13.2	4	7	12	20	32
Age:								
65 to 74 years	20,405	15.5	12.8	4	7	12	19	30
75 to 84 years	12,590	16.6	13.3	4	7	12	21	33
85 years and over	1,700	18.5	15.0	4	8	13	24	38
One diagnosis	8,420	14.1	11.9	3	6	10	17	29
Two or more diagnoses	26,275	16.7	13.5	4	7	12	21	33
With surgery	5,560	24.6	17.9	6	11	20	34	49
Without surgery	29,135	14.4	11.3	4	7	11	18	28
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	1,675	18.3	15.0	4	8	14	23	38
Age:								
65 to 74 years	840	17.9	11.7	5	9	15	23	31
75 to 84 years	600	19.5	18.6	3	6	12	24	46
85 years and over	235	16.6	14.9	2	6	10	23	40
One diagnosis	385	16.2	14.9	3	6	12	19	31
Two or more diagnoses	1,290	18.9	15.0	4	8	14	24	39
With surgery	120	28.1	20.2	7	11	19	37	62
Without surgery	1,555	17.5	14.2	4	7	13	23	36
GOUT (288)								
Total	1,200	13.5	11.2	3	6	10	16	28
Age:								
65 to 74 years	755	13.7	11.5	3	6	10	17	27
75 to 84 years	385	13.1	10.8	4	6	9	15	28
85 years and over	60	14.1	10.1	5	6	10	14	28
One diagnosis	355	11.8	9.8	3	5	9	13	26
Two or more diagnoses	845	14.3	11.7	4	6	11	16	28
With surgery	190	17.4	16.7	3	7	12	18	47
Without surgery	1,010	12.8	9.6	3	6	10	15	27
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	1,805	17.8	12.5	5	9	14	22	34
Age:								
65 to 74 years	735	16.9	11.7	5	9	14	20	29
75 to 84 years	865	18.0	12.9	5	9	14	23	34
85 years and over	205	19.9	13.0	5	10	16	25	43
One diagnosis	645	15.7	12.8	4	8	12	19	27
Two or more diagnoses	1,160	18.9	12.2	6	10	15	24	36
With surgery	265	18.9	9.2	6	12	19	25	29
Without surgery	1,540	17.6	13.0	5	9	14	21	35
IRON DEFICIENCY ANEMIAS (291)								
Total	2,665	14.2	11.3	3	7	11	17	26
Age:								
65 to 74 years	1,115	13.1	11.9	3	6	10	15	23
75 to 84 years	1,160	14.9	10.4	4	8	12	18	26
85 years and over	390	15.3	11.7	3	6	12	21	29
One diagnosis	655	11.3	8.4	2	5	9	14	21
Two or more diagnoses	2,010	15.2	11.9	4	7	12	18	28
With surgery	520	19.2	15.1	6	9	14	22	34
Without surgery	2,145	13.0	9.7	3	6	10	16	24
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	7,325	15.2	12.8	2	6	12	20	32
Age:								
65 to 74 years	3,235	14.7	12.0	2	6	11	19	29
75 to 84 years	3,270	15.4	12.8	3	6	12	20	32
85 years and over	820	16.8	15.3	3	6	11	21	38
One diagnosis	2,855	13.6	11.7	2	5	10	17	30
Two or more diagnoses	4,470	16.3	13.3	3	7	13	21	33
With surgery	1,210	20.3	14.7	4	10	17	26	39
Without surgery	6,115	14.2	12.1	2	5	10	18	30
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	3,760	17.5	15.9	3	6	12	23	39
Age:								
65 to 74 years	1,220	17.8	14.9	3	7	13	24	39
75 to 84 years	2,025	18.1	16.4	3	6	12	24	39
85 years and over	515	14.6	16.0	2	4	9	19	31
One diagnosis	1,305	14.4	14.0	2	4	9	18	32
Two or more diagnoses	2,455	19.2	16.6	3	7	14	24	43
With surgery	305	24.3	19.5	7	10	18	32	52
Without surgery	3,455	17.0	15.4	3	6	12	22	38
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	2,155	19.2	13.3	4	9	16	26	35
Age:								
65 to 74 years	1,575	19.0	12.8	5	9	16	25	33
75 to 84 years	525	19.4	13.9	3	7	17	26	37
85 years and over	55	23.2	17.6	4	8	15	36	50
One diagnosis	1,260	20.1	12.5	5	10	18	27	36
Two or more diagnoses	895	17.9	14.2	4	8	15	21	33
With surgery	100	22.1	16.2	4	10	17	30	41
Without surgery	2,055	19.1	13.1	4	9	16	25	35
PSYCHONEUROTIC DISORDERS (324)								
Total	5,725	17.3	14.0	3	7	13	23	36
Age:								
65 to 74 years	4,005	17.8	14.4	3	7	14	24	37
75 to 84 years	1,610	16.4	13.1	3	6	13	21	33
85 years and over	110	13.8	9.6	2	7	10	17	29
One diagnosis	2,960	18.6	14.4	3	7	15	24	37
Two or more diagnoses	2,765	16.0	13.5	3	6	12	20	35
With surgery	285	20.3	15.2	5	8	16	28	45
Without surgery	5,440	17.2	13.9	3	7	13	23	35
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	30,725	18.0	17.0	1	5	12	25	41
Age:								
65 to 74 years	13,015	18.1	17.1	1	5	13	25	42
75 to 84 years	13,550	17.9	16.9	1	5	12	25	41
85 years and over	4,160	17.7	16.8	1	4	12	25	42
One diagnosis	15,330	16.7	16.2	1	4	11	23	39
Two or more diagnoses	15,395	19.2	17.6	1	6	13	27	43
With surgery	1,550	26.2	20.2	2	9	23	37	54
Without surgery	29,175	17.5	16.7	1	5	12	24	40
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	16,360	19.3	16.1	3	7	15	26	41
Age:								
65 to 74 years	6,550	19.2	15.6	3	8	14	25	41
75 to 84 years	7,505	19.5	16.2	3	7	15	26	40
85 years and over	2,305	18.9	16.3	2	6	14	26	42
One diagnosis	4,990	17.9	15.3	3	7	13	23	38
Two or more diagnoses	11,370	19.9	16.3	3	8	15	27	42
With surgery	960	26.0	17.8	6	13	22	35	49
Without surgery	15,400	18.9	15.8	2	7	14	25	40
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	13,005	14.6	13.1	3	6	10	17	30
Age:								
65 to 74 years	5,330	14.1	12.4	4	6	10	17	28
75 to 84 years	5,780	14.7	13.2	3	6	10	17	30
85 years and over	1,895	16.0	14.9	3	5	11	21	35
One diagnosis	3,885	12.1	11.9	2	5	8	14	24
Two or more diagnoses	9,120	15.7	13.5	4	6	11	19	32
With surgery	870	21.6	15.4	6	10	17	27	43
Without surgery	12,135	14.1	12.8	3	6	10	17	28
PARALYSIS AGITANS (350)								
Total	3,490	21.1	16.6	4	9	17	27	43
Age:								
65 to 74 years	2,305	21.9	16.6	5	9	18	28	45
75 to 84 years	1,080	19.6	16.5	4	8	14	24	42
85 years and over	105	17.9	15.5	3	6	13	22	38
One diagnosis	1,450	22.1	15.8	4	10	19	28	40
Two or more diagnoses	2,040	20.4	17.1	4	8	15	25	46
With surgery	295	30.0	19.7	9	14	24	39	56
Without surgery	3,195	20.3	16.0	4	8	16	26	40

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	3,860	13.5	10.2	3	6	10	17	26
Age:								
65 to 74 years	2,335	13.7	10.6	3	6	11	17	25
75 to 84 years	1,270	13.4	9.5	3	6	10	17	27
85 years and over	255	12.4	10.1	3	5	8	15	22
One diagnosis	1,905	12.3	9.8	2	5	9	16	24
Two or more diagnoses	1,955	14.7	10.5	4	7	12	19	29
With surgery	670	14.6	11.9	2	5	12	18	32
Without surgery	3,190	13.3	9.9	3	6	10	17	25
CATARACT (385)								
Total	43,275	8.3	5.3	4	5	7	9	13
Age:								
65 to 74 years	21,975	8.0	4.5	4	5	7	8	12
75 to 84 years	18,550	8.5	5.8	4	5	7	9	13
85 years and over	2,750	9.5	6.9	4	6	7	10	15
One diagnosis	34,060	7.9	4.5	4	5	7	8	12
Two or more diagnoses	9,215	9.8	7.4	4	6	7	10	15
With surgery	41,545	8.3	5.1	4	5	7	9	13
Without surgery	1,730	9.0	9.4	1	3	6	10	18
GLAUCOMA (387)								
Total	3,930	8.3	5.6	3	4	6	10	15
Age:								
65 to 74 years	2,270	8.2	5.3	3	4	6	10	15
75 to 84 years	1,435	8.6	5.7	3	4	6	10	15
85 years and over	225	8.3	7.1	2	4	6	8	16
One diagnosis	2,740	7.7	4.8	2	4	6	9	14
Two or more diagnoses	1,190	9.7	6.8	3	5	7	11	19
With surgery	3,300	8.3	5.2	3	4	6	10	14
Without surgery	630	8.7	7.3	2	3	6	11	18
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	2,990	16.0	12.1	4	7	12	21	33
Age:								
65 to 74 years	2,275	15.6	11.6	4	7	12	20	30
75 to 84 years	670	17.3	13.4	3	7	12	24	36
85 years and over	45	16.2	14.0	1	5	10	15	39
One diagnosis	525	15.4	11.9	3	6	11	22	33
Two or more diagnoses	2,465	16.1	12.1	4	7	12	21	33
With surgery	330	19.7	11.9	6	9	18	27	36
Without surgery	2,660	15.5	12.0	3	7	12	20	32
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	63,115	15.3	12.8	3	6	11	19	30
Age:								
65 to 74 years	24,545	14.7	11.7	3	6	11	18	28
75 to 84 years	29,085	15.4	12.9	3	6	11	19	31
85 years and over	9,485	16.6	14.7	3	6	12	21	35
One diagnosis	17,275	13.8	12.1	2	5	10	17	28
Two or more diagnoses	45,840	15.9	13.0	3	7	12	20	31
With surgery	5,225	22.4	15.8	5	11	18	29	42
Without surgery	57,890	14.7	12.3	3	6	11	18	29
ACUTE CORONARY OCCLUSION (420.1)								
Total	44,275	18.2	13.3	1	6	18	25	34
Age:								
65 to 74 years	25,275	19.0	12.8	1	8	19	26	34
75 to 84 years	16,205	17.4	13.9	1	4	16	25	34
85 years and over	2,795	15.9	14.4	1	2	13	24	33
One diagnosis	20,865	17.3	12.5	1	5	18	25	32
Two or more diagnoses	23,410	19.1	13.9	1	7	19	26	35
With surgery	1,760	24.1	17.6	2	11	21	33	46
Without surgery	42,515	18.0	13.0	1	6	18	25	33
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	41,280	14.9	12.0	3	6	11	19	29
Age:								
65 to 74 years	22,545	14.4	11.2	3	6	11	18	27
75 to 84 years	15,575	15.4	12.4	3	6	12	20	30
85 years and over	3,160	16.0	14.1	2	6	11	20	35
One diagnosis	14,615	13.6	11.2	2	5	10	18	27
Two or more diagnoses	26,665	15.6	12.3	4	7	12	20	30
With surgery	2,280	22.9	16.7	6	11	18	29	46
Without surgery	39,000	14.4	11.4	3	6	11	18	28
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	1,990	14.4	13.1	1	5	11	18	26
Age:								
65 to 74 years	890	13.7	10.9	2	5	12	18	26
75 to 84 years	840	15.8	15.5	2	6	12	19	29
85 years and over	260	11.9	10.9	1	3	9	16	22
One diagnosis	500	13.1	12.0	2	5	10	16	22
Two or more diagnoses	1,490	14.8	13.4	1	5	12	19	27
With surgery	135	17.4	13.5	3	5	16	21	27
Without surgery	1,855	14.2	13.0	1	5	11	18	26
FUNCTIONAL DISEASE OF HEART (433)								
Total	11,665	12.9	11.7	1	5	10	16	26
Age:								
65 to 74 years	5,860	12.1	11.0	1	4	9	15	25
75 to 84 years	4,725	13.8	12.2	2	5	10	18	28
85 years and over	1,080	13.5	12.5	1	4	10	18	27
One diagnosis	3,720	11.6	9.8	1	4	9	15	23
Two or more diagnoses	7,945	13.5	12.4	1	5	10	17	28
With surgery	2,380	17.1	13.4	4	8	14	20	33
Without surgery	9,285	11.8	11.0	1	4	8	15	25
CONGESTIVE HEART FAILURE (434.1)								
Total	27,690	15.5	13.2	2	6	12	20	32
Age:								
65 to 74 years	12,175	15.7	12.6	3	7	12	20	31
75 to 84 years	11,840	15.3	13.3	2	6	11	20	32
85 years and over	3,675	15.7	14.3	1	5	11	22	34
One diagnosis	12,790	14.8	12.5	2	6	11	19	30
Two or more diagnoses	14,900	16.2	13.6	2	6	12	21	33
With surgery	1,705	23.9	16.3	5	11	20	32	47
Without surgery	25,985	15.0	12.7	2	6	11	19	31
HYPERTENSIVE HEART DISEASE (442,443)								
Total	19,245	15.5	12.5	4	7	12	19	30
Age:								
65 to 74 years	9,800	14.5	11.1	4	6	11	19	28
75 to 84 years	7,845	16.4	13.5	4	7	12	20	33
85 years and over	1,600	17.5	14.8	3	7	13	22	35
One diagnosis	3,740	13.0	11.3	3	5	10	16	27
Two or more diagnoses	15,505	16.1	12.7	4	7	12	20	31
With surgery	1,730	21.5	14.8	6	10	18	28	41
Without surgery	17,515	14.9	12.1	4	6	11	19	29
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	9,885	12.7	11.7	3	5	9	15	25
Age:								
65 to 74 years	5,975	11.9	11.2	2	5	8	14	24
75 to 84 years	3,310	13.6	12.1	3	5	10	16	28
85 years and over	600	15.2	12.9	3	6	11	21	30
One diagnosis	3,030	10.6	10.8	2	4	7	12	22
Two or more diagnoses	6,855	13.6	11.9	3	6	10	17	27
With surgery	1,000	17.1	14.4	3	6	13	21	34
Without surgery	8,885	12.2	11.2	2	5	8	15	24
GENERAL ARTERIOSCLEROSIS (450)								
Total	14,195	18.1	15.9	3	6	13	24	39
Age:								
65 to 74 years	4,550	18.1	15.8	3	6	13	24	39
75 to 84 years	6,625	18.1	15.7	3	7	13	23	40
85 years and over	3,020	18.0	16.6	2	6	13	24	39
One diagnosis	2,960	15.5	14.6	2	5	11	20	33
Two or more diagnoses	11,235	18.8	16.2	3	7	13	25	41
With surgery	3,155	26.7	17.5	8	13	21	36	51
Without surgery	11,040	15.6	14.5	3	5	11	20	34
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	2,700	13.3	13.5	1	2	10	19	28
Age:								
65 to 74 years	1,520	13.7	13.3	1	2	11	19	31
75 to 84 years	990	13.2	14.1	1	1	9	19	26
85 years and over	190	11.0	11.1	1	1	7	17	26
One diagnosis	1,310	12.3	12.6	1	1	9	18	25
Two or more diagnoses	1,390	14.3	14.1	1	2	10	20	31
With surgery	1,225	17.9	14.2	1	9	16	23	33
Without surgery	1,475	9.5	11.5	1	1	5	12	23

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	2,715	18.2	14.7	2	7	15	24	37
Age:								
65 to 74 years	1,530	17.6	14.5	2	7	15	23	37
75 to 84 years	1,005	19.1	15.5	3	7	16	26	39
85 years and over	180	17.4	10.8	2	10	15	23	30
One diagnosis	1,285	15.6	12.2	2	6	13	21	30
Two or more diagnoses	1,430	20.4	16.3	2	8	17	27	41
With surgery	1,715	21.4	14.9	6	10	18	26	41
Without surgery	1,000	12.6	12.4	1	3	7	17	28
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	2,335	29.2	19.3	7	15	25	39	57
Age:								
65 to 74 years	880	30.4	19.2	9	16	26	41	59
75 to 84 years	1,160	29.6	19.1	8	15	26	38	56
85 years and over	295	23.9	19.6	5	9	17	30	58
One diagnosis	1,145	28.9	19.6	7	15	25	38	56
Two or more diagnoses	1,190	29.4	19.1	8	14	25	40	58
With surgery	1,470	32.2	17.9	12	19	28	42	57
Without surgery	865	24.2	20.5	3	9	17	33	56
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	4,130	17.9	15.7	3	6	12	24	40
Age:								
65 to 74 years	2,695	15.7	13.7	3	6	10	20	35
75 to 84 years	1,230	21.1	17.7	4	8	16	28	43
85 years and over	205	27.7	20.0	5	12	21	42	57
One diagnosis	2,205	14.7	13.7	3	5	10	19	33
Two or more diagnoses	1,925	21.6	17.1	5	8	16	29	43
With surgery	2,545	16.5	15.7	3	5	10	21	38
Without surgery	1,585	20.1	15.6	4	8	16	28	41
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	4,345	9.7	6.9	3	5	7	11	17
Age:								
65 to 74 years	3,265	9.5	7.1	3	5	7	11	16
75 to 84 years	950	10.1	6.2	3	5	8	12	18
85 years and over	130	10.7	6.1	2	5	10	15	19
One diagnosis	2,240	8.5	4.9	3	5	7	10	15
Two or more diagnoses	2,105	10.9	8.3	4	5	8	12	19
With surgery	3,615	10.0	6.9	4	5	8	11	17
Without surgery	730	7.9	6.2	2	3	6	10	15
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	4,235	16.4	10.8	6	9	13	20	28
Age:								
65 to 74 years	2,605	16.3	11.3	6	9	13	19	29
75 to 84 years	1,435	16.4	9.8	6	9	14	21	27
85 years and over	195	16.8	9.6	5	9	14	27	29
One diagnosis	1,635	14.8	9.5	6	8	12	18	24
Two or more diagnoses	2,600	17.4	11.4	7	10	14	21	30
With surgery	430	22.2	17.4	5	11	18	27	45
Without surgery	3,805	15.7	9.5	6	9	13	19	27
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	2,520	16.8	11.7	6	9	14	20	30
Age:								
65 to 74 years	1,600	16.1	11.4	6	9	13	18	27
75 to 84 years	785	18.7	12.4	6	10	15	23	34
85 years and over	135	14.3	10.0	5	8	9	16	31
One diagnosis	1,365	16.9	11.5	6	9	14	21	30
Two or more diagnoses	1,155	16.7	12.0	6	9	14	19	30
With surgery	215	24.3	15.4	8	12	18	30	53
Without surgery	2,305	16.1	11.0	6	9	13	19	28
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	5,355	18.0	14.4	2	8	14	23	36
Age:								
65 to 74 years	2,860	17.9	13.9	2	9	14	23	35
75 to 84 years	2,060	18.2	14.7	2	7	15	24	37
85 years and over	435	18.0	15.6	2	6	14	23	37
One diagnosis	1,375	16.1	13.6	2	7	13	20	32
Two or more diagnoses	3,980	18.7	14.6	2	8	15	24	37
With surgery	840	25.1	16.7	7	12	20	34	47
Without surgery	4,515	16.7	13.5	2	7	13	22	32
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	2,530	10.3	8.0	3	5	8	12	19
Age:								
65 to 74 years	1,335	10.0	7.7	3	5	7	12	19
75 to 84 years	885	10.9	8.6	3	5	9	13	20
85 years and over	310	10.0	7.7	3	5	8	12	17
One diagnosis	710	8.9	6.2	2	4	7	11	16
Two or more diagnoses	1,820	10.8	8.5	3	5	8	13	20
With surgery	220	11.6	8.9	1	4	9	17	22
Without surgery	2,310	10.2	7.9	3	5	8	12	19
INFLUENZA (480-483)								
Total	3,100	13.1	10.3	4	6	10	16	26
Age:								
65 to 74 years	1,855	12.7	9.3	4	6	10	15	23
75 to 84 years	1,025	13.6	11.6	3	6	9	16	30
85 years and over	220	14.8	11.8	4	6	9	21	35
One diagnosis	1,140	10.6	7.9	3	5	8	12	19
Two or more diagnoses	1,960	14.6	11.3	4	7	11	18	29
With surgery	135	26.3	18.8	6	12	20	36	48
Without surgery	2,965	12.5	9.3	4	6	9	15	24
LOBAR PNEUMONIA (490)								
Total	1,395	15.5	11.5	3	7	14	19	28
Age:								
65 to 74 years	755	14.2	9.1	4	7	13	18	23
75 to 84 years	495	17.6	14.3	3	7	14	21	37
85 years and over	145	15.2	11.0	2	5	14	19	27
One diagnosis	400	13.5	8.3	3	7	13	18	20
Two or more diagnoses	995	16.3	12.5	3	8	14	20	31
With surgery	95	26.9	11.8	13	18	20	37	43
Without surgery	1,300	14.7	11.0	3	7	13	18	26
BRONCHOPNEUMONIA (491)								
Total	9,715	15.7	13.3	2	7	12	20	32
Age:								
65 to 74 years	3,855	15.2	12.8	3	7	11	18	30
75 to 84 years	4,160	16.4	13.9	3	7	12	20	33
85 years and over	1,700	15.0	13.1	2	6	11	20	32
One diagnosis	2,095	13.0	10.3	3	6	10	15	23
Two or more diagnoses	7,620	16.4	14.0	2	7	12	21	34
With surgery	845	26.1	17.4	9	14	20	33	50
Without surgery	8,870	14.7	12.4	2	6	11	18	30
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	6,635	14.2	9.9	4	7	11	17	26
Age:								
65 to 74 years	3,360	13.6	8.9	4	7	11	17	25
75 to 84 years	2,535	14.8	11.0	5	7	12	18	27
85 years and over	740	15.0	10.6	4	7	12	19	27
One diagnosis	1,775	11.4	7.5	4	6	9	14	20
Two or more diagnoses	4,860	15.3	10.5	5	8	12	19	28
With surgery	455	22.1	13.2	8	13	20	28	36
Without surgery	6,180	13.6	9.4	4	7	11	17	25
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	13,245	15.5	12.2	3	7	12	19	29
Age:								
65 to 74 years	5,625	15.0	11.5	4	8	12	18	28
75 to 84 years	5,460	16.1	12.8	3	7	13	20	31
85 years and over	2,160	15.0	12.3	2	6	12	18	31
One diagnosis	5,140	13.5	10.2	4	7	11	16	24
Two or more diagnoses	8,105	16.7	13.2	3	8	13	21	33
With surgery	1,105	24.0	15.6	7	13	20	30	45
Without surgery	12,140	14.7	11.5	3	7	12	18	28
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	4,510	11.4	7.6	4	6	9	13	20
Age:								
65 to 74 years	2,635	11.1	7.7	4	6	9	13	20
75 to 84 years	1,530	11.5	7.3	4	6	9	14	20
85 years and over	345	12.6	8.2	5	7	10	14	22
One diagnosis	1,145	9.8	6.8	3	5	8	11	16
Two or more diagnoses	3,365	11.9	7.7	4	6	9	14	21
With surgery	155	17.7	11.0	7	8	14	22	28
Without surgery	4,355	11.1	7.3	4	6	9	13	20

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient chorocteristics	Number of discharges	Average stoy (doys)	Standard deviation (doys)	Percentiles (doys)				
				10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Totol	3,420	11.8	8.8	4	6	9	14	22
Age:								
65 to 74 years	2,095	11.1	7.8	4	6	8	14	21
75 to 84 years	1,115	12.5	8.9	4	6	10	16	24
85 years ond over	210	15.5	14.9	5	7	12	16	25
One diognosis	1,375	9.9	6.3	3	5	8	12	18
Two or more diognoses	2,045	13.2	10.0	4	6	10	16	25
With surgery	425	15.3	11.6	4	6	12	21	31
Without surgery	2,995	11.4	8.2	4	6	9	14	21
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Totol	3,595	14.2	11.0	4	7	11	17	26
Age:								
65 to 74 years	2,235	13.9	11.0	4	7	10	16	26
75 to 84 years	1,175	14.4	10.9	4	7	11	18	27
85 years ond over	185	15.9	10.6	4	9	13	20	30
One diognosis	1,150	12.3	9.3	4	6	10	15	21
Two or more diognoses	2,445	15.1	11.6	4	7	11	19	29
With surgery	450	18.6	15.2	4	8	14	23	40
Without surgery	3,145	13.6	10.0	4	7	10	16	25
CHRONIC 8RONCHITIS WITHOUT EMPHYSEMA (502.9)								
Totol	1,765	13.0	11.1	3	6	10	16	24
Age:								
65 to 74 years	1,075	12.1	10.8	3	5	9	15	22
75 to 84 years	610	13.6	9.6	4	7	10	17	26
85 years ond over	80	21.4	19.8	4	6	10	31	50
One diognosis	535	9.4	8.4	2	4	6	11	18
Two or more diognoses	1,230	14.6	11.8	4	7	11	17	26
With surgery	375	13.1	12.2	1	4	10	17	28
Without surgery	1,390	13.0	10.8	4	6	10	15	23
PULMONARY CONGESTION ANO HYPOSTASIS (522)								
Totol	4,405	13.5	12.3	1	4	10	18	29
Age:								
65 to 74 years	2,090	13.3	11.8	1	4	10	18	28
75 to 84 years	1,860	14.0	13.0	1	4	10	19	30
85 years ond over	455	12.8	10.7	1	5	10	17	24
One diognosis	1,535	13.0	11.5	1	4	10	18	27
Two or more diognoses	2,870	13.9	12.6	1	4	10	19	29
With surgery	295	23.4	14.3	7	10	20	32	45
Without surgery	4,110	12.8	11.8	1	4	9	17	27
EMPHYSEMA WITHOUT MENTION OF 8RONCHITIS (527.1)								
Totol	10,165	14.6	12.4	3	6	11	18	29
Age:								
65 to 74 years	6,670	14.1	11.8	3	6	10	17	29
75 to 84 years	3,140	15.3	13.3	3	6	11	19	30
85 years ond over	355	16.6	14.6	3	8	12	20	29
One diognosis	3,245	12.5	10.5	3	5	9	15	25
Two or more diognoses	6,920	15.5	13.1	3	7	11	19	32
With surgery	1,190	20.4	15.9	4	8	16	27	43
Without surgery	8,975	13.8	11.7	3	6	10	17	27
OISEASES OF ESOPHAGUS (539)								
Totol	2,690	11.7	10.2	2	4	9	15	24
Age:								
65 to 74 years	1,550	10.8	9.9	2	3	8	13	21
75 to 84 years	965	13.1	10.8	3	5	9	16	29
85 years ond over	175	12.5	7.8	3	6	10	17	23
One diognosis	1,175	10.1	8.5	2	3	8	13	20
Two or more diognoses	1,515	13.0	11.2	2	5	10	16	26
With surgery	1,365	12.5	11.3	1	3	10	16	28
Without surgery	1,325	10.9	8.9	3	5	8	14	19
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Totol	3,650	16.6	12.1	4	8	13	22	29
Age:								
65 to 74 years	2,225	16.3	12.0	4	8	13	21	28
75 to 84 years	1,285	16.6	11.3	4	9	14	22	30
85 years ond over	140	21.3	18.5	5	7	15	24	42
One diognosis	1,610	15.3	11.0	3	7	12	19	29
Two or more diognoses	2,040	17.6	12.8	5	9	14	22	30
With surgery	1,155	22.2	12.9	9	13	20	27	36
Without surgery	2,495	14.0	10.7	4	6	11	17	25
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Totol	1,340	16.9	10.8	5	9	14	23	30
Age:								
65 to 74 years	800	16.8	10.5	6	9	14	22	30
75 to 84 years	450	16.3	11.0	4	8	14	21	29
85 years ond over	90	20.6	11.3	4	8	21	27	36
One diognosis	580	14.9	9.7	4	7	13	20	28
Two or more diognoses	760	18.4	11.3	6	10	15	24	34
With surgery	430	21.7	12.3	9	12	19	27	37
Without surgery	910	14.6	9.2	4	7	13	20	27
ULCER OF OUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Totol	7,490	13.8	10.1	4	7	11	17	25
Age:								
65 to 74 years	4,870	13.2	9.7	4	6	10	16	24
75 to 84 years	2,280	14.4	10.5	4	7	11	18	26
85 years ond over	340	17.4	11.3	5	9	14	23	32
One diognosis	2,880	12.1	8.3	3	6	10	15	22
Two or more diognoses	4,610	14.8	11.0	4	7	11	19	27
With surgery	1,665	21.5	12.8	9	13	19	25	36
Without surgery	5,825	11.6	7.9	4	6	9	14	20
ULCER OF OUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Totol	5,335	15.6	10.6	5	8	13	19	29
Age:								
65 to 74 years	3,185	15.3	10.6	5	8	12	18	28
75 to 84 years	1,835	15.7	10.4	5	8	13	20	29
85 years ond over	315	18.5	11.6	5	11	15	23	33
One diognosis	2,620	14.1	8.8	5	8	12	17	25
Two or more diognoses	2,715	17.1	12.0	5	8	14	21	33
With surgery	1,330	21.9	12.6	8	13	19	28	38
Without surgery	4,005	13.5	8.9	4	7	11	16	24
ULCER OF STOMACH & OUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Totol	1,125	18.1	12.8	5	10	15	23	34
Age:								
65 to 74 years	675	18.9	13.7	6	10	15	23	36
75 to 84 years	350	17.3	10.9	3	9	15	22	30
85 years ond over	100	16.4	12.0	1	9	14	20	27
One diognosis	535	15.9	9.7	5	10	13	19	27
Two or more diognoses	590	20.2	14.7	4	10	17	25	38
With surgery	880	19.7	12.9	7	11	17	24	36
Without surgery	245	12.6	10.3	2	5	10	15	25
GASTRITIS ANO OUOOENITIS (543)								
Totol	4,930	10.5	8.9	3	5	8	13	20
Age:								
65 to 74 years	3,035	10.0	8.7	3	4	7	12	18
75 to 84 years	1,600	11.0	9.1	2	5	8	14	21
85 years ond over	295	12.1	9.9	3	5	8	15	23
One diognosis	1,500	8.3	6.6	2	3	6	10	16
Two or more diognoses	3,430	11.4	9.6	3	5	8	14	21
With surgery	550	17.2	11.6	6	9	14	20	31
Without surgery	4,380	9.6	8.1	2	4	7	12	17
APPENOICITIS (550-553)								
Totol	2,225	16.3	11.2	6	9	13	20	31
Age:								
65 to 74 years	1,395	15.5	10.6	5	8	12	19	30
75 to 84 years	675	17.3	10.4	7	10	14	22	32
85 years ond over	155	19.3	17.2	5	9	13	21	40
One diognosis	1,330	14.0	9.2	5	8	12	16	24
Two or more diognoses	895	19.7	12.9	7	10	16	25	36
With surgery	1,970	16.3	10.8	6	9	13	20	31
Without surgery	255	16.4	13.6	3	7	12	22	33
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Totol	17,970	10.8	6.8	5	7	9	12	17
Age:								
65 to 74 years	11,910	10.1	5.8	5	6	8	11	16
75 to 84 years	5,460	11.9	8.2	5	7	9	13	19
85 years ond over	600	12.9	7.9	5	8	10	15	20
One diognosis	11,925	9.6	5.1	5	6	8	10	14
Two or more diognoses	6,045	13.0	8.8	5	7	10	15	22
With surgery	16,910	10.7	6.4	5	7	9	12	17
Without surgery	1,060	10.8	11.0	2	4	8	11	21

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	7,680	11.7	9.9	3	5	8	14	24
Age:								
65 to 74 years	4,545	11.2	9.5	3	4	8	14	23
75 to 84 years	2,645	12.5	10.3	3	6	9	14	26
85 years and over	490	12.2	11.0	3	5	8	15	24
One diagnosis	2,000	10.0	7.9	2	4	8	12	21
Two or more diagnoses	5,680	12.4	10.5	3	5	9	15	25
With surgery	1,700	18.2	12.7	4	9	14	24	34
Without surgery	5,980	9.9	8.1	3	4	7	11	19
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	6,095	13.1	8.9	5	7	10	15	23
Age:								
65 to 74 years	4,285	12.8	8.3	5	7	10	15	22
75 to 84 years	1,600	13.7	9.2	5	7	11	16	24
85 years and over	210	14.8	16.0	2	5	10	18	29
One diagnosis	3,630	11.6	7.5	5	7	9	13	19
Two or more diagnoses	2,465	15.3	10.2	5	8	12	19	26
With surgery	5,290	13.4	8.5	6	8	10	15	23
Without surgery	805	11.3	10.8	2	4	8	14	24
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	5,010	13.8	10.8	5	7	10	16	26
Age:								
65 to 74 years	2,175	13.5	10.0	5	7	10	15	25
75 to 84 years	2,190	14.0	10.6	5	7	10	16	27
85 years and over	645	14.5	13.5	2	6	10	17	28
One diagnosis	2,790	12.4	10.2	5	7	9	13	21
Two or more diagnoses	2,220	15.7	11.2	5	8	12	20	31
With surgery	4,240	14.1	10.2	5	7	10	16	26
Without surgery	770	12.3	13.3	1	4	8	14	29
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	9,735	15.0	13.2	2	5	11	20	32
Age:								
65 to 74 years	4,300	15.1	12.9	2	6	11	19	31
75 to 84 years	4,010	15.7	14.1	2	5	11	21	34
85 years and over	1,425	12.9	11.4	1	4	9	17	29
One diagnosis	4,885	13.9	12.5	2	5	10	18	30
Two or more diagnoses	4,850	16.1	13.8	2	6	12	21	34
With surgery	4,135	20.2	14.0	5	10	17	26	38
Without surgery	5,600	11.2	11.2	1	4	7	14	24
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	8,560	10.1	9.7	2	4	7	12	19
Age:								
65 to 74 years	4,655	9.6	9.7	2	4	7	11	18
75 to 84 years	3,100	10.4	9.4	2	4	7	12	21
85 years and over	805	12.0	10.2	2	4	9	15	24
One diagnosis	3,430	8.3	7.8	2	3	6	10	16
Two or more diagnoses	5,130	11.4	10.6	3	5	8	13	21
With surgery	820	17.9	16.3	4	7	13	23	33
Without surgery	7,740	9.3	8.3	2	4	7	11	17
DIVERTICULITIS (572.1)								
Total	17,285	12.4	10.6	3	5	9	15	24
Age:								
65 to 74 years	9,070	12.3	10.5	3	5	9	15	25
75 to 84 years	6,695	12.5	10.8	3	5	9	15	24
85 years and over	1,520	12.5	10.6	3	5	9	15	24
One diagnosis	6,845	11.2	9.5	2	4	8	14	22
Two or more diagnoses	10,440	13.1	11.2	3	6	9	16	26
With surgery	5,050	17.9	13.8	4	8	14	23	36
Without surgery	12,235	10.1	7.9	3	5	7	12	19
CIRRHOSIS OF LIVER (581)								
Total	4,015	17.1	13.3	4	7	13	23	34
Age:								
65 to 74 years	3,095	16.9	13.0	4	7	13	22	33
75 to 84 years	835	17.8	14.0	3	7	14	24	37
85 years and over	85	18.4	15.5	4	7	16	21	29
One diagnosis	1,470	16.0	12.8	3	6	12	21	32
Two or more diagnoses	2,545	17.7	13.5	4	7	14	23	35
With surgery	680	22.3	12.6	7	12	19	31	39
Without surgery	3,335	16.0	13.1	3	6	12	21	30
CHOLELITHIASIS (584)								
Total	18,000	16.8	11.3	5	9	14	21	30
Age:								
65 to 74 years	11,195	16.0	10.1	6	9	13	20	28
75 to 84 years	5,960	18.1	12.9	5	9	15	23	33
85 years and over	845	18.3	12.1	6	9	16	23	31
One diagnosis	8,730	15.4	9.5	6	9	13	19	27
Two or more diagnoses	9,270	18.1	12.6	5	9	15	23	33
With surgery	12,445	19.3	11.1	9	11	16	23	32
Without surgery	5,555	11.2	9.4	3	5	8	13	22
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	8,895	15.2	11.7	4	7	12	19	29
Age:								
65 to 74 years	4,670	14.5	10.5	4	7	11	18	27
75 to 84 years	3,410	15.7	12.4	4	7	12	19	31
85 years and over	815	17.4	14.1	4	7	13	21	35
One diagnosis	4,530	13.6	9.7	4	7	11	17	25
Two or more diagnoses	4,365	16.9	13.2	5	8	13	21	33
With surgery	3,760	19.9	12.0	9	12	16	23	34
Without surgery	5,135	11.9	10.1	3	5	9	14	22
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	2,535	17.4	13.1	4	7	13	23	34
Age:								
65 to 74 years	1,225	16.8	13.1	4	7	12	22	33
75 to 84 years	1,055	18.1	13.2	4	8	14	24	37
85 years and over	255	17.5	12.3	4	7	15	23	34
One diagnosis	1,190	17.1	12.6	4	7	13	23	32
Two or more diagnoses	1,345	17.7	13.5	4	7	13	24	36
With surgery	1,000	24.1	13.7	9	14	20	30	41
Without surgery	1,535	13.0	10.7	3	6	9	16	27
DISEASES OF PANCREAS (587)								
Total	2,010	15.0	11.2	4	7	12	18	29
Age:								
65 to 74 years	1,200	14.9	11.1	4	7	11	18	28
75 to 84 years	705	14.8	11.1	3	7	12	19	29
85 years and over	105	16.6	13.0	1	7	14	19	40
One diagnosis	775	13.2	9.1	3	7	10	17	25
Two or more diagnoses	1,235	16.1	12.3	4	8	13	19	30
With surgery	445	23.2	13.2	8	15	20	28	41
Without surgery	1,565	12.6	9.4	3	7	10	15	23
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	2,700	18.0	15.3	3	7	14	23	39
Age:								
65 to 74 years	1,520	19.2	15.3	3	8	15	25	41
75 to 84 years	955	16.4	14.7	3	5	12	21	35
85 years and over	225	17.5	16.9	2	6	13	22	33
One diagnosis	800	17.8	16.3	2	5	13	23	38
Two or more diagnoses	1,900	18.1	14.9	3	7	14	23	39
With surgery	945	21.9	16.2	6	10	17	27	43
Without surgery	1,755	16.0	14.4	2	5	11	21	35
INFECTIONS OF KIDNEY (600)								
Total	4,840	14.6	12.1	4	7	11	18	28
Age:								
65 to 74 years	2,660	13.8	11.1	4	6	10	17	26
75 to 84 years	1,705	15.5	13.7	4	7	11	18	29
85 years and over	475	16.1	11.1	4	8	13	21	29
One diagnosis	1,570	12.4	10.5	3	6	9	15	22
Two or more diagnoses	3,270	15.7	12.6	4	7	12	19	30
With surgery	1,375	17.0	13.9	4	7	13	21	30
Without surgery	3,465	13.7	11.1	4	6	10	16	26
CALCULI OF KIDNEY AND URETER (602)								
Total	4,540	10.8	8.8	2	4	8	14	21
Age:								
65 to 74 years	3,245	10.5	8.5	2	4	7	14	21
75 to 84 years	1,200	11.4	9.2	3	5	9	15	22
85 years and over	95	13.2	12.0	2	5	8	15	29
One diagnosis	2,515	9.5	8.1	2	3	7	12	19
Two or more diagnoses	2,025	12.3	9.4	3	5	9	16	23
With surgery	2,750	13.2	9.5	3	6	11	17	24
Without surgery	1,790	7.1	6.2	1	3	5	8	14

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	3,460	13.6	12.4	2	5	10	18	28
Age:								
65 to 74 years	2,150	12.6	11.2	2	4	9	17	26
75 to 84 years	1,065	15.0	14.2	2	5	10	20	30
85 years and over	245	15.8	12.5	1	5	14	23	34
One diagnosis	1,470	11.2	12.0	2	3	7	14	21
Two or more diagnoses	1,990	15.3	12.3	3	6	12	21	30
With surgery	2,275	15.0	12.4	3	6	12	19	30
Without surgery	1,185	10.7	11.7	1	3	6	13	24
CYSTITIS (605)								
Total	6,475	11.3	11.0	2	4	8	13	22
Age:								
65 to 74 years	3,145	10.0	9.8	2	4	7	12	20
75 to 84 years	2,615	12.2	11.7	2	5	8	14	24
85 years and over	715	13.6	12.9	3	5	10	17	26
One diagnosis	2,410	8.6	9.9	2	3	5	9	16
Two or more diagnoses	4,065	12.9	11.4	3	5	9	15	25
With surgery	3,890	11.0	11.1	2	4	7	13	22
Without surgery	2,585	11.8	10.9	3	5	8	14	22
OTHER DISEASES OF BLADDER (606)								
Total	2,740	14.6	11.1	3	6	11	19	29
Age:								
65 to 74 years	1,445	13.4	11.0	3	5	10	17	27
75 to 84 years	1,040	15.7	10.7	3	7	13	21	31
85 years and over	255	17.2	12.3	3	6	13	26	34
One diagnosis	1,155	12.4	9.5	2	5	10	16	25
Two or more diagnoses	1,585	16.2	11.8	4	7	13	21	33
With surgery	2,095	15.0	.9	3	7	12	19	29
Without surgery	645	13.5	.7	2	5	9	19	30
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	4,110	9.5	9.7	2	3	6	12	20
Age:								
65 to 74 years	2,380	8.7	9.5	1	3	5	10	18
75 to 84 years	1,480	10.7	9.9	2	3	7	14	23
85 years and over	250	10.9	9.2	2	4	8	15	24
One diagnosis	1,775	7.7	8.9	1	2	4	8	16
Two or more diagnoses	2,335	10.9	10.1	2	4	7	14	22
With surgery	3,445	9.3	9.5	2	3	6	12	19
Without surgery	665	10.8	11.0	1	3	6	14	23
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	4,205	12.5	10.6	2	5	9	16	26
Age:								
65 to 74 years	2,085	10.6	8.5	2	4	8	14	22
75 to 84 years	1,605	14.4	11.7	3	6	10	18	29
85 years and over	515	14.7	12.8	3	6	10	18	30
One diagnosis	1,620	10.9	9.1	2	4	8	13	22
Two or more diagnoses	2,585	13.6	11.3	3	6	10	47	27
With surgery	1,860	11.9	10.4	2	4	8	16	26
Without surgery	2,345	13.0	10.6	3	6	9	16	26
HYPERPLASIA OF PROSTATE (610)								
Total	30,395	16.6	10.9	5	9	14	20	29
Age:								
65 to 74 years	17,405	15.5	10.0	5	9	13	19	27
75 to 84 years	10,955	17.6	11.4	6	10	15	22	32
85 years and over	2,035	19.9	13.3	6	10	17	25	35
One diagnosis	16,365	15.1	9.7	5	8	13	19	26
Two or more diagnoses	14,030	18.3	11.9	6	10	15	23	33
With surgery	26,575	16.9	10.5	6	10	14	21	29
Without surgery	3,820	14.1	12.9	2	5	10	18	30
OTHER DISEASES OF PROSTATE (611,612)								
Total	1,395	11.6	10.0	2	4	8	15	24
Age:								
65 to 74 years	885	10.6	9.4	2	4	7	13	22
75 to 84 years	430	13.6	10.6	3	5	10	19	27
85 years and over	80	11.6	11.6	1	3	7	12	26
One diagnosis	660	10.7	9.9	1	4	8	13	25
Two or more diagnoses	735	12.4	10.0	3	5	9	16	24
With surgery	855	12.7	11.0	2	4	10	17	27
Without surgery	540	9.8	7.9	3	4	7	11	20
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	3,270	9.1	7.6	2	4	7	11	17
Age:								
65 to 74 years	2,175	8.1	6.3	2	3	6	10	15
75 to 84 years	950	10.8	9.2	2	4	8	13	20
85 years and over	145	11.8	10.6	3	5	8	13	22
One diagnosis	1,685	7.3	5.1	2	3	6	9	13
Two or more diagnoses	1,585	10.9	9.3	3	4	8	13	20
With surgery	2,525	9.0	8.1	2	3	6	10	17
Without surgery	745	9.3	5.6	3	5	7	11	16
UTEROVAGINAL PROLAPSE (631)								
Total	8,885	12.5	6.1	7	8	11	14	19
Age:								
65 to 74 years	6,515	12.2	5.5	7	8	11	14	18
75 to 84 years	2,180	13.2	7.1	7	8	11	15	20
85 years and over	190	13.7	10.4	3	8	11	19	21
One diagnosis	4,995	11.9	5.4	6	8	10	14	18
Two or more diagnoses	3,890	13.2	6.7	7	9	11	15	20
With surgery	8,220	12.7	5.9	7	9	11	14	19
Without surgery	665	10.7	7.8	2	5	9	14	18
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	5,370	15.7	13.9	3	6	11	20	32
Age:								
65 to 74 years	2,750	14.8	13.4	3	5	10	18	31
75 to 84 years	2,140	16.7	14.0	4	7	13	22	32
85 years and over	480	16.7	15.5	4	6	11	20	33
One diagnosis	2,315	13.0	12.8	2	4	9	16	28
Two or more diagnoses	3,055	17.8	14.3	4	8	13	23	36
With surgery	2,055	17.7	16.4	2	5	12	24	41
Without surgery	3,315	14.5	11.9	4	6	11	18	28
RHEUMATOID ARTHRITIS (722.0)								
Total	3,070	18.0	14.0	4	8	14	23	34
Age:								
65 to 74 years	1,985	17.5	13.7	4	8	14	22	32
75 to 84 years	1,005	18.4	13.2	5	8	15	23	35
85 years and over	80	25.5	24.1	5	8	16	27	63
One diagnosis	1,200	17.2	13.0	5	8	14	22	28
Two or more diagnoses	1,870	18.5	14.6	4	8	14	23	36
With surgery	670	19.7	15.2	4	8	16	26	38
Without surgery	2,400	17.6	13.6	4	8	14	22	33
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	6,270	17.2	14.2	4	7	13	21	34
Age:								
65 to 74 years	3,235	18.4	14.8	5	8	14	22	37
75 to 84 years	2,480	15.9	13.6	4	7	11	20	32
85 years and over	555	16.1	12.7	4	6	12	21	33
One diagnosis	2,225	19.3	15.7	4	7	14	26	42
Two or more diagnoses	4,045	16.1	13.2	4	7	12	19	30
With surgery	1,505	25.7	17.7	7	12	21	35	51
Without surgery	4,765	14.6	11.7	4	6	11	18	28
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	4,270	13.2	9.8	4	6	10	16	24
Age:								
65 to 74 years	2,525	12.8	9.1	4	6	10	16	24
75 to 84 years	1,400	13.2	9.4	4	6	10	16	24
85 years and over	345	16.5	14.8	3	6	13	20	33
One diagnosis	1,065	11.2	8.4	3	5	8	14	23
Two or more diagnoses	3,205	13.9	10.2	4	7	11	17	25
With surgery	435	18.2	12.3	6	9	14	23	35
Without surgery	3,835	12.7	9.3	4	6	10	16	23
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	3,745	14.9	12.5	3	6	11	18	30
Age:								
65 to 74 years	1,940	14.0	11.2	3	6	10	17	27
75 to 84 years	1,485	16.0	13.8	4	7	11	20	32
85 years and over	320	15.8	13.6	3	6	11	20	35
One diagnosis	1,580	13.9	10.8	3	6	11	17	28
Two or more diagnoses	2,165	15.7	13.6	4	6	11	19	31
With surgery	490	21.0	16.6	5	9	15	26	46
Without surgery	3,255	14.0	11.5	3	6	10	17	27

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	2,855	16.3	12.7	4	7	13	20	31
Age:								
65 to 74 years	1,050	15.8	12.7	3	7	11	19	32
75 to 84 years	1,305	16.8	12.6	5	8	13	21	32
85 years and over	500	16.2	12.8	4	7	13	19	30
One diagnosis	495	15.6	13.2	4	7	12	18	31
Two or more diagnoses	2,360	16.5	12.6	4	7	13	21	31
With surgery	290	18.0	15.5	2	7	14	24	35
Without surgery	2,565	16.1	12.3	4	7	12	20	31
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	2,750	17.4	12.4	6	9	14	21	32
Age:								
65 to 74 years	2,045	17.6	12.4	6	9	14	21	32
75 to 84 years	620	16.6	11.5	5	9	13	20	30
85 years and over	85	19.3	16.5	4	8	13	23	34
One diagnosis	1,410	16.9	12.0	5	9	14	21	29
Two or more diagnoses	1,340	18.0	12.8	6	9	13	22	35
With surgery	700	23.6	12.8	10	14	21	29	40
Without surgery	2,050	15.3	11.5	5	8	12	18	26
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	2,175	8.3	8.1	1	2	5	10	18
Age:								
65 to 74 years	1,540	7.8	8.2	1	2	5	9	17
75 to 84 years	580	9.0	7.4	2	3	6	11	21
85 years and over	55	14.0	6.2	4	9	12	18	23
One diagnosis	1,250	6.9	7.2	1	2	4	8	15
Two or more diagnoses	925	10.2	8.7	2	4	7	12	21
With surgery	1,270	6.3	6.8	1	2	4	7	14
Without surgery	905	11.0	8.8	2	5	8	13	22
CONGENITAL MALFORMATIONS (750-759)								
Total	995	14.0	12.2	3	4	10	17	31
Age:								
65 to 74 years	695	14.2	12.4	3	5	10	17	30
75 to 84 years	265	12.7	11.1	2	4	9	16	29
85 years and over	35	18.7	14.4	4	5	11	28	38
One diagnosis	350	10.3	10.7	2	3	6	11	25
Two or more diagnoses	645	16.0	12.5	3	6	13	21	33
With surgery	495	14.4	13.5	3	4	9	20	31
Without surgery	500	13.6	10.8	3	5	10	17	30
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	1,630	9.7	11.1	1	2	6	11	21
Age:								
65 to 74 years	885	8.4	8.2	1	2	5	10	19
75 to 84 years	645	11.2	13.7	1	3	6	14	24
85 years and over	100	11.6	12.3	1	2	6	17	32
One diagnosis	1,225	8.6	8.3	1	2	5	11	20
Two or more diagnoses	405	13.1	16.4	1	3	7	17	29
With surgery	320	14.1	13.7	2	4	10	19	32
Without surgery	1,310	8.6	10.0	1	2	5	10	19
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	3,360	8.1	8.8	1	3	5	9	17
Age:								
65 to 74 years	1,930	7.7	8.2	1	3	5	9	15
75 to 84 years	1,205	8.5	8.8	1	3	5	9	20
85 years and over	225	9.5	11.9	1	2	7	11	15
One diagnosis	2,585	7.5	8.1	1	3	5	8	15
Two or more diagnoses	775	10.1	10.6	2	3	7	12	19
With surgery	705	8.5	8.8	2	3	6	10	18
Without surgery	2,655	8.0	8.8	1	3	5	9	16
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	3,425	11.7	11.0	2	4	8	14	23
Age:								
65 to 74 years	1,770	10.9	10.0	2	4	8	14	22
75 to 84 years	1,300	12.3	12.3	2	4	8	15	26
85 years and over	355	13.2	10.7	2	5	10	16	30
One diagnosis	2,715	11.5	10.7	2	4	8	14	23
Two or more diagnoses	710	12.5	12.2	2	5	8	14	27
With surgery	680	16.1	13.2	2	6	12	21	37
Without surgery	2,745	10.6	10.1	2	4	7	13	22

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	3,730	14.3	11.5	2	6	12	18	27
Age:								
65 to 74 years	2,055	13.6	11.0	2	5	11	17	25
75 to 84 years	1,385	14.6	11.7	2	6	12	19	28
85 years and over	290	17.4	13.0	3	8	15	21	34
One diagnosis	3,085	14.4	11.8	2	5	12	19	28
Two or more diagnoses	645	13.6	9.6	3	6	11	17	26
With surgery	2,255	17.1	10.9	4	9	15	21	31
Without surgery	1,475	10.0	11.0	1	3	6	12	21
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	5,215	12.3	11.7	2	4	8	15	27
Age:								
65 to 74 years	2,945	11.0	10.5	2	4	7	14	23
75 to 84 years	1,815	13.7	12.6	2	5	10	17	29
85 years and over	455	15.3	14.2	2	5	11	19	30
One diagnosis	4,105	11.7	11.4	2	4	8	14	25
Two or more diagnoses	1,110	14.7	12.7	3	6	11	19	30
With surgery	1,725	13.0	10.7	2	5	10	17	27
Without surgery	3,490	12.0	12.2	2	4	8	14	26
NERVOUSNESS AND DEBILITY (790)								
Total	605	15.7	15.5	2	5	9	19	41
Age:								
65 to 74 years	310	15.0	14.7	3	4	9	19	32
75 to 84 years	245	14.9	14.0	2	6	9	16	40
85 years and over	50	24.4	23.3	2	4	10	41	59
One diagnosis	190	15.2	14.2	2	5	9	18	37
Two or more diagnoses	415	16.0	16.1	2	4	9	20	41
With surgery	50	18.7	15.3	2	3	15	29	40
Without surgery	555	15.4	15.5	2	5	9	18	41
UREMIA (792)								
Total	1,055	15.9	13.6	1	5	13	21	34
Age:								
65 to 74 years	505	15.3	12.3	1	5	12	23	34
75 to 84 years	395	16.5	15.3	2	5	12	20	40
85 years and over	155	16.4	12.4	1	5	17	24	30
One diagnosis	650	14.7	12.6	1	4	12	20	31
Two or more diagnoses	405	17.9	14.7	2	6	14	26	36
With surgery	140	24.4	14.5	7	13	21	34	43
Without surgery	915	14.6	12.9	1	4	11	20	31
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	505	15.2	13.5	3	5	11	18	36
Age:								
65 to 74 years	70	23.8	18.4	3	11	16	32	46
75 to 84 years	225	15.3	13.2	2	5	11	22	33
85 years and over	210	12.3	10.4	3	6	9	14	24
One diagnosis	150	10.9	10.3	1	3	6	15	26
Two or more diagnoses	355	17.0	14.3	4	7	13	19	37
With surgery	40	12.4	8.4	2	4	10	15	22
Without surgery	465	15.4	13.9	3	5	11	19	36
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	3,315	11.7	12.4	1	3	7	16	27
Age:								
65 to 74 years	2,040	11.0	11.3	1	2	7	15	24
75 to 84 years	1,015	12.9	13.0	1	3	8	17	29
85 years and over	260	13.4	16.6	1	3	8	15	34
One diagnosis	2,045	10.9	10.9	1	3	7	15	24
Two or more diagnoses	1,270	13.2	14.3	1	3	8	17	29
With surgery	935	12.1	12.7	1	2	7	17	29
Without surgery	2,380	11.6	12.2	1	3	7	15	26
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	5,415	18.0	12.6	5	9	15	22	33
Age:								
65 to 74 years	2,315	17.0	12.7	4	8	13	21	32
75 to 84 years	2,370	18.5	12.3	6	10	15	23	33
85 years and over	730	19.0	13.3	5	8	16	24	36
One diagnosis	2,305	16.1	11.4	4	8	13	20	32
Two or more diagnoses	3,110	19.3	13.3	6	10	16	25	35
With surgery	340	26.6	19.6	5	12	20	37	54
Without surgery	5,075	17.4	11.8	5	9	14	22	32

Table 1 NORTHEASTERN STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	3,235	13.6	11.0	3	5	10	18	27
Age:								
65 to 74 years	1,495	12.5	9.4	2	5	9	17	26
75 to 84 years	1,250	13.9	11.6	2	5	10	18	29
85 years and over	490	15.8	13.5	4	6	12	20	31
One diagnosis	845	11.4	9.9	2	4	8	15	24
Two or more diagnoses	2,390	14.3	11.3	3	6	11	19	28
With surgery	235	18.3	12.0	5	8	14	25	34
Without surgery	3,000	13.2	10.9	3	5	10	17	26
FRACTURE OF PELVIS (808)								
Total	3,025	24.6	16.2	6	12	21	33	47
Age:								
65 to 74 years	1,030	24.5	15.4	7	12	21	31	47
75 to 84 years	1,415	24.3	15.4	6	11	21	32	46
85 years and over	580	25.7	19.0	7	11	20	37	52
One diagnosis	1,370	22.9	16.0	5	10	19	30	43
Two or more diagnoses	1,655	26.1	16.2	7	13	23	35	49
With surgery	195	33.9	16.0	11	22	34	44	49
Without surgery	2,830	24.0	16.0	6	11	20	32	47
FRACTURE OF HUMERUS (812)								
Total	5,995	15.0	14.2	2	4	10	20	35
Age:								
65 to 74 years	2,795	13.1	13.0	2	4	9	17	29
75 to 84 years	2,430	16.4	14.8	2	5	11	23	36
85 years and over	770	17.6	15.2	2	5	12	26	42
One diagnosis	3,240	12.4	13.2	1	3	7	15	29
Two or more diagnoses	2,755	18.0	14.6	3	7	13	24	39
With surgery	2,395	15.7	14.3	2	5	10	21	35
Without surgery	3,600	14.5	14.1	2	4	9	20	35
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	3,995	8.4	10.9	1	2	4	9	18
Age:								
65 to 74 years	2,260	6.9	9.2	1	2	3	8	15
75 to 84 years	1,450	10.4	12.6	1	2	5	13	24
85 years and over	285	10.8	12.4	1	2	6	13	24
One diagnosis	2,345	5.2	6.9	1	1	3	6	10
Two or more diagnoses	1,650	13.0	13.7	2	4	8	16	27
With surgery	3,020	7.7	9.8	1	2	4	8	17
Without surgery	975	10.8	13.5	1	2	6	12	27
FRACTURE OF FEMUR (820,821)								
Total	27,695	27.4	17.7	8	15	23	36	52
Age:								
65 to 74 years	7,725	27.7	17.0	9	16	24	35	51
75 to 84 years	12,970	27.8	17.8	8	15	23	37	52
85 years and over	7,000	26.2	17.9	6	13	22	34	51
One diagnosis	16,720	26.2	16.7	8	14	22	34	49
Two or more diagnoses	10,975	29.3	18.8	8	15	25	39	56
With surgery	20,825	27.9	16.4	11	16	24	35	50
Without surgery	6,870	25.9	20.8	2	9	21	37	56
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	7,085	16.0	14.8	3	6	11	20	34
Age:								
65 to 74 years	4,355	15.0	13.7	3	6	10	19	32
75 to 84 years	2,260	17.2	15.7	3	6	12	23	36
85 years and over	470	19.6	18.6	3	7	12	25	41
One diagnosis	4,230	14.8	14.2	3	5	10	18	31
Two or more diagnoses	2,855	17.8	15.5	3	7	13	23	38
With surgery	3,810	16.8	15.0	3	6	11	21	35
Without surgery	3,275	15.1	14.5	2	5	10	19	32
SPRAINS OF BACK (846,847)								
Total	2,680	12.1	8.8	3	6	9	15	22
Age:								
65 to 74 years	1,555	11.4	7.9	3	5	9	15	21
75 to 84 years	900	12.0	8.5	3	6	9	15	21
85 years and over	225	17.4	13.1	4	9	14	19	37
One diagnosis	985	11.4	7.9	3	6	9	15	20
Two or more diagnoses	1,695	12.5	9.3	3	6	9	16	23
With surgery	155	18.3	10.4	3	10	18	23	30
Without surgery	2,525	11.7	8.5	3	6	9	15	21

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	5,725	11.8	13.1	1	3	7	14	26
Age:								
65 to 74 years	2,860	11.7	13.2	1	3	7	14	26
75 to 84 years	2,165	11.6	12.6	1	3	7	14	25
85 years and over	700	13.2	14.0	2	4	6	15	28
One diagnosis	1,515	12.4	15.4	1	3	6	14	28
Two or more diagnoses	4,210	11.6	12.2	1	3	7	14	25
With surgery	1,115	16.3	17.4	1	4	9	21	41
Without surgery	4,610	10.8	11.6	1	3	7	13	23
LACERATION AND OPEN WOUND (870-898)								
Total	2,990	10.2	11.6	1	2	6	12	23
Age:								
65 to 74 years	1,705	9.6	11.3	1	2	5	11	23
75 to 84 years	1,040	11.0	12.0	1	3	7	13	23
85 years and over	245	11.3	11.4	2	3	8	13	24
One diagnosis	1,185	7.6	9.8	1	2	4	9	14
Two or more diagnoses	1,805	12.0	12.2	1	3	8	14	26
With surgery	1,535	11.0	13.1	1	2	6	12	27
Without surgery	1,455	9.4	9.6	1	3	6	12	19
SUPERFICIAL INJURY (910-918)								
Total	310	11.6	14.4	1	3	7	13	25
Age:								
65 to 74 years	185	7.9	7.2	1	2	5	10	19
75 to 84 years	85	19.9	22.4	3	5	11	23	55
85 years and over	40	11.1	9.1	2	2	8	16	23
One diagnosis	40	10.4	7.3	1	3	9	14	20
Two or more diagnoses	270	11.8	15.1	1	3	6	12	26
With surgery	15	*	*	*	*	*	*	*
Without surgery	295	11.3	14.6	1	2	6	12	25
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	6,030	11.3	10.2	2	4	8	14	23
Age:								
65 to 74 years	2,315	9.7	8.2	1	3	7	12	21
75 to 84 years	2,525	12.4	11.4	2	4	8	16	25
85 years and over	1,190	12.5	10.8	2	5	9	16	25
One diagnosis	1,390	9.3	9.5	1	3	6	12	19
Two or more diagnoses	4,640	12.0	10.4	2	5	8	15	24
With surgery	585	15.9	12.5	3	6	13	21	31
Without surgery	5,445	10.9	9.9	2	4	7	14	22
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	2,375	9.5	8.9	1	3	6	12	19
Age:								
65 to 74 years	1,370	8.3	7.6	1	2	6	11	17
75 to 84 years	815	10.0	8.5	2	3	7	14	22
85 years and over	190	15.2	15.3	1	4	10	21	30
One diagnosis	965	6.6	6.7	1	2	4	8	13
Two or more diagnoses	1,410	11.4	9.7	2	4	9	15	23
With surgery	125	18.8	12.0	2	10	16	26	35
Without surgery	2,250	8.9	8.5	1	3	6	12	18
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	3,120	12.9	12.6	2	4	8	16	30
Age:								
65 to 74 years	1,920	11.8	11.3	2	4	8	15	27
75 to 84 years	1,030	14.4	14.4	2	4	9	18	33
85 years and over	170	17.4	12.0	4	7	13	24	38
One diagnosis	1,910	11.4	11.5	2	4	7	14	25
Two or more diagnoses	1,210	15.4	13.7	3	6	10	19	35
With surgery	1,455	14.5	12.7	2	5	10	18	34
Without surgery	1,665	11.6	12.2	2	4	7	14	24

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	9,515	13.5	13.3	2	4	9	17	30
Age:								
65 to 74 years	5,220	12.7	12.3	2	4	8	16	27
75 to 84 years	3,425	14.7	14.5	2	5	9	19	33
85 years and over	870	13.9	14.1	1	4	9	18	29
One diagnosis	3,595	11.2	12.1	1	3	7	13	25
Two or more diagnoses	5,920	14.9	13.8	2	5	10	19	32
With surgery	1,895	17.1	15.0	2	6	12	23	38
Without surgery	7,620	12.7	12.7	2	4	8	16	28
HERPES ZOSTER (088)								
Total	3,025	14.4	12.7	3	6	10	17	30
Age:								
65 to 74 years	1,305	11.7	10.4	3	5	8	14	21
75 to 84 years	1,290	16.3	13.9	3	6	11	21	35
85 years and over	430	16.9	13.8	4	7	11	22	36
One diagnosis	1,070	13.2	12.3	3	5	10	15	27
Two or more diagnoses	1,955	15.1	12.8	4	6	10	19	31
With surgery	165	19.2	18.7	4	7	13	24	35
Without surgery	2,860	14.1	12.2	3	6	10	17	30
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	2,910	15.2	15.2	2	4	9	21	36
Age:								
65 to 74 years	1,635	15.2	15.3	2	4	9	21	35
75 to 84 years	975	15.2	14.7	2	4	10	21	34
85 years and over	300	15.1	16.1	2	3	9	17	38
One diagnosis	1,545	12.7	14.4	2	3	7	14	32
Two or more diagnoses	1,365	18.0	15.6	2	5	13	26	40
With surgery	1,915	13.3	13.6	2	4	8	15	32
Without surgery	995	18.9	17.2	2	4	13	28	44
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	1,490	18.6	16.2	2	6	14	25	41
Age:								
65 to 74 years	725	19.4	16.5	3	6	15	27	42
75 to 84 years	630	17.8	15.7	2	6	12	23	39
85 years and over	135	18.3	15.8	2	6	12	23	41
One diagnosis	765	17.7	15.8	2	5	12	26	38
Two or more diagnoses	725	19.6	16.4	3	7	15	24	47
With surgery	760	21.5	15.9	5	10	17	28	42
Without surgery	730	15.6	15.8	1	4	9	21	41
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	4,500	19.2	15.0	3	8	16	24	37
Age:								
65 to 74 years	2,180	18.3	13.6	3	8	16	24	33
75 to 84 years	1,870	20.8	16.7	4	8	17	27	42
85 years and over	450	16.7	13.4	3	5	14	22	34
One diagnosis	1,730	17.6	14.0	3	7	14	23	33
Two or more diagnoses	2,770	20.2	15.6	4	8	17	25	40
With surgery	2,065	24.3	15.0	9	14	20	29	43
Without surgery	2,435	14.8	13.6	2	5	10	20	31
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	14,380	20.9	15.6	3	9	17	27	40
Age:								
65 to 74 years	7,335	20.5	15.1	3	10	17	26	39
75 to 84 years	5,720	21.5	16.0	3	9	18	29	42
85 years and over	1,325	21.0	16.8	3	8	17	27	40
One diagnosis	5,015	19.0	14.1	2	9	16	24	37
Two or more diagnoses	9,365	22.0	16.3	4	10	18	29	43
With surgery	8,610	24.1	13.8	10	15	21	29	41
Without surgery	5,770	16.3	17.0	1	4	10	22	40
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	5,835	22.7	16.4	3	10	19	31	44
Age:								
65 to 74 years	3,085	22.4	15.4	3	10	20	30	43
75 to 84 years	2,200	23.2	17.5	3	9	19	33	48
85 years and over	550	22.3	17.7	4	10	17	29	44
One diagnosis	2,300	21.0	14.9	3	8	19	29	39
Two or more diagnoses	3,535	23.8	17.3	5	10	19	33	47
With surgery	3,955	24.2	14.5	6	14	22	32	43
Without surgery	1,880	19.4	19.5	1	5	11	28	48
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	2,720	19.0	14.5	3	8	16	26	38
Age:								
65 to 74 years	1,535	18.4	13.7	3	8	15	25	36
75 to 84 years	970	20.1	15.7	3	8	16	26	42
85 years and over	215	17.8	13.5	3	7	13	25	34
One diagnosis	955	18.3	13.9	3	8	14	26	34
Two or more diagnoses	1,765	19.3	14.7	3	8	16	25	39
With surgery	1,175	23.5	13.2	9	14	21	29	41
Without surgery	1,545	15.5	14.4	2	5	10	21	33
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	3,175	21.7	16.0	4	9	18	28	42
Age:								
65 to 74 years	1,570	22.3	16.2	4	10	19	28	43
75 to 84 years	1,350	21.0	15.8	3	8	18	28	42
85 years and over	255	21.2	14.9	4	8	18	30	38
One diagnosis	1,105	19.9	16.1	3	8	16	25	39
Two or more diagnoses	2,070	22.6	15.8	4	10	20	31	45
With surgery	1,585	25.7	13.8	11	16	23	31	44
Without surgery	1,590	17.6	16.9	1	5	12	24	40
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	11,715	17.7	15.4	2	6	13	23	37
Age:								
65 to 74 years	8,415	17.7	15.1	2	6	13	23	37
75 to 84 years	2,995	17.8	16.2	2	6	13	23	39
85 years and over	305	16.4	16.1	1	4	11	24	36
One diagnosis	5,000	16.6	14.1	2	6	13	22	35
Two or more diagnoses	6,715	18.4	16.3	2	6	13	25	39
With surgery	4,710	19.8	14.4	5	9	16	25	37
Without surgery	7,005	16.2	15.9	1	4	10	22	37
MALIGNANT NEOPLASM OF BREAST (170)								
Total	11,650	16.8	13.5	4	8	12	20	33
Age:								
65 to 74 years	6,380	16.6	13.2	5	8	12	20	33
75 to 84 years	4,395	16.8	14.0	4	8	12	19	34
85 years and over	875	17.5	13.2	5	8	13	22	35
One diagnosis	5,100	14.1	10.2	4	8	11	16	25
Two or more diagnoses	6,550	18.9	15.3	4	8	14	24	38
With surgery	7,495	15.7	11.2	6	9	12	18	28
Without surgery	4,155	18.6	16.8	3	6	13	25	41
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	2,660	14.7	15.4	2	4	8	19	37
Age:								
65 to 74 years	1,610	13.3	13.9	2	4	8	16	32
75 to 84 years	940	16.9	17.7	2	4	9	21	41
85 years and over	110	17.0	13.6	3	5	12	26	36
One diagnosis	1,420	11.7	13.1	2	3	6	13	30
Two or more diagnoses	1,240	18.2	17.1	3	6	11	24	41
With surgery	1,835	13.8	13.6	2	4	8	17	35
Without surgery	825	16.8	18.7	1	4	8	22	42
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	4,050	14.4	12.9	3	6	10	17	30
Age:								
65 to 74 years	2,620	14.1	12.7	3	6	10	16	28
75 to 84 years	1,290	14.8	13.4	3	5	10	18	32
85 years and over	140	17.6	12.3	5	7	14	25	35
One diagnosis	1,995	11.3	9.3	2	5	9	14	21
Two or more diagnoses	2,055	17.4	15.1	4	7	12	21	39
With surgery	2,980	13.8	11.7	3	6	10	16	26
Without surgery	1,070	16.2	15.7	2	5	9	21	39
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	2,010	20.9	15.7	4	9	17	27	42
Age:								
65 to 74 years	1,295	20.8	16.5	3	9	16	26	44
75 to 84 years	620	21.4	14.5	4	11	18	28	39
85 years and over	95	19.7	11.7	4	8	17	29	33
One diagnosis	545	18.1	14.8	2	7	15	24	37
Two or more diagnoses	1,465	22.0	15.9	5	10	18	29	44
With surgery	1,030	23.5	14.8	9	13	19	29	44
Without surgery	980	18.2	16.2	2	6	13	25	40

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	14,495	15.3	12.9	3	6	11	19	30
Age:								
65 to 74 years	6,110	14.4	12.2	3	6	11	18	27
75 to 84 years	6,830	15.7	13.1	3	7	12	19	32
85 years and over	1,555	16.8	14.5	3	6	12	21	36
One diagnosis	5,935	13.5	10.9	3	6	10	17	24
Two or more diagnoses	8,560	16.5	14.0	3	7	12	20	34
With surgery	8,060	16.0	11.7	5	8	12	19	30
Without surgery	6,435	14.5	14.2	2	5	9	18	33
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	1,865	20.9	16.8	4	8	16	27	44
Age:								
65 to 74 years	1,150	20.0	15.3	4	8	16	25	44
75 to 84 years	590	21.7	18.6	3	7	16	30	43
85 years and over	125	25.4	19.6	4	12	20	31	59
One diagnosis	640	19.3	11.9	6	10	17	23	33
Two or more diagnoses	1,225	21.8	18.8	3	7	15	30	49
With surgery	1,040	21.8	13.2	8	12	19	28	38
Without surgery	825	19.8	20.3	3	5	11	26	53
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	10,140	12.7	12.6	2	4	8	16	29
Age:								
65 to 74 years	5,205	11.6	11.6	1	3	7	15	27
75 to 84 years	4,010	13.3	13.4	2	4	8	16	31
85 years and over	925	15.6	13.6	2	5	10	22	37
One diagnosis	5,855	10.4	11.1	1	3	6	13	24
Two or more diagnoses	4,285	15.8	13.7	2	5	11	22	35
With surgery	8,090	12.4	12.3	2	3	8	16	28
Without surgery	2,050	13.8	13.7	1	4	8	19	33
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	6,120	10.1	12.1	1	2	5	12	24
Age:								
65 to 74 years	2,760	9.0	10.6	1	2	4	11	19
75 to 84 years	2,495	10.8	13.1	1	2	5	12	25
85 years and over	865	11.8	13.4	1	3	7	14	31
One diagnosis	3,420	8.7	11.4	1	2	4	10	19
Two or more diagnoses	2,700	12.0	12.7	1	3	7	15	28
With surgery	5,030	9.4	11.3	1	2	5	11	22
Without surgery	1,090	13.5	14.9	1	3	8	16	33
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	13,975	17.2	16.2	2	5	12	23	38
Age:								
65 to 74 years	8,135	17.6	16.6	2	5	12	23	40
75 to 84 years	4,930	16.9	16.2	2	5	11	23	37
85 years and over	910	15.0	12.4	2	5	12	21	29
One diagnosis	7,235	16.1	15.8	2	5	10	21	36
Two or more diagnoses	6,740	18.4	16.6	2	6	13	25	41
With surgery	4,420	19.4	16.2	3	7	14	26	42
Without surgery	9,555	16.2	16.2	2	4	10	21	37
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	2,935	17.8	15.9	2	6	13	24	38
Age:								
65 to 74 years	1,850	17.5	16.2	2	5	12	23	40
75 to 84 years	920	18.0	15.2	3	6	13	25	37
85 years and over	165	20.7	16.5	3	8	15	30	35
One diagnosis	1,445	16.6	14.7	2	5	12	23	36
Two or more diagnoses	1,490	19.1	16.9	3	6	14	26	40
With surgery	980	18.9	14.9	3	7	15	26	39
Without surgery	1,955	17.3	16.4	2	5	12	23	37
LEUKEMIA AND ALEUKEMIA (204)								
Total	5,615	14.1	13.9		4	9	19	30
Age:								
65 to 74 years	2,635	13.6	13.2		4	9	18	28
75 to 84 years	2,485	14.1	13.9		4	9	19	30
85 years and over	495	16.1	16.7		4	9	21	40
One diagnosis	2,410	12.2	12.1		3	8	16	27
Two or more diagnoses	3,205	15.4	14.9		5	10	20	33
With surgery	695	18.8	15.4	5	7	14	25	39
Without surgery	4,920	13.4	13.5	1	4	8	18	29
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	3,770	17.3	15.6	2	5	12	23	38
Age:								
65 to 74 years	2,360	17.4	15.1	3	5	12	24	38
75 to 84 years	1,240	17.1	16.4	1	5	11	21	38
85 years and over	170	18.0	15.7	2	5	13	24	40
One diagnosis	1,715	15.3	14.0	2	4	10	20	34
Two or more diagnoses	2,055	19.0	16.6	3	6	13	26	40
With surgery	865	20.2	17.9	3	7	13	30	45
Without surgery	2,905	16.4	14.7	2	5	12	22	36
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	1,920	12.9	10.2	2	4	11	17	26
Age:								
65 to 74 years	1,275	12.6	9.9	1	4	11	17	25
75 to 84 years	610	13.6	10.8	2	5	11	19	26
85 years and over	35	10.9	8.1	4	4	8	11	21
One diagnosis	860	10.0	7.3	1	3	10	14	20
Two or more diagnoses	1,060	15.3	11.5	3	6	13	21	30
With surgery	1,350	15.5	10.2	3	9	13	20	28
Without surgery	570	6.7	7.1	1	2	4	7	16
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	1,925	8.6	9.2	1	3	5	10	18
Age:								
65 to 74 years	1,265	7.8	8.3	1	2	5	9	16
75 to 84 years	545	10.3	11.1	2	3	6	12	23
85 years and over	115	9.9	5.7	2	6	9	11	19
One diagnosis	1,020	5.9	4.7	1	2	4	7	12
Two or more diagnoses	905	11.6	11.7	2	3	7	14	27
With surgery	1,595	8.7	8.9	1	3	5	10	19
Without surgery	330	8.0	10.0	1	2	5	9	13
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	2,370	8.3	7.4	2	2	5	11	17
Age:								
65 to 74 years	1,595	8.4	7.7	2	2	5	12	17
75 to 84 years	690	8.3	7.1	2	3	6	11	17
85 years and over	85	6.7	4.2	3	3	6	8	12
One diagnosis	1,005	6.1	6.2	1	2	3	7	12
Two or more diagnoses	1,365	9.9	7.8	2	3	8	13	19
With surgery	2,145	8.1	7.0	2	2	5	11	17
Without surgery	225	9.8	10.7	1	3	5	11	28
LIPOMA (226)								
Total	1,965	6.1	5.6	1	2	4	7	13
Age:								
65 to 74 years	1,575	5.8	5.2	1	2	4	6	12
75 to 84 years	365	7.2	7.1	1	2	4	8	16
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	1,290	4.9	4.2	1	2	3	5	9
Two or more diagnoses	675	8.2	7.1	2	3	5	9	19
With surgery	1,885	6.1	5.7	1	2	4	7	13
Without surgery	80	6.1	4.2	1	2	4	8	11
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	3,070	6.0	6.8	1	2	3	7	13
Age:								
65 to 74 years	1,725	5.3	6.4	1	1	3	6	11
75 to 84 years	1,120	6.5	6.7	1	2	4	8	13
85 years and over	225	8.3	8.7	1	2	5	10	20
One diagnosis	2,265	5.0	5.7	1	1	3	5	10
Two or more diagnoses	805	8.8	8.4	1	2	6	11	19
With surgery	2,810	5.8	6.3	1	2	3	7	12
Without surgery	260	8.5	9.9	1	2	6	11	15
ASTHMA (241)								
Total	8,370	11.0	9.5	2	5	8	13	21
Age:								
65 to 74 years	5,720	11.0	9.1	2	5	8	13	20
75 to 84 years	2,370	11.0	9.8	2	4	7	13	22
85 years and over	280	12.7	12.8	3	5	9	15	23
One diagnosis	2,975	8.8	7.2	2	3	6	11	17
Two or more diagnoses	5,395	12.3	10.3	3	5	9	15	23
With surgery	355	18.4	16.2	3	7	14	21	41
Without surgery	8,015	10.7	8.9	2	5	8	13	20

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	4,090	11.5	8.8	3	5	8	14	23
Age:								
65 to 74 years	2,875	10.9	8.2	3	5	8	13	21
75 to 84 years	1,105	12.8	10.2	3	5	9	17	24
85 years and over	110	14.4	7.3	7	10	11	17	25
One diagnosis	1,565	9.6	7.1	3	5	7	11	18
Two or more diagnoses	2,525	12.6	9.5	4	6	9	16	24
With surgery	1,655	10.8	7.3	4	6	8	12	19
Without surgery	2,435	12.0	9.6	3	5	9	15	24
DIABETES MELLITUS (260)								
Total	48,710	14.1	12.4	3	6	10	17	29
Age:								
65 to 74 years	27,765	13.7	12.0	3	6	10	17	27
75 to 84 years	17,900	14.5	13.0	3	6	10	18	30
85 years and over	3,045	15.2	13.3	3	6	11	20	31
One diagnosis	10,130	11.5	10.3	2	5	8	14	23
Two or more diagnoses	38,580	14.8	12.8	3	6	10	18	30
With surgery	6,230	21.8	17.1	5	9	16	28	46
Without surgery	42,480	13.0	11.2	3	5	9	16	25
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	2,420	14.4	12.7	3	6	10	18	28
Age:								
65 to 74 years	980	14.9	12.2	3	7	11	19	30
75 to 84 years	950	13.9	11.8	3	6	10	18	28
85 years and over	490	14.4	15.1	2	5	9	16	30
One diagnosis	440	11.1	10.3	2	4	8	13	21
Two or more diagnoses	1,980	15.2	13.1	3	6	11	19	30
With surgery	285	18.5	14.0	4	9	13	24	38
Without surgery	2,135	13.9	12.4	2	6	10	17	28
GOUT (288)								
Total	2,125	11.4	10.5	3	5	8	14	23
Age:								
65 to 74 years	1,145	10.8	9.6	3	5	8	13	20
75 to 84 years	805	12.7	11.8	3	5	8	16	25
85 years and over	175	10.3	8.9	3	4	7	12	23
One diagnosis	585	9.2	9.2	2	4	6	10	18
Two or more diagnoses	1,540	12.3	10.8	3	5	9	15	25
With surgery	195	12.8	11.7	3	5	8	17	25
Without surgery	1,930	11.3	10.3	3	5	8	13	22
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	3,125	13.5	10.9	3	6	10	17	27
Age:								
65 to 74 years	1,085	13.3	9.9	3	6	10	17	27
75 to 84 years	1,610	12.9	10.6	3	5	10	16	27
85 years and over	430	16.1	13.5	4	7	11	20	30
One diagnosis	1,065	11.0	8.7	2	5	8	14	21
Two or more diagnoses	2,060	14.8	11.7	4	6	11	19	28
With surgery	445	16.1	12.6	4	7	13	21	28
Without surgery	2,680	13.1	10.5	3	5	10	16	27
IRON DEFICIENCY ANEMIAS (291)								
Total	4,560	12.4	9.6	3	5	10	15	24
Age:								
65 to 74 years	1,820	11.5	8.4	3	5	9	14	22
75 to 84 years	2,130	12.9	9.9	3	6	10	16	25
85 years and over	610	13.5	11.7	3	5	10	18	26
One diagnosis	1,255	9.5	6.5	2	4	7	12	18
Two or more diagnoses	3,305	13.5	10.4	3	6	10	17	26
With surgery	825	16.0	10.7	5	8	13	21	29
Without surgery	3,735	11.6	9.2	3	5	9	14	22
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	10,870	12.3	11.9	1	4	8	15	26
Age:								
65 to 74 years	4,570	11.8	11.7	1	3	8	15	25
75 to 84 years	4,800	12.2	11.5	2	4	8	16	27
85 years and over	1,500	13.9	13.7	2	4	9	17	30
One diagnosis	3,640	8.9	9.5	1	2	6	11	19
Two or more diagnoses	7,230	13.9	12.6	2	5	10	17	30
With surgery	1,425	19.8	14.3	4	9	16	27	36
Without surgery	9,445	11.1	11.1	1	3	7	14	23

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	7,875	18.6	16.5	3	7	13	24	41
Age:								
65 to 74 years	2,670	17.8	15.0	3	7	13	24	38
75 to 84 years	3,780	18.5	16.7	3	6	13	24	41
85 years and over	1,425	20.0	18.4	4	7	12	26	46
One diagnosis	2,525	16.9	15.2	3	6	11	22	35
Two or more diagnoses	5,350	19.4	17.0	4	7	13	25	42
With surgery	410	27.3	20.5	6	11	20	38	56
Without surgery	7,465	18.1	16.1	3	7	12	23	40
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	4,160	19.1	16.2	3	6	14	28	42
Age:								
65 to 74 years	3,135	19.6	16.3	3	6	14	28	43
75 to 84 years	955	17.5	15.5	2	5	12	26	38
85 years and over	70	21.9	16.9	4	8	16	26	51
One diagnosis	2,225	19.4	15.5	3	6	15	28	43
Two or more diagnoses	1,935	18.8	16.8	3	6	12	27	41
With surgery	175	20.4	17.5	3	5	15	30	42
Without surgery	3,985	19.1	16.1	3	6	14	27	42
PSYCHONEUROTIC DISORDERS (324)								
Total	11,720	15.6	14.3	2	5	10	21	34
Age:								
65 to 74 years	8,510	15.7	14.5	2	5	10	22	35
75 to 84 years	2,870	15.3	13.8	3	5	10	21	33
85 years and over	340	13.0	11.5	3	5	8	15	32
One diagnosis	5,285	16.4	14.5	2	5	11	24	35
Two or more diagnoses	6,435	14.8	14.1	3	5	9	19	33
With surgery	535	19.5	17.5	3	6	13	26	47
Without surgery	11,185	15.4	14.1	2	5	10	21	34
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	46,505	17.2	16.9	1	4	11	24	40
Age:								
65 to 74 years	17,630	17.0	17.0	1	4	11	23	40
75 to 84 years	21,460	17.7	17.0	1	5	12	24	41
85 years and over	7,415	16.6	16.1	1	4	11	23	38
One diagnosis	19,370	15.6	16.0	1	3	10	21	37
Two or more diagnoses	27,135	18.4	17.3	2	5	13	25	43
With surgery	1,815	24.3	19.0	4	9	19	33	50
Without surgery	44,690	17.0	16.7	1	4	11	23	39
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	20,960	18.8	16.8	2	6	13	25	42
Age:								
65 to 74 years	8,775	18.7	16.5	3	7	13	24	41
75 to 84 years	9,355	18.5	16.4	2	6	13	25	41
85 years and over	2,830	20.0	18.8	2	6	13	29	47
One diagnosis	6,355	16.7	16.3	2	5	11	22	38
Two or more diagnoses	14,605	19.7	17.0	3	7	14	26	43
With surgery	1,285	24.0	17.5	6	11	19	34	50
Without surgery	19,675	18.5	16.7	2	6	13	25	41
CEREBRAL ARTERIOSCLEROSIS (50 SPECIFIED) (334.0)								
Total	23,475	13.6	12.7	3	5	9	16	28
Age:								
65 to 74 years	9,105	12.5	11.8	3	5	9	14	24
75 to 84 years	11,005	14.0	13.1	3	5	9	17	29
85 years and over	3,365	15.3	13.5	3	6	11	20	32
One diagnosis	6,870	10.9	10.2	2	4	8	13	21
Two or more diagnoses	16,605	14.7	13.5	3	5	10	18	30
With surgery	1,575	19.0	13.9	6	9	14	23	37
Without surgery	21,900	13.2	12.5	3	5	9	16	27
PARALYSIS AGITANS (350)								
Total	5,035	18.2	15.2	4	7	13	24	38
Age:								
65 to 74 years	3,185	18.7	15.8	4	7	13	26	39
75 to 84 years	1,640	17.5	14.1	4	7	12	23	36
85 years and over	210	17.6	13.7	5	7	14	23	30
One diagnosis	1,615	19.3	15.0	4	8	15	25	39
Two or more diagnoses	3,420	17.8	15.2	4	6	12	24	37
With surgery	360	24.5	18.8	5	9	18	33	50
Without surgery	4,675	17.8	14.7	4	7	13	24	37

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	6,500	12.5	11.1	3	5	9	15	24
Age:								
65 to 74 years	3,875	11.8	10.2	3	5	9	14	22
75 to 84 years	2,185	13.0	11.4	3	5	9	15	25
85 years and over	440	16.2	15.1	3	6	11	21	31
One diagnosis	2,555	10.1	8.8	2	4	7	12	20
Two or more diagnoses	3,945	14.0	12.1	3	6	10	17	26
With surgery	1,030	13.8	11.2	3	6	10	16	28
Without surgery	5,470	12.2	11.0	3	5	9	14	24
CATARACT (385)								
Total	43,775	8.5	5.2	4	5	7	9	14
Age:								
65 to 74 years	20,880	8.2	4.8	4	5	7	9	13
75 to 84 years	19,625	8.6	5.3	4	5	7	9	14
85 years and over	3,270	9.0	6.7	4	5	7	10	15
One diagnosis	32,870	8.0	4.1	4	5	6	9	13
Two or more diagnoses	10,905	9.9	7.3	4	6	7	11	16
With surgery	41,820	8.5	5.0	4	5	7	9	14
Without surgery	1,955	8.4	7.5	1	4	6	10	15
GLAUCOMA (387)								
Total	3,940	8.5	6.9	2	4	6	10	16
Age:								
65 to 74 years	2,175	8.1	5.9	2	4	6	9	15
75 to 84 years	1,475	8.7	7.5	2	4	6	10	17
85 years and over	290	10.9	9.6	3	5	7	13	20
One diagnosis	2,265	7.2	5.2	2	3	5	8	13
Two or more diagnoses	1,675	10.3	8.4	3	5	7	12	20
With surgery	2,910	8.9	6.5	3	4	7	10	16
Without surgery	1,030	7.5	7.9	1	3	5	8	15
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	2,835	15.1	13.4	3	6	11	18	30
Age:								
65 to 74 years	1,995	15.1	13.9	3	6	11	18	30
75 to 84 years	755	15.3	12.2	3	7	12	20	30
85 years and over	85	14.2	9.3	5	7	9	16	27
One diagnosis	470	11.9	10.7	2	4	8	16	27
Two or more diagnoses	2,365	15.8	13.7	4	7	11	19	31
With surgery	260	22.2	16.5	5	13	16	26	44
Without surgery	2,575	14.4	12.8	3	6	10	18	28
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	78,085	13.8	12.0	3	5	10	17	28
Age:								
65 to 74 years	29,290	12.9	10.8	3	5	9	16	25
75 to 84 years	36,185	14.0	12.1	3	6	10	18	28
85 years and over	12,610	15.3	13.9	2	5	11	20	32
One diagnosis	19,115	12.1	11.0	2	5	9	15	24
Two or more diagnoses	58,970	14.4	12.2	3	6	11	18	29
With surgery	5,640	20.1	15.1	5	9	16	25	40
Without surgery	72,445	13.3	11.5	3	5	10	17	27
ACUTE CORONARY OCCLUSION (420.1)								
Total	48,355	17.6	13.9	1	5	16	25	35
Age:								
65 to 74 years	26,390	18.4	13.2	1	7	18	26	34
75 to 84 years	18,215	17.3	14.7	1	4	15	25	36
85 years and over	3,750	13.8	13.9	1	2	9	21	32
One diagnosis	21,890	16.4	12.8	1	4	15	24	32
Two or more diagnoses	26,465	18.6	14.7	1	6	17	26	37
With surgery	1,565	25.4	18.0	4	12	22	35	50
Without surgery	46,790	17.3	13.7	1	5	16	25	34
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	54,845	13.1	11.4	2	5	9	17	27
Age:								
65 to 74 years	27,920	12.4	10.3	2	5	9	16	25
75 to 84 years	21,650	13.7	12.2	3	5	10	17	28
85 years and over	5,275	14.4	13.0	3	5	10	18	31
One diagnosis	16,000	11.5	10.2	2	4	8	15	24
Two or more diagnoses	38,845	13.7	11.7	3	5	10	18	28
With surgery	2,785	19.3	15.1	4	8	15	26	39
Without surgery	52,060	12.8	11.0	2	5	9	16	26
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	4,415	14.0	12.6	2	5	10	18	30
Age:								
65 to 74 years	1,955	13.0	10.8	2	5	9	18	28
75 to 84 years	1,795	14.3	12.3	2	5	10	19	30
85 years and over	665	15.9	17.2	2	4	10	18	42
One diagnosis	1,000	12.3	11.6	2	4	8	15	25
Two or more diagnoses	3,415	14.5	12.8	2	5	11	19	32
With surgery	210	25.5	18.6	4	11	20	34	51
Without surgery	4,205	13.4	11.9	2	4	9	17	29
FUNCTIONAL DISEASE OF HEART (433)								
Total	15,960	11.6	11.0	2	4	8	15	24
Age:								
65 to 74 years	7,490	10.7	10.7	2	3	7	13	23
75 to 84 years	6,755	11.8	10.4	2	4	8	15	24
85 years and over	1,715	14.4	13.8	2	5	10	19	30
One diagnosis	4,340	9.3	8.7	1	3	6	11	20
Two or more diagnoses	11,620	12.4	11.7	2	4	8	16	26
With surgery	2,185	17.2	12.1	3	8	14	23	33
Without surgery	13,775	10.7	10.6	1	4	7	13	22
CONGESTIVE HEART FAILURE (434.1)								
Total	34,915	14.1	12.6	2	5	10	18	29
Age:								
65 to 74 years	13,635	14.0	11.8	3	5	10	18	28
75 to 84 years	15,685	14.2	12.7	2	5	10	18	30
85 years and over	5,595	14.3	13.7	1	4	10	19	32
One diagnosis	12,440	12.7	11.2	2	5	9	16	26
Two or more diagnoses	22,475	14.9	13.2	2	5	11	19	31
With surgery	1,505	23.0	15.7	5	11	19	31	47
Without surgery	33,410	13.7	12.2	2	5	10	17	28
HYPERTENSIVE HEART DISEASE (442,443)								
Total	24,605	13.7	12.1	3	5	10	17	28
Age:								
65 to 74 years	11,910	12.9	11.3	3	5	9	16	26
75 to 84 years	10,370	14.1	12.5	3	6	10	17	29
85 years and over	2,325	15.4	13.9	3	5	10	20	35
One diagnosis	4,530	11.0	10.3	2	4	7	13	23
Two or more diagnoses	20,075	14.3	12.4	3	6	10	17	29
With surgery	1,755	17.3	13.5	3	8	14	22	33
Without surgery	22,850	13.4	11.9	3	5	9	16	27
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	18,340	11.1	10.7	2	4	7	13	22
Age:								
65 to 74 years	10,070	10.3	9.7	2	4	7	12	20
75 to 84 years	6,980	12.0	11.6	2	4	8	14	24
85 years and over	1,290	12.8	12.1	2	5	9	16	28
One diagnosis	5,065	8.1	7.9	2	3	6	9	16
Two or more diagnoses	13,275	12.3	11.4	3	5	8	15	25
With surgery	1,655	14.6	12.5	3	5	10	19	32
Without surgery	16,685	10.8	10.4	2	4	7	13	22
GENERAL ARTERIOSCLEROSIS (450)								
Total	28,470	15.9	14.9	3	5	11	20	35
Age:								
65 to 74 years	8,900	15.0	14.2	2	5	10	19	33
75 to 84 years	13,460	16.0	14.9	3	5	11	20	35
85 years and over	6,110	16.9	15.7	2	6	12	22	37
One diagnosis	4,645	14.1	13.9	2	4	9	18	30
Two or more diagnoses	23,825	16.2	15.0	3	5	11	21	35
With surgery	4,455	24.6	17.2	6	12	20	31	49
Without surgery	24,015	14.3	13.8	2	5	9	18	30
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	3,385	12.2	12.9	1	2	7	18	27
Age:								
65 to 74 years	1,920	13.1	12.6	1	2	10	19	29
75 to 84 years	1,240	11.2	12.9	1	2	6	16	25
85 years and over	225	9.7	14.0	1	1	4	10	23
One diagnosis	1,610	10.8	11.4	1	1	6	17	24
Two or more diagnoses	1,775	13.4	14.0	1	2	9	19	30
With surgery	1,455	18.4	13.5	1	10	16	23	34
Without surgery	1,930	7.5	10.0	1	1	3	9	18

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	2,675	17.6	16.1	2	6	13	22	39
Age:								
65 to 74 years	1,540	17.1	14.9	2	6	13	22	38
75 to 84 years	905	17.3	16.6	1	6	13	21	37
85 years and over	230	22.4	20.9	2	7	15	30	47
One diagnosis	1,140	15.4	14.7	2	5	11	19	33
Two or more diagnoses	1,535	19.3	17.0	2	7	14	24	43
With surgery	1,465	20.9	15.3	7	10	16	25	41
Without surgery	1,210	13.7	16.2	1	3	7	17	36
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	1,990	27.6	19.2	6	11	22	39	56
Age:								
65 to 74 years	805	30.8	20.1	6	13	27	45	57
75 to 84 years	795	27.1	18.4	7	12	22	39	57
85 years and over	390	22.1	17.4	4	9	16	30	47
One diagnosis	730	25.2	18.0	6	10	20	34	51
Two or more diagnoses	1,260	29.0	19.7	6	12	24	42	58
With surgery	1,260	30.0	18.4	9	15	25	42	57
Without surgery	730	23.4	19.7	3	8	16	33	54
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	5,625	17.6	15.1	4	7	12	22	38
Age:								
65 to 74 years	3,480	15.4	13.8	4	6	10	19	32
75 to 84 years	1,765	20.7	15.8	5	9	16	29	42
85 years and over	380	23.9	18.4	4	9	17	35	47
One diagnosis	2,625	15.4	14.2	4	6	10	18	37
Two or more diagnoses	3,000	19.6	15.6	5	8	15	26	40
With surgery	2,700	14.7	13.3	4	6	10	17	32
Without surgery	2,925	20.4	16.1	4	8	15	28	42
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	6,860	9.4	6.8	3	5	7	11	16
Age:								
65 to 74 years	4,890	8.8	5.5	3	5	7	11	14
75 to 84 years	1,715	10.7	8.7	3	5	8	13	20
85 years and over	255	12.8	11.0	3	5	9	15	26
One diagnosis	3,275	8.5	5.4	3	5	7	10	14
Two or more diagnoses	3,585	10.3	7.7	3	5	8	12	18
With surgery	5,480	10.0	6.8	4	5	8	11	17
Without surgery	1,380	7.2	6.3	1	2	5	9	14
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	6,905	14.0	9.8	5	7	11	17	25
Age:								
65 to 74 years	4,180	13.3	8.8	5	7	11	16	23
75 to 84 years	2,395	15.4	11.4	5	7	12	19	29
85 years and over	330	13.3	7.4	4	8	12	17	22
One diagnosis	2,980	12.0	7.7	4	6	10	15	21
Two or more diagnoses	3,925	15.6	10.9	5	8	12	18	28
With surgery	515	21.0	14.6	5	10	17	28	39
Without surgery	6,390	13.5	9.1	5	7	11	16	23
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	2,500	14.3	11.6	5	8	11	16	24
Age:								
65 to 74 years	1,575	13.5	9.9	5	8	11	16	22
75 to 84 years	745	15.9	13.6	5	8	12	17	26
85 years and over	180	14.6	14.8	5	7	10	16	23
One diagnosis	1,155	12.9	8.5	5	7	10	16	22
Two or more diagnoses	1,345	15.5	13.6	5	8	12	17	26
With surgery	175	25.4	20.5	6	10	18	28	56
Without surgery	2,325	13.5	10.1	5	7	11	16	22
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	5,160	15.6	12.6	2	7	12	20	30
Age:								
65 to 74 years	2,760	15.6	11.8	3	7	13	20	30
75 to 84 years	1,995	16.3	13.9	2	7	13	20	32
85 years and over	405	12.4	10.1	1	4	10	18	25
One diagnosis	1,320	13.9	10.8	1	7	11	17	27
Two or more diagnoses	3,840	16.2	13.1	2	7	13	21	31
With surgery	630	21.2	16.4	6	10	16	25	40
Without surgery	4,530	14.8	11.7	2	6	12	19	29
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	10,275	9.8	8.1	3	4	7	12	19
Age:								
65 to 74 years	5,120	8.8	6.9	2	4	6	11	16
75 to 84 years	3,955	10.0	7.1	3	5	7	12	19
85 years and over	1,200	13.8	12.9	3	5	9	17	27
One diagnosis	2,655	7.8	7.1	2	3	6	9	15
Two or more diagnoses	7,620	10.5	8.2	3	5	8	13	20
With surgery	480	11.9	10.8	1	2	8	17	25
Without surgery	9,795	9.7	7.9	3	4	7	11	18
INFLUENZA (480-483)								
Total	13,035	10.9	8.9	3	5	8	13	20
Age:								
65 to 74 years	7,325	10.3	8.2	3	5	8	12	19
75 to 84 years	4,590	11.3	9.5	3	5	8	13	23
85 years and over	1,120	12.6	10.8	3	5	9	16	26
One diagnosis	5,240	8.5	6.6	2	4	6	10	15
Two or more diagnoses	7,795	12.5	9.9	3	6	9	15	24
With surgery	400	17.3	13.1	6	8	12	23	35
Without surgery	12,635	10.7	8.7	3	5	8	13	20
LOBAR PNEUMONIA (490)								
Total	1,955	13.8	10.3	3	7	11	17	27
Age:								
65 to 74 years	870	13.2	9.8	3	6	10	18	25
75 to 84 years	815	13.6	9.4	3	7	11	16	28
85 years and over	270	15.9	13.8	1	5	13	20	39
One diagnosis	725	11.1	6.9	3	6	9	14	20
Two or more diagnoses	1,230	15.4	11.6	3	7	12	20	31
With surgery	110	22.3	12.9	3	10	23	27	34
Without surgery	1,845	13.3	9.9	3	6	10	16	27
BRONCHOPNEUMONIA (491)								
Total	14,290	14.0	12.2	3	6	10	17	29
Age:								
65 to 74 years	5,990	13.9	11.7	3	6	10	17	28
75 to 84 years	5,730	14.2	12.5	2	6	10	17	30
85 years and over	2,570	14.1	12.4	2	5	10	18	31
One diagnosis	3,900	11.0	8.3	3	5	8	13	20
Two or more diagnoses	10,390	15.2	13.2	2	6	11	19	33
With surgery	790	28.5	18.4	8	13	24	41	54
Without surgery	13,500	13.2	11.1	2	5	10	16	27
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	12,815	13.3	10.4	4	6	10	16	25
Age:								
65 to 74 years	5,945	12.5	9.3	4	6	9	15	23
75 to 84 years	4,960	13.6	10.7	4	6	10	16	26
85 years and over	1,910	14.9	12.6	3	6	11	19	30
One diagnosis	3,735	10.6	7.8	3	5	8	13	20
Two or more diagnoses	9,080	14.4	11.1	4	7	11	18	28
With surgery	650	20.8	14.5	6	9	15	28	42
Without surgery	12,165	12.9	10.0	4	6	10	15	24
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	22,675	14.0	11.1	3	6	11	17	28
Age:								
65 to 74 years	9,495	13.5	10.1	4	6	10	16	26
75 to 84 years	9,445	14.5	11.6	3	6	11	18	29
85 years and over	3,735	14.4	12.0	2	6	11	18	31
One diagnosis	7,955	12.0	9.3	3	6	9	14	22
Two or more diagnoses	14,720	15.1	11.8	4	7	11	19	30
With surgery	1,340	23.3	14.7	7	12	19	31	43
Without surgery	21,335	13.5	10.6	3	6	10	16	26
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	9,480	10.3	7.5	3	5	8	12	18
Age:								
65 to 74 years	5,260	9.5	6.4	3	5	8	11	16
75 to 84 years	3,350	11.1	8.5	4	5	8	13	21
85 years and over	870	11.8	8.5	4	5	8	15	22
One diagnosis	2,715	7.8	5.3	2	4	6	9	13
Two or more diagnoses	6,765	11.3	7.9	4	6	9	13	20
With surgery	365	15.1	8.5	5	8	13	21	24
Without surgery	9,115	10.1	7.3	3	5	8	12	18

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	7,610	10.5	8.5	3	5	8	13	19
Age:								
65 to 74 years	4,315	9.6	7.8	3	5	7	12	17
75 to 84 years	2,710	11.5	9.2	3	5	8	14	22
85 years and over	585	12.0	9.8	4	5	8	15	25
One diagnosis	2,950	8.7	6.6	2	4	7	10	15
Two or more diagnoses	4,660	11.7	9.3	3	5	9	14	21
With surgery	590	14.3	13.4	3	5	10	18	30
Without surgery	7,020	10.2	7.9	3	5	8	12	18
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	6,040	12.9	10.7	3	6	9	15	25
Age:								
65 to 74 years	3,990	12.9	10.9	3	6	9	15	25
75 to 84 years	1,745	12.8	9.9	3	6	9	16	25
85 years and over	305	14.1	11.8	4	6	10	15	32
One diagnosis	2,070	11.7	9.3	3	5	9	14	22
Two or more diagnoses	3,970	13.6	11.2	4	6	10	16	26
With surgery	410	17.0	15.0	5	8	11	21	33
Without surgery	5,630	12.6	10.2	3	6	9	15	24
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	2,705	11.1	8.6	3	5	8	13	21
Age:								
65 to 74 years	1,620	10.5	8.4	2	4	7	13	21
75 to 84 years	870	11.6	7.7	4	6	9	13	20
85 years and over	215	14.0	12.3	3	6	9	20	26
One diagnosis	725	9.5	8.7	2	4	7	11	20
Two or more diagnoses	1,980	11.7	8.5	3	6	9	15	22
With surgery	465	11.4	9.6	2	3	8	15	23
Without surgery	2,240	11.0	8.4	3	5	8	13	21
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	4,055	12.6	11.5	1	4	9	16	27
Age:								
65 to 74 years	1,560	11.8	10.7	1	4	8	15	24
75 to 84 years	1,750	13.8	12.6	1	4	10	18	30
85 years and over	745	11.4	9.9	1	3	8	15	26
One diagnosis	810	10.2	8.7	1	3	7	14	21
Two or more diagnoses	3,245	13.2	12.0	1	4	10	18	28
With surgery	135	19.8	16.9	5	7	14	24	38
Without surgery	3,920	12.3	11.1	1	4	9	16	27
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	16,860	12.9	11.4	3	5	9	16	27
Age:								
65 to 74 years	10,335	12.3	10.7	3	5	9	15	25
75 to 84 years	5,695	13.5	12.3	3	5	9	16	29
85 years and over	830	15.4	12.6	3	5	12	21	32
One diagnosis	3,935	10.6	9.5	2	4	7	13	22
Two or more diagnoses	12,925	13.6	11.8	3	5	10	17	28
With surgery	1,460	19.5	14.9	3	8	16	26	40
Without surgery	15,400	12.2	10.8	2	5	9	15	25
DISEASES OF ESOPHAGUS (539)								
Total	3,955	10.0	9.8	1	3	6	12	21
Age:								
65 to 74 years	2,260	9.2	9.3	1	3	6	11	20
75 to 84 years	1,375	10.8	10.4	1	3	7	14	24
85 years and over	320	11.3	10.8	2	4	8	12	24
One diagnosis	1,380	7.6	8.9	1	2	4	9	16
Two or more diagnoses	2,575	11.2	10.0	2	4	8	14	23
With surgery	1,600	12.2	11.4	2	4	9	16	26
Without surgery	2,355	8.4	8.2	1	3	5	10	17
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	6,250	14.0	11.5	3	6	11	18	27
Age:								
65 to 74 years	3,855	13.6	11.2	3	6	11	17	25
75 to 84 years	2,020	14.6	11.8	2	5	11	19	30
85 years and over	375	15.3	12.9	3	7	11	17	34
One diagnosis	2,475	11.9	9.5	2	4	9	15	24
Two or more diagnoses	3,775	15.5	12.5	4	6	12	19	29
With surgery	1,545	20.9	13.7	7	11	17	26	38
Without surgery	4,705	11.8	9.7	2	5	9	15	22
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	1,850	15.9	10.5	4	8	13	20	29
Age:								
65 to 74 years	955	14.6	9.4	4	7	12	19	27
75 to 84 years	685	17.5	12.0	6	10	14	21	31
85 years and over	210	16.7	9.5	4	7	15	22	29
One diagnosis	760	13.4	8.2	4	7	12	18	24
Two or more diagnoses	1,090	17.7	11.5	5	10	14	22	32
With surgery	505	20.6	12.0	9	13	18	25	37
Without surgery	1,345	14.2	9.3	4	7	12	19	27
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	13,405	11.2	9.1	2	4	8	14	22
Age:								
65 to 74 years	8,415	10.6	8.5	2	4	8	13	21
75 to 84 years	4,300	11.8	9.6	3	5	9	15	23
85 years and over	690	14.6	11.9	3	5	10	20	30
One diagnosis	4,855	9.2	7.2	2	4	7	12	18
Two or more diagnoses	8,550	12.3	9.9	3	5	9	15	24
With surgery	2,455	17.6	10.6	5	10	15	22	30
Without surgery	10,950	9.7	8.1	2	4	7	12	19
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	7,305	14.5	10.8	4	7	11	18	27
Age:								
65 to 74 years	4,070	13.5	9.4	4	7	11	16	25
75 to 84 years	2,700	15.2	11.3	4	8	12	18	29
85 years and over	535	18.6	15.1	4	8	14	23	34
One diagnosis	3,285	12.2	7.7	4	6	10	15	21
Two or more diagnoses	4,020	16.3	12.4	5	8	13	20	31
With surgery	1,445	21.0	12.5	7	12	18	27	36
Without surgery	5,860	12.9	9.6	4	7	10	15	22
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	1,040	18.7	13.1	5	10	15	22	36
Age:								
65 to 74 years	630	17.8	12.7	5	9	13	22	34
75 to 84 years	355	19.9	13.0	4	12	17	23	36
85 years and over	55	21.1	15.8	2	7	16	30	43
One diagnosis	515	16.4	9.8	6	10	14	20	30
Two or more diagnoses	525	20.9	15.3	4	9	17	28	41
With surgery	775	19.7	12.7	7	11	16	23	36
Without surgery	265	15.6	13.7	1	5	11	22	36
GASTRITIS AND DUODENITIS (543)								
Total	10,150	8.5	7.4	2	3	6	10	17
Age:								
65 to 74 years	6,035	7.9	6.8	2	3	6	9	15
75 to 84 years	3,340	9.5	8.4	2	4	7	11	19
85 years and over	775	9.2	7.5	2	4	6	11	18
One diagnosis	3,315	6.3	5.0	1	2	4	8	12
Two or more diagnoses	6,835	9.6	8.1	2	4	7	11	18
With surgery	840	13.0	10.0	3	6	10	17	23
Without surgery	9,310	8.1	7.0	2	3	6	10	15
APPENDICITIS (550-553)								
Total	3,020	14.1	9.9	5	7	11	17	26
Age:								
65 to 74 years	1,825	12.9	8.9	5	7	10	15	23
75 to 84 years	955	14.9	9.4	6	8	12	18	27
85 years and over	240	19.4	14.8	4	10	14	25	39
One diagnosis	1,685	12.1	8.5	5	6	9	14	21
Two or more diagnoses	1,335	16.5	10.9	6	8	13	21	30
With surgery	2,565	14.4	9.3	6	7	11	18	26
Without surgery	455	11.9	12.2	1	3	8	14	29
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	21,945	9.8	6.4	4	6	8	11	15
Age:								
65 to 74 years	14,350	9.2	5.4	4	6	8	10	14
75 to 84 years	6,610	10.8	7.3	5	6	9	12	17
85 years and over	985	12.9	10.6	4	6	9	15	23
One diagnosis	14,170	8.7	4.0	4	6	7	10	12
Two or more diagnoses	7,775	12.0	8.9	5	7	9	13	21
With surgery	20,335	9.9	6.1	5	6	8	11	15
Without surgery	1,610	8.7	9.7	1	3	6	10	18

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	13,030	9.4	8.8	2	3	6	11	19
Age:								
65 to 74 years	7,810	8.7	8.0	2	3	6	11	17
75 to 84 years	4,480	10.4	9.7	2	4	7	12	21
85 years and over	740	11.1	11.0	2	4	7	13	21
One diagnosis	3,030	7.2	6.2	1	2	5	9	14
Two or more diagnoses	10,000	10.1	9.4	2	4	7	12	20
With surgery	2,535	13.8	11.0	3	5	11	18	25
Without surgery	10,495	8.4	7.9	2	3	6	10	16
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	6,795	12.3	8.5	5	7	10	14	21
Age:								
65 to 74 years	4,605	11.7	7.9	5	7	9	13	20
75 to 84 years	1,870	13.7	9.7	5	7	11	16	24
85 years and over	320	13.5	8.8	3	7	12	17	26
One diagnosis	3,610	10.6	6.1	5	7	9	12	17
Two or more diagnoses	3,185	14.3	10.4	5	7	11	17	26
With surgery	5,810	12.6	7.9	5	7	10	14	21
Without surgery	985	10.4	11.4	2	3	6	12	21
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	5,495	12.8	10.3	3	6	9	15	25
Age:								
65 to 74 years	2,380	12.8	10.7	4	6	9	15	25
75 to 84 years	2,370	12.5	9.6	3	6	10	15	24
85 years and over	745	13.5	10.8	2	4	10	19	29
One diagnosis	2,765	10.4	7.1	3	6	8	12	18
Two or more diagnoses	2,730	15.2	12.2	3	7	11	20	31
With surgery	4,295	14.2	10.5	5	7	10	17	27
Without surgery	1,200	7.9	7.5	1	2	5	10	16
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	13,050	12.9	12.6	1	4	9	17	28
Age:								
65 to 74 years	5,375	13.6	13.0	1	4	10	18	28
75 to 84 years	5,600	12.7	12.6	1	3	8	17	27
85 years and over	2,075	12.0	11.9	1	3	8	16	27
One diagnosis	5,475	11.2	11.5	1	3	7	15	26
Two or more diagnoses	7,575	14.2	13.3	1	4	10	19	30
With surgery	4,550	20.0	14.4	4	10	16	25	37
Without surgery	8,500	9.2	9.7	1	2	6	11	20
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	21,275	8.7	8.4	2	3	6	10	17
Age:								
65 to 74 years	10,685	8.0	7.4	2	3	5	9	16
75 to 84 years	8,240	9.0	8.4	2	3	6	11	18
85 years and over	2,350	10.9	11.1	2	4	7	13	21
One diagnosis	8,600	6.5	5.8	1	2	4	8	12
Two or more diagnoses	12,675	10.3	9.4	2	4	7	12	20
With surgery	1,760	13.4	12.5	2	4	9	17	29
Without surgery	19,515	8.3	7.7	2	3	6	10	16
DIVERTICULITIS (572.1)								
Total	28,050	9.9	9.7	2	3	6	12	20
Age:								
65 to 74 years	14,605	9.2	8.9	2	3	6	11	19
75 to 84 years	11,025	10.4	10.2	2	4	7	12	21
85 years and over	2,420	11.7	11.7	2	4	8	13	25
One diagnosis	10,255	7.6	7.1	1	3	5	9	15
Two or more diagnoses	17,795	11.2	10.8	2	4	7	13	23
With surgery	6,630	14.4	12.3	2	5	10	20	30
Without surgery	21,420	8.5	8.3	2	3	6	10	16
CIRRHOSIS OF LIVER (581)								
Total	3,630	15.9	13.8	2	6	11	21	34
Age:								
65 to 74 years	2,540	16.3	13.7	3	6	12	21	34
75 to 84 years	850	17.5	14.3	3	6	13	24	38
85 years and over	240	5.4	4.8	1	2	2	7	13
One diagnosis	1,185	12.9	11.5	1	4	9	17	27
Two or more diagnoses	2,445	17.3	14.5	3	7	12	23	37
With surgery	870	20.6	17.0	2	6	15	30	44
Without surgery	2,760	14.4	12.2	3	6	10	18	30
CHOLELITHIASIS (584)								
Total	30,045	14.6	10.6	3	7	12	18	27
Age:								
65 to 74 years	18,075	13.9	9.5	3	8	11	17	24
75 to 84 years	10,205	15.7	12.0	4	7	12	20	30
85 years and over	1,765	15.3	12.4	3	6	11	21	31
One diagnosis	13,825	13.4	8.7	4	8	11	17	23
Two or more diagnoses	16,220	15.6	11.9	3	7	12	20	29
With surgery	18,670	17.6	10.1	8	10	15	21	29
Without surgery	11,375	9.6	9.3	2	4	6	11	19
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	14,115	12.3	10.0	3	5	9	15	24
Age:								
65 to 74 years	7,375	11.6	9.2	3	5	9	14	22
75 to 84 years	5,430	12.5	10.1	3	5	9	16	25
85 years and over	1,310	14.9	13.3	3	6	10	19	30
One diagnosis	6,380	11.0	8.5	2	4	8	14	21
Two or more diagnoses	7,735	13.3	11.1	3	5	10	16	26
With surgery	4,285	17.4	10.7	7	10	14	21	31
Without surgery	9,830	10.0	8.9	2	4	7	12	20
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	4,310	12.4	11.2	2	4	8	16	26
Age:								
65 to 74 years	2,145	11.4	10.6	2	4	7	15	24
75 to 84 years	1,705	13.2	11.8	3	5	9	17	27
85 years and over	460	13.7	11.3	2	5	10	18	27
One diagnosis	1,620	10.9	10.3	2	4	7	14	25
Two or more diagnoses	2,690	13.2	11.6	3	5	9	17	26
With surgery	1,095	20.4	12.9	6	12	17	25	36
Without surgery	3,215	9.6	9.1	2	4	6	11	19
DISEASES OF PANCREAS (587)								
Total	2,770	13.4	11.5	2	5	10	17	27
Age:								
65 to 74 years	1,600	13.3	11.0	2	6	9	17	27
75 to 84 years	1,000	13.4	11.5	3	5	10	18	27
85 years and over	170	14.5	15.7	1	4	9	18	33
One diagnosis	1,105	10.2	8.3	2	4	7	13	21
Two or more diagnoses	1,665	15.5	12.8	3	7	11	20	29
With surgery	435	24.1	13.6	9	14	22	29	44
Without surgery	2,335	11.4	9.9	2	5	8	14	22
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	3,710	15.8	14.1	2	6	11	20	34
Age:								
65 to 74 years	2,195	14.9	12.6	2	5	11	20	29
75 to 84 years	1,120	17.0	15.9	3	6	11	21	39
85 years and over	395	17.2	15.9	1	4	11	26	38
One diagnosis	945	13.7	12.7	2	4	10	17	31
Two or more diagnoses	2,765	16.5	14.5	2	6	12	21	35
With surgery	1,085	18.0	13.9	2	7	14	23	37
Without surgery	2,625	14.8	14.1	2	5	10	19	33
INFECTIONS OF KIDNEY (600)								
Total	9,995	13.4	11.5	3	5	9	16	27
Age:								
65 to 74 years	4,865	12.4	11.2	3	5	8	14	25
75 to 84 years	3,890	14.4	11.7	4	6	10	18	29
85 years and over	1,240	14.0	11.9	4	6	10	17	26
One diagnosis	3,060	10.1	8.0	3	4	7	12	19
Two or more diagnoses	6,935	14.8	12.4	4	6	10	18	30
With surgery	1,730	17.5	13.4	4	8	14	22	35
Without surgery	8,265	12.5	10.9	3	5	9	15	25
CALCULI OF KIDNEY AND URETER (602)								
Total	7,150	9.9	9.1	2	3	7	13	20
Age:								
65 to 74 years	5,145	9.3	8.4	2	3	6	12	19
75 to 84 years	1,815	11.4	10.1	2	4	8	14	21
85 years and over	190	12.3	13.1	2	4	9	14	23
One diagnosis	3,650	8.2	7.3	1	3	5	11	17
Two or more diagnoses	3,500	11.7	10.3	2	4	9	16	23
With surgery	3,640	13.2	9.8	3	6	11	16	24
Without surgery	3,510	6.6	6.8	1	2	4	7	13

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	4,850	12.3	11.6	2	4	9	16	26
Age:								
65 to 74 years	2,910	11.5	11.5	2	3	8	14	24
75 to 84 years	1,670	13.6	11.3	2	5	11	18	27
85 years and over	270	12.9	12.9	1	4	9	17	27
One diagnosis	1,760	9.6	9.4	1	3	6	13	20
Two or more diagnoses	3,090	13.9	12.4	2	5	10	18	29
With surgery	2,930	14.6	12.1	3	6	11	19	29
Without surgery	1,920	8.8	9.8	1	2	5	11	18
CYSTITIS (605)								
Total	12,795	10.1	9.3	2	4	7	12	20
Age:								
65 to 74 years	6,555	8.8	8.0	2	3	6	11	17
75 to 84 years	4,870	10.8	9.7	2	4	7	13	22
85 years and over	1,370	13.9	11.7	3	6	10	17	28
One diagnosis	4,105	7.6	7.8	1	2	5	9	15
Two or more diagnoses	8,690	11.4	9.6	2	5	8	14	22
With surgery	6,355	9.9	9.2	2	3	7	12	21
Without surgery	6,440	10.3	9.4	2	4	7	12	20
OTHER DISEASES OF BLADDER (606)								
Total	5,270	13.6	11.4	2	5	10	17	28
Age:								
65 to 74 years	2,535	13.2	10.9	3	5	10	17	26
75 to 84 years	2,245	13.8	11.8	2	5	10	18	30
85 years and over	490	14.4	11.7	3	5	11	19	29
One diagnosis	1,860	10.3	9.4	2	4	7	13	21
Two or more diagnoses	3,410	15.3	12.0	3	6	12	20	31
With surgery	3,905	14.0	11.1	3	6	11	18	27
Without surgery	1,365	12.3	12.1	2	4	7	16	28
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	6,795	9.4	9.0	2	3	6	12	19
Age:								
65 to 74 years	3,645	8.4	8.0	1	3	5	10	17
75 to 84 years	2,560	10.7	9.9	2	4	8	13	22
85 years and over	590	9.9	9.7	2	4	7	11	18
One diagnosis	2,625	7.5	7.7	1	2	5	9	15
Two or more diagnoses	4,170	10.6	9.5	2	4	8	13	21
With surgery	5,520	9.4	8.8	2	3	6	12	19
Without surgery	1,275	9.5	9.7	2	3	6	12	17
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	8,040	10.7	9.8	2	4	7	13	22
Age:								
65 to 74 years	3,710	9.4	8.8	2	4	6	11	19
75 to 84 years	3,255	11.8	10.3	2	4	8	14	24
85 years and over	1,075	11.9	11.0	3	5	7	14	27
One diagnosis	2,885	8.9	8.7	2	3	6	10	18
Two or more diagnoses	5,155	11.7	10.2	3	5	8	14	25
With surgery	2,650	10.6	10.6	2	3	6	13	24
Without surgery	5,390	10.7	9.4	3	4	7	13	21
HYPERPLASIA OF PROSTATE (610)								
Total	38,410	14.7	10.7	4	8	12	18	27
Age:								
65 to 74 years	20,665	13.6	9.7	4	7	11	17	24
75 to 84 years	14,325	15.7	11.2	5	8	13	19	29
85 years and over	3,420	17.7	12.7	5	8	14	22	34
One diagnosis	18,975	13.2	8.9	4	7	11	16	23
Two or more diagnoses	19,435	16.3	11.9	4	8	13	20	30
With surgery	32,345	15.3	10.2	6	8	12	18	27
Without surgery	6,065	12.0	12.4	2	3	7	15	26
OTHER DISEASES OF PROSTATE (611,612)								
Total	2,940	10.2	9.7	2	4	7	12	20
Age:								
65 to 74 years	1,745	8.8	7.8	2	3	6	10	17
75 to 84 years	1,025	11.3	11.0	2	4	8	13	22
85 years and over	170	17.3	13.7	4	6	10	27	34
One diagnosis	1,180	8.0	9.4	2	3	5	9	14
Two or more diagnoses	1,760	11.6	9.5	2	5	8	15	24
With surgery	1,615	11.1	11.0	2	3	8	14	22
Without surgery	1,325	9.0	7.6	2	4	7	10	16
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	4,630	8.9	7.9	2	4	6	10	17
Age:								
65 to 74 years	3,100	8.5	7.6	2	4	6	10	16
75 to 84 years	1,320	9.6	8.2	2	4	7	12	18
85 years and over	210	10.4	9.5	2	3	6	15	22
One diagnosis	2,310	7.3	5.7	2	3	5	9	14
Two or more diagnoses	2,320	10.6	9.3	3	5	8	13	20
With surgery	3,320	8.8	8.4	2	3	6	10	17
Without surgery	1,310	9.3	6.5	3	4	7	11	17
UTEROVAGINAL PROLAPSE (631)								
Total	11,600	12.6	6.7	6	8	11	14	19
Age:								
65 to 74 years	8,230	12.2	5.6	6	8	11	14	19
75 to 84 years	3,090	13.2	8.4	6	8	11	15	20
85 years and over	280	15.9	11.6	6	8	11	19	35
One diagnosis	5,385	11.8	5.6	6	8	10	13	17
Two or more diagnoses	6,215	13.2	7.4	6	8	11	15	21
With surgery	10,670	12.7	6.2	7	8	11	14	19
Without surgery	930	10.9	10.2	2	4	8	13	20
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	7,345	13.8	12.0	3	5	10	17	27
Age:								
65 to 74 years	3,935	13.2	12.1	3	5	9	17	26
75 to 84 years	2,750	14.3	11.9	3	6	10	18	28
85 years and over	660	14.8	11.9	4	7	10	18	29
One diagnosis	2,800	11.3	10.2	2	4	8	13	22
Two or more diagnoses	4,545	15.3	12.8	4	6	11	19	29
With surgery	1,965	15.6	14.6	2	5	11	20	35
Without surgery	5,380	13.1	10.8	3	6	9	16	25
RHEUMATOID ARTHRITIS (722.0)								
Total	5,630	16.1	13.2	4	7	12	20	32
Age:								
65 to 74 years	3,670	16.5	13.7	4	7	12	21	34
75 to 84 years	1,760	15.3	11.9	4	7	12	19	30
85 years and over	200	14.9	12.8	4	6	10	17	26
One diagnosis	1,710	14.5	11.4	3	6	11	19	30
Two or more diagnoses	3,920	16.7	13.8	4	7	12	21	33
With surgery	830	19.7	14.3	4	8	17	25	38
Without surgery	4,800	15.4	12.8	4	7	11	19	30
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	13,685	14.8	13.3	3	6	10	18	32
Age:								
65 to 74 years	6,580	14.8	13.6	3	5	10	19	32
75 to 84 years	5,705	14.9	12.9	3	6	11	18	32
85 years and over	1,400	14.6	12.8	3	6	10	18	30
One diagnosis	3,925	16.1	14.2	3	6	11	21	34
Two or more diagnoses	9,760	14.3	12.8	3	6	10	17	30
With surgery	2,690	23.1	16.2	5	10	19	32	43
Without surgery	10,995	12.8	11.6	3	5	9	15	25
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	8,910	11.8	9.8	3	5	9	14	23
Age:								
65 to 74 years	4,920	10.9	9.1	2	5	8	13	21
75 to 84 years	3,300	13.0	10.5	3	6	10	15	26
85 years and over	690	12.6	10.9	3	5	10	15	25
One diagnosis	1,915	10.2	9.2	2	4	7	12	21
Two or more diagnoses	6,995	12.2	9.9	3	5	9	15	23
With surgery	880	16.1	12.1	4	8	13	22	30
Without surgery	8,030	11.3	9.4	3	5	8	14	22
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	7,980	12.7	11.3	3	5	9	15	25
Age:								
65 to 74 years	3,760	11.1	9.7	3	4	8	13	22
75 to 84 years	3,200	14.2	12.0	3	6	10	18	28
85 years and over	1,020	13.9	13.5	3	5	9	15	29
One diagnosis	2,760	11.0	9.9	3	4	8	13	22
Two or more diagnoses	5,220	13.5	11.9	3	5	10	16	28
With surgery	630	16.5	15.1	2	6	10	22	34
Without surgery	7,350	12.3	10.9	3	5	9	15	24

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	5,260	14.2	11.2	3	6	10	18	28
Age:								
65 to 74 years	1,970	12.4	10.3	3	5	9	15	24
75 to 84 years	2,430	15.0	11.6	4	7	11	19	28
85 years and over	860	15.8	11.7	4	6	12	21	31
One diagnosis	785	11.8	8.6	3	5	9	15	23
Two or more diagnoses	4,475	14.6	11.6	3	6	11	18	28
With surgery	400	15.3	15.8	2	4	10	17	35
Without surgery	4,860	14.1	10.8	3	6	10	18	27
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	4,180	15.5	11.5	4	7	12	20	29
Age:								
65 to 74 years	3,155	15.0	10.5	4	7	12	19	28
75 to 84 years	885	16.5	13.0	4	7	13	21	32
85 years and over	140	20.9	19.5	5	6	12	26	58
One diagnosis	1,875	15.5	11.4	4	7	12	20	28
Two or more diagnoses	2,305	15.6	11.6	4	7	12	20	31
With surgery	995	23.6	13.7	8	13	21	29	42
Without surgery	3,185	13.0	9.5	4	6	10	16	23
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	3,080	8.6	8.7	1	3	6	11	17
Age:								
65 to 74 years	2,035	7.7	7.4	1	2	5	9	16
75 to 84 years	885	10.0	10.1	2	3	7	13	21
85 years and over	160	13.1	12.4	2	5	10	15	21
One diagnosis	1,650	6.8	7.1	1	2	4	8	14
Two or more diagnoses	1,430	10.7	9.8	2	4	7	13	20
With surgery	1,610	7.1	8.7	1	2	4	8	14
Without surgery	1,470	10.3	8.5	2	4	7	13	20
CONGENITAL MALFORMATIONS (750-759)								
Total	1,850	11.7	10.6	2	4	8	15	24
Age:								
65 to 74 years	1,255	11.3	10.5	2	4	7	14	23
75 to 84 years	520	12.0	10.1	3	4	9	15	25
85 years and over	75	16.4	14.4	1	4	12	20	33
One diagnosis	660	10.1	8.8	2	3	7	13	20
Two or more diagnoses	1,190	12.6	11.4	2	4	8	16	25
With surgery	845	11.8	10.0	2	4	8	15	24
Without surgery	1,005	11.6	11.1	2	4	8	15	24
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	2,540	6.9	8.7	1	2	4	8	14
Age:								
65 to 74 years	1,390	6.4	7.5	1	1	3	7	14
75 to 84 years	890	6.7	7.8	1	2	4	8	12
85 years and over	260	10.3	14.6	1	2	5	11	20
One diagnosis	1,820	6.4	8.7	1	1	3	7	13
Two or more diagnoses	720	8.2	8.7	1	2	5	10	18
With surgery	220	10.5	11.0	1	3	7	11	23
Without surgery	2,320	6.6	8.4	1	2	4	7	14
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	5,145	6.2	6.2	1	2	4	7	12
Age:								
65 to 74 years	2,900	6.1	5.7	1	2	4	7	11
75 to 84 years	1,735	6.5	7.0	1	2	4	8	12
85 years and over	510	5.7	6.6	1	2	3	6	10
One diagnosis	4,085	6.0	6.2	1	2	4	7	11
Two or more diagnoses	1,060	7.0	6.4	1	2	4	8	14
With surgery	785	7.6	7.6	1	2	5	8	17
Without surgery	4,360	5.9	5.9	1	2	4	7	11
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	5,710	9.0	9.8	1	3	5	10	20
Age:								
65 to 74 years	3,155	8.1	8.6	1	2	5	9	17
75 to 84 years	2,095	9.7	10.3	1	3	6	12	21
85 years and over	460	11.6	14.1	1	3	6	15	26
One diagnosis	4,180	8.5	9.4	1	2	5	10	18
Two or more diagnoses	1,530	10.3	11.0	2	3	6	12	24
With surgery	795	13.2	12.2	2	3	9	18	27
Without surgery	4,915	8.3	9.3	1	2	5	9	17
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	3,110	11.1	10.0	2	3	8	15	22
Age:								
65 to 74 years	1,580	9.9	7.8	2	3	8	13	20
75 to 84 years	1,140	12.3	12.2	2	4	9	15	24
85 years and over	390	12.4	10.8	2	4	8	18	28
One diagnosis	2,440	10.7	9.4	2	3	8	14	22
Two or more diagnoses	670	12.6	11.9	2	4	9	16	24
With surgery	1,525	13.6	8.8	3	7	11	17	25
Without surgery	1,585	8.7	10.6	1	2	5	10	19
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	6,840	9.3	9.1	1	3	6	12	19
Age:								
65 to 74 years	3,810	8.3	7.9	1	3	6	10	17
75 to 84 years	2,360	10.4	10.0	2	3	7	13	22
85 years and over	670	11.2	11.0	2	4	7	14	21
One diagnosis	5,195	8.9	8.8	1	3	6	11	18
Two or more diagnoses	1,645	10.8	9.8	2	4	7	13	22
With surgery	1,805	8.9	8.0	1	3	6	12	19
Without surgery	5,035	9.5	9.4	2	3	6	11	19
NERVOUSNESS AND DEBILITY (790)								
Total	1,840	12.6	13.0	2	4	8	15	28
Age:								
65 to 74 years	850	10.8	12.2	2	4	7	12	22
75 to 84 years	710	13.5	12.9	2	4	9	18	29
85 years and over	280	15.8	14.5	3	5	11	19	35
One diagnosis	660	11.0	11.1	2	3	7	12	24
Two or more diagnoses	1,180	13.6	13.8	2	5	8	17	29
With surgery	85	21.0	14.3	3	9	16	30	44
Without surgery	1,755	12.2	12.8	2	4	8	14	26
UREMIA (792)								
Total	1,000	13.7	14.0	1	3	8	19	31
Age:								
65 to 74 years	355	11.4	13.5	1	3	6	14	23
75 to 84 years	445	14.8	13.5	2	4	9	24	31
85 years and over	200	15.3	15.4	1	4	9	23	35
One diagnosis	580	10.4	10.0	1	3	7	14	26
Two or more diagnoses	420	18.2	17.1	2	5	11	27	38
With surgery	70	24.6	20.6	3	11	20	27	44
Without surgery	930	12.9	13.0	1	3	7	17	31
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	1,780	14.4	14.2	2	5	9	19	31
Age:								
65 to 74 years	215	17.9	15.5	3	7	11	24	33
75 to 84 years	785	14.2	15.0	2	4	9	18	30
85 years and over	780	13.7	12.8	2	5	9	18	29
One diagnosis	395	13.2	15.1	2	3	7	13	35
Two or more diagnoses	1,385	14.8	13.9	2	5	10	19	30
With surgery	115	14.6	8.3	4	7	12	19	28
Without surgery	1,665	14.4	14.5	2	4	9	19	33
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	4,705	9.5	10.7	1	2	6	11	21
Age:								
65 to 74 years	2,750	8.6	9.2	1	2	5	10	18
75 to 84 years	1,600	10.3	12.4	1	2	5	11	25
85 years and over	355	12.4	11.9	1	3	9	16	24
One diagnosis	2,480	7.5	8.4	1	2	4	9	17
Two or more diagnoses	2,225	11.7	12.4	1	3	7	13	28
With surgery	1,025	8.9	11.1	1	2	4	11	22
Without surgery	3,680	9.6	10.6	1	2	6	12	20
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	7,845	18.2	13.2	5	8	14	23	35
Age:								
65 to 74 years	3,185	17.1	12.4	4	8	13	22	34
75 to 84 years	3,530	18.8	13.5	6	9	15	24	36
85 years and over	1,130	19.2	14.1	6	9	15	24	37
One diagnosis	2,610	15.6	11.6	4	7	12	20	29
Two or more diagnoses	5,235	19.5	13.7	6	9	15	25	37
With surgery	415	24.6	15.9	7	12	20	33	44
Without surgery	7,430	17.8	12.9	5	8	14	23	34

Table 2 NORTH CENTRAL STATES: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	5,535	12.7	10.7	3	5	9	16	26
Age:								
65 to 74 years	2,700	11.7	9.6	2	4	8	15	24
75 to 84 years	2,090	13.3	11.4	3	5	9	17	27
85 years and over	745	14.9	12.2	3	6	11	18	28
One diagnosis	1,415	9.2	7.2	2	4	7	11	18
Two or more diagnoses	4,120	13.9	11.4	3	6	10	17	27
With surgery	410	15.5	10.3	3	6	14	22	29
Without surgery	5,125	12.5	10.7	3	5	9	15	26
FRACTURE OF PELVIS (808)								
Total	4,520	25.8	16.4	6	13	23	35	48
Age:								
65 to 74 years	1,530	25.1	16.8	5	11	23	34	47
75 to 84 years	1,930	26.6	16.0	7	14	24	36	48
85 years and over	1,060	25.4	16.8	6	12	21	34	49
One diagnosis	1,965	23.3	15.7	5	10	21	32	43
Two or more diagnoses	2,555	27.7	16.8	8	14	24	37	50
With surgery	340	30.9	17.1	7	19	29	42	55
Without surgery	4,180	25.4	16.3	6	13	22	34	47
FRACTURE OF HUMERUS (812)								
Total	7,765	14.8	14.4	2	4	9	19	34
Age:								
65 to 74 years	3,235	13.1	12.9	2	4	8	16	31
75 to 84 years	3,355	15.5	14.9	2	5	10	21	35
85 years and over	1,175	17.4	16.1	2	5	12	24	39
One diagnosis	3,965	11.1	11.6	1	3	7	14	25
Two or more diagnoses	3,800	18.6	16.0	3	6	13	25	41
With surgery	2,955	15.1	15.0	2	4	9	19	37
Without surgery	4,810	14.6	14.0	2	4	10	19	32
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	6,785	8.0	11.0	1	2	4	8	18
Age:								
65 to 74 years	3,560	6.5	8.7	1	1	3	7	14
75 to 84 years	2,535	9.1	12.2	1	2	4	10	23
85 years and over	690	11.5	15.0	1	3	5	13	28
One diagnosis	4,015	4.9	5.7	1	1	3	5	10
Two or more diagnoses	2,770	12.4	14.7	1	3	6	15	27
With surgery	4,745	7.4	9.9	1	2	3	7	17
Without surgery	2,040	9.4	13.0	1	2	4	10	20
FRACTURE OF FEMUR (820,821)								
Total	39,925	27.7	18.7	6	14	23	36	54
Age:								
65 to 74 years	10,140	27.3	17.9	6	15	23	35	52
75 to 84 years	18,910	28.2	18.9	6	15	23	36	55
85 years and over	10,875	27.3	19.1	5	13	22	37	55
One diagnosis	21,995	26.0	17.6	6	14	22	33	51
Two or more diagnoses	17,930	29.8	19.9	6	15	25	40	59
With surgery	28,495	27.7	16.5	11	16	23	34	50
Without surgery	11,430	27.7	23.5	1	6	21	42	63
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	9,455	16.6	15.6	3	6	11	20	37
Age:								
65 to 74 years	5,735	16.0	15.1	3	6	11	20	35
75 to 84 years	3,060	17.0	16.1	2	6	11	23	38
85 years and over	660	18.9	16.9	4	7	14	23	42
One diagnosis	5,280	13.6	13.0	2	5	9	16	29
Two or more diagnoses	4,175	20.3	17.6	4	8	14	26	46
With surgery	5,205	17.1	15.4	3	7	12	21	37
Without surgery	4,250	15.9	15.8	2	5	10	20	36
SPRAINS OF BACK (846,847)								
Total	6,025	11.4	8.9	3	5	9	14	21
Age:								
65 to 74 years	3,430	10.1	7.5	2	5	8	13	18
75 to 84 years	2,055	12.7	10.2	3	5	10	16	25
85 years and over	540	14.2	9.7	3	5	12	19	28
One diagnosis	1,990	10.3	8.7	2	5	8	13	20
Two or more diagnoses	4,035	11.9	8.9	3	5	9	15	22
With surgery	210	14.2	9.5	4	7	12	16	26
Without surgery	5,815	11.3	8.8	3	5	8	14	21
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	6,860	11.0	12.3	1	3	7	13	24
Age:								
65 to 74 years	3,525	11.1	13.2	1	2	6	13	26
75 to 84 years	2,520	11.0	11.5	1	3	7	14	23
85 years and over	815	10.5	10.5	1	3	7	12	22
One diagnosis	1,595	9.2	11.2	1	1	4	12	22
Two or more diagnoses	5,265	11.5	12.6	1	3	7	14	25
With surgery	1,420	14.2	15.5	1	3	9	18	35
Without surgery	5,440	10.1	11.2	1	3	6	12	22
LACERATION AND OPEN WOUND (870-898)								
Total	5,385	9.3	10.9	1	2	5	10	22
Age:								
65 to 74 years	2,980	9.2	11.0	1	2	5	10	22
75 to 84 years	1,935	9.2	10.7	1	3	5	10	19
85 years and over	470	10.8	11.0	1	4	7	13	24
One diagnosis	1,755	7.1	8.9	1	2	4	7	16
Two or more diagnoses	3,630	10.4	11.6	1	3	6	12	23
With surgery	2,600	9.3	11.6	1	2	5	10	23
Without surgery	2,785	9.4	10.2	1	3	6	11	20
SUPERFICIAL INJURY (910-918)								
Total	890	9.5	9.6	1	2	5	13	23
Age:								
65 to 74 years	470	8.4	8.8	1	2	4	12	19
75 to 84 years	330	9.7	10.5	1	2	5	10	30
85 years and over	90	13.9	9.2	1	4	13	21	24
One diagnosis	110	6.2	5.9	1	2	3	8	13
Two or more diagnoses	780	9.9	10.0	1	2	5	14	24
With surgery	90	15.7	13.3	2	4	9	28	35
Without surgery	800	8.8	8.9	1	2	5	11	21
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	10,645	10.4	10.4	1	3	7	13	22
Age:								
65 to 74 years	4,260	9.1	10.0	1	3	6	11	18
75 to 84 years	4,610	10.6	9.6	2	4	7	14	22
85 years and over	1,775	12.9	12.5	2	4	9	16	29
One diagnosis	2,260	7.4	8.4	1	2	4	9	15
Two or more diagnoses	8,385	11.2	10.8	2	4	8	14	23
With surgery	900	14.8	14.0	2	4	9	21	34
Without surgery	9,745	10.0	9.9	1	3	7	13	21
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	3,855	8.4	8.8	1	2	5	10	17
Age:								
65 to 74 years	2,170	7.5	7.6	1	2	5	9	15
75 to 84 years	1,420	9.2	9.2	1	3	6	12	19
85 years and over	265	10.9	13.4	1	3	7	12	22
One diagnosis	1,470	6.0	7.2	1	1	3	7	12
Two or more diagnoses	2,385	9.8	9.4	2	3	7	12	20
With surgery	175	15.0	14.4	4	6	8	17	34
Without surgery	3,680	8.0	8.3	1	2	5	10	16
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	5,080	12.2	12.6	2	3	7	15	28
Age:								
65 to 74 years	2,900	11.2	11.9	2	3	7	13	26
75 to 84 years	1,750	12.6	13.0	2	3	8	16	28
85 years and over	430	17.3	14.8	2	6	13	24	35
One diagnosis	2,875	10.4	11.4	1	3	6	12	24
Two or more diagnoses	2,205	14.6	13.7	2	4	9	20	34
With surgery	1,855	14.4	14.4	2	4	9	19	33
Without surgery	3,225	11.0	11.4	2	3	7	13	25

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	12,465	11.9	11.5	2	4	8	15	26
Age:								
65 to 74 years	6,845	11.8	11.5	2	4	8	14	26
75 to 84 years	4,635	12.1	11.5	2	4	8	15	26
85 years and over	985	12.4	11.7	1	4	8	16	26
One diagnosis	5,495	10.5	11.0	1	3	7	13	22
Two or more diagnoses	6,970	13.0	11.8	2	5	9	16	27
With surgery	2,010	15.5	13.0	2	5	12	21	34
Without surgery	10,455	11.3	11.1	2	4	7	14	23
HERPES ZOSTER (088)								
Total	3,255	13.2	11.0	3	6	10	16	26
Age:								
65 to 74 years	1,675	11.8	9.3	3	5	9	14	23
75 to 84 years	1,320	13.7	10.7	3	6	10	18	27
85 years and over	260	19.7	18.0	4	6	14	24	43
One diagnosis	1,435	11.5	9.4	3	5	9	14	21
Two or more diagnoses	1,820	14.6	12.0	4	6	11	18	30
With surgery	150	19.4	15.4	5	8	13	23	48
Without surgery	3,105	12.9	10.7	3	6	10	15	25
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	3,550	12.7	13.4	2	4	8	15	29
Age:								
65 to 74 years	2,135	11.9	12.5	2	3	8	14	25
75 to 84 years	1,215	14.0	14.3	2	4	9	16	35
85 years and over	200	13.8	15.7	3	4	8	14	31
One diagnosis	2,000	11.2	12.2	2	3	7	13	25
Two or more diagnoses	1,550	14.7	14.6	2	5	10	17	35
With surgery	2,345	12.2	12.6	2	4	8	14	26
Without surgery	1,205	13.7	14.7	2	4	8	17	34
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	1,420	15.7	15.0	2	4	10	22	35
Age:								
65 to 74 years	805	16.3	15.5	2	4	11	22	38
75 to 84 years	495	15.2	13.9	3	5	10	22	33
85 years and over	120	14.0	15.5	1	4	7	19	31
One diagnosis	840	15.0	14.6	2	4	9	21	35
Two or more diagnoses	580	16.7	15.4	2	5	13	23	34
With surgery	685	18.2	16.3	2	6	14	24	39
Without surgery	735	13.4	13.1	2	4	8	17	30
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	3,925	16.6	14.0	2	6	13	22	35
Age:								
65 to 74 years	1,920	16.9	14.0	2	6	13	23	34
75 to 84 years	1,640	16.9	14.2	2	5	13	22	36
85 years and over	365	13.6	12.0	1	4	10	19	30
One diagnosis	1,570	15.7	13.5	2	5	11	21	32
Two or more diagnoses	2,355	17.2	14.2	2	6	14	22	36
With surgery	1,475	21.6	12.7	8	13	19	27	36
Without surgery	2,450	13.6	13.8	1	4	9	17	33
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	11,785	18.7	14.7	3	8	15	25	37
Age:								
65 to 74 years	6,225	18.2	14.1	3	8	15	24	35
75 to 84 years	4,365	19.6	15.3	3	8	16	27	40
85 years and over	1,195	17.6	15.0	2	6	14	24	35
One diagnosis	4,495	16.8	13.3	2	7	14	22	33
Two or more diagnoses	7,290	19.9	15.3	3	8	16	26	39
With surgery	7,025	22.6	13.6	9	13	19	28	39
Without surgery	4,760	13.0	14.2	1	3	7	16	32
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	4,355	21.0	15.1	3	8	19	28	40
Age:								
65 to 74 years	2,320	20.9	14.2	4	10	18	27	39
75 to 84 years	1,585	21.3	15.8	3	7	20	29	40
85 years and over	450	20.7	16.8	2	7	17	28	42
One diagnosis	2,165	20.5	14.6	3	8	18	27	38
Two or more diagnoses	2,190	21.6	15.5	3	9	19	28	42
With surgery	2,895	24.2	13.7	7	14	22	30	42
Without surgery	1,460	14.8	15.6	2	4	8	21	35
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	2,575	17.4	14.2	3	7	13	23	36
Age:								
65 to 74 years	1,465	16.5	12.9	2	6	13	22	35
75 to 84 years	965	19.4	15.8	3	7	14	26	38
85 years and over	145	13.2	12.1	4	5	10	14	22
One diagnosis	1,135	16.5	13.3	3	6	12	23	35
Two or more diagnoses	1,440	18.1	14.8	3	7	14	24	36
With surgery	1,015	22.3	12.3	8	12	20	28	37
Without surgery	1,560	14.2	14.4	2	4	9	17	32
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	3,705	17.2	13.7	3	7	14	23	34
Age:								
65 to 74 years	1,875	17.5	14.1	2	7	15	23	34
75 to 84 years	1,470	17.5	13.7	3	7	14	23	36
85 years and over	360	15.2	11.4	3	6	12	21	31
One diagnosis	1,455	15.3	13.3	2	5	12	19	28
Two or more diagnoses	2,250	18.5	13.8	3	8	15	25	36
With surgery	1,545	22.3	12.2	10	14	19	27	37
Without surgery	2,160	13.6	13.6	2	4	9	17	31
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	12,750	15.1	13.4	2	5	11	20	33
Age:								
65 to 74 years	9,015	15.1	13.0	2	5	11	20	33
75 to 84 years	3,410	14.6	13.7	1	4	10	20	32
85 years and over	325	18.2	18.0	2	5	10	26	44
One diagnosis	5,985	14.6	13.4	2	5	10	19	32
Two or more diagnoses	6,765	15.5	13.3	2	5	11	21	33
With surgery	5,035	17.0	13.0	3	7	13	22	35
Without surgery	7,715	13.8	13.5	2	4	9	18	31
MALIGNANT NEOPLASM OF BREAST (170)								
Total	8,910	14.8	11.4	4	7	11	17	28
Age:								
65 to 74 years	5,515	15.1	11.6	4	8	12	18	28
75 to 84 years	2,910	14.6	11.0	4	7	11	17	29
85 years and over	485	13.2	11.7	2	5	10	16	28
One diagnosis	4,140	13.0	8.5	5	8	11	15	22
Two or more diagnoses	4,770	16.4	13.2	4	7	12	20	33
With surgery	5,895	13.9	9.2	5	8	11	16	23
Without surgery	3,015	16.5	14.8	3	5	11	22	37
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	4,165	11.8	11.3	2	4	7	14	27
Age:								
65 to 74 years	2,845	11.4	11.2	2	4	7	14	25
75 to 84 years	1,195	12.2	11.1	2	4	8	15	27
85 years and over	125	16.3	14.8	3	4	9	26	41
One diagnosis	2,390	9.6	9.1	2	4	6	11	21
Two or more diagnoses	1,775	14.6	13.3	3	5	10	19	31
With surgery	2,610	11.0	9.9	3	4	7	13	22
Without surgery	1,555	13.0	13.3	2	3	8	16	31
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	3,085	12.2	11.0	3	5	9	15	22
Age:								
65 to 74 years	2,060	12.1	11.4	3	5	9	14	22
75 to 84 years	890	12.3	10.7	3	5	8	15	23
85 years and over	135	12.1	9.0	2	6	10	14	24
One diagnosis	1,675	10.0	8.1	3	4	8	12	18
Two or more diagnoses	1,410	14.7	13.3	3	6	11	17	26
With surgery	2,280	11.2	8.1	3	5	9	14	20
Without surgery	805	14.9	16.5	2	4	9	17	28
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	1,620	17.1	14.4	2	6	13	22	36
Age:								
65 to 74 years	1,110	16.8	14.4	2	6	12	22	36
75 to 84 years	450	17.9	14.5	2	9	14	24	38
85 years and over	60	16.2	12.8	1	4	13	21	36
One diagnosis	520	15.6	15.0	1	4	11	20	36
Two or more diagnoses	1,100	17.8	14.0	3	8	14	23	36
With surgery	760	21.0	12.4	8	12	17	28	39
Without surgery	860	13.7	15.1	1	3	8	16	31

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	14,240	13.6	11.2	3	6	10	17	27
Age:								
65 to 74 years	6,955	13.2	10.7	3	6	10	16	26
75 to 84 years	6,015	14.0	12.1	3	6	10	17	28
85 years and over	1,270	13.9	9.9	3	6	12	18	26
One diagnosis	6,380	12.2	9.4	3	6	9	15	22
Two or more diagnoses	7,860	14.7	12.4	3	6	11	18	30
With surgery	7,885	14.4	10.6	4	7	11	17	26
Without surgery	6,355	12.5	11.9	2	4	8	16	28
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	1,480	16.7	12.9	3	7	14	21	33
Age:								
65 to 74 years	875	16.0	12.2	3	7	14	20	28
75 to 84 years	500	18.3	14.0	3	8	15	24	35
85 years and over	105	15.0	12.4	1	6	12	15	28
One diagnosis	585	15.7	11.3	2	8	14	19	26
Two or more diagnoses	895	17.4	13.8	3	6	14	22	35
With surgery	750	19.1	11.1	7	12	17	22	33
Without surgery	730	14.2	14.0	2	4	10	18	29
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	7,405	12.1	11.7	2	4	8	15	25
Age:								
65 to 74 years	4,095	11.3	11.0	2	4	8	13	24
75 to 84 years	2,765	12.3	11.8	2	4	8	15	26
85 years and over	545	16.8	15.6	2	6	11	21	33
One diagnosis	4,510	10.4	10.0	2	3	7	12	23
Two or more diagnoses	2,895	14.7	13.7	2	6	10	18	29
With surgery	5,600	11.6	10.8	2	4	8	14	24
Without surgery	1,805	13.6	14.2	1	4	9	17	30
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	9,065	7.9	9.6	1	2	4	9	17
Age:								
65 to 74 years	4,860	7.7	9.7	1	2	4	9	17
75 to 84 years	3,105	7.7	9.3	1	2	4	9	17
85 years and over	1,100	9.1	10.2	1	2	5	12	19
One diagnosis	5,110	6.5	7.7	1	2	3	8	14
Two or more diagnoses	3,955	9.8	11.4	1	2	5	11	22
With surgery	7,515	7.2	8.9	1	2	4	8	15
Without surgery	1,550	11.4	12.0	1	3	7	14	27
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	12,880	15.2	14.3	2	5	10	20	34
Age:								
65 to 74 years	7,985	14.9	14.0	2	5	10	20	32
75 to 84 years	4,075	16.1	15.1	2	5	11	22	37
85 years and over	820	13.9	12.9	2	5	9	18	29
One diagnosis	7,180	14.1	14.0	2	4	9	19	31
Two or more diagnoses	5,700	16.6	14.6	2	5	12	22	36
With surgery	4,125	16.9	14.6	2	6	12	22	36
Without surgery	8,755	14.5	14.1	2	4	10	19	32
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	2,175	15.4	13.8	2	5	11	22	32
Age:								
65 to 74 years	1,250	14.5	13.1	2	5	10	20	30
75 to 84 years	785	16.4	14.2	3	6	11	22	33
85 years and over	140	18.5	16.8	3	6	13	28	34
One diagnosis	1,095	13.3	11.1	2	5	10	18	28
Two or more diagnoses	1,080	17.5	15.8	3	5	12	25	35
With surgery	725	17.2	13.4	3	7	13	25	35
Without surgery	1,450	14.6	14.0	2	5	10	21	31
LEUKEMIA AND ALEUKEMIA (204)								
Total	4,890	12.4	12.7	1	3	8	16	28
Age:								
65 to 74 years	2,590	12.6	12.3	2	3	8	17	28
75 to 84 years	1,960	11.8	12.7	1	3	7	15	27
85 years and over	340	14.0	15.6	2	4	8	16	34
One diagnosis	2,410	11.8	11.6	1	3	8	16	27
Two or more diagnoses	2,480	13.0	13.7	2	3	8	17	29
With surgery	395	14.5	13.6	2	4	10	18	32
Without surgery	4,495	12.2	12.6	1	3	7	16	27
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	3,600	15.0	14.0	2	5	10	20	33
Age:								
65 to 74 years	2,245	14.8	14.0	2	4	10	20	33
75 to 84 years	1,175	15.2	13.9	2	4	10	21	34
85 years and over	180	15.7	14.4	2	6	12	22	28
One diagnosis	1,830	14.2	13.8	2	4	10	20	29
Two or more diagnoses	1,770	15.8	14.1	2	5	11	22	34
With surgery	765	16.3	13.7	3	5	11	23	37
Without surgery	2,835	14.7	14.0	2	4	10	20	31
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	1,580	12.5	11.2	2	4	10	15	24
Age:								
65 to 74 years	1,165	12.1	10.6	1	4	10	15	23
75 to 84 years	380	13.2	12.5	2	4	10	17	27
85 years and over	35	18.4	11.0	7	9	14	21	33
One diagnosis	815	10.9	8.4	1	4	10	14	20
Two or more diagnoses	765	14.1	13.3	2	4	11	19	27
With surgery	1,110	15.0	11.5	3	8	12	18	27
Without surgery	470	6.6	7.6	1	2	4	8	15
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	1,345	8.5	9.8	1	2	5	10	18
Age:								
65 to 74 years	890	7.6	8.2	1	2	4	9	17
75 to 84 years	405	10.1	12.5	2	3	6	12	18
85 years and over	50	10.6	8.1	2	3	8	13	24
One diagnosis	705	6.8	9.3	1	2	3	7	15
Two or more diagnoses	640	10.4	10.0	2	4	7	13	20
With surgery	1,090	8.6	10.2	2	3	5	10	17
Without surgery	255	8.2	7.7	1	2	5	11	20
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	2,140	9.4	7.4	2	3	8	13	19
Age:								
65 to 74 years	1,635	9.3	7.5	2	3	8	12	19
75 to 84 years	425	9.5	7.0	2	3	8	15	20
85 years and over	80	10.3	7.2	2	4	8	14	18
One diagnosis	870	6.8	5.7	1	2	4	9	14
Two or more diagnoses	1,270	11.2	7.9	2	5	9	15	21
With surgery	1,875	9.5	7.5	2	3	8	13	19
Without surgery	265	9.0	6.9	1	3	7	12	20
LIPOMA (226)								
Total	2,160	6.0	6.7	1	2	3	7	11
Age:								
65 to 74 years	1,720	5.8	6.5	1	2	3	6	10
75 to 84 years	380	6.7	7.7	1	2	3	7	15
85 years and over	60	6.4	5.0	2	2	4	9	12
One diagnosis	1,420	4.9	5.3	1	2	3	5	9
Two or more diagnoses	740	8.1	8.4	1	3	5	9	18
With surgery	1,995	5.9	6.6	1	2	3	7	11
Without surgery	165	6.8	7.6	1	2	4	7	15
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	2,255	7.2	7.1	1	2	4	9	15
Age:								
65 to 74 years	1,395	6.7	6.2	1	2	4	8	15
75 to 84 years	755	7.8	8.2	1	2	5	10	15
85 years and over	105	9.3	8.1	2	3	7	10	25
One diagnosis	1,820	6.6	6.4	1	2	4	8	13
Two or more diagnoses	435	9.7	8.9	1	2	7	12	19
With surgery	2,020	7.0	6.9	1	2	4	9	14
Without surgery	235	9.1	8.8	1	2	5	14	21
ASTHMA (241)								
Total	7,755	9.9	7.9	2	4	7	12	19
Age:								
65 to 74 years	5,455	9.6	7.5	2	4	7	12	18
75 to 84 years	2,075	10.5	8.8	2	4	8	13	21
85 years and over	225	9.8	8.1	2	4	7	11	19
One diagnosis	3,105	8.6	6.6	2	4	7	10	16
Two or more diagnoses	4,650	10.7	8.5	3	5	8	13	20
With surgery	250	16.3	11.4	3	7	15	21	28
Without surgery	7,505	9.7	7.6	2	4	7	12	18

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	3,985	10.5	8.8	3	5	7	13	20
Age:								
65 to 74 years	2,910	9.9	7.3	3	5	7	12	19
75 to 84 years	980	12.5	11.9	4	6	8	14	24
85 years and over	95	10.0	6.9	3	4	7	15	20
One diagnosis	1,725	8.1	5.0	3	5	6	9	14
Two or more diagnoses	2,260	12.4	10.4	3	5	9	16	23
With surgery	1,800	9.7	6.8	4	5	7	11	17
Without surgery	2,185	11.2	10.0	2	4	8	14	22
DIABETES MELLITUS (260)								
Total	44,250	12.4	10.6	3	5	9	15	24
Age:								
65 to 74 years	26,175	11.9	9.9	3	5	9	14	23
75 to 84 years	15,470	13.1	11.4	3	5	9	16	27
85 years and over	2,605	13.1	11.7	3	5	9	16	27
One diagnosis	11,420	10.9	9.3	2	4	8	13	21
Two or more diagnoses	32,830	12.9	11.0	3	6	9	16	26
With surgery	4,765	20.2	14.9	5	9	15	27	40
Without surgery	39,485	11.4	9.5	3	5	8	14	22
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	2,705	12.5	11.1	2	5	9	15	27
Age:								
65 to 74 years	1,090	12.1	10.8	3	5	8	15	24
75 to 84 years	1,195	12.0	11.2	2	4	8	14	25
85 years and over	420	15.1	11.7	3	6	12	19	29
One diagnosis	815	10.3	8.6	2	4	7	13	21
Two or more diagnoses	1,890	13.5	12.0	3	5	10	17	28
With surgery	160	20.3	15.8	4	8	12	29	46
Without surgery	2,545	12.0	10.6	2	5	8	15	25
GOUT (288)								
Total	2,265	10.5	9.1	3	4	7	13	20
Age:								
65 to 74 years	1,375	9.5	7.1	3	4	7	12	18
75 to 84 years	750	12.0	11.7	3	5	8	14	23
85 years and over	140	13.2	9.1	3	6	9	18	28
One diagnosis	690	8.2	8.3	2	4	6	9	15
Two or more diagnoses	1,575	11.6	9.3	3	5	8	14	22
With surgery	185	15.2	12.5	4	6	12	20	28
Without surgery	2,080	10.1	8.7	3	4	7	12	20
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	2,300	11.9	8.6	3	5	9	15	24
Age:								
65 to 74 years	1,010	10.9	7.9	3	5	9	14	20
75 to 84 years	990	12.6	9.1	3	5	9	17	25
85 years and over	300	12.5	9.1	3	6	10	14	27
One diagnosis	950	9.5	6.7	2	4	7	12	18
Two or more diagnoses	1,350	13.5	9.3	3	6	11	18	25
With surgery	255	14.8	10.2	5	8	12	17	27
Without surgery	2,045	11.5	8.3	3	5	9	15	23
IRON DEFICIENCY ANEMIAS (291)								
Total	4,365	10.6	8.1	3	5	8	13	20
Age:								
65 to 74 years	2,035	10.3	7.5	3	5	8	13	20
75 to 84 years	1,890	10.5	7.9	2	5	8	13	20
85 years and over	440	12.5	10.5	4	6	8	15	23
One diagnosis	1,110	8.7	6.6	1	3	7	11	19
Two or more diagnoses	3,255	11.3	8.5	3	5	9	14	20
With surgery	595	14.1	10.1	4	7	12	17	25
Without surgery	3,770	10.1	7.6	3	5	8	13	19
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	13,055	10.7	9.9	2	4	7	13	22
Age:								
65 to 74 years	5,530	10.7	9.8	2	4	7	13	22
75 to 84 years	5,780	10.6	9.5	2	4	7	13	23
85 years and over	1,745	10.8	11.2	2	4	6	13	23
One diagnosis	5,215	9.3	8.6	1	3	6	12	19
Two or more diagnoses	7,840	11.6	10.6	2	4	8	14	24
With surgery	1,215	17.6	13.0	5	8	14	23	35
Without surgery	11,840	10.0	9.2	1	3	7	12	20
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	8,285	16.1	14.8	3	5	11	20	37
Age:								
65 to 74 years	2,905	16.1	14.2	3	6	11	20	35
75 to 84 years	3,960	16.4	15.4	3	5	11	21	39
85 years and over	1,420	15.5	14.1	3	5	11	21	35
One diagnosis	2,700	15.2	14.3	3	5	10	18	39
Two or more diagnoses	5,585	16.6	15.0	3	6	12	21	36
With surgery	390	25.5	18.8	6	12	18	35	53
Without surgery	7,895	15.7	14.4	3	5	11	20	34
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	3,100	15.2	13.8	2	4	10	21	33
Age:								
65 to 74 years	2,340	15.4	13.7	2	4	11	22	33
75 to 84 years	705	14.7	14.1	1	4	9	20	34
85 years and over	55	16.1	12.2	4	7	12	15	29
One diagnosis	1,755	15.0	13.1	2	4	11	23	33
Two or more diagnoses	1,345	15.6	14.7	2	5	10	20	34
With surgery	150	20.3	19.2	3	5	10	30	50
Without surgery	2,950	15.0	13.4	2	4	10	21	33
PSYCHONEUROTIC DISORDERS (324)								
Total	9,975	13.0	12.0	2	4	9	17	29
Age:								
65 to 74 years	7,235	13.1	11.5	2	4	9	18	29
75 to 84 years	2,485	13.1	13.0	2	4	8	16	29
85 years and over	255	11.3	12.4	1	2	7	13	28
One diagnosis	4,805	14.6	13.2	2	4	10	20	32
Two or more diagnoses	5,170	11.6	10.5	2	4	8	14	25
With surgery	335	18.7	14.2	4	8	14	24	35
Without surgery	9,640	12.8	11.8	2	4	8	17	28
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	49,145	14.9	14.7	1	4	10	20	34
Age:								
65 to 74 years	19,490	14.4	14.3	1	4	9	19	32
75 to 84 years	22,215	15.3	14.9	1	4	10	20	35
85 years and over	7,440	15.0	15.4	1	3	9	20	35
One diagnosis	24,135	13.6	14.1	1	3	9	18	31
Two or more diagnoses	25,010	16.1	15.2	2	5	11	22	36
With surgery	1,720	22.2	17.8	3	8	17	30	49
Without surgery	47,425	14.6	14.5	1	4	9	19	33
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	21,355	16.4	14.7	2	6	12	21	35
Age:								
65 to 74 years	8,975	16.5	14.8	3	6	11	21	36
75 to 84 years	9,285	16.4	14.4	2	6	12	22	35
85 years and over	3,095	16.3	15.2	2	5	12	21	34
One diagnosis	7,460	15.0	14.3	2	5	10	19	32
Two or more diagnoses	13,895	17.2	14.8	3	6	12	22	37
With surgery	1,210	20.4	15.6	4	9	16	26	40
Without surgery	20,145	16.2	14.6	2	5	11	21	35
CEREBRAL ARTERIOSCLEROSIS (50 SPECIFIED) (334.0)								
Total	24,390	11.8	11.6	2	4	8	14	24
Age:								
65 to 74 years	9,930	10.9	10.3	2	4	8	13	21
75 to 84 years	11,165	12.2	12.1	2	4	8	15	25
85 years and over	3,295	13.1	13.2	2	4	8	16	30
One diagnosis	8,620	10.1	10.1	2	3	6	12	21
Two or more diagnoses	15,770	12.7	12.2	3	5	8	15	26
With surgery	1,810	18.2	14.6	5	8	14	23	36
Without surgery	22,580	11.3	11.1	2	4	7	13	23
PARALYSIS AGITANS (350)								
Total	4,590	15.9	13.1	4	7	12	20	31
Age:								
65 to 74 years	2,870	16.2	13.5	4	7	12	20	31
75 to 84 years	1,585	15.4	12.6	3	7	11	20	31
85 years and over	135	14.3	10.2	3	6	10	21	28
One diagnosis	1,865	15.9	12.4	4	7	13	20	29
Two or more diagnoses	2,725	15.9	13.6	3	6	11	21	33
With surgery	290	19.1	14.7	4	8	14	23	41
Without surgery	4,300	15.7	13.0	4	7	12	20	31

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	6,705	10.6	9.1	2	4	8	13	20
Age:								
65 to 74 years	4,130	10.1	8.7	2	4	7	12	19
75 to 84 years	2,200	11.5	9.5	3	5	8	14	23
85 years and over	375	11.4	9.1	3	4	8	13	23
One diagnosis	3,210	9.4	8.1	2	4	7	12	18
Two or more diagnoses	3,495	11.7	9.7	3	5	9	14	22
With surgery	945	11.9	9.8	3	5	9	14	22
Without surgery	5,760	10.4	8.9	2	4	8	13	20
CATARACT (385)								
Total	48,160	7.8	4.5	4	5	6	8	13
Age:								
65 to 74 years	24,855	7.6	4.2	4	5	6	8	12
75 to 84 years	20,305	8.0	4.6	4	5	6	9	13
85 years and over	3,000	8.7	5.7	4	5	7	9	14
One diagnosis	38,820	7.5	3.9	4	5	6	8	12
Two or more diagnoses	9,340	9.0	6.2	4	5	7	10	15
With surgery	46,160	7.8	4.2	4	5	6	8	12
Without surgery	2,000	7.8	7.6	1	3	6	9	15
GLAUCOMA (387)								
Total	4,360	7.8	6.1	2	4	6	9	14
Age:								
65 to 74 years	2,575	7.5	5.4	2	3	6	9	13
75 to 84 years	1,505	7.8	6.0	2	4	6	9	14
85 years and over	280	10.7	10.5	3	5	7	11	21
One diagnosis	2,790	7.2	5.2	2	3	5	8	13
Two or more diagnoses	1,570	8.9	7.3	2	4	7	11	16
With surgery	3,495	8.1	6.1	2	4	6	9	14
Without surgery	865	6.7	5.8	1	3	5	8	12
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	2,020	12.8	11.2	3	5	9	16	25
Age:								
65 to 74 years	1,485	12.3	9.5	3	5	9	16	24
75 to 84 years	450	13.8	14.4	2	5	8	16	25
85 years and over	85	17.0	16.7	1	3	8	28	40
One diagnosis	335	12.4	9.9	2	4	9	17	26
Two or more diagnoses	1,685	12.9	11.4	3	5	9	16	25
With surgery	250	16.4	12.4	3	6	13	24	33
Without surgery	1,770	12.3	11.0	3	5	9	15	23
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	72,815	11.9	10.7	2	5	8	15	24
Age:								
65 to 74 years	31,220	11.3	9.9	2	4	8	14	22
75 to 84 years	31,395	12.3	11.0	2	5	9	15	25
85 years and over	10,200	12.8	11.7	2	4	9	16	27
One diagnosis	20,100	10.3	9.5	2	4	7	13	21
Two or more diagnoses	52,715	12.5	11.0	3	5	9	15	25
With surgery	3,965	18.4	14.2	5	8	14	24	38
Without surgery	68,850	11.6	10.3	2	4	8	14	23
ACUTE CORONARY OCCLUSION (420.1)								
Total	51,000	15.6	12.1	1	5	14	22	30
Age:								
65 to 74 years	28,925	16.1	11.5	1	6	15	22	29
75 to 84 years	18,405	15.2	12.7	1	4	13	22	31
85 years and over	3,670	13.8	13.6	1	2	10	20	30
One diagnosis	25,900	14.5	11.3	1	4	13	21	28
Two or more diagnoses	25,100	16.7	12.8	1	6	15	23	32
With surgery	1,455	21.9	16.6	2	8	19	30	44
Without surgery	49,545	15.4	11.9	1	5	14	22	29
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	70,025	11.8	10.3	2	4	8	15	24
Age:								
65 to 74 years	36,605	11.2	9.4	2	4	8	14	22
75 to 84 years	26,820	12.2	10.8	2	4	9	16	25
85 years and over	6,600	13.2	12.4	2	4	9	16	28
One diagnosis	22,340	10.3	9.5	2	4	7	13	21
Two or more diagnoses	47,685	12.5	10.5	3	5	9	16	25
With surgery	2,870	19.0	14.2	4	8	15	24	38
Without surgery	67,155	11.5	9.9	2	4	8	14	23
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	4,620	12.2	11.4	2	4	8	15	24
Age:								
65 to 74 years	2,205	11.1	9.2	3	5	8	14	21
75 to 84 years	1,735	13.3	12.8	2	5	9	17	27
85 years and over	680	12.8	13.3	1	3	8	16	31
One diagnosis	1,390	10.1	9.4	2	4	7	13	19
Two or more diagnoses	3,230	13.0	12.0	2	5	9	17	27
With surgery	185	18.5	15.4	3	6	14	22	41
Without surgery	4,435	11.9	11.1	2	4	8	15	23
FUNCTIONAL DISEASE OF HEART (433)								
Total	17,160	10.1	9.6	1	3	7	12	21
Age:								
65 to 74 years	8,765	9.5	8.7	1	3	7	12	19
75 to 84 years	6,955	10.3	10.3	1	3	7	13	21
85 years and over	1,440	11.9	10.8	2	4	8	15	25
One diagnosis	5,600	8.8	8.4	1	3	6	11	18
Two or more diagnoses	11,560	10.7	10.0	2	4	7	13	22
With surgery	2,105	13.9	10.3	3	6	11	18	27
Without surgery	15,055	9.5	9.3	1	3	6	12	20
CONGESTIVE HEART FAILURE (434.1)								
Total	40,435	12.4	11.0	2	5	9	15	25
Age:								
65 to 74 years	16,740	11.9	10.3	2	5	9	15	24
75 to 84 years	17,565	12.8	11.6	2	5	9	16	26
85 years and over	6,130	12.8	11.3	2	5	9	16	27
One diagnosis	17,175	11.2	10.2	2	4	8	14	22
Two or more diagnoses	23,260	13.3	11.5	2	5	10	17	27
With surgery	1,470	20.9	14.1	6	10	17	27	41
Without surgery	38,965	12.1	10.8	2	5	9	15	24
HYPERTENSIVE HEART DISEASE (442,443)								
Total	32,390	12.1	10.8	3	5	9	15	24
Age:								
65 to 74 years	16,860	11.6	10.1	3	5	8	14	22
75 to 84 years	12,735	12.5	10.9	3	5	9	15	25
85 years and over	2,795	13.6	13.1	3	5	9	16	28
One diagnosis	6,410	10.3	9.5	2	4	7	12	21
Two or more diagnoses	25,980	12.6	11.0	3	5	9	15	25
With surgery	1,480	16.5	13.0	4	7	13	21	32
Without surgery	30,910	11.9	10.6	3	5	8	14	23
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	22,365	9.8	8.9	2	4	7	12	19
Age:								
65 to 74 years	13,525	9.3	8.4	2	3	6	11	18
75 to 84 years	7,285	10.6	9.4	2	4	8	13	21
85 years and over	1,555	11.0	9.9	2	4	7	14	23
One diagnosis	7,390	7.7	6.9	2	3	5	9	15
Two or more diagnoses	14,975	10.9	9.5	2	4	8	13	21
With surgery	1,420	15.9	13.7	4	7	11	20	34
Without surgery	20,945	9.4	8.3	2	4	7	11	18
GENERAL ARTERIOSCLEROSIS (450)								
Total	27,320	13.8	13.0	2	5	9	17	29
Age:								
65 to 74 years	9,550	13.5	12.6	2	5	9	17	28
75 to 84 years	12,180	13.5	12.4	2	5	9	17	29
85 years and over	5,590	15.2	14.7	2	5	10	19	34
One diagnosis	5,750	12.5	12.2	2	4	8	16	27
Two or more diagnoses	21,570	14.2	13.2	2	5	10	18	30
With surgery	4,410	20.8	14.3	6	10	17	26	40
Without surgery	22,910	12.5	12.3	2	4	8	15	26
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	3,565	11.6	10.8	1	2	9	16	24
Age:								
65 to 74 years	2,090	12.3	10.4	1	3	11	17	25
75 to 84 years	1,235	10.9	11.9	1	2	7	15	25
85 years and over	240	8.9	7.3	1	2	7	12	19
One diagnosis	1,775	10.4	9.2	1	2	9	15	22
Two or more diagnoses	1,790	12.7	12.1	1	3	10	17	26
With surgery	1,735	15.7	10.4	2	10	14	19	27
Without surgery	1,830	7.7	9.6	1	1	4	10	18

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	3,085	14.9	12.7	2	6	12	19	29
Age:								
65 to 74 years	1,935	15.1	12.6	2	6	12	19	28
75 to 84 years	870	15.3	13.0	2	6	13	20	30
85 years and over	280	12.7	12.1	1	4	10	16	25
One diagnosis	1,540	13.5	11.0	2	5	11	17	24
Two or more diagnoses	1,545	16.3	14.1	2	6	13	20	34
With surgery	1,880	17.7	12.3	6	10	14	21	31
Without surgery	1,205	10.6	12.2	1	2	6	13	24
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	2,620	22.7	16.9	5	10	18	30	45
Age:								
65 to 74 years	1,060	21.8	16.4	5	10	17	29	40
75 to 84 years	1,160	23.6	16.5	6	10	20	31	44
85 years and over	400	22.8	18.8	5	10	17	28	49
One diagnosis	1,330	20.5	14.5	6	10	16	28	38
Two or more diagnoses	1,290	25.0	18.7	5	10	21	33	48
With surgery	1,835	24.5	16.3	7	12	20	30	45
Without surgery	785	18.6	17.3	2	6	12	25	41
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	4,650	14.9	12.8	3	6	10	19	30
Age:								
65 to 74 years	3,120	12.9	11.1	3	5	9	16	25
75 to 84 years	1,335	18.8	15.0	4	8	14	25	34
85 years and over	195	19.5	13.2	6	9	15	25	41
One diagnosis	2,405	13.5	12.0	3	5	9	17	27
Two or more diagnoses	2,245	16.3	13.4	4	7	12	22	31
With surgery	2,580	14.0	12.7	3	5	9	18	30
Without surgery	2,070	16.0	12.7	3	7	12	21	30
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	7,205	9.2	6.8	3	5	7	11	16
Age:								
65 to 74 years	5,295	9.2	6.8	3	5	7	10	15
75 to 84 years	1,705	9.4	6.9	2	4	7	11	17
85 years and over	205	9.4	7.5	2	4	7	11	18
One diagnosis	3,650	8.4	5.1	3	5	7	10	14
Two or more diagnoses	3,555	10.1	8.1	3	5	7	12	19
With surgery	5,635	9.9	6.7	4	5	8	11	17
Without surgery	1,570	6.8	6.5	1	2	5	7	13
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	7,115	12.7	8.7	4	7	10	15	23
Age:								
65 to 74 years	4,435	12.2	8.1	4	6	10	15	21
75 to 84 years	2,335	13.2	8.9	4	7	10	16	24
85 years and over	345	16.3	12.2	6	8	12	18	34
One diagnosis	3,325	10.9	6.9	4	6	9	13	19
Two or more diagnoses	3,790	14.3	9.7	5	7	11	17	26
With surgery	455	16.5	13.1	5	8	13	19	27
Without surgery	6,660	12.5	8.2	4	7	10	15	22
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	3,410	13.1	9.3	4	6	10	16	24
Age:								
65 to 74 years	2,065	12.7	8.7	4	6	10	15	23
75 to 84 years	1,110	14.0	10.6	4	7	11	17	26
85 years and over	235	11.7	7.1	3	6	10	14	18
One diagnosis	1,850	11.5	7.9	4	6	9	14	20
Two or more diagnoses	1,560	14.9	10.3	5	7	11	18	29
With surgery	220	16.2	10.7	5	8	13	19	32
Without surgery	3,190	12.8	9.1	4	6	10	15	23
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	4,820	15.3	11.5	2	7	12	21	30
Age:								
65 to 74 years	2,540	15.2	10.8	3	7	12	20	30
75 to 84 years	1,875	15.5	11.8	1	7	13	21	30
85 years and over	405	15.0	14.6	1	4	11	20	36
One diagnosis	1,280	12.6	11.0	1	5	10	15	24
Two or more diagnoses	3,540	16.3	11.6	3	7	13	22	31
With surgery	540	22.2	15.3	4	11	19	29	40
Without surgery	4,280	14.5	10.7	2	6	12	19	29
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	11,890	9.1	7.5	3	4	7	11	17
Age:								
65 to 74 years	6,510	8.3	6.2	2	4	6	10	15
75 to 84 years	4,235	9.6	7.9	3	4	7	11	18
85 years and over	1,145	11.4	11.0	3	4	7	13	22
One diagnosis	3,795	7.4	5.7	2	3	5	9	13
Two or more diagnoses	8,095	9.9	8.1	3	5	7	11	18
With surgery	480	11.4	11.0	2	4	9	13	22
Without surgery	11,410	9.0	7.3	3	4	7	11	16
INFLUENZA (480-483)								
Total	22,925	9.8	7.5	3	5	7	11	18
Age:								
65 to 74 years	14,090	9.2	6.9	3	4	7	11	16
75 to 84 years	7,155	10.5	8.2	3	5	8	13	19
85 years and over	1,680	11.4	9.3	3	5	8	13	22
One diagnosis	11,465	8.2	5.8	3	4	6	10	14
Two or more diagnoses	11,460	11.3	8.7	3	5	8	14	21
With surgery	430	17.6	12.1	6	9	14	22	34
Without surgery	22,495	9.6	7.3	3	5	7	11	17
LOBAR PNEUMONIA (490)								
Total	2,315	13.0	10.0	3	6	10	16	24
Age:								
65 to 74 years	1,110	12.6	9.8	3	6	10	15	24
75 to 84 years	970	13.4	10.3	3	6	11	17	23
85 years and over	235	13.0	10.1	2	6	10	16	24
One diagnosis	1,020	11.2	8.9	3	5	9	14	20
Two or more diagnoses	1,295	14.3	10.6	3	7	12	17	27
With surgery	105	20.0	18.4	1	7	14	25	40
Without surgery	2,210	12.6	9.3	3	6	10	16	23
BRONCHOPNEUMONIA (491)								
Total	18,095	12.3	10.1	3	6	9	15	23
Age:								
65 to 74 years	7,910	11.6	9.3	3	6	9	13	21
75 to 84 years	7,345	12.8	10.0	3	6	9	16	25
85 years and over	2,840	13.2	11.9	2	5	9	16	26
One diagnosis	6,260	10.1	7.4	3	5	8	12	18
Two or more diagnoses	11,835	13.5	11.1	3	6	10	16	26
With surgery	615	20.8	15.3	5	9	16	26	43
Without surgery	17,480	12.0	9.7	3	6	9	14	22
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	15,325	11.4	8.9	3	5	8	13	21
Age:								
65 to 74 years	7,775	10.6	7.5	3	5	8	13	20
75 to 84 years	5,840	12.1	9.8	3	6	9	14	22
85 years and over	1,710	12.4	10.5	3	6	9	14	23
One diagnosis	5,390	9.5	6.9	3	5	7	11	17
Two or more diagnoses	9,935	12.4	9.6	4	6	9	15	23
With surgery	655	16.7	11.2	5	8	13	22	33
Without surgery	14,670	11.2	8.7	3	5	8	13	20
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	30,745	12.6	10.2	3	6	9	15	24
Age:								
65 to 74 years	14,350	11.8	9.1	4	6	9	14	22
75 to 84 years	11,605	13.1	10.6	3	6	10	16	26
85 years and over	4,790	13.7	12.4	2	6	10	17	28
One diagnosis	13,680	10.9	8.7	3	5	8	13	20
Two or more diagnoses	17,065	14.0	11.1	3	6	11	17	27
With surgery	1,485	20.4	13.9	6	10	17	27	38
Without surgery	29,260	12.2	9.8	3	6	9	15	23
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	14,685	9.6	7.1	3	5	7	11	17
Age:								
65 to 74 years	8,545	9.2	6.1	3	5	7	11	16
75 to 84 years	4,880	10.2	8.5	3	5	8	12	17
85 years and over	1,260	10.3	7.3	3	5	8	12	20
One diagnosis	4,870	8.2	5.9	3	4	6	10	14
Two or more diagnoses	9,815	10.3	7.6	3	5	8	12	18
With surgery	370	13.4	10.4	4	6	10	16	24
Without surgery	14,315	9.5	7.0	3	5	7	11	16

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	11,655	9.4	7.0	3	4	7	11	17
Age:								
65 to 74 years	6,740	8.9	6.2	3	4	7	11	16
75 to 84 years	3,975	10.2	8.0	3	5	8	12	19
85 years and over	940	9.7	7.5	2	4	7	12	17
One diagnosis	4,880	8.0	5.6	2	4	6	9	14
Two or more diagnoses	6,775	10.5	7.7	3	5	8	13	19
With surgery	695	11.8	9.7	2	4	8	15	26
Without surgery	10,960	9.3	6.8	3	4	7	11	17
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	7,675	11.2	9.7	3	5	8	13	21
Age:								
65 to 74 years	5,020	10.8	9.3	3	5	8	13	20
75 to 84 years	2,400	11.4	9.7	3	5	8	14	23
85 years and over	255	15.0	14.8	2	6	9	18	34
One diagnosis	2,895	9.7	8.8	3	4	7	11	18
Two or more diagnoses	4,780	12.1	10.1	3	5	9	14	23
With surgery	570	14.6	12.1	4	6	11	20	30
Without surgery	7,105	10.9	9.4	3	5	8	13	20
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	3,560	10.4	8.7	3	5	7	12	19
Age:								
65 to 74 years	2,280	9.9	8.2	3	5	7	11	18
75 to 84 years	1,060	10.9	8.8	3	5	8	13	20
85 years and over	220	12.7	11.5	3	6	8	15	28
One diagnosis	1,145	8.6	6.4	2	4	7	11	16
Two or more diagnoses	2,415	11.3	9.5	3	5	8	13	21
With surgery	585	11.2	9.3	2	4	8	15	21
Without surgery	2,975	10.3	8.5	3	5	7	12	19
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	3,645	11.3	10.7	1	4	8	14	23
Age:								
65 to 74 years	1,630	10.7	8.8	1	4	8	14	20
75 to 84 years	1,500	12.0	11.9	1	4	9	15	24
85 years and over	515	11.5	12.5	1	2	8	15	25
One diagnosis	1,035	10.0	9.2	1	4	7	13	19
Two or more diagnoses	2,610	11.9	11.3	1	4	9	15	24
With surgery	130	17.4	12.7	2	7	14	25	29
Without surgery	3,515	11.1	10.6	1	4	8	14	21
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	20,190	11.3	10.3	2	4	8	13	22
Age:								
65 to 74 years	12,645	11.2	10.1	2	4	8	13	22
75 to 84 years	6,520	11.3	10.2	2	5	8	13	22
85 years and over	1,025	12.4	12.0	2	4	8	17	26
One diagnosis	5,955	10.2	10.0	2	4	7	12	20
Two or more diagnoses	14,235	11.7	10.4	3	5	8	14	23
With surgery	1,315	15.3	11.4	3	6	12	20	31
Without surgery	18,875	11.0	10.1	2	4	8	13	21
DISEASES OF ESOPHAGUS (539)								
Total	4,940	8.9	9.1	1	3	6	11	19
Age:								
65 to 74 years	2,865	8.7	8.6	1	3	6	10	20
75 to 84 years	1,660	8.8	9.8	1	2	5	11	18
85 years and over	415	10.5	8.3	2	4	7	14	21
One diagnosis	2,110	7.2	6.9	1	2	4	8	16
Two or more diagnoses	2,830	10.1	10.1	2	3	6	12	21
With surgery	1,780	10.9	11.0	1	2	6	15	25
Without surgery	3,160	7.7	7.5	1	3	5	9	15
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	6,295	11.8	9.2	2	5	9	15	24
Age:								
65 to 74 years	4,075	11.6	9.3	2	4	9	15	24
75 to 84 years	2,000	11.9	8.7	2	5	9	15	24
85 years and over	220	17.0	10.6	6	9	13	23	33
One diagnosis	2,610	10.3	8.5	1	4	8	14	21
Two or more diagnoses	3,685	12.9	9.5	3	6	10	16	26
With surgery	1,440	18.7	11.1	6	11	16	25	31
Without surgery	4,855	9.8	7.4	2	4	7	13	20
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	1,745	14.7	11.0	4	7	11	19	31
Age:								
65 to 74 years	995	13.5	9.9	4	6	10	18	26
75 to 84 years	630	16.1	11.8	4	8	12	21	32
85 years and over	120	17.6	14.3	2	7	11	24	33
One diagnosis	740	12.0	8.9	3	6	9	14	22
Two or more diagnoses	1,005	16.7	12.0	4	8	13	22	33
With surgery	445	18.4	11.0	7	11	16	22	31
Without surgery	1,300	13.5	10.8	3	6	10	16	30
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	16,640	10.3	8.8	2	4	7	13	20
Age:								
65 to 74 years	11,270	9.7	8.2	2	4	7	12	19
75 to 84 years	4,755	11.2	9.3	2	4	8	14	23
85 years and over	615	13.6	12.6	3	5	9	16	29
One diagnosis	7,295	8.7	7.3	2	3	6	11	17
Two or more diagnoses	9,345	11.6	9.6	3	5	8	14	23
With surgery	2,030	18.3	11.8	5	10	15	22	33
Without surgery	14,610	9.2	7.6	2	4	7	11	18
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	7,765	13.0	9.9	3	6	10	16	24
Age:								
65 to 74 years	4,685	12.7	9.9	4	6	10	15	23
75 to 84 years	2,510	13.4	9.6	3	6	10	17	25
85 years and over	570	14.5	11.6	2	5	11	19	29
One diagnosis	3,965	11.8	9.3	3	5	9	14	22
Two or more diagnoses	3,800	14.3	10.5	4	7	11	18	27
With surgery	1,525	19.7	12.3	8	11	16	24	36
Without surgery	6,240	11.4	8.5	3	6	9	14	21
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	1,065	14.7	10.7	2	8	12	18	28
Age:								
65 to 74 years	635	12.9	8.4	3	7	11	16	23
75 to 84 years	385	18.2	13.3	3	8	15	25	36
85 years and over	45	10.2	6.1	1	4	10	13	16
One diagnosis	595	13.5	8.9	3	8	11	17	24
Two or more diagnoses	470	16.2	12.4	2	7	13	22	33
With surgery	800	16.3	10.7	5	9	13	19	30
Without surgery	265	10.1	9.3	1	3	7	14	21
GASTRITIS AND DUODENITIS (543)								
Total	14,515	7.9	7.0	2	3	5	9	15
Age:								
65 to 74 years	8,610	7.4	6.6	1	3	5	9	14
75 to 84 years	4,950	8.5	6.9	2	3	6	10	16
85 years and over	955	9.5	9.4	2	3	6	12	19
One diagnosis	5,805	6.3	6.0	1	2	4	7	12
Two or more diagnoses	8,710	9.0	7.3	2	4	7	11	17
With surgery	695	13.7	12.0	3	5	9	17	28
Without surgery	13,820	7.6	6.5	2	3	5	9	15
APPENDICITIS (550-553)								
Total	3,355	13.3	9.9	4	7	10	16	24
Age:								
65 to 74 years	2,160	13.0	10.0	4	6	9	16	25
75 to 84 years	1,010	13.6	9.5	3	7	11	17	25
85 years and over	185	13.6	10.4	2	7	10	17	24
One diagnosis	1,980	11.4	7.7	4	6	9	13	20
Two or more diagnoses	1,375	16.0	12.0	4	8	13	20	31
With surgery	2,860	13.9	9.8	5	7	10	17	25
Without surgery	495	9.5	10.0	1	2	7	10	21
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	20,190	9.4	6.0	4	6	8	10	14
Age:								
65 to 74 years	13,595	9.0	5.2	4	6	7	10	14
75 to 84 years	5,845	10.0	6.9	4	6	8	11	15
85 years and over	750	11.5	9.5	4	6	9	12	18
One diagnosis	13,750	8.4	4.0	4	5	7	9	12
Two or more diagnoses	6,440	11.4	8.4	4	6	9	13	19
With surgery	18,700	9.4	5.7	4	6	8	10	14
Without surgery	1,490	8.7	8.4	1	3	6	10	17

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	15,740	8.7	7.5	2	3	6	10	17
Age:								
65 to 74 years	10,070	8.5	7.5	2	3	6	10	16
75 to 84 years	4,905	8.8	7.2	2	4	6	11	17
85 years and over	765	9.7	8.7	2	4	7	11	19
One diagnosis	4,075	7.7	7.2	2	3	5	9	15
Two or more diagnoses	11,665	9.0	7.6	2	4	6	11	17
With surgery	2,635	13.8	10.4	3	7	11	17	25
Without surgery	13,105	7.6	6.3	2	3	5	9	14
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	7,010	10.9	6.7	4	6	9	13	18
Age:								
65 to 74 years	4,855	10.4	6.0	4	6	9	12	17
75 to 84 years	1,905	11.9	7.7	5	7	9	14	20
85 years and over	250	12.8	9.2	3	6	9	16	24
One diagnosis	4,340	9.9	5.5	4	6	8	12	16
Two or more diagnoses	2,670	12.4	8.0	4	7	10	15	21
With surgery	5,865	11.4	6.2	5	7	9	13	19
Without surgery	1,145	8.3	7.9	1	3	6	9	15
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	5,035	11.7	9.4	3	6	9	14	21
Age:								
65 to 74 years	2,315	11.4	8.5	3	6	9	13	21
75 to 84 years	2,065	11.8	9.6	3	6	9	14	20
85 years and over	655	12.7	10.9	3	6	9	15	23
One diagnosis	2,855	10.3	8.2	3	5	8	12	17
Two or more diagnoses	2,180	13.5	10.3	4	7	10	17	24
With surgery	4,145	12.6	9.4	5	7	9	15	22
Without surgery	890	7.6	8.2	1	2	5	9	15
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	12,960	11.4	11.6	1	3	7	14	25
Age:								
65 to 74 years	5,855	12.0	12.0	1	4	8	15	25
75 to 84 years	5,110	11.0	11.1	1	3	7	14	25
85 years and over	1,995	10.5	11.4	1	3	7	13	21
One diagnosis	6,275	9.8	9.9	1	3	6	13	21
Two or more diagnoses	6,685	12.8	12.8	1	4	8	16	28
With surgery	4,235	17.9	12.7	4	9	15	23	34
Without surgery	8,725	8.2	9.5	1	2	5	10	16
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	31,155	7.9	7.2	2	3	5	9	15
Age:								
65 to 74 years	16,345	7.2	6.4	2	3	5	8	13
75 to 84 years	11,865	8.4	7.4	2	3	6	10	16
85 years and over	2,945	9.7	9.8	2	3	6	12	19
One diagnosis	14,890	6.3	5.8	1	2	4	7	11
Two or more diagnoses	16,265	9.3	8.1	2	4	7	11	18
With surgery	1,520	12.5	10.0	3	6	9	16	24
Without surgery	29,635	7.6	6.9	2	3	5	9	14
DIVERTICULITIS (572.1)								
Total	28,740	9.2	8.5	2	3	6	11	18
Age:								
65 to 74 years	16,090	8.8	8.2	2	3	6	10	17
75 to 84 years	10,545	9.6	8.9	2	4	7	12	19
85 years and over	2,105	9.9	8.0	2	4	7	12	19
One diagnosis	11,900	7.6	6.9	2	3	5	9	14
Two or more diagnoses	16,840	10.3	9.3	2	4	7	12	21
With surgery	5,290	15.1	12.7	3	6	11	19	30
Without surgery	23,450	7.8	6.5	2	3	6	9	15
CIRRHOSIS OF LIVER (581)								
Total	3,535	15.0	12.6	3	6	11	20	31
Age:								
65 to 74 years	2,585	14.9	12.7	3	6	11	20	30
75 to 84 years	850	15.0	12.0	2	6	11	21	31
85 years and over	100	16.5	14.1	1	5	9	25	36
One diagnosis	1,220	14.1	12.9	2	5	9	18	31
Two or more diagnoses	2,315	15.5	12.4	3	6	11	21	30
With surgery	665	19.9	14.4	4	9	16	26	39
Without surgery	2,870	13.9	11.8	3	5	10	19	29
CHOLELITHIASIS (584)								
Total	26,905	13.7	9.8	3	7	11	17	25
Age:								
65 to 74 years	16,995	13.0	9.1	3	7	11	16	23
75 to 84 years	8,410	14.8	10.7	3	7	12	19	28
85 years and over	1,500	14.7	11.6	3	6	11	19	29
One diagnosis	13,705	12.6	8.1	3	7	11	16	22
Two or more diagnoses	13,200	14.8	11.2	3	6	12	19	28
With surgery	15,980	16.9	9.4	8	10	14	20	28
Without surgery	10,925	9.1	8.5	2	3	6	11	17
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	15,870	11.2	8.9	3	5	8	14	21
Age:								
65 to 74 years	8,815	10.9	8.4	3	5	8	14	21
75 to 84 years	5,685	11.5	9.5	3	5	8	14	22
85 years and over	1,370	11.8	9.7	3	5	8	15	22
One diagnosis	8,395	9.9	7.5	2	4	8	13	19
Two or more diagnoses	7,475	12.7	10.1	3	5	9	16	24
With surgery	4,360	17.1	9.8	8	10	14	20	29
Without surgery	11,510	9.0	7.5	2	4	7	11	17
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	4,410	12.0	10.0	2	4	8	16	25
Age:								
65 to 74 years	2,425	11.4	9.6	2	4	8	16	23
75 to 84 years	1,645	12.5	10.5	3	5	8	16	26
85 years and over	340	14.5	10.7	3	6	11	19	29
One diagnosis	2,040	11.1	9.5	2	4	7	16	23
Two or more diagnoses	2,370	12.8	10.4	3	5	9	17	27
With surgery	1,235	20.9	11.1	7	13	19	25	36
Without surgery	3,175	8.6	7.1	2	3	6	10	17
DISEASES OF PANCREAS (587)								
Total	2,965	13.1	9.9	3	6	10	17	24
Age:								
65 to 74 years	1,910	13.1	9.9	3	6	10	17	24
75 to 84 years	885	12.9	10.0	3	5	10	17	25
85 years and over	170	14.1	10.1	2	6	12	19	24
One diagnosis	1,195	11.5	9.3	2	5	9	15	22
Two or more diagnoses	1,770	14.2	10.2	3	6	11	19	26
With surgery	550	23.4	12.1	10	15	21	28	37
Without surgery	2,415	10.8	7.7	2	5	9	14	20
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	3,890	14.3	13.0	2	5	10	18	29
Age:								
65 to 74 years	2,065	14.5	12.6	2	5	10	19	29
75 to 84 years	1,395	13.9	13.1	3	5	10	16	29
85 years and over	430	15.1	14.4	2	5	12	19	31
One diagnosis	1,090	12.6	13.0	2	4	8	15	28
Two or more diagnoses	2,800	15.0	12.9	3	6	11	19	30
With surgery	905	16.7	12.7	4	8	13	22	30
Without surgery	2,985	13.6	13.0	2	4	9	17	29
INFECTIONS OF KIDNEY (600)								
Total	18,325	11.3	9.9	3	5	8	13	22
Age:								
65 to 74 years	8,640	10.6	9.2	3	5	7	13	20
75 to 84 years	7,375	11.9	10.5	3	5	8	14	23
85 years and over	2,310	12.4	11.0	3	5	9	14	26
One diagnosis	7,040	9.5	7.9	3	4	7	11	17
Two or more diagnoses	11,285	12.5	10.9	3	5	9	15	25
With surgery	1,725	14.3	11.2	4	7	11	17	28
Without surgery	16,600	11.0	9.8	3	5	8	13	21
CALCULI OF KIDNEY AND URETER (602)								
Total	9,575	9.0	8.1	2	3	6	11	19
Age:								
65 to 74 years	7,075	8.6	7.5	2	3	6	11	17
75 to 84 years	2,260	9.7	8.9	2	3	7	12	20
85 years and over	240	12.9	12.2	2	4	8	16	28
One diagnosis	5,210	7.6	6.8	1	3	5	10	15
Two or more diagnoses	4,365	10.6	9.1	2	4	8	13	21
With surgery	4,425	12.1	8.4	3	6	10	15	22
Without surgery	5,150	6.3	6.6	1	2	4	7	12

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	4,970	11.2	10.0	2	4	8	15	23
Age:								
65 to 74 years	3,095	10.4	9.1	2	3	7	14	21
75 to 84 years	1,545	12.2	11.2	2	4	8	16	24
85 years and over	330	14.7	11.7	4	6	11	20	25
One diagnosis	2,190	9.6	9.4	1	3	6	13	20
Two or more diagnoses	2,780	12.5	10.3	3	5	9	16	24
With surgery	2,915	12.9	10.2	2	5	10	17	24
Without surgery	2,055	8.9	9.2	1	3	5	11	19
CYSTITIS (605)								
Total	12,465	9.3	8.2	2	4	7	11	17
Age:								
65 to 74 years	6,405	8.5	7.7	2	3	6	10	16
75 to 84 years	4,540	9.7	8.0	2	4	7	12	18
85 years and over	1,520	11.3	10.3	3	5	8	13	20
One diagnosis	4,470	7.3	6.9	2	3	5	9	14
Two or more diagnoses	7,995	10.4	8.7	3	4	7	13	20
With surgery	4,460	9.3	9.5	2	3	6	11	18
Without surgery	8,005	9.3	7.4	2	4	7	11	17
OTHER DISEASES OF BLADDER (606)								
Total	4,135	12.1	10.2	3	5	9	15	24
Age:								
65 to 74 years	2,025	12.2	10.7	3	5	8	15	25
75 to 84 years	1,705	11.9	9.8	3	5	9	15	24
85 years and over	405	12.6	9.6	3	6	9	17	23
One diagnosis	1,515	10.6	9.5	2	4	7	13	21
Two or more diagnoses	2,620	13.0	10.5	3	6	10	16	26
With surgery	2,840	13.2	10.6	3	6	10	16	26
Without surgery	1,295	9.8	8.8	2	4	7	12	19
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	6,035	8.6	7.8	2	3	6	10	18
Age:								
65 to 74 years	3,550	8.0	7.2	1	3	5	9	16
75 to 84 years	2,075	9.6	8.8	2	3	6	12	19
85 years and over	410	8.8	7.0	2	4	6	11	17
One diagnosis	2,320	6.9	6.3	1	2	5	8	14
Two or more diagnoses	3,715	9.6	8.4	2	3	7	12	20
With surgery	4,590	8.5	7.4	2	3	6	11	17
Without surgery	1,445	9.0	8.9	2	3	6	11	19
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	13,420	10.6	9.4	2	4	7	13	21
Age:								
65 to 74 years	6,085	9.9	8.9	2	4	7	12	19
75 to 84 years	5,545	10.9	9.4	2	4	8	13	22
85 years and over	1,790	12.4	11.0	3	5	9	15	24
One diagnosis	5,515	8.9	7.9	2	3	6	10	17
Two or more diagnoses	7,905	11.9	10.2	3	5	9	14	23
With surgery	3,160	11.3	10.0	2	4	8	14	23
Without surgery	10,260	10.4	9.3	2	4	7	12	20
HYPERPLASIA OF PROSTATE (610)								
Total	39,490	12.8	8.9	4	7	10	15	23
Age:								
65 to 74 years	22,055	12.0	8.1	3	6	10	15	21
75 to 84 years	14,215	13.7	9.6	4	7	11	17	25
85 years and over	3,220	13.9	10.7	4	7	11	17	25
One diagnosis	20,865	11.8	7.7	4	7	10	14	20
Two or more diagnoses	18,625	13.9	9.9	4	7	11	17	25
With surgery	31,835	13.4	8.6	5	7	11	16	23
Without surgery	7,655	10.1	9.7	2	3	7	12	21
OTHER DISEASES OF PROSTATE (611,612)								
Total	3,855	9.4	8.5	2	4	7	11	18
Age:								
65 to 74 years	2,230	8.8	8.4	2	3	6	10	17
75 to 84 years	1,330	10.0	7.6	2	5	8	12	18
85 years and over	295	11.7	12.4	2	4	7	14	22
One diagnosis	1,720	8.7	9.2	1	3	6	10	17
Two or more diagnoses	2,135	10.1	7.9	3	4	8	12	18
With surgery	1,415	11.8	10.1	2	5	9	15	22
Without surgery	2,440	8.1	7.1	2	3	6	9	14
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	4,425	8.5	6.9	2	4	6	10	16
Age:								
65 to 74 years	2,975	8.3	6.3	2	4	6	10	15
75 to 84 years	1,210	9.2	8.3	2	4	6	11	18
85 years and over	240	7.1	5.5	1	3	5	9	14
One diagnosis	2,245	6.9	5.4	2	3	5	8	13
Two or more diagnoses	2,180	10.1	7.8	2	4	8	12	19
With surgery	2,850	8.1	7.2	2	3	5	9	16
Without surgery	1,575	9.2	6.2	3	5	7	11	17
UTEROVAGINAL PROLAPSE (631)								
Total	10,020	12.2	7.1	6	8	10	14	19
Age:								
65 to 74 years	7,380	11.8	6.0	6	8	10	14	17
75 to 84 years	2,495	13.3	9.1	6	8	11	15	21
85 years and over	145	15.7	10.8	4	7	12	20	32
One diagnosis	5,075	11.6	6.0	6	8	10	13	17
Two or more diagnoses	4,945	12.8	7.9	6	8	11	14	20
With surgery	9,220	12.5	6.7	6	8	11	14	19
Without surgery	800	9.0	9.4	1	3	7	11	16
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	8,385	11.8	9.6	3	5	9	14	23
Age:								
65 to 74 years	4,740	11.6	9.7	3	5	8	14	23
75 to 84 years	2,880	11.9	9.8	3	5	9	15	23
85 years and over	765	12.8	8.5	4	6	10	17	23
One diagnosis	3,675	10.4	8.7	3	4	7	13	20
Two or more diagnoses	4,710	12.9	10.2	3	6	10	16	24
With surgery	1,930	13.0	11.1	2	5	9	17	27
Without surgery	6,455	11.4	9.2	3	5	8	14	21
RHEUMATOID ARTHRITIS (722.0)								
Total	6,240	13.6	11.4	3	5	9	17	27
Age:								
65 to 74 years	4,125	13.8	11.7	3	5	9	18	28
75 to 84 years	1,845	13.4	10.6	4	6	10	17	27
85 years and over	270	12.7	13.6	2	3	7	15	27
One diagnosis	2,235	12.1	10.3	3	5	8	15	24
Two or more diagnoses	4,005	14.5	11.9	3	6	10	19	30
With surgery	875	17.4	13.9	4	7	13	23	35
Without surgery	5,365	13.0	10.9	3	5	9	17	26
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	12,285	12.0	10.6	3	5	8	14	24
Age:								
65 to 74 years	6,415	11.8	10.0	3	5	8	14	24
75 to 84 years	4,695	11.9	11.1	3	5	8	13	23
85 years and over	1,175	14.1	11.8	3	6	11	17	29
One diagnosis	3,575	12.2	11.0	3	5	8	15	25
Two or more diagnoses	8,710	12.0	10.4	3	5	8	14	23
With surgery	1,885	19.4	14.2	4	8	16	25	38
Without surgery	10,400	10.7	9.2	3	5	8	12	20
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	8,305	10.2	8.1	3	4	8	12	19
Age:								
65 to 74 years	4,810	9.5	7.1	3	4	7	11	17
75 to 84 years	2,965	11.1	9.2	3	5	8	13	20
85 years and over	530	10.8	8.3	2	5	8	13	21
One diagnosis	2,140	8.9	6.8	2	4	7	11	16
Two or more diagnoses	6,165	10.6	8.4	3	5	8	13	20
With surgery	610	15.5	11.3	5	8	12	19	26
Without surgery	7,695	9.8	7.5	3	4	7	11	18
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	9,460	11.1	9.9	3	4	8	13	22
Age:								
65 to 74 years	4,905	11.0	10.0	3	4	7	13	22
75 to 84 years	3,690	11.1	9.6	3	5	8	13	22
85 years and over	865	11.6	10.6	2	4	8	14	23
One diagnosis	3,465	10.2	9.2	2	4	7	12	20
Two or more diagnoses	5,995	11.6	10.2	3	5	8	14	23
With surgery	730	16.5	14.3	4	7	11	21	36
Without surgery	8,730	10.6	9.3	2	4	7	13	21

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	5,400	12.7	10.0	3	5	10	15	25
Age:								
65 to 74 years	2,380	12.5	9.4	3	5	10	16	24
75 to 84 years	2,375	12.4	9.6	3	5	10	15	24
85 years and over	645	14.5	12.9	3	5	9	18	33
One diagnosis	1,015	11.0	9.4	2	4	9	13	22
Two or more diagnoses	4,385	13.1	10.1	3	6	10	16	25
With surgery	285	14.9	12.2	2	7	11	18	28
Without surgery	5,115	12.6	9.9	3	5	9	15	24
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	5,105	13.3	9.5	4	6	11	16	25
Age:								
65 to 74 years	3,870	13.1	9.2	3	6	11	16	24
75 to 84 years	1,090	13.6	9.4	4	7	11	17	25
85 years and over	145	16.8	16.3	3	6	9	21	37
One diagnosis	2,585	13.5	9.2	4	7	11	17	25
Two or more diagnoses	2,520	13.1	9.9	3	6	10	16	24
With surgery	1,205	20.4	11.4	9	13	18	24	34
Without surgery	3,900	11.1	7.7	3	6	9	13	21
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	3,765	7.5	6.6	1	2	5	9	15
Age:								
65 to 74 years	2,660	7.2	6.6	1	2	5	9	15
75 to 84 years	955	7.7	6.4	1	3	5	10	16
85 years and over	150	11.2	8.8	2	4	8	15	22
One diagnosis	2,060	5.7	5.2	1	2	3	7	11
Two or more diagnoses	1,705	9.7	7.5	2	4	7	12	19
With surgery	1,730	6.2	6.2	1	2	3	7	14
Without surgery	2,035	8.6	6.9	2	3	6	11	16
CONGENITAL MALFORMATIONS (750-759)								
Total	1,790	11.5	11.2	2	3	8	14	25
Age:								
65 to 74 years	1,295	10.9	10.6	2	3	7	14	24
75 to 84 years	430	13.4	12.8	2	4	10	16	32
85 years and over	65	12.2	10.3	2	4	9	14	19
One diagnosis	635	8.0	7.3	1	2	5	10	18
Two or more diagnoses	1,155	13.5	12.4	2	5	9	17	29
With surgery	810	13.1	12.9	2	4	9	16	28
Without surgery	980	10.2	9.4	2	3	7	14	22
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	3,365	7.4	8.6	1	2	4	9	16
Age:								
65 to 74 years	1,975	6.8	7.8	1	2	4	7	14
75 to 84 years	1,150	8.5	9.9	1	2	5	10	18
85 years and over	240	7.7	7.9	1	2	4	8	18
One diagnosis	2,675	7.1	8.4	1	2	4	8	15
Two or more diagnoses	690	8.7	9.5	1	3	5	10	18
With surgery	330	11.9	14.9	1	3	5	15	29
Without surgery	3,035	7.0	7.5	1	2	4	8	15
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	6,335	7.4	7.0	1	3	5	8	15
Age:								
65 to 74 years	3,725	7.1	6.4	1	2	5	8	15
75 to 84 years	2,120	7.7	7.5	1	3	5	9	16
85 years and over	490	8.1	8.2	1	3	5	10	15
One diagnosis	5,145	7.1	6.9	1	2	5	8	15
Two or more diagnoses	1,190	8.5	7.1	2	3	6	10	17
With surgery	810	9.0	8.7	1	3	6	10	20
Without surgery	5,525	7.1	6.6	1	2	5	8	14
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	9,630	8.5	8.5	1	3	5	10	18
Age:								
65 to 74 years	5,550	7.9	7.7	1	3	5	9	16
75 to 84 years	3,165	9.4	9.2	2	3	6	11	21
85 years and over	915	9.7	10.8	1	3	6	11	21
One diagnosis	7,755	8.2	8.4	1	3	5	9	17
Two or more diagnoses	1,875	9.8	8.9	2	4	6	12	20
With surgery	1,235	14.5	12.7	3	5	10	20	27
Without surgery	8,395	7.7	7.3	1	3	5	9	15
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	3,745	10.1	9.2	1	3	8	13	19
Age:								
65 to 74 years	2,035	8.7	7.8	1	3	7	11	17
75 to 84 years	1,345	11.4	9.8	2	4	9	14	23
85 years and over	365	13.1	12.0	2	5	8	16	28
One diagnosis	3,120	9.9	9.0	1	3	7	12	18
Two or more diagnoses	625	11.0	10.1	2	4	8	14	20
With surgery	1,630	12.9	9.1	3	7	11	15	22
Without surgery	2,115	7.9	8.7	1	2	5	9	16
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	10,445	9.5	10.1	1	3	6	11	20
Age:								
65 to 74 years	5,770	8.9	9.5	1	3	6	10	18
75 to 84 years	3,575	10.3	11.4	2	3	6	11	22
85 years and over	1,100	10.2	9.1	1	4	7	13	22
One diagnosis	8,270	9.2	10.1	1	3	6	10	19
Two or more diagnoses	2,175	10.6	10.3	2	4	7	12	22
With surgery	2,135	11.1	11.4	2	3	7	13	24
Without surgery	8,310	9.1	9.8	1	3	6	10	18
NERVOUSNESS AND DEBILITY (790)								
Total	1,585	10.4	9.6	2	4	7	13	21
Age:								
65 to 74 years	735	10.7	9.2	2	4	7	14	21
75 to 84 years	640	10.0	8.1	2	4	8	13	19
85 years and over	210	11.0	14.2	2	3	7	10	24
One diagnosis	640	8.9	7.6	1	3	7	11	17
Two or more diagnoses	945	11.5	10.7	2	4	8	15	23
With surgery	80	13.8	10.3	2	6	9	18	30
Without surgery	1,505	10.3	9.6	2	4	7	13	20
UREMIA (792)								
Total	1,320	14.7	14.1	1	4	10	20	31
Age:								
65 to 74 years	525	16.3	15.5	2	5	11	23	35
75 to 84 years	525	12.5	11.8	1	4	9	17	28
85 years and over	270	15.9	15.1	1	4	10	23	35
One diagnosis	805	14.3	14.8	1	4	9	19	31
Two or more diagnoses	515	15.3	13.1	2	5	12	20	32
With surgery	70	21.7	16.9	3	7	17	28	48
Without surgery	1,250	14.3	13.9	1	4	10	19	30
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	1,380	11.4	11.2	2	4	7	14	25
Age:								
65 to 74 years	205	11.5	12.1	1	3	7	14	31
75 to 84 years	540	9.5	7.2	3	4	7	12	19
85 years and over	635	12.9	13.3	2	4	8	14	29
One diagnosis	360	8.5	7.0	1	3	6	12	17
Two or more diagnoses	1,020	12.4	12.2	3	4	7	15	30
With surgery	60	13.7	9.5	2	5	10	22	29
Without surgery	1,320	11.3	11.3	2	4	7	13	24
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	5,440	9.4	10.0	1	3	6	11	19
Age:								
65 to 74 years	3,480	8.4	8.4	1	3	6	10	17
75 to 84 years	1,670	10.9	12.2	1	3	7	14	24
85 years and over	290	11.4	12.9	1	2	6	15	27
One diagnosis	3,190	8.6	9.9	1	2	5	10	17
Two or more diagnoses	2,250	10.5	10.1	1	3	7	13	23
With surgery	1,045	9.2	9.3	1	2	6	12	21
Without surgery	4,395	9.4	10.2	1	3	6	11	19
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	7,345	16.3	11.7	4	8	13	21	31
Age:								
65 to 74 years	3,220	16.2	12.2	5	8	12	20	32
75 to 84 years	3,165	16.2	11.3	4	8	13	20	30
85 years and over	960	17.1	11.7	5	8	14	22	32
One diagnosis	3,150	14.9	10.3	4	7	12	19	28
Two or more diagnoses	4,195	17.4	12.6	5	8	14	22	33
With surgery	370	21.7	16.2	4	10	18	27	42
Without surgery	6,975	16.0	11.4	4	8	13	20	30

Table 3 SOUTH: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	5,170	12.0	10.2	3	5	9	15	24
Age:								
65 to 74 years	2,650	10.6	8.4	2	4	8	13	21
75 to 84 years	1,945	13.4	11.4	3	5	10	17	28
85 years and over	575	14.0	12.6	3	5	9	18	27
One diagnosis	1,665	9.3	7.6	2	4	6	11	19
Two or more diagnoses	3,505	13.3	11.0	3	5	10	17	27
With surgery	405	18.5	13.7	5	8	15	24	34
Without surgery	4,765	11.5	9.7	2	5	8	14	23
FRACTURE OF PELVIS (808)								
Total	3,515	21.5	15.8	5	10	18	28	41
Age:								
65 to 74 years	1,095	21.5	16.9	5	9	17	28	40
75 to 84 years	1,550	22.4	15.5	5	11	19	28	42
85 years and over	870	20.0	14.8	4	8	16	27	38
One diagnosis	1,650	19.1	13.1	5	9	16	25	37
Two or more diagnoses	1,865	23.6	17.6	5	10	20	30	45
With surgery	205	34.5	20.7	11	18	31	39	61
Without surgery	3,310	20.7	15.1	5	9	17	26	39
FRACTURE OF HUMERUS (812)								
Total	6,480	13.0	12.4	2	4	8	17	28
Age:								
65 to 74 years	2,920	12.3	12.5	2	4	8	15	25
75 to 84 years	2,700	13.6	12.2	2	4	9	18	28
85 years and over	860	13.4	12.0	2	5	9	18	29
One diagnosis	3,685	10.5	9.4	1	4	7	14	22
Two or more diagnoses	2,795	16.3	14.8	3	5	11	21	34
With surgery	2,365	13.8	12.8	2	4	9	18	29
Without surgery	4,115	12.5	12.1	2	4	8	16	26
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	4,955	8.7	10.7	1	2	4	10	20
Age:								
65 to 74 years	2,655	6.9	8.5	1	2	3	8	16
75 to 84 years	1,815	10.8	13.0	1	2	5	13	25
85 years and over	485	10.4	10.0	1	3	7	14	24
One diagnosis	2,815	5.3	5.7	1	1	3	6	12
Two or more diagnoses	2,140	13.1	13.6	2	4	8	16	30
With surgery	3,425	8.0	9.9	1	2	4	9	18
Without surgery	1,530	10.3	12.0	1	2	6	13	24
FRACTURE OF FEMUR (820,821)								
Total	38,200	22.0	15.7	5	11	18	28	43
Age:								
65 to 74 years	11,055	21.8	15.4	5	12	18	27	42
75 to 84 years	18,035	22.0	15.7	5	12	18	28	43
85 years and over	9,110	22.1	15.9	4	11	18	28	44
One diagnosis	24,590	20.6	14.5	5	11	17	25	38
Two or more diagnoses	13,610	24.5	17.2	6	12	20	32	48
With surgery	28,535	22.7	14.1	8	13	19	28	41
Without surgery	9,665	20.0	19.3	1	4	14	27	47
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	7,920	14.6	14.4	2	5	10	18	32
Age:								
65 to 74 years	5,085	13.6	13.1	2	4	9	17	30
75 to 84 years	2,340	16.2	15.7	3	5	11	20	36
85 years and over	495	17.3	19.0	3	5	10	17	51
One diagnosis	4,685	12.8	12.4	2	4	8	16	28
Two or more diagnoses	3,235	17.3	16.4	3	6	11	22	40
With surgery	4,325	15.2	14.5	3	5	10	19	35
Without surgery	3,595	13.8	14.2	2	4	9	17	30
SPRAINS OF BACK (846,847)								
Total	7,620	10.4	8.5	3	4	8	13	20
Age:								
65 to 74 years	4,640	9.5	7.4	2	4	7	12	18
75 to 84 years	2,490	11.4	9.1	3	5	8	14	22
85 years and over	490	14.6	12.7	2	6	11	19	26
One diagnosis	3,080	9.5	8.4	2	4	7	11	18
Two or more diagnoses	4,540	11.0	8.5	3	5	8	14	21
With surgery	290	17.6	12.0	6	8	15	23	33
Without surgery	7,330	10.2	8.2	2	4	7	12	20
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	5,470	10.2	11.4	1	2	6	13	24
Age:								
65 to 74 years	2,860	10.3	11.7	1	2	6	12	25
75 to 84 years	1,930	10.6	11.9	1	2	6	14	25
85 years and over	680	8.5	8.2	1	2	5	12	20
One diagnosis	1,610	9.5	12.2	1	2	5	11	25
Two or more diagnoses	3,860	10.5	11.1	1	3	6	13	24
With surgery	1,280	14.3	15.0	1	3	8	19	36
Without surgery	4,190	9.0	9.7	1	2	5	11	20
LACERATION AND OPEN WOUND (870-898)								
Total	6,030	8.9	10.1	1	2	5	11	19
Age:								
65 to 74 years	3,585	8.5	10.0	1	2	5	10	18
75 to 84 years	1,940	9.7	10.2	1	3	6	12	20
85 years and over	505	8.9	9.5	1	3	6	11	18
One diagnosis	2,240	7.4	8.9	1	2	4	8	16
Two or more diagnoses	3,790	9.8	10.6	1	3	6	12	20
With surgery	2,790	10.0	12.0	1	2	5	12	22
Without surgery	3,240	8.0	8.1	1	2	5	10	16
SUPERFICIAL INJURY (910-918)								
Total	850	8.6	7.5	1	3	6	11	19
Age:								
65 to 74 years	480	7.9	6.8	1	3	5	9	17
75 to 84 years	310	9.8	8.5	1	3	7	14	20
85 years and over	60	8.7	7.0	1	2	5	15	18
One diagnosis	250	7.2	7.5	1	2	4	9	14
Two or more diagnoses	600	9.2	7.5	2	3	6	13	19
With surgery	90	14.9	12.0	3	5	10	21	31
Without surgery	760	7.9	6.4	1	3	6	10	17
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	9,995	9.4	9.0	1	3	6	12	19
Age:								
65 to 74 years	4,745	8.7	8.1	1	3	6	11	18
75 to 84 years	3,815	9.9	9.7	2	3	7	12	20
85 years and over	1,435	10.5	9.8	2	4	7	13	21
One diagnosis	2,750	7.6	7.3	1	2	5	9	15
Two or more diagnoses	7,245	10.1	9.5	2	3	7	12	20
With surgery	665	13.2	11.0	2	5	10	16	28
Without surgery	9,330	9.1	8.8	1	3	6	11	18
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	4,040	7.3	6.6	1	2	5	9	14
Age:								
65 to 74 years	2,415	7.2	7.1	1	2	5	9	14
75 to 84 years	1,380	7.5	5.9	1	2	6	9	14
85 years and over	245	7.3	6.6	1	2	4	9	14
One diagnosis	1,800	5.6	5.5	1	1	3	7	11
Two or more diagnoses	2,240	8.7	7.2	1	3	7	11	17
With surgery	120	14.5	11.7	3	7	10	16	28
Without surgery	3,920	7.1	6.3	1	2	5	9	14
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	5,045	10.7	11.0	2	3	7	12	24
Age:								
65 to 74 years	3,155	10.1	10.8	2	3	6	12	22
75 to 84 years	1,570	11.6	11.4	2	4	7	13	27
85 years and over	320	11.7	11.4	2	4	8	12	27
One diagnosis	3,090	9.6	10.4	1	3	6	11	20
Two or more diagnoses	1,955	12.3	11.8	2	4	8	15	27
With surgery	1,855	12.3	12.9	2	4	8	14	27
Without surgery	3,190	9.7	9.7	2	3	6	11	21

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	5,580	12.0	13.0	1	4	7	15	26
Age:								
65 to 74 years	3,080	11.8	13.3	1	3	7	14	27
75 to 84 years	1,935	12.5	12.8	1	4	8	16	26
85 years and over	565	11.3	12.2	2	4	7	12	24
One diagnosis	2,035	10.6	13.1	1	2	6	12	25
Two or more diagnoses	3,545	12.8	13.0	2	4	8	15	27
With surgery	1,160	13.9	12.8	2	4	10	19	29
Without surgery	4,420	11.5	13.1	1	3	7	13	25
HERPES ZOSTER (088)								
Total	1,550	13.0	11.7	3	5	9	16	25
Age:								
65 to 74 years	705	11.5	9.8	3	5	8	16	23
75 to 84 years	630	13.9	12.2	3	6	10	18	26
85 years and over	215	14.9	14.9	3	5	9	16	34
One diagnosis	535	10.7	8.8	2	4	7	13	22
Two or more diagnoses	1,015	14.1	12.8	4	6	9	18	27
With surgery	80	27.2	24.3	4	6	21	38	59
Without surgery	1,470	12.2	10.0	3	5	9	16	23
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	1,700	10.7	12.2	1	2	6	13	25
Age:								
65 to 74 years	1,155	10.6	12.6	1	2	5	12	25
75 to 84 years	430	10.4	11.0	1	3	6	13	24
85 years and over	115	12.6	13.1	2	3	7	14	35
One diagnosis	905	8.0	9.6	1	2	4	9	16
Two or more diagnoses	795	13.8	14.0	2	3	8	17	34
With surgery	1,160	9.3	10.6	1	2	5	11	22
Without surgery	540	13.7	14.7	2	3	8	16	33
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	770	14.2	14.1	1	3	10	19	32
Age:								
65 to 74 years	475	13.3	13.5	1	3	10	18	30
75 to 84 years	270	15.4	15.3	2	4	9	22	37
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	370	12.2	14.0	1	3	6	16	32
Two or more diagnoses	400	16.1	13.9	2	6	12	21	32
With surgery	425	14.7	14.5	2	3	10	21	31
Without surgery	345	13.6	13.5	1	4	10	17	33
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	2,550	16.6	13.2	2	6	13	23	33
Age:								
65 to 74 years	985	16.2	13.0	2	7	13	23	32
75 to 84 years	1,225	16.9	13.5	3	6	13	22	33
85 years and over	340	16.8	12.7	2	6	14	23	33
One diagnosis	920	14.7	13.0	1	5	11	19	30
Two or more diagnoses	1,630	17.7	13.2	3	8	14	24	33
With surgery	1,160	20.0	11.2	8	12	17	24	35
Without surgery	1,390	13.8	14.1	1	4	9	18	32
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	7,105	17.5	13.0	4	9	14	22	34
Age:								
65 to 74 years	3,495	16.9	12.2	4	9	14	20	33
75 to 84 years	2,945	18.0	13.6	3	8	15	23	34
85 years and over	665	18.9	14.4	3	9	15	25	37
One diagnosis	2,330	16.1	11.2	3	9	14	19	29
Two or more diagnoses	4,775	18.3	13.7	4	8	15	24	36
With surgery	4,360	19.4	11.2	9	12	16	23	33
Without surgery	2,745	14.6	15.0	2	4	9	18	35
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	3,050	17.1	13.0	3	6	14	23	32
Age:								
65 to 74 years	1,700	17.2	13.5	3	6	14	23	31
75 to 84 years	1,130	17.3	12.6	3	7	14	24	33
85 years and over	220	15.9	10.9	1	6	14	23	29
One diagnosis	1,235	16.1	13.3	2	5	14	21	29
Two or more diagnoses	1,815	17.8	12.8	3	7	15	24	34
With surgery	1,950	19.2	12.0	4	11	17	25	33
Without surgery	1,100	13.5	13.9	2	3	8	18	31
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	1,550	15.4	11.9	3	7	12	20	30
Age:								
65 to 74 years	840	17.3	13.0	4	8	14	21	33
75 to 84 years	555	13.6	9.9	2	6	11	18	26
85 years and over	155	10.8	10.1	1	3	7	13	23
One diagnosis	550	14.6	11.1	2	7	12	19	30
Two or more diagnoses	1,000	15.8	12.3	3	7	13	21	29
With surgery	580	18.1	9.6	8	11	16	22	31
Without surgery	970	13.7	12.8	1	5	10	17	28
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	1,765	17.7	14.8	2	6	14	23	34
Age:								
65 to 74 years	960	17.8	14.8	2	6	15	24	34
75 to 84 years	655	17.2	15.0	3	6	13	22	35
85 years and over	150	19.0	14.0	6	9	15	25	31
One diagnosis	515	14.9	12.2	2	5	13	19	29
Two or more diagnoses	1,250	18.8	15.6	3	7	15	24	35
With surgery	830	23.2	13.6	10	14	20	27	39
Without surgery	935	12.7	14.1	2	4	7	16	26
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	7,405	13.3	12.1	2	4	9	17	29
Age:								
65 to 74 years	5,230	13.3	12.2	2	4	9	18	28
75 to 84 years	1,910	12.9	11.8	2	4	9	17	29
85 years and over	265	13.9	12.6	2	4	11	17	25
One diagnosis	2,850	11.5	10.7	1	3	9	15	25
Two or more diagnoses	4,555	14.4	12.8	2	5	10	19	31
With surgery	3,025	14.0	11.6	2	5	11	18	29
Without surgery	4,380	12.7	12.4	2	4	8	17	28
MALIGNANT NEOPLASM OF BREAST (170)								
Total	6,110	11.9	9.6	3	6	9	14	23
Age:								
65 to 74 years	3,520	12.0	9.7	3	6	9	14	23
75 to 84 years	2,080	11.9	9.7	3	6	9	14	22
85 years and over	510	10.6	9.0	2	5	7	11	24
One diagnosis	2,640	9.9	6.2	3	6	8	11	16
Two or more diagnoses	3,470	13.4	11.4	3	6	10	16	27
With surgery	4,075	11.0	7.3	4	6	9	13	18
Without surgery	2,035	13.6	13.0	2	4	9	18	28
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	1,715	7.7	8.2	1	3	5	8	14
Age:								
65 to 74 years	1,085	8.0	8.1	1	3	5	9	16
75 to 84 years	550	6.3	5.1	1	2	4	8	13
85 years and over	80	13.2	17.7	2	3	8	11	32
One diagnosis	1,005	6.2	7.9	1	2	4	6	10
Two or more diagnoses	710	9.8	8.1	2	4	7	12	18
With surgery	1,175	6.9	6.6	2	3	5	8	12
Without surgery	540	9.4	10.6	1	2	5	12	21
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	2,740	9.6	9.7	2	3	7	11	18
Age:								
65 to 74 years	1,960	8.7	8.6	2	3	7	10	15
75 to 84 years	700	11.5	11.5	2	4	8	13	21
85 years and over	80	14.4	13.2	3	4	7	21	25
One diagnosis	1,485	7.8	8.0	2	3	6	9	13
Two or more diagnoses	1,255	11.7	11.0	2	5	8	13	22
With surgery	2,215	8.6	6.4	2	4	7	10	15
Without surgery	525	13.8	17.1	1	3	6	18	36
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	990	15.7	11.9	3	8	12	20	28
Age:								
65 to 74 years	630	15.4	11.9	3	7	11	20	33
75 to 84 years	305	14.7	9.5	4	8	12	20	25
85 years and over	55	25.3	18.1	7	10	18	28	48
One diagnosis	230	14.4	11.8	2	7	10	19	25
Two or more diagnoses	760	16.1	11.9	4	8	12	20	33
With surgery	550	15.6	9.0	7	9	13	20	25
Without surgery	440	15.8	14.7	2	5	10	20	39

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	7,985	11.5	11.1	2	4	8	14	24
Age:								
65 to 74 years	3,790	10.4	9.7	1	4	7	13	22
75 to 84 years	3,380	12.2	12.3	2	4	8	14	25
85 years and over	815	13.6	11.1	3	5	10	18	26
One diagnosis	3,325	9.6	8.5	2	4	7	12	18
Two or more diagnoses	4,660	12.9	12.4	2	5	9	15	27
With surgery	4,890	11.4	9.9	2	5	8	14	23
Without surgery	3,095	11.8	12.7	1	3	7	14	28
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	1,035	15.4	11.8	3	7	12	19	28
Age:								
65 to 74 years	630	16.1	12.4	4	8	13	18	28
75 to 84 years	355	14.4	10.6	3	5	12	20	26
85 years and over	50	13.7	10.9	3	5	8	16	31
One diagnosis	320	13.0	7.5	3	8	12	16	23
Two or more diagnoses	715	16.4	13.1	3	6	13	21	32
With surgery	515	16.7	8.4	8	10	15	20	28
Without surgery	520	14.1	14.2	2	4	8	17	31
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	5,495	9.3	10.0	1	3	5	11	20
Age:								
65 to 74 years	3,015	9.2	10.7	1	3	5	11	19
75 to 84 years	2,010	9.4	9.5	1	3	6	12	19
85 years and over	470	10.0	7.6	2	3	7	14	22
One diagnosis	3,050	7.6	8.1	1	2	4	9	17
Two or more diagnoses	2,445	11.5	11.6	2	4	7	14	24
With surgery	4,290	8.8	8.8	2	3	5	11	19
Without surgery	1,205	11.1	13.4	1	3	6	13	24
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	3,595	7.6	9.4	1	2	3	9	17
Age:								
65 to 74 years	1,870	6.6	8.2	1	2	3	7	15
75 to 84 years	1,295	8.6	10.4	1	2	4	10	22
85 years and over	430	9.2	10.9	1	2	5	12	22
One diagnosis	2,180	6.2	7.7	1	1	3	7	15
Two or more diagnoses	1,415	9.8	11.4	1	2	6	11	23
With surgery	2,980	6.8	8.1	1	2	3	8	15
Without surgery	615	11.8	13.4	1	3	6	13	29
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	7,310	13.6	12.4	2	4	9	18	29
Age:								
65 to 74 years	4,255	13.7	12.6	2	4	9	18	30
75 to 84 years	2,615	13.3	12.0	1	4	9	18	28
85 years and over	440	14.8	11.9	2	5	11	21	28
One diagnosis	3,765	13.0	12.0	1	4	9	17	29
Two or more diagnoses	3,545	14.2	12.6	2	4	10	19	29
With surgery	2,145	14.8	12.6	2	4	11	21	30
Without surgery	5,165	13.1	12.2	1	4	9	17	28
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	1,545	14.7	12.9	2	5	10	20	30
Age:								
65 to 74 years	870	13.5	11.5	2	5	10	19	27
75 to 84 years	620	16.1	14.4	3	5	12	22	35
85 years and over	55	16.7	14.7	3	4	10	23	39
One diagnosis	695	11.5	10.6	2	4	8	16	24
Two or more diagnoses	850	17.2	14.0	4	6	13	23	35
With surgery	550	14.6	13.9	3	5	10	18	28
Without surgery	995	14.7	12.3	2	5	10	21	32
LEUKEMIA AND ALEUKEMIA (204)								
Total	2,755	11.0	11.2	1	3	7	14	24
Age:								
65 to 74 years	1,395	10.3	10.4	1	3	6	12	23
75 to 84 years	1,040	12.4	12.8	1	4	8	15	27
85 years and over	320	9.3	8.2	1	3	7	12	19
One diagnosis	1,025	11.0	10.7	1	3	7	15	25
Two or more diagnoses	1,730	10.9	11.5	1	3	7	13	24
With surgery	250	14.3	9.8	4	7	10	19	31
Without surgery	2,505	10.6	11.3	1	3	7	13	23
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	1,975	13.6	12.8	2	4	9	18	31
Age:								
65 to 74 years	1,395	13.2	12.6	2	3	9	17	30
75 to 84 years	525	15.4	13.3	3	5	11	21	34
85 years and over	55	8.9	7.9	1	3	6	10	22
One diagnosis	810	12.1	11.8	1	3	8	16	30
Two or more diagnoses	1,165	14.7	13.3	2	5	11	19	32
With surgery	465	15.3	14.2	2	5	10	21	34
Without surgery	1,510	13.1	12.2	2	4	9	17	29
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	1,000	11.1	8.8	2	5	9	13	21
Age:								
65 to 74 years	645	11.9	8.8	2	5	10	14	25
75 to 84 years	340	9.8	8.9	2	4	8	11	16
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	420	9.5	7.7	1	4	9	11	14
Two or more diagnoses	580	12.3	9.4	3	6	10	15	22
With surgery	770	12.6	9.2	3	7	10	14	25
Without surgery	230	6.3	5.0	1	2	4	8	13
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	950	7.2	7.9	1	2	4	9	14
Age:								
65 to 74 years	565	5.8	5.3	1	2	3	7	13
75 to 84 years	280	9.1	10.8	1	3	6	12	15
85 years and over	105	10.0	8.4	3	4	7	11	19
One diagnosis	505	5.4	5.0	1	2	3	7	11
Two or more diagnoses	445	9.3	9.7	2	3	6	12	17
With surgery	815	7.1	5.8	1	2	5	10	15
Without surgery	135	7.9	15.1	1	1	3	6	10
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	1,260	7.1	6.1	1	2	5	9	13
Age:								
65 to 74 years	940	6.8	5.7	1	2	5	9	12
75 to 84 years	295	8.0	7.3	1	2	5	10	20
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	385	4.5	4.1	1	1	2	6	10
Two or more diagnoses	875	8.2	6.5	1	3	7	10	15
With surgery	1,190	7.1	6.1	1	2	5	9	13
Without surgery	70	7.1	6.7	1	2	4	8	16
LIPOMA (226)								
Total	1,180	4.2	4.5	1	1	2	4	8
Age:								
65 to 74 years	895	3.9	4.4	1	1	2	4	7
75 to 84 years	265	5.0	4.5	1	1	3	6	10
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	790	3.6	4.0	1	1	2	4	6
Two or more diagnoses	390	5.5	5.1	1	2	3	7	12
With surgery	1,105	4.2	4.4	1	1	2	4	8
Without surgery	75	5.0	5.3	1	1	2	7	11
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	1,295	5.1	6.1	1	1	3	5	9
Age:								
65 to 74 years	675	4.1	3.9	1	1	3	4	7
75 to 84 years	495	5.7	7.1	1	1	3	6	11
85 years and over	125	8.3	9.3	1	2	5	9	15
One diagnosis	950	4.4	4.7	1	1	3	5	7
Two or more diagnoses	345	7.0	8.6	1	2	4	7	16
With surgery	1,195	5.0	5.8	1	1	3	5	8
Without surgery	100	6.9	8.4	1	1	3	7	18
ASTHMA (241)								
Total	4,660	9.4	8.0	2	4	7	11	17
Age:								
65 to 74 years	2,990	9.2	8.4	2	4	7	11	17
75 to 84 years	1,505	9.7	7.1	3	5	7	11	17
85 years and over	165	9.7	8.4	1	3	6	13	22
One diagnosis	1,645	8.4	6.5	2	4	6	10	16
Two or more diagnoses	3,015	10.0	8.7	2	4	7	12	18
With surgery	150	13.2	9.5	2	5	9	19	29
Without surgery	4,510	9.3	7.9	2	4	7	11	17

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	1,845	9.6	8.4	3	4	6	11	19
Age:								
65 to 74 years	1,265	8.8	7.2	3	4	6	10	16
75 to 84 years	540	11.4	10.4	3	4	8	14	23
85 years and over	40	12.9	8.7	2	2	11	21	24
One diagnosis	740	7.6	6.1	3	4	5	8	12
Two or more diagnoses	1,105	11.0	9.4	3	4	7	14	21
With surgery	930	7.8	6.7	3	4	5	8	11
Without surgery	915	11.5	9.5	2	5	9	15	21
DIABETES MELLITUS (260)								
Total	20,135	11.2	10.3	2	4	8	13	22
Age:								
65 to 74 years	11,670	11.3	10.7	2	4	8	13	23
75 to 84 years	7,135	11.1	9.8	2	5	8	13	21
85 years and over	1,330	10.7	9.4	2	4	7	13	21
One diagnosis	4,205	9.5	8.4	2	4	7	11	18
Two or more diagnoses	15,930	11.6	10.7	3	5	8	13	23
With surgery	1,860	18.8	16.1	3	7	14	25	41
Without surgery	18,275	10.4	9.2	2	4	7	12	20
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	1,830	10.6	8.9	2	4	8	13	21
Age:								
65 to 74 years	890	9.9	7.9	2	4	7	12	17
75 to 84 years	650	10.9	9.4	3	4	8	13	22
85 years and over	290	12.1	10.4	2	4	8	18	27
One diagnosis	395	7.4	6.0	2	3	5	9	14
Two or more diagnoses	1,435	11.5	9.4	3	5	8	14	23
With surgery	85	19.9	13.1	4	9	14	31	38
Without surgery	1,745	10.1	8.4	2	4	7	12	20
GOUT (288)								
Total	1,255	9.1	7.6	2	4	7	10	16
Age:								
65 to 74 years	690	8.0	5.5	2	4	6	9	14
75 to 84 years	440	9.4	6.3	3	5	8	11	16
85 years and over	125	13.6	15.8	2	4	8	16	23
One diagnosis	305	6.4	3.6	2	3	5	8	10
Two or more diagnoses	950	9.9	8.3	3	5	7	11	18
With surgery	125	12.7	13.3	2	3	8	14	26
Without surgery	1,130	8.7	6.6	3	4	7	10	16
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	1,055	11.0	6.9	3	6	9	14	20
Age:								
65 to 74 years	345	11.5	7.8	3	6	9	15	21
75 to 84 years	495	10.8	5.9	4	6	9	14	19
85 years and over	215	10.9	7.0	2	6	9	13	20
One diagnosis	330	9.5	5.7	3	5	8	10	17
Two or more diagnoses	725	11.7	7.1	4	6	10	15	21
With surgery	125	14.0	7.5	4	8	11	18	24
Without surgery	930	10.6	6.6	3	6	9	13	20
IRON DEFICIENCY ANEMIAS (291)								
Total	2,070	9.3	7.3	2	4	7	11	18
Age:								
65 to 74 years	720	8.6	5.8	2	4	7	11	17
75 to 84 years	1,015	9.3	7.9	2	4	7	11	17
85 years and over	335	10.5	8.0	2	4	7	14	21
One diagnosis	430	7.1	6.2	1	3	5	8	11
Two or more diagnoses	1,640	9.8	7.5	2	5	8	12	18
With surgery	175	14.6	10.5	6	7	9	19	26
Without surgery	1,895	8.8	6.7	2	4	7	11	16
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	5,050	9.5	9.9	1	3	6	11	21
Age:								
65 to 74 years	2,055	9.5	10.7	1	3	6	11	20
75 to 84 years	2,250	8.9	8.9	1	3	5	10	20
85 years and over	745	11.2	10.3	2	4	7	14	26
One diagnosis	1,565	6.8	8.3	1	2	4	8	14
Two or more diagnoses	3,485	10.7	10.3	2	4	7	13	25
With surgery	690	14.4	12.8	3	5	11	18	30
Without surgery	4,360	8.7	9.1	1	3	5	10	19
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	4,630	10.2	10.1	2	3	6	12	22
Age:								
65 to 74 years	1,560	11.1	11.4	2	3	7	13	23
75 to 84 years	2,225	9.8	9.8	2	3	6	12	22
85 years and over	845	9.7	8.1	2	4	7	12	18
One diagnosis	1,520	8.6	8.8	1	3	5	10	17
Two or more diagnoses	3,110	11.1	10.6	2	4	7	13	23
With surgery	160	19.1	16.5	3	5	13	27	45
Without surgery	4,470	9.9	9.7	2	3	6	12	21
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	1,540	14.2	13.4	2	5	9	19	32
Age:								
65 to 74 years	1,085	14.5	13.3	2	5	10	19	33
75 to 84 years	415	13.8	14.0	2	4	8	18	30
85 years and over	40	9.6	8.7	1	2	4	15	22
One diagnosis	780	13.4	12.5	2	5	9	18	28
Two or more diagnoses	760	14.9	14.3	2	5	10	20	34
With surgery	60	20.7	15.7	3	7	15	30	40
Without surgery	1,480	13.9	13.3	2	5	9	19	30
PSYCHONEUROTIC DISORDERS (324)								
Total	4,470	10.6	9.8	2	3	7	13	23
Age:								
65 to 74 years	3,075	11.0	10.2	1	4	7	13	24
75 to 84 years	1,200	10.1	9.1	2	3	7	12	21
85 years and over	195	8.2	6.5	1	3	6	12	15
One diagnosis	1,910	11.3	9.8	1	4	8	15	26
Two or more diagnoses	2,560	10.1	9.8	2	3	7	12	21
With surgery	100	13.5	11.4	2	4	8	18	32
Without surgery	4,370	10.5	9.8	1	3	7	13	23
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	23,165	12.8	13.1	1	4	8	16	28
Age:								
65 to 74 years	8,795	12.5	13.2	1	3	8	16	28
75 to 84 years	10,495	13.0	13.1	1	4	8	17	28
85 years and over	3,875	13.2	13.1	1	4	8	17	30
One diagnosis	9,480	12.3	13.1	1	3	7	16	28
Two or more diagnoses	13,685	13.2	13.1	2	4	9	17	28
With surgery	1,170	16.3	15.3	2	5	11	22	34
Without surgery	21,995	12.7	13.0	1	3	8	16	28
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	9,665	14.1	13.0	2	5	10	18	28
Age:								
65 to 74 years	3,910	14.2	12.8	2	5	10	18	28
75 to 84 years	4,310	14.5	13.8	2	5	10	18	30
85 years and over	1,445	13.0	10.2	2	5	10	19	25
One diagnosis	2,910	13.3	13.3	2	4	8	16	28
Two or more diagnoses	6,755	14.5	12.8	2	5	11	18	29
With surgery	670	19.2	14.8	4	8	15	25	36
Without surgery	8,995	13.8	12.7	2	5	10	17	28
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	12,055	9.3	8.9	2	3	6	11	18
Age:								
65 to 74 years	4,500	9.1	8.4	2	3	6	11	17
75 to 84 years	5,590	9.3	8.7	2	3	6	11	19
85 years and over	1,965	10.1	10.7	2	3	6	12	20
One diagnosis	3,285	7.3	6.8	1	2	5	9	14
Two or more diagnoses	8,770	10.1	9.5	2	4	7	12	20
With surgery	835	14.9	11.5	5	7	11	18	30
Without surgery	11,220	8.9	8.6	2	3	6	11	18
PARALYSIS AGITANS (350)								
Total	2,455	13.1	12.0	3	5	9	16	26
Age:								
65 to 74 years	1,415	13.0	10.8	3	5	10	16	25
75 to 84 years	900	13.4	13.7	3	4	8	16	29
85 years and over	140	11.9	12.4	3	4	8	14	22
One diagnosis	845	13.4	12.9	3	5	10	18	25
Two or more diagnoses	1,610	12.9	11.5	3	5	9	15	27
With surgery	115	18.3	20.5	4	6	10	18	38
Without surgery	2,340	12.8	11.4	3	5	9	16	26

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	3,050	10.0	9.0	2	4	7	12	20
Age:								
65 to 74 years	1,850	9.5	8.7	2	4	7	11	18
75 to 84 years	995	11.1	9.8	2	4	7	13	24
85 years and over	205	8.2	5.7	2	3	6	11	15
One diagnosis	1,225	8.6	7.8	2	3	6	10	18
Two or more diagnoses	1,825	10.9	9.6	2	4	8	13	21
With surgery	480	12.5	11.2	2	4	9	16	26
Without surgery	2,570	9.5	8.4	2	4	7	11	19
CATARACT (385)								
Total	27,605	6.6	3.9	3	4	5	7	10
Age:								
65 to 74 years	12,715	6.5	3.9	3	4	5	7	9
75 to 84 years	12,280	6.7	3.7	3	4	5	7	10
85 years and over	2,610	7.0	3.9	3	4	6	7	11
One diagnosis	21,040	6.3	3.0	3	4	5	7	9
Two or more diagnoses	6,565	7.7	5.6	3	4	6	8	13
With surgery	26,670	6.6	3.6	3	4	5	7	9
Without surgery	935	7.1	7.9	1	2	5	8	14
GLAUCOMA (387)								
Total	2,140	6.3	5.0	2	3	5	7	11
Age:								
65 to 74 years	1,110	5.8	3.9	1	2	4	7	11
75 to 84 years	845	6.3	5.4	2	3	5	7	10
85 years and over	185	9.7	7.1	3	5	7	10	16
One diagnosis	1,195	5.4	4.2	1	2	4	6	10
Two or more diagnoses	945	7.5	5.7	2	4	6	8	13
With surgery	1,715	6.3	4.4	2	3	5	7	11
Without surgery	425	6.6	7.0	1	2	4	7	14
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	2,110	12.6	11.9	2	4	8	15	27
Age:								
65 to 74 years	1,585	12.5	12.0	2	4	8	15	28
75 to 84 years	460	13.3	12.2	3	5	9	16	25
85 years and over	65	10.0	5.0	3	5	8	15	17
One diagnosis	310	14.1	12.8	2	4	9	19	31
Two or more diagnoses	1,800	12.3	11.7	2	4	8	15	25
With surgery	255	15.6	12.9	2	4	11	23	33
Without surgery	1,855	12.2	11.7	2	4	8	15	25
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	36,295	10.3	9.1	2	4	7	12	20
Age:								
65 to 74 years	13,875	9.9	8.4	2	4	7	12	20
75 to 84 years	16,425	10.4	9.2	2	4	7	13	20
85 years and over	5,995	10.8	10.2	2	4	7	13	22
One diagnosis	7,990	8.7	7.9	1	3	6	10	17
Two or more diagnoses	28,305	10.7	9.4	2	4	8	13	21
With surgery	2,210	15.9	12.2	3	6	12	22	32
Without surgery	34,085	9.9	8.8	2	4	7	12	19
ACUTE CORONARY OCCLUSION (420.1)								
Total	27,555	14.9	11.0	1	5	14	21	27
Age:								
65 to 74 years	15,200	15.5	10.7	1	6	15	21	28
75 to 84 years	10,260	14.4	11.4	1	4	13	21	27
85 years and over	2,095	13.0	11.2	1	3	11	20	25
One diagnosis	11,735	14.0	10.3	1	4	13	20	26
Two or more diagnoses	15,820	15.6	11.5	1	6	14	21	29
With surgery	945	19.8	13.7	2	10	17	27	37
Without surgery	26,610	14.7	10.9	1	5	14	21	27
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	28,535	10.0	8.9	2	4	7	13	20
Age:								
65 to 74 years	14,820	9.7	8.7	2	3	7	12	19
75 to 84 years	10,960	10.3	8.9	2	4	7	13	21
85 years and over	2,755	10.8	10.1	2	4	7	13	23
One diagnosis	7,985	9.0	8.7	1	3	6	11	18
Two or more diagnoses	20,550	10.5	9.0	2	4	7	13	21
With surgery	1,165	14.3	11.4	2	6	11	18	28
Without surgery	27,370	9.9	8.8	2	4	7	12	20
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	1,540	11.7	9.9	2	4	9	15	24
Age:								
65 to 74 years	610	11.0	10.3	1	3	8	13	23
75 to 84 years	685	12.2	9.8	2	4	9	18	25
85 years and over	245	12.2	9.1	2	6	10	14	22
One diagnosis	320	11.7	11.9	1	3	8	16	25
Two or more diagnoses	1,220	11.7	9.4	2	4	9	15	24
With surgery	55	13.9	8.7	3	4	12	20	25
Without surgery	1,485	11.6	10.0	2	4	8	15	24
FUNCTIONAL DISEASE OF HEART (433)								
Total	11,470	8.7	8.1	1	3	6	11	18
Age:								
65 to 74 years	5,655	8.0	7.5	1	2	5	10	17
75 to 84 years	4,570	9.2	8.5	1	3	6	11	19
85 years and over	1,245	9.5	8.3	1	3	7	12	19
One diagnosis	3,440	7.4	6.8	1	2	5	9	16
Two or more diagnoses	8,030	9.2	8.5	1	3	6	11	19
With surgery	1,970	12.2	9.7	3	5	9	15	22
Without surgery	9,500	7.9	7.5	1	2	5	10	16
CONGESTIVE HEART FAILURE (434.1)								
Total	18,270	10.8	9.5	2	4	8	13	22
Age:								
65 to 74 years	7,005	10.8	9.0	2	4	8	13	22
75 to 84 years	8,125	11.0	9.9	2	4	8	14	22
85 years and over	3,140	10.7	9.3	1	4	8	13	22
One diagnosis	6,045	9.7	9.2	1	3	7	12	20
Two or more diagnoses	12,225	11.4	9.5	2	5	8	14	22
With surgery	805	18.0	12.5	3	8	15	25	32
Without surgery	17,465	10.5	9.2	2	4	8	13	21
HYPERTENSIVE HEART DISEASE (442,443)								
Total	11,655	10.3	9.3	2	4	7	12	21
Age:								
65 to 74 years	5,445	9.9	9.0	2	4	7	12	20
75 to 84 years	5,010	10.6	9.4	2	4	8	12	21
85 years and over	1,200	10.8	10.5	2	4	7	13	22
One diagnosis	1,725	8.1	9.0	1	3	5	9	15
Two or more diagnoses	9,930	10.7	9.4	2	4	8	13	21
With surgery	660	15.3	11.9	3	7	12	18	35
Without surgery	10,995	10.0	9.1	2	4	7	12	20
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	7,640	8.6	8.1	2	3	6	10	17
Age:								
65 to 74 years	4,230	8.1	7.5	1	3	6	10	16
75 to 84 years	2,790	8.9	8.5	2	3	6	10	19
85 years and over	620	10.1	9.8	2	4	6	12	22
One diagnosis	2,115	6.6	6.9	1	2	4	7	13
Two or more diagnoses	5,525	9.3	8.4	2	4	6	11	18
With surgery	565	11.6	9.0	2	5	8	15	23
Without surgery	7,075	8.3	8.0	2	3	6	10	17
GENERAL ARTERIOSCLEROSIS (450)								
Total	12,485	11.4	11.4	2	4	7	14	25
Age:								
65 to 74 years	4,445	11.4	11.3	2	3	7	14	24
75 to 84 years	5,720	11.1	11.0	2	4	7	14	24
85 years and over	2,320	12.0	12.7	2	4	7	14	26
One diagnosis	1,995	10.7	11.7	1	3	6	13	23
Two or more diagnoses	10,490	11.5	11.4	2	4	7	14	25
With surgery	2,145	18.8	13.4	6	10	15	23	35
Without surgery	10,340	9.8	10.3	2	3	6	11	21
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	2,320	11.6	11.5	1	2	9	16	25
Age:								
65 to 74 years	1,320	12.8	11.5	1	3	10	17	27
75 to 84 years	855	9.7	11.0	1	1	6	14	19
85 years and over	145	11.2	12.4	1	1	5	14	27
One diagnosis	1,000	9.6	10.4	1	1	7	14	19
Two or more diagnoses	1,320	13.1	12.0	1	3	10	17	27
With surgery	1,235	14.3	10.4	1	8	13	17	27
Without surgery	1,085	8.4	11.8	1	1	3	10	21

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	1,950	12.9	12.0	2	4	10	16	26
Age:								
65 to 74 years	1,205	11.8	9.9	1	4	9	15	25
75 to 84 years	630	14.2	14.5	2	5	10	18	26
85 years and over	115	17.6	15.2	3	8	11	21	31
One diagnosis	880	12.2	12.1	2	4	9	14	25
Two or more diagnoses	1,070	13.5	11.9	1	4	10	18	28
With surgery	1,110	15.5	11.2	4	8	12	19	30
Without surgery	840	9.6	12.2	1	2	6	10	19
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	850	21.6	15.8	4	11	17	27	45
Age:								
65 to 74 years	330	21.0	15.8	5	9	17	26	43
75 to 84 years	335	21.3	15.8	4	10	17	28	43
85 years and over	185	23.5	15.8	6	14	19	27	51
One diagnosis	270	21.6	15.2	7	13	16	25	39
Two or more diagnoses	580	21.7	16.1	4	8	18	29	48
With surgery	505	23.1	14.3	8	14	19	30	44
Without surgery	345	19.4	17.6	3	6	14	25	49
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	2,860	11.2	10.7	3	4	7	14	24
Age:								
65 to 74 years	1,865	9.4	8.2	3	4	6	11	21
75 to 84 years	865	13.7	12.9	3	5	9	18	27
85 years and over	130	19.3	18.0	3	7	10	21	49
One diagnosis	1,445	8.8	8.9	2	3	5	9	19
Two or more diagnoses	1,415	13.6	11.8	3	5	8	17	27
With surgery	1,715	8.5	7.3	3	4	6	9	18
Without surgery	1,145	15.1	13.5	3	5	10	20	31
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	3,475	8.0	5.5	3	4	6	9	13
Age:								
65 to 74 years	2,410	7.3	4.4	3	4	6	8	12
75 to 84 years	915	9.9	7.5	3	5	7	11	18
85 years and over	150	8.4	4.6	3	4	8	10	13
One diagnosis	1,635	7.0	3.3	3	4	6	8	11
Two or more diagnoses	1,840	9.0	6.8	3	5	7	10	16
With surgery	2,870	8.3	5.2	4	5	6	9	13
Without surgery	605	6.8	6.9	1	3	5	8	12
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	3,640	11.1	7.6	4	6	9	13	20
Age:								
65 to 74 years	2,160	11.2	7.6	4	6	9	13	20
75 to 84 years	1,235	10.6	7.1	4	5	8	13	18
85 years and over	245	12.0	9.7	3	5	7	15	24
One diagnosis	1,430	9.8	6.5	3	5	8	12	17
Two or more diagnoses	2,210	11.9	8.2	4	6	9	15	23
With surgery	270	13.1	9.2	3	5	11	20	26
Without surgery	3,370	10.9	7.5	4	6	9	13	19
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	1,465	11.8	8.9	4	6	9	14	19
Age:								
65 to 74 years	920	11.2	8.9	4	6	9	13	18
75 to 84 years	470	12.9	8.9	4	6	10	16	23
85 years and over	75	12.9	7.6	4	7	9	16	24
One diagnosis	690	10.4	7.7	4	6	8	13	17
Two or more diagnoses	775	13.1	9.7	4	7	11	16	23
With surgery	75	19.7	18.8	2	4	17	20	33
Without surgery	1,390	11.4	7.8	4	6	9	14	18
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	2,625	14.5	10.8	2	6	11	19	29
Age:								
65 to 74 years	1,410	14.8	10.8	3	7	12	19	29
75 to 84 years	960	14.2	10.9	1	6	11	19	28
85 years and over	255	13.9	10.6	1	5	12	18	27
One diagnosis	605	13.4	10.3	1	6	11	17	28
Two or more diagnoses	2,020	14.8	11.0	3	7	12	20	29
With surgery	215	23.7	15.1	7	10	20	32	47
Without surgery	2,410	13.7	9.9	2	6	11	18	27

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	3,285	7.9	6.9	2	3	5	9	16
Age:								
65 to 74 years	1,675	7.4	6.6	2	3	5	8	14
75 to 84 years	1,265	8.7	7.5	2	4	6	10	17
85 years and over	345	7.8	5.5	2	3	6	11	13
One diagnosis	915	6.5	5.7	1	3	4	7	13
Two or more diagnoses	2,370	8.5	7.2	2	4	6	10	17
With surgery	150	12.6	14.1	1	2	6	14	33
Without surgery	3,135	7.7	6.2	2	3	5	9	15
INFLUENZA (480-483)								
Total	7,825	8.6	7.0	2	4	6	10	16
Age:								
65 to 74 years	4,545	8.3	6.2	2	4	6	10	16
75 to 84 years	2,620	9.2	8.5	2	4	7	10	17
85 years and over	660	8.4	6.4	2	4	6	11	14
One diagnosis	3,020	6.8	5.1	2	3	5	8	12
Two or more diagnoses	4,805	9.7	7.8	3	4	7	12	18
With surgery	175	17.0	14.5	5	7	13	17	35
Without surgery	7,650	8.4	6.6	2	4	6	10	15
LOBAR PNEUMONIA (490)								
Total	790	11.2	8.8	2	5	9	14	20
Age:								
65 to 74 years	315	11.0	9.5	2	5	8	13	20
75 to 84 years	355	11.2	8.1	1	5	10	14	20
85 years and over	120	11.7	8.9	1	5	10	15	20
One diagnosis	280	8.9	5.9	2	4	8	12	16
Two or more diagnoses	510	12.4	9.9	2	5	11	15	23
With surgery	60	19.4	9.5	3	12	17	29	30
Without surgery	730	10.5	8.4	2	5	8	13	19
BRONCHOPNEUMONIA (491)								
Total	7,255	11.6	10.5	2	5	8	14	22
Age:								
65 to 74 years	3,155	11.2	10.2	3	5	8	13	22
75 to 84 years	2,820	12.0	11.0	2	5	8	14	23
85 years and over	1,280	11.4	9.9	2	4	8	14	22
One diagnosis	1,990	9.8	9.6	2	4	7	11	18
Two or more diagnoses	5,265	12.2	10.7	2	5	9	15	24
With surgery	395	18.4	13.7	4	9	15	22	38
Without surgery	6,860	11.2	10.1	2	5	8	13	22
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	7,190	10.4	8.2	3	5	8	12	19
Age:								
65 to 74 years	3,370	10.0	8.0	3	5	7	12	19
75 to 84 years	2,870	10.7	8.2	3	5	8	13	19
85 years and over	950	10.6	9.2	2	5	8	13	20
One diagnosis	2,005	8.5	6.9	2	4	6	10	15
Two or more diagnoses	5,185	11.1	8.6	3	5	8	13	20
With surgery	365	17.7	15.7	3	9	13	21	33
Without surgery	6,825	10.0	7.4	3	5	8	12	18
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	10,475	11.6	9.6	3	5	9	14	22
Age:								
65 to 74 years	4,730	10.8	8.7	3	5	8	13	20
75 to 84 years	4,045	12.1	10.1	3	5	9	15	23
85 years and over	1,700	12.5	10.7	2	5	9	15	24
One diagnosis	3,835	9.4	7.1	2	4	7	11	17
Two or more diagnoses	6,640	12.8	10.7	3	6	10	16	24
With surgery	670	17.5	13.6	4	8	13	22	31
Without surgery	9,805	11.2	9.2	3	5	8	14	21
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	4,510	8.4	6.5	2	4	6	10	15
Age:								
65 to 74 years	2,445	7.9	5.9	2	4	6	9	14
75 to 84 years	1,670	9.1	7.2	2	4	7	11	17
85 years and over	395	8.8	6.5	3	4	6	9	18
One diagnosis	1,160	6.6	4.5	2	3	5	8	11
Two or more diagnoses	3,350	9.0	6.9	3	4	6	11	16
With surgery	100	9.7	9.4	1	3	5	13	19
Without surgery	4,410	8.4	6.4	3	4	6	10	15

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	3,850	8.6	6.2	2	4	6	10	15
Age:								
65 to 74 years	2,235	8.1	5.8	2	4	6	10	14
75 to 84 years	1,265	9.2	6.4	3	4	7	11	17
85 years and over	350	9.4	7.9	3	4	6	10	20
One diagnosis	1,365	7.8	5.7	2	4	6	9	13
Two or more diagnoses	2,485	9.0	6.5	3	4	7	11	16
With surgery	200	10.6	8.2	1	3	9	15	21
Without surgery	3,650	8.5	6.1	2	4	6	10	15
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	3,410	10.3	8.3	2	4	7	13	21
Age:								
65 to 74 years	2,230	10.8	8.9	3	4	8	13	22
75 to 84 years	985	9.4	7.3	2	4	7	12	19
85 years and over	195	9.4	5.7	3	4	8	13	16
One diagnosis	1,065	8.0	6.0	2	3	6	9	14
Two or more diagnoses	2,345	11.4	8.9	3	5	8	14	23
With surgery	215	16.7	12.9	2	5	13	24	36
Without surgery	3,195	9.9	7.7	2	4	7	12	19
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	1,620	8.7	7.5	2	3	6	11	16
Age:								
65 to 74 years	1,045	8.0	7.0	1	3	6	10	15
75 to 84 years	470	9.9	8.6	2	4	7	11	18
85 years and over	105	10.2	6.1	4	5	8	12	18
One diagnosis	475	7.4	7.4	1	2	5	8	14
Two or more diagnoses	1,145	9.3	7.5	2	4	7	12	17
With surgery	285	6.8	7.2	1	2	5	8	12
Without surgery	1,335	9.1	7.5	2	4	7	11	17
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	1,715	9.6	8.5	1	3	6	13	20
Age:								
65 to 74 years	615	9.3	8.1	1	3	6	12	20
75 to 84 years	815	10.2	8.9	1	4	7	13	20
85 years and over	285	8.1	7.8	1	2	4	12	18
One diagnosis	490	9.4	8.4	1	3	6	12	19
Two or more diagnoses	1,225	9.6	8.5	1	3	6	13	21
With surgery	75	14.4	11.4	2	3	12	18	27
Without surgery	1,640	9.3	8.2	1	3	6	12	20
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	10,660	10.6	9.8	2	4	7	13	21
Age:								
65 to 74 years	6,480	10.4	9.7	2	4	7	13	20
75 to 84 years	3,565	10.9	9.9	2	4	7	13	21
85 years and over	615	10.3	10.6	2	4	7	11	20
One diagnosis	2,510	8.9	7.7	2	3	6	11	18
Two or more diagnoses	8,150	11.1	10.4	2	4	8	13	21
With surgery	660	15.3	11.9	3	6	12	20	30
Without surgery	10,000	10.2	9.6	2	4	7	12	20
DISEASES OF ESOPHAGUS (539)								
Total	2,550	9.0	9.4	1	3	6	11	18
Age:								
65 to 74 years	1,310	7.8	8.4	1	2	5	9	16
75 to 84 years	1,075	10.3	10.7	1	2	6	13	22
85 years and over	165	9.6	6.3	2	4	7	13	18
One diagnosis	910	6.9	6.5	1	2	4	9	14
Two or more diagnoses	1,640	10.1	10.5	1	3	6	12	20
With surgery	1,240	9.8	9.7	1	2	6	13	21
Without surgery	1,310	8.2	9.1	1	3	5	9	15
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	3,465	11.5	9.0	3	5	9	14	21
Age:								
65 to 74 years	2,045	11.6	9.3	3	5	9	15	23
75 to 84 years	1,235	11.6	8.8	3	5	9	14	20
85 years and over	185	9.2	6.7	2	4	6	12	19
One diagnosis	1,185	10.0	7.1	2	4	8	12	19
Two or more diagnoses	2,280	12.2	9.7	3	5	9	15	23
With surgery	880	16.0	8.8	7	10	13	19	27
Without surgery	2,585	9.9	8.5	2	4	7	12	18
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	1,300	12.6	9.4	3	5	10	17	23
Age:								
65 to 74 years	690	12.6	10.0	3	5	10	17	24
75 to 84 years	460	13.1	8.7	4	6	11	17	23
85 years and over	150	10.6	8.0	2	5	7	13	19
One diagnosis	530	9.9	6.9	2	4	8	13	18
Two or more diagnoses	770	14.4	10.3	4	6	11	19	26
With surgery	390	17.2	8.8	6	11	15	22	29
Without surgery	910	10.6	8.9	3	5	7	14	20
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	5,875	10.6	9.1	3	4	8	13	20
Age:								
65 to 74 years	3,545	10.4	9.4	2	4	7	13	19
75 to 84 years	1,940	11.0	9.0	3	5	8	14	21
85 years and over	390	10.7	7.2	3	5	8	15	20
One diagnosis	1,995	8.8	6.5	2	4	7	11	16
Two or more diagnoses	3,880	11.6	10.1	3	5	8	14	22
With surgery	1,220	16.0	10.0	6	9	14	19	26
Without surgery	4,655	9.2	8.3	2	4	7	11	16
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	4,110	11.2	9.1	3	5	8	13	20
Age:								
65 to 74 years	2,390	10.4	8.5	3	5	8	12	18
75 to 84 years	1,375	12.3	9.7	3	6	9	15	24
85 years and over	345	11.7	9.0	2	5	9	16	21
One diagnosis	1,765	9.8	7.3	3	4	7	12	18
Two or more diagnoses	2,345	12.2	10.0	3	6	9	14	22
With surgery	850	16.5	10.7	6	10	13	19	30
Without surgery	3,260	9.8	8.0	3	5	7	11	18
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	810	15.1	11.9	2	7	11	21	29
Age:								
65 to 74 years	485	15.0	10.9	3	7	11	21	29
75 to 84 years	275	16.1	12.8	3	8	13	21	27
85 years and over	50	11.5	14.9	1	1	5	13	27
One diagnosis	345	11.5	6.9	3	8	9	13	20
Two or more diagnoses	465	17.8	13.9	2	7	16	25	32
With surgery	575	16.0	9.6	7	8	12	21	27
Without surgery	235	13.1	16.0	1	2	8	16	31
GASTRITIS AND DUODENITIS (543)								
Total	5,050	7.3	6.6	1	3	5	9	14
Age:								
65 to 74 years	2,765	7.0	5.7	1	3	5	8	14
75 to 84 years	1,910	7.3	6.0	2	3	5	9	14
85 years and over	375	10.4	12.2	2	3	6	12	17
One diagnosis	1,515	5.6	5.7	1	2	4	6	10
Two or more diagnoses	3,535	8.1	6.7	2	4	6	10	15
With surgery	440	12.1	8.2	2	6	10	16	20
Without surgery	4,610	6.9	6.2	1	3	5	8	13
APPENDICITIS (550-553)								
Total	1,575	12.8	9.6	4	6	9	15	25
Age:								
65 to 74 years	985	12.2	9.8	4	6	8	14	23
75 to 84 years	500	13.8	9.5	4	7	11	17	28
85 years and over	90	13.9	7.9	4	6	12	18	26
One diagnosis	950	10.1	6.6	4	5	8	12	19
Two or more diagnoses	625	17.0	11.7	5	9	13	22	33
With surgery	1,355	12.4	8.9	4	6	9	15	23
Without surgery	220	15.3	13.0	2	4	10	24	32
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	14,295	7.3	4.8	3	4	6	8	11
Age:								
65 to 74 years	9,200	6.9	4.1	3	4	6	8	10
75 to 84 years	4,415	8.0	5.6	3	4	6	9	13
85 years and over	680	8.6	5.7	3	4	7	10	14
One diagnosis	9,590	6.6	4.0	3	4	5	7	10
Two or more diagnoses	4,705	8.7	5.7	3	5	7	10	15
With surgery	13,415	7.3	4.5	3	4	6	8	11
Without surgery	880	7.6	8.1	1	2	5	8	15

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	6,480	8.8	7.8	2	3	6	11	17
Age:								
65 to 74 years	3,805	8.4	7.1	2	3	6	10	16
75 to 84 years	2,165	9.4	9.1	2	3	6	11	18
85 years and over	510	8.4	6.8	2	3	6	10	15
One diagnosis	1,485	7.4	6.6	1	2	5	9	15
Two or more diagnoses	4,995	9.2	8.1	2	3	6	11	18
With surgery	1,650	13.1	8.2	3	8	11	17	23
Without surgery	4,830	7.3	7.1	2	3	5	8	13
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	4,345	9.1	6.7	3	4	7	10	16
Age:								
65 to 74 years	2,880	8.9	6.6	3	4	7	10	15
75 to 84 years	1,305	9.4	6.5	3	5	7	11	18
85 years and over	160	11.0	8.7	1	5	8	12	24
One diagnosis	2,345	8.0	5.1	3	4	6	9	13
Two or more diagnoses	2,000	10.4	8.0	3	5	8	12	19
With surgery	3,795	9.3	6.5	3	5	7	10	16
Without surgery	550	7.8	7.9	1	2	5	10	18
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	2,765	10.9	9.4	3	5	8	13	20
Age:								
65 to 74 years	1,215	9.4	7.9	3	5	7	11	17
75 to 84 years	1,145	12.5	11.1	3	6	9	15	24
85 years and over	405	10.7	7.1	3	5	9	14	18
One diagnosis	1,385	9.0	6.2	2	5	7	10	17
Two or more diagnoses	1,380	12.8	11.5	4	6	9	15	25
With surgery	2,315	11.1	8.9	4	6	8	13	20
Without surgery	450	9.5	11.7	1	2	5	10	18
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	8,130	11.0	11.0	1	3	7	14	23
Age:								
65 to 74 years	3,650	11.2	10.9	1	3	7	14	24
75 to 84 years	3,300	11.2	11.5	1	3	7	14	24
85 years and over	1,180	9.7	9.6	1	3	6	12	21
One diagnosis	3,505	9.2	9.6	1	2	6	12	20
Two or more diagnoses	4,625	12.3	11.7	2	4	8	16	27
With surgery	2,755	16.5	12.2	4	8	13	20	31
Without surgery	5,375	8.1	9.1	1	2	5	9	17
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	10,850	6.8	6.6	1	2	4	8	13
Age:								
65 to 74 years	5,295	6.2	5.7	1	2	4	7	12
75 to 84 years	4,280	7.1	7.1	1	3	5	8	13
85 years and over	1,275	7.9	8.2	1	3	5	9	15
One diagnosis	4,315	5.2	4.6	1	2	3	6	10
Two or more diagnoses	6,535	7.8	7.5	2	3	5	9	14
With surgery	455	15.3	13.2	3	7	11	20	29
Without surgery	10,395	6.4	5.9	1	2	4	7	12
DIVERTICULITIS (572.1)								
Total	13,285	9.0	8.3	2	3	6	11	18
Age:								
65 to 74 years	6,525	8.6	8.1	2	3	6	10	17
75 to 84 years	5,310	9.2	8.4	2	3	6	11	19
85 years and over	1,450	9.7	8.7	2	4	7	12	19
One diagnosis	4,735	7.7	7.2	1	3	5	9	15
Two or more diagnoses	8,550	9.7	8.7	2	4	6	11	20
With surgery	2,650	15.5	11.1	4	7	12	20	30
Without surgery	10,635	7.4	6.4	2	3	5	8	13
CIRRHOSIS OF LIVER (581)								
Total	2,330	13.2	10.2	3	6	10	17	27
Age:								
65 to 74 years	1,790	13.6	10.6	3	6	10	17	27
75 to 84 years	480	11.6	8.0	3	6	9	15	21
85 years and over	60	16.4	12.8	1	5	11	22	37
One diagnosis	675	11.6	9.4	2	5	9	14	23
Two or more diagnoses	1,655	13.9	10.5	3	6	10	18	28
With surgery	360	16.4	11.3	3	7	13	23	33
Without surgery	1,970	12.6	9.9	3	6	10	16	25
CHOLELITHIASIS (584)								
Total	14,660	12.5	9.1	4	7	10	15	22
Age:								
65 to 74 years	8,810	12.0	8.4	4	7	9	14	20
75 to 84 years	4,910	13.2	9.7	3	7	10	17	24
85 years and over	940	14.2	10.7	4	6	12	17	27
One diagnosis	6,995	11.5	7.3	4	7	9	14	20
Two or more diagnoses	7,665	13.4	10.3	4	7	10	16	25
With surgery	10,175	14.2	8.8	7	8	11	17	24
Without surgery	4,485	8.7	8.4	2	3	6	10	18
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	5,735	10.8	8.8	2	5	8	13	21
Age:								
65 to 74 years	3,075	10.1	7.5	2	4	8	13	19
75 to 84 years	2,120	11.6	10.2	2	5	9	14	24
85 years and over	540	12.1	8.9	3	5		17	23
One diagnosis	2,655	9.4	6.5	2	4	7	12	18
Two or more diagnoses	3,080	12.1	10.2	3	5	9	15	24
With surgery	2,100	14.9	8.4	7	8	12	18	25
Without surgery	3,635	8.5	8.1	2	3	6	10	15
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	1,680	10.7	9.4	2	4	7	14	22
Age:								
65 to 74 years	815	10.7	9.9	2	3	7	14	23
75 to 84 years	685	10.1	8.5	2	4	7	13	18
85 years and over	180	13.0	9.4	4	6	9	18	23
One diagnosis	625	9.4	7.1	2	4	7	13	20
Two or more diagnoses	1,055	11.5	10.4	2	4	8	15	23
With surgery	475	17.1	11.0	6	10	15	21	30
Without surgery	1,205	8.2	7.3	2	3	6	9	16
DISEASES OF PANCREAS (587)								
Total	1,700	12.0	10.4	3	4	8	15	25
Age:								
65 to 74 years	1,040	12.0	10.8	2	4	8	15	24
75 to 84 years	575	11.9	9.8	3	5	8	15	27
85 years and over	85	11.6	9.4	2	4	7	19	27
One diagnosis	525	9.3	8.4	1	4	7	11	20
Two or more diagnoses	1,175	13.2	11.0	3	5	9	17	27
With surgery	315	19.7	10.1	8	11	18	24	32
Without surgery	1,385	10.2	9.7	2	4	7	12	19
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	1,950	13.3	12.3	2	4	9	17	29
Age:								
65 to 74 years	1,110	12.4	12.4	1	3	9	16	25
75 to 84 years	690	14.5	11.7	2	5	10	20	31
85 years and over	150	14.2	13.6	1	4	11	18	33
One diagnosis	460	11.2	11.0	1	3	8	15	23
Two or more diagnoses	1,490	13.9	12.6	2	4	10	19	31
With surgery	575	14.8	13.1	2	5	11	20	29
Without surgery	1,375	12.6	11.9	1	3	9	17	27
INFECTIONS OF KIDNEY (600)								
Total	4,475	10.8	9.6	3	4	8	13	21
Age:								
65 to 74 years	2,275	9.6	8.1	2	4	7	11	18
75 to 84 years	1,705	11.3	10.0	3	4	8	14	21
85 years and over	495	14.2	13.0	3	6	9	17	28
One diagnosis	1,305	8.0	5.7	2	4	6	9	13
Two or more diagnoses	3,170	11.9	10.6	3	5	8	14	23
With surgery	640	12.9	10.8	2	6	9	17	27
Without surgery	3,835	10.4	9.3	3	4	7	12	20
CALCULI OF KIDNEY AND URETER (602)								
Total	3,365	8.5	8.4	1	3	6	10	18
Age:								
65 to 74 years	2,465	8.2	8.6	1	2	5	10	17
75 to 84 years	800	9.2	7.7	2	3	6	12	19
85 years and over	100	9.8	7.5	2	3	7	13	20
One diagnosis	1,765	7.1	7.1	1	2	5	9	14
Two or more diagnoses	1,600	10.1	9.3	2	3	7	13	21
With surgery	1,705	10.9	7.7	3	5	9	13	20
Without surgery	1,660	6.1	8.3	1	2	3	6	12

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	2,825	10.3	10.7	1	3	7	13	23
Age:								
65 to 74 years	1,785	9.2	9.4	1	2	6	11	20
75 to 84 years	870	12.2	12.7	2	3	9	14	24
85 years and over	170	11.9	10.5	1	3	7	15	26
One diagnosis	1,030	7.7	7.5	1	2	5	10	15
Two or more diagnoses	1,795	11.8	11.9	2	3	8	14	26
With surgery	1,730	11.7	10.6	2	4	9	14	24
Without surgery	1,095	8.1	10.3	1	2	4	9	17
CYSTITIS (605)								
Total	4,970	8.3	8.0	1	3	5	10	18
Age:								
65 to 74 years	2,475	7.7	7.4	1	2	5	9	16
75 to 84 years	1,945	8.6	7.8	2	3	6	10	18
85 years and over	550	9.9	10.5	2	3	7	11	21
One diagnosis	1,605	6.3	6.6	1	2	4	8	12
Two or more diagnoses	3,365	9.3	8.4	2	3	6	11	20
With surgery	2,225	8.2	8.6	1	2	5	10	18
Without surgery	2,745	8.4	7.5	2	3	6	10	16
OTHER DISEASES OF BLADDER (606)								
Total	2,795	9.7	8.9	2	4	7	12	18
Age:								
65 to 74 years	1,475	9.0	9.0	2	3	6	10	16
75 to 84 years	1,005	10.1	8.2	2	4	7	13	19
85 years and over	315	11.2	10.0	3	4	7	13	23
One diagnosis	985	8.2	7.1	2	3	6	10	15
Two or more diagnoses	1,810	10.5	9.6	2	4	7	13	19
With surgery	2,040	10.2	9.1	2	4	7	13	19
Without surgery	755	8.2	8.1	1	3	6	10	16
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	3,060	7.4	8.0	1	2	4	9	15
Age:								
65 to 74 years	1,855	6.6	7.6	1	2	4	7	13
75 to 84 years	950	8.7	9.1	1	3	5	11	19
85 years and over	255	8.0	5.4	2	3	6	11	16
One diagnosis	1,160	5.7	5.7	1	2	3	6	12
Two or more diagnoses	1,900	8.4	8.9	1	2	5	10	17
With surgery	2,505	7.2	7.7	1	2	4	8	15
Without surgery	555	8.2	8.9	2	3	5	9	15
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	4,355	8.9	8.5	2	3	6	11	18
Age:								
65 to 74 years	1,915	8.0	8.4	1	3	5	10	16
75 to 84 years	1,840	9.4	8.6	2	4	6	12	19
85 years and over	600	10.2	8.1	2	4	7	13	20
One diagnosis	1,505	7.3	7.7	1	2	5	9	14
Two or more diagnoses	2,850	9.8	8.7	2	3	7	12	19
With surgery	1,365	7.8	7.1	1	2	5	10	18
Without surgery	2,990	9.4	9.0	2	4	6	12	19
HYPERPLASIA OF PROSTATE (610)								
Total	22,570	10.7	8.0	3	5	8	13	19
Age:								
65 to 74 years	12,770	9.8	7.1	3	5	8	12	17
75 to 84 years	8,020	11.4	8.5	3	5	8	14	21
85 years and over	1,780	13.5	9.7	4	7	11	16	25
One diagnosis	11,310	9.4	6.6	3	5	7	11	16
Two or more diagnoses	11,260	11.9	9.0	3	6	9	15	22
With surgery	19,450	10.8	7.3	4	6	8	13	19
Without surgery	3,120	9.9	11.4	1	3	6	11	20
OTHER DISEASES OF PROSTATE (611,612)								
Total	1,415	7.9	7.2	1	3	5	10	15
Age:								
65 to 74 years	830	7.1	6.6	1	3	5	8	13
75 to 84 years	470	8.5	6.2	2	3	6	11	17
85 years and over	115	10.8	12.4	2	4	6	9	21
One diagnosis	585	6.1	4.9	1	2	4	8	12
Two or more diagnoses	830	9.1	8.2	2	4	6	11	17
With surgery	765	8.5	6.9	1	3	6	11	17
Without surgery	650	7.1	7.5	1	3	5	8	12
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	2,390	6.7	5.9	1	2	5	8	12
Age:								
65 to 74 years	1,650	6.9	6.2	2	3	5	8	12
75 to 84 years	630	6.5	5.3	1	2	4	8	13
85 years and over	110	6.4	3.5	2	3	5	9	12
One diagnosis	1,155	5.7	4.9	1	2	4	7	11
Two or more diagnoses	1,235	7.8	6.6	2	3	6	9	14
With surgery	1,695	6.2	5.7	1	2	4	7	12
Without surgery	695	8.0	6.3	2	4	6	9	13
UTEROVAGINAL PROLAPSE (631)								
Total	6,440	9.7	4.9	5	6	8	11	15
Age:								
65 to 74 years	4,645	9.4	4.5	5	6	8	11	14
75 to 84 years	1,665	10.5	5.7	5	7	9	12	17
85 years and over	130	10.4	7.3	4	6	8	12	17
One diagnosis	2,855	9.3	4.2	5	6	8	10	14
Two or more diagnoses	3,585	10.0	5.3	5	7	8	11	15
With surgery	5,995	9.8	4.5	5	7	8	11	15
Without surgery	445	9.0	8.9	1	2	7	10	20
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	3,335	11.5	11.4	2	4	8	14	21
Age:								
65 to 74 years	1,750	11.0	10.2	2	4	8	14	20
75 to 84 years	1,180	11.8	12.3	2	5	8	14	22
85 years and over	405	13.0	13.1	3	5	8	14	28
One diagnosis	1,260	9.7	9.4	2	4	6	11	20
Two or more diagnoses	2,075	12.6	12.3	3	5	9	15	23
With surgery	870	13.1	12.9	2	4	8	17	28
Without surgery	2,465	11.0	10.7	3	5	8	13	18
RHEUMATOID ARTHRITIS (722.0)								
Total	3,120	13.0	13.2	2	4	8	16	27
Age:								
65 to 74 years	2,115	13.3	14.1	3	4	8	15	29
75 to 84 years	915	12.4	11.0	2	4	8	16	26
85 years and over	90	12.3	11.6	3	4	7	15	23
One diagnosis	990	12.8	16.1	2	4	7	13	28
Two or more diagnoses	2,130	13.1	11.6	3	4	9	17	26
With surgery	615	14.8	13.3	3	4	10	20	34
Without surgery	2,505	12.6	13.2	2	4	8	15	25
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	5,845	13.3	12.0	3	5	9	17	29
Age:								
65 to 74 years	2,905	14.2	13.0	3	5	10	18	31
75 to 84 years	2,370	12.6	10.7	3	5	9	16	27
85 years and over	570	11.4	10.9	3	4	7	14	22
One diagnosis	1,970	15.1	13.7	2	5	10	20	33
Two or more diagnoses	3,875	12.4	10.9	3	5	8	15	26
With surgery	1,550	20.1	14.2	4	9	16	27	38
Without surgery	4,295	10.8	9.9	3	4	7	13	21
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	3,950	10.5	8.5	2	4	8	13	20
Age:								
65 to 74 years	2,055	10.3	8.1	2	4	8	13	20
75 to 84 years	1,535	10.5	8.5	2	4	8	13	20
85 years and over	360	11.7	10.1	3	4	8	14	22
One diagnosis	825	10.4	9.0	2	3	8	14	21
Two or more diagnoses	3,125	10.5	8.3	3	4	8	13	20
With surgery	300	18.0	13.6	5	9	13	22	39
Without surgery	3,650	9.8	7.5	2	4	7	13	19
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	3,110	10.3	8.7	2	4	7	13	20
Age:								
65 to 74 years	1,500	10.2	9.2	2	4	7	12	20
75 to 84 years	1,270	10.6	8.1	2	4	8	14	21
85 years and over	340	9.6	8.7	3	4	6	11	17
One diagnosis	1,060	10.2	9.4	2	3	7	13	20
Two or more diagnoses	2,050	10.3	8.3	3	4	7	13	20
With surgery	300	17.2	12.3	4	8	14	21	31
Without surgery	2,810	9.6	7.9	2	4	7	12	18

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	2,800	11.7	10.9	3	4	8	14	22
Age:								
65 to 74 years	895	11.1	10.1	2	4	8	14	21
75 to 84 years	1,425	12.4	11.7	3	5	9	16	23
85 years and over	480	10.8	9.2	3	5	7	12	20
One diagnosis	460	10.5	10.9	2	4	7	12	22
Two or more diagnoses	2,340	11.9	10.8	3	5	9	15	22
With surgery	95	27.8	25.7	4	8	18	34	62
Without surgery	2,705	11.1	9.4	3	4	8	14	21
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	3,190	12.8	9.3	3	6	10	16	24
Age:								
65 to 74 years	2,370	12.7	9.1	3	6	10	16	25
75 to 84 years	715	13.4	10.0	3	6	11	17	25
85 years and over	105	11.2	6.4	3	6	9	15	18
One diagnosis	1,445	12.5	9.4	3	5	10	16	24
Two or more diagnoses	1,745	13.1	9.1	4	6	11	16	25
With surgery	750	19.0	9.8	7	11	16	24	32
Without surgery	2,440	10.9	8.2	3	5	8	14	21
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	2,030	6.8	6.9	1	2	4	8	15
Age:								
65 to 74 years	1,375	6.4	6.7	1	2	4	7	13
75 to 84 years	565	7.7	7.5	1	3	5	10	17
85 years and over	90	7.2	4.6	2	3	6	9	14
One diagnosis	1,135	5.1	5.4	1	2	3	6	10
Two or more diagnoses	895	8.9	8.0	2	3	6	11	18
With surgery	1,205	5.6	6.9	1	2	3	6	12
Without surgery	825	8.5	6.6	2	4	6	11	18
CONGENITAL MALFORMATIONS (750-759)								
Total	1,130	10.2	9.7	2	3	7	13	21
Age:								
65 to 74 years	750	10.7	11.0	2	3	7	14	23
75 to 84 years	330	8.3	5.1	2	3	7	11	14
85 years and over	50	14.6	11.2	1	4	13	16	27
One diagnosis	410	7.9	8.3	2	2	4	11	16
Two or more diagnoses	720	11.5	10.3	2	4	8	14	23
With surgery	580	11.0	11.4	2	3	7	14	22
Without surgery	550	9.4	7.6	2	4	7	12	17
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	1,680	5.3	5.5	1	1	3	6	12
Age:								
65 to 74 years	935	4.4	4.0	1	1	3	5	9
75 to 84 years	655	6.3	6.9	1	1	3	7	17
85 years and over	90	6.2	4.4	1	2	4	10	12
One diagnosis	1,170	5.4	5.7	1	1	3	6	12
Two or more diagnoses	510	4.8	4.9	1	1	3	5	11
With surgery	230	6.6	5.7	1	2	4	9	16
Without surgery	1,450	5.0	5.4	1	1	3	6	10
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	2,985	5.2	5.0	1	1	3	6	10
Age:								
65 to 74 years	1,855	4.9	4.7	1	1	3	6	9
75 to 84 years	910	5.8	5.7	1	1	4	7	12
85 years and over	220	4.7	3.0	1	2	3	6	8
One diagnosis	2,200	4.7	4.7	1	1	3	5	9
Two or more diagnoses	785	6.3	5.5	1	2	4	8	12
With surgery	435	6.3	6.3	1	1	4	8	13
Without surgery	2,550	5.0	4.7	1	2	3	6	10
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	3,280	6.6	5.7	1	2	4	8	12
Age:								
65 to 74 years	1,760	5.9	5.2	1	2	4	7	11
75 to 84 years	1,220	6.9	6.0	1	2	5	9	14
85 years and over	300	8.9	7.2	1	3	6	12	17
One diagnosis	2,395	6.1	5.5	1	2	4	8	12
Two or more diagnoses	885	7.8	6.5	2	3	6	9	14
With surgery	265	9.1	8.0	2	4	7	11	15
Without surgery	3,015	6.4	5.5	1	2	4	8	12
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	1,565	9.1	8.5	1	3	7	11	18
Age:								
65 to 74 years	890	7.8	6.9	1	2	6	9	14
75 to 84 years	490	11.5	11.0	2	4	8	14	21
85 years and over	185	9.4	6.4	2	4	8	13	19
One diagnosis	1,145	8.7	8.2	1	3	7	11	16
Two or more diagnoses	420	10.3	9.2	1	4	7	12	20
With surgery	820	10.7	7.6	2	6	9	13	20
Without surgery	745	7.3	9.0	1	2	4	8	15
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	3,500	7.5	7.4	1	2	5	9	15
Age:								
65 to 74 years	1,960	7.6	7.9	1	2	5	9	16
75 to 84 years	1,175	7.3	6.9	1	2	5	9	14
85 years and over	365	7.4	6.1	1	2	5	9	15
One diagnosis	2,440	6.6	6.3	1	2	4	8	14
Two or more diagnoses	1,060	9.4	9.2	2	3	6	12	18
With surgery	695	7.3	6.9	1	2	4	10	16
Without surgery	2,805	7.5	7.5	1	3	5	9	15
NERVOUSNESS AND DEBILITY (790)								
Total	1,075	9.9	11.1	1	3	6	12	21
Age:								
65 to 74 years	425	8.4	7.1	1	3	5	12	17
75 to 84 years	370	9.5	12.0	1	2	5	11	19
85 years and over	280	12.7	13.9	2	4	7	18	28
One diagnosis	280	8.0	8.5	1	2	4	10	17
Two or more diagnoses	795	10.6	11.8	2	3	6	13	22
With surgery	50	17.2	20.4	2	6	13	15	28
Without surgery	1,025	9.5	10.3	1	3	5	12	21
UREMIA (792)								
Total	390	11.3	8.8	1	4	9	15	23
Age:								
65 to 74 years	165	9.8	5.9	2	5	8	13	19
75 to 84 years	135	13.0	11.5	1	3	8	18	27
85 years and over	90	11.7	7.8	1	4	11	16	23
One diagnosis	145	10.0	6.3	2	5	8	14	18
Two or more diagnoses	245	12.1	9.8	2	4	9	16	26
With surgery	25	*	*	*	*	*	*	*
Without surgery	365	11.1	8.9	1	4	8	15	24
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	1,205	8.8	9.9	2	3	5	11	16
Age:								
65 to 74 years	140	7.5	5.7	2	3	5	10	15
75 to 84 years	625	8.9	10.8	2	3	5	10	15
85 years and over	440	9.1	9.5	2	3	5	11	16
One diagnosis	225	8.2	12.3	2	3	4	9	12
Two or more diagnoses	980	8.9	9.3	2	3	5	11	17
With surgery	50	15.3	9.7	6	7	12	17	27
Without surgery	1,155	8.5	9.8	2	3	5	10	15
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	3,075	7.8	8.7	1	2	4	9	19
Age:								
65 to 74 years	1,805	7.9	8.7	1	2	4	9	19
75 to 84 years	1,020	7.4	8.2	1	2	4	8	18
85 years and over	250	8.4	9.9	1	3	5	7	19
One diagnosis	1,490	6.6	8.0	1	1	3	7	16
Two or more diagnoses	1,585	8.9	9.1	1	3	5	11	20
With surgery	690	7.5	8.8	1	1	3	9	20
Without surgery	2,385	7.9	8.5	1	2	4	9	18
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	5,235	14.2	10.8	4	6	11	18	27
Age:								
65 to 74 years	2,290	13.6	10.2	3	6	10	17	26
75 to 84 years	2,210	15.2	11.7	4	7	12	19	28
85 years and over	735	13.1	9.8	4	6	10	16	24
One diagnosis	1,860	12.9	9.8	3	6	10	16	24
Two or more diagnoses	3,375	14.9	11.3	4	7	11	18	29
With surgery	265	22.8	14.9	6	10	19	33	45
Without surgery	4,970	13.8	10.4	4	6	11	17	25

Table 4 WEST: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	3,250	10.8	9.3	2	4	8	14	21
Age:								
65 to 74 years	1,515	10.0	7.8	2	4	8	13	19
75 to 84 years	1,255	11.3	10.2	2	4	8	14	21
85 years and over	480	11.9	11.0	2	4	8	15	27
One diagnosis	730	8.1	6.6	1	3	6	10	16
Two or more diagnoses	2,520	11.6	9.8	3	5	9	14	22
With surgery	280	18.3	10.8	6	10	15	24	32
Without surgery	2,970	10.1	8.8	2	4	7	12	19
FRACTURE OF PELVIS (808)								
Total	2,405	19.5	14.9	4	8	15	26	38
Age:								
65 to 74 years	745	20.9	15.7	5	9	16	29	41
75 to 84 years	1,180	19.1	14.4	4	8	15	24	37
85 years and aver	480	18.4	14.5	3	7	15	26	35
One diagnosis	935	18.1	14.4	4	6	14	23	36
Two or mare diagnoses	1,470	20.4	15.1	4	10	16	27	39
With surgery	150	30.5	20.3	4	16	25	37	64
Without surgery	2,255	16.8	14.1	4	8	15	24	37
FRACTURE OF HUMERUS (812)								
Total	3,785	11.5	11.5	2	4	8	14	23
Age:								
65 to 74 years	1,535	10.0	9.6	1	3	7	12	22
75 to 84 years	1,615	13.0	13.7	2	4	9	15	27
85 years and over	635	11.0	8.7	2	4	8	16	22
One diagnosis	1,850	9.5	10.9	1	3	6	11	20
Two or more diagnoses	1,935	13.4	11.7	3	5	10	17	27
With surgery	1,325	12.1	11.8	2	4	8	15	26
Without surgery	2,460	11.1	11.3	2	3	8	14	22
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	2,990	6.5	7.5	1	1	3	7	15
Age:								
65 to 74 years	1,625	5.6	6.2	1	1	3	7	13
75 to 84 years	1,080	7.4	8.9	1	2	4	8	17
85 years and over	285	7.5	7.9	1	2	5	8	19
One diagnosis	1,700	4.6	5.4	1	1	2	5	9
Two or more diagnoses	1,290	8.9	9.1	1	2	5	11	20
With surgery	1,965	6.3	7.7	1	1	3	7	15
Without surgery	1,025	6.8	7.1	1	2	4	9	15
FRACTURE OF FEMUR (820,821)								
Total	20,370	21.0	15.0	5	11	17	26	39
Age:								
65 to 74 years	5,385	21.1	15.2	5	11	17	26	40
75 to 84 years	9,595	21.2	14.7	6	11	17	26	39
85 years and over	5,390	20.7	15.3	5	11	17	26	39
One diagnosis	11,580	19.6	13.6	6	11	16	24	35
Two or more diagnoses	8,790	22.9	16.5	5	11	18	29	45
With surgery	15,115	20.7	13.2	8	12	17	25	35
Without surgery	5,255	21.9	19.3	2	6	16	30	52
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	5,350	12.7	12.2	2	4	8	16	26
Age:								
65 to 74 years	3,355	12.1	11.5	2	5	8	14	24
75 to 84 years	1,620	14.1	13.5	2	5	9	20	28
85 years and over	375	11.5	12.6	2	4	7	14	22
One diagnosis	2,965	10.5	9.6	2	4	7	13	21
Two or more diagnoses	2,385	15.3	14.5	3	5	10	20	30
With surgery	3,080	13.4	12.4	3	5	9	17	27
Without surgery	2,270	11.7	12.0	2	4	7	15	25
SPRAINS OF BACK (846,847)								
Total	3,715	9.4	7.4	2	4	7	11	18
Age:								
65 to 74 years	2,080	9.1	6.9	2	4	7	11	17
75 to 84 years	1,290	9.7	8.1	2	4	7	12	18
85 years and over	345	10.4	7.1	3	5	8	13	19
One diagnosis	1,370	7.9	5.4	2	4	6	10	15
Two or more diagnoses	2,345	10.3	8.2	3	5	8	13	19
With surgery	115	19.3	9.3	4	12	19	24	31
Without surgery	3,600	9.1	7.1	2	4	7	11	17

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	3,585	8.5	9.6	1	2	5	11	20
Age:								
65 to 74 years	1,785	9.3	10.8	1	2	5	12	21
75 to 84 years	1,380	7.6	8.2	1	2	4	10	18
85 years and over	420	8.1	8.7	1	2	5	11	15
One diagnosis	930	8.5	11.2	1	1	4	11	20
Two or more diagnoses	2,655	8.5	9.1	1	2	5	11	19
With surgery	835	11.9	11.8	1	2	8	17	26
Without surgery	2,750	7.5	8.7	1	2	4	9	16
LACERATION AND OPEN WOUND (870-898)								
Total	3,060	7.6	9.5	1	2	4	9	16
Age:								
65 to 74 years	1,725	6.7	8.9	1	1	3	8	14
75 to 84 years	1,050	8.8	10.5	1	2	5	10	17
85 years and over	285	8.7	8.1	1	2	6	12	18
One diagnosis	1,100	5.3	6.8	1	1	3	6	11
Two or more diagnoses	1,960	8.9	10.4	1	2	5	11	18
With surgery	1,560	8.4	10.6	1	2	4	10	18
Without surgery	1,500	6.8	8.0	1	2	4	8	14
SUPERFICIAL INJURY (910-918)								
Total	435	9.1	10.2	1	3	5	11	19
Age:								
65 to 74 years	210	8.4	9.5	1	2	5	10	21
75 to 84 years	160	10.8	12.4	2	3	6	12	28
85 years and over	65	7.7	4.4	2	3	6	10	13
One diagnosis	80	9.5	11.6	1	2	4	11	20
Two or more diagnoses	355	9.1	9.9	1	3	5	11	17
With surgery	40	21.4	17.3	4	7	11	35	48
Without surgery	395	7.9	8.2	1	3	5	10	16
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	5,090	8.4	8.0	1	3	6	10	17
Age:								
65 to 74 years	2,095	7.8	7.3	1	2	6	9	16
75 to 84 years	2,165	8.9	8.8	1	3	6	11	18
85 years and over	830	8.7	7.4	2	3	6	11	17
One diagnosis	1,050	6.2	5.7	1	1	4	8	13
Two or more diagnoses	4,040	9.0	8.4	1	3	6	11	17
With surgery	395	12.8	10.0	2	5	10	18	23
Without surgery	4,695	8.0	7.7	1	3	6	10	15
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	2,785	6.4	6.1	1	2	4	8	12
Age:								
65 to 74 years	1,755	6.0	5.9	1	2	4	7	12
75 to 84 years	830	7.4	6.6	1	3	5	9	14
85 years and over	200	5.5	4.1	1	2	4	8	11
One diagnosis	1,050	4.9	5.7	1	1	3	5	10
Two or more diagnoses	1,735	7.3	6.0	1	3	6	9	14
With surgery	95	11.5	8.3	2	5	8	16	25
Without surgery	2,690	6.2	5.8	1	2	4	8	12
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	3,295	9.9	11.1	1	3	6	11	21
Age:								
65 to 74 years	1,885	8.8	9.1	1	3	5	11	18
75 to 84 years	1,175	11.4	12.7	1	3	7	13	27
85 years and over	235	11.3	15.3	1	3	5	10	24
One diagnosis	1,940	8.0	9.3	1	2	5	9	17
Two or more diagnoses	1,355	12.7	12.7	2	4	8	15	26
With surgery	1,260	11.1	10.5	2	4	8	13	24
Without surgery	2,035	9.2	11.4	1	3	5	10	20

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	1,875	14.3	13.4	1	5	10	19	31
Age:								
65 to 74 years	950	14.9	14.6	1	4	10	20	35
75 to 84 years	735	13.2	11.3	2	5	10	17	26
85 years and over	190	15.6	14.0	1	6	10	19	38
One diagnosis	885	10.6	10.0	1	3	8	13	22
Two or more diagnoses	990	17.6	15.0	2	7	12	24	39
With surgery	460	20.0	15.2	1	8	18	26	40
Without surgery	1,415	12.5	12.2	1	4	9	15	26
HERPES ZOSTER (088)								
Total	410	14.0	12.1	4	6	10	16	28
Age:								
65 to 74 years	170	12.9	13.4	2	5	8	13	23
75 to 84 years	175	14.4	10.9	5	7	10	15	29
85 years and over	65	16.2	11.2	3	7	12	20	25
One diagnosis	200	14.3	12.4	4	7	9	19	26
Two or more diagnoses	210	13.8	11.9	3	6	10	15	31
With surgery	25	*	*	*	*	*	*	*
Without surgery	385	13.6	11.5	4	6	10	16	27
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	830	15.2	17.0	2	4	7	19	37
Age:								
65 to 74 years	490	13.1	14.9	2	4	6	16	34
75 to 84 years	300	18.8	19.8	2	4	11	27	47
85 years and over	40	14.2	12.8	3	3	9	18	30
One diagnosis	435	13.0	17.0	2	3	6	13	33
Two or more diagnoses	395	17.6	16.5	3	5	11	24	40
With surgery	540	13.8	15.7	2	4	7	17	34
Without surgery	290	17.8	18.9	2	4	11	23	44
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	445	19.7	17.7	3	6	14	26	50
Age:								
65 to 74 years	280	20.6	19.6	2	5	14	27	51
75 to 84 years	140	17.8	13.1	3	8	16	22	33
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	255	18.1	17.1	3	5	12	24	49
Two or more diagnoses	190	21.8	18.4	2	8	17	29	50
With surgery	250	24.0	19.2	4	9	18	31	51
Without surgery	195	14.2	13.9	2	4	8	19	30
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	970	18.4	13.6	3	8	14	25	35
Age:								
65 to 74 years	510	17.9	13.7	3	7	13	24	36
75 to 84 years	380	19.8	13.9	4	10	17	26	36
85 years and over	80	15.6	10.2	2	6	11	26	30
One diagnosis	465	16.8	11.0	4	9	13	23	30
Two or more diagnoses	505	20.0	15.4	3	6	15	30	46
With surgery	480	24.9	12.0	11	15	23	31	45
Without surgery	490	12.1	11.8	2	4	9	13	22
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	3,105	21.9	15.6	4	10	19	29	42
Age:								
65 to 74 years	1,560	21.4	14.9	3	10	18	28	40
75 to 84 years	1,245	22.7	16.2	4	10	19	30	46
85 years and over	300	21.5	16.1	5	9	18	29	36
One diagnosis	1,315	20.0	14.5	3	9	17	27	36
Two or more diagnoses	1,790	23.3	16.2	4	11	20	30	46
With surgery	1,925	25.6	14.9	10	15	22	31	45
Without surgery	1,180	15.9	14.8	1	4	10	23	36
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	1,535	24.1	16.7	5	12	21	31	46
Age:								
65 to 74 years	870	23.0	15.4	5	12	21	30	44
75 to 84 years	590	26.3	18.1	6	12	23	35	49
85 years and over	75	19.9	17.6	3	6	15	21	39
One diagnosis	845	22.2	14.1	5	12	20	30	42
Two or more diagnoses	690	26.5	19.2	5	12	23	33	52
With surgery	1,145	26.3	16.2	8	15	22	33	47
Without surgery	390	17.7	16.3	3	5	11	23	42
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	615	19.4	12.8	5	9	16	24	40
Age:								
65 to 74 years	290	20.2	13.3	6	11	17	23	44
75 to 84 years	285	19.2	12.4	5	9	16	25	35
85 years and over	40	15.2	11.7	3	3	10	21	32
One diagnosis	330	20.0	13.4	5	9	17	27	42
Two or more diagnoses	285	18.7	12.1	4	11	16	23	30
With surgery	295	22.5	12.3	8	14	18	29	43
Without surgery	320	16.6	12.7	3	6	13	22	30
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	600	19.8	13.9	4	8	18	27	35
Age:								
65 to 74 years	345	18.5	13.2	4	6	17	26	33
75 to 84 years	235	20.3	14.0	3	9	18	27	36
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	225	16.8	13.4	3	6	13	23	31
Two or more diagnoses	375	21.6	13.9	4	10	19	29	36
With surgery	275	25.1	9.7	14	18	23	30	36
Without surgery	325	15.4	15.4	2	5	9	20	32
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	2,725	17.2	14.5	2	6	14	23	34
Age:								
65 to 74 years	1,835	17.2	14.7	2	6	14	23	34
75 to 84 years	805	17.3	13.5	2	7	14	22	37
85 years and over	85	17.2	16.8	2	6	12	19	37
One diagnosis	1,390	16.5	13.6	2	6	14	22	32
Two or more diagnoses	1,335	18.0	15.2	2	6	14	24	38
With surgery	1,180	19.9	14.0	5	9	17	25	38
Without surgery	1,545	15.2	14.5	1	4	12	21	33
MALIGNANT NEOPLASM OF BREAST (170)								
Total	2,810	15.2	10.6	4	8	12	19	29
Age:								
65 to 74 years	1,610	14.9	10.7	4	8	12	17	27
75 to 84 years	970	16.6	10.9	5	9	13	21	32
85 years and over	230	12.3	7.9	3	6	11	15	22
One diagnosis	1,315	13.7	8.2	5	9	12	16	24
Two or more diagnoses	1,495	16.6	12.2	4	8	13	20	32
With surgery	1,725	14.4	8.2	6	9	12	17	24
Without surgery	1,085	16.5	13.5	3	6	13	20	33
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	615	9.5	8.8	2	3	6	12	22
Age:								
65 to 74 years	445	8.1	6.7	2	3	5	11	17
75 to 84 years	160	12.3	10.8	3	4	6	15	30
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	420	8.3	7.9	2	3	5	10	17
Two or more diagnoses	195	12.2	9.9	2	4	9	15	27
With surgery	385	8.6	7.7	2	3	5	11	17
Without surgery	230	11.0	10.0	1	3	8	15	27
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	885	14.0	11.6	3	6	10	16	27
Age:								
65 to 74 years	535	14.3	12.3	3	5	10	17	29
75 to 84 years	320	13.9	10.5	4	7	11	16	27
85 years and over	30	8.2	5.9	1	1	6	10	13
One diagnosis	510	12.6	10.3	3	5	10	15	24
Two or more diagnoses	375	15.8	12.9	4	6	12	20	29
With surgery	645	12.5	9.5	3	6	10	15	24
Without surgery	240	17.9	15.2	3	5	14	24	40
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	430	22.1	16.0	6	10	19	28	41
Age:								
65 to 74 years	280	22.0	18.7	5	8	16	27	47
75 to 84 years	150	22.3	9.2	9	17	20	28	34
85 years and over	–	–	–	–	–	–	–	–
One diagnosis	155	17.7	10.5	6	9	17	20	30
Two or more diagnoses	275	24.6	17.9	5	12	22	32	43
With surgery	240	23.0	12.8	8	13	20	29	40
Without surgery	190	21.0	19.3	2	7	16	27	42

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	2,690	16.5	13.3	3	7	13	21	33
Age:								
65 to 74 years	1,245	16.4	13.4	2	7	13	21	35
75 to 84 years	1,225	15.8	12.0	3	7	12	21	31
85 years and over	220	20.8	18.1	4	9	15	24	36
One diagnosis	1,255	14.1	10.5	3	7	11	19	27
Two or more diagnoses	1,435	18.6	15.1	3	8	14	25	37
With surgery	1,795	17.1	12.3	4	8	14	22	33
Without surgery	895	15.3	15.0	1	4	10	21	36
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	380	20.2	13.8	5	11	17	25	35
Age:								
65 to 74 years	180	18.9	15.4	2	7	16	21	39
75 to 84 years	180	20.7	12.2	7	12	19	25	34
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	140	19.4	14.8	3	9	16	23	41
Two or more diagnoses	240	20.6	13.2	5	13	17	25	34
With surgery	210	21.6	10.3	9	14	21	25	33
Without surgery	170	18.4	17.0	2	6	12	21	49
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	2,140	13.7	13.9	2	4	9	18	30
Age:								
65 to 74 years	1,120	12.2	13.4	1	3	7	14	26
75 to 84 years	925	14.4	13.2	2	4	9	20	31
85 years and over	95	25.5	18.9	3	8	20	38	51
One diagnosis	1,450	11.6	12.0	2	3	7	15	26
Two or more diagnoses	690	18.2	16.3	3	6	12	24	42
With surgery	1,670	13.5	13.8	2	4	8	17	31
Without surgery	470	14.6	14.0	1	5	9	21	30
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	1,370	10.4	12.6	1	2	5	12	25
Age:								
65 to 74 years	730	9.4	10.8	1	2	5	12	22
75 to 84 years	490	11.9	15.0	1	3	5	14	33
85 years and over	150	10.3	11.9	1	2	5	11	31
One diagnosis	855	7.6	8.8	1	2	4	9	17
Two or more diagnoses	515	15.1	16.1	2	3	9	18	37
With surgery	1,055	9.3	11.6	1	2	4	11	24
Without surgery	315	14.0	15.0	2	4	9	16	32
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	3,035	18.7	16.3	3	6	14	25	41
Age:								
65 to 74 years	1,715	18.8	16.3	3	7	14	25	40
75 to 84 years	1,100	18.9	17.0	2	7	12	25	42
85 years and over	220	16.6	12.2	2	4	15	25	33
One diagnosis	1,790	17.8	16.0	2	6	12	24	39
Two or more diagnoses	1,245	19.9	16.6	3	7	16	26	42
With surgery	1,010	21.0	16.3	4	8	17	28	44
Without surgery	2,025	17.5	16.2	2	6	12	23	39
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	405	17.1	14.9	3	5	12	23	38
Age:								
65 to 74 years	185	16.7	14.4	1	4	12	28	38
75 to 84 years	185	16.9	15.7	4	5	11	22	37
85 years and over	35	20.0	12.7	11	12	14	20	33
One diagnosis	215	13.2	12.8	2	4	8	16	31
Two or more diagnoses	190	21.6	15.9	5	9	17	31	45
With surgery	165	18.5	16.5	3	5	12	23	45
Without surgery	240	16.2	13.6	1	5	12	22	38
LEUKEMIA AND ALEUKEMIA (204)								
Total	1,110	13.4	12.0	2	5	9	18	29
Age:								
65 to 74 years	565	13.6	12.8	2	5	9	18	27
75 to 84 years	475	13.3	11.5	2	4	9	18	30
85 years and over	70	11.7	6.5	4	6	8	17	19
One diagnosis	565	12.8	11.1	2	4	9	17	25
Two or more diagnoses	545	14.0	12.8	2	5	9	19	30
With surgery	150	19.6	16.4	5	7	12	25	41
Without surgery	960	12.4	10.8	2	5	9	17	24
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	985	16.4	14.4	2	5	13	22	36
Age:								
65 to 74 years	590	16.5	13.5	2	6	13	21	35
75 to 84 years	370	16.2	15.8	1	5	11	21	36
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	510	15.2	13.1	2	5	12	20	34
Two or more diagnoses	475	17.7	15.6	2	6	14	23	37
With surgery	210	17.9	11.2	3	9	15	23	39
Without surgery	775	16.0	15.1	1	5	12	21	35
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	415	14.4	9.4	3	7	12	19	25
Age:								
65 to 74 years	290	14.1	7.6	3	8	12	20	23
75 to 84 years	95	13.8	10.7	3	5	11	17	26
85 years and over	30	18.3	16.7	3	6	12	17	40
One diagnosis	245	13.1	9.5	2	5	11	18	23
Two or more diagnoses	170	16.1	9.0	4	9	15	21	26
With surgery	330	15.9	9.5	4	9	13	21	27
Without surgery	85	8.5	6.1	2	3	6	13	17
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	440	9.4	9.3	2	3	6	10	20
Age:								
65 to 74 years	255	7.3	6.9	1	2	5	8	15
75 to 84 years	180	12.1	11.4	3	4	8	15	27
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	255	6.7	6.6	1	2	4	7	12
Two or more diagnoses	185	13.2	11.1	3	4	9	16	30
With surgery	355	9.5	8.1	2	3	6	13	19
Without surgery	85	9.4	13.4	1	2	4	7	22
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	420	6.6	5.6	1	2	4	9	14
Age:								
65 to 74 years	290	6.1	4.8	1	2	3	9	13
75 to 84 years	115	7.7	7.1	2	2	5	9	15
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	250	5.6	4.4	1	2	3	7	11
Two or more diagnoses	170	8.2	6.6	2	3	5	11	16
With surgery	390	5.9	4.4	1	2	4	8	12
Without surgery	30	16.7	9.2	6	8	13	20	28
LIPOMA (226)								
Total	355	6.4	8.2	1	2	3	7	13
Age:								
65 to 74 years	270	6.3	9.1	1	2	3	6	13
75 to 84 years	80	6.7	4.7	1	2	4	9	12
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	260	4.3	4.1	1	2	3	4	9
Two or more diagnoses	95	11.9	12.8	3	4	9	14	17
With surgery	325	6.6	8.5	1	2	3	8	14
Without surgery	30	4.2	3.5	1	1	2	5	9
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	995	5.8	6.9	1	1	2	7	14
Age:								
65 to 74 years	525	5.3	6.2	1	1	2	5	12
75 to 84 years	375	6.3	7.7	1	1	3	8	13
85 years and over	95	6.5	6.6	1	2	3	8	18
One diagnosis	815	5.8	7.2	1	1	2	6	17
Two or more diagnoses	180	6.1	5.0	1	2	4	9	12
With surgery	905	5.6	6.4	1	1	2	6	13
Without surgery	90	8.1	9.9	1	2	3	7	24
ASTHMA (241)								
Total	1,615	12.7	10.0	3	5	10	15	25
Age:								
65 to 74 years	1,090	11.7	8.9	3	5	9	14	22
75 to 84 years	470	14.8	11.6	3	5	11	21	34
85 years and over	55	12.8	13.8	2	5	9	12	14
One diagnosis	580	10.9	9.2	2	4	8	13	22
Two or more diagnoses	1,035	13.7	10.3	3	6	10	17	27
With surgery	145	16.9	12.5	3	9	13	22	30
Without surgery	1,470	12.2	9.6	3	5	9	15	24

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	775	14.3	13.2	3	6	9	16	33
Age:								
65 to 74 years	555	13.3	11.6	3	5	9	15	30
75 to 84 years	190	17.0	17.1	3	6	10	19	46
85 years and over	30	14.8	7.6	6	7	12	19	25
One diagnosis	285	13.7	11.2	3	6	10	16	28
Two or more diagnoses	490	14.6	14.1	3	5	9	16	35
With surgery	225	14.4	11.2	5	7	10	16	31
Without surgery	550	14.2	13.9	3	5	9	16	33
DIABETES MELLITUS (260)								
Total	9,495	14.6	12.0	3	6	11	18	30
Age:								
65 to 74 years	5,305	13.6	11.0	3	6	10	16	27
75 to 84 years	3,660	15.6	12.7	4	6	11	20	31
85 years and over	530	18.1	14.7	3	8	13	24	39
One diagnosis	2,685	12.9	11.2	3	6	9	16	24
Two or more diagnoses	6,810	15.3	12.2	3	7	11	19	31
With surgery	1,345	23.1	15.9	5	11	19	32	46
Without surgery	8,150	13.2	10.6	3	6	10	16	26
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	470	17.6	13.6	5	9	15	21	31
Age:								
65 to 74 years	230	16.6	8.4	5	10	15	21	29
75 to 84 years	175	19.4	18.2	4	8	15	21	36
85 years and over	65	16.2	13.3	4	6	9	24	29
One diagnosis	120	17.0	17.3	2	5	15	19	27
Two or more diagnoses	350	17.8	12.0	5	9	14	23	32
With surgery	15	*	*	*	*	*	*	*
Without surgery	455	17.3	12.9	5	9	15	21	30
GOUT (288)								
Total	345	13.2	11.2	4	5	9	16	24
Age:								
65 to 74 years	210	15.2	13.0	4	6	12	19	28
75 to 84 years	120	9.9	6.7	3	5	7	13	16
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	90	11.1	7.9	4	5	8	13	21
Two or more diagnoses	255	14.0	12.1	4	6	10	17	25
With surgery	45	24.6	21.3	2	10	16	20	61
Without surgery	300	11.5	7.3	4	5	9	15	22
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	595	17.5	12.4	5	10	13	21	35
Age:								
65 to 74 years	185	16.8	10.6	5	10	13	21	30
75 to 84 years	325	17.4	12.9	6	10	13	21	33
85 years and over	85	19.8	13.7	2	9	15	25	38
One diagnosis	245	15.3	13.2	4	8	12	16	26
Two or more diagnoses	350	19.1	11.5	7	10	16	25	36
With surgery	55	19.9	8.2	8	11	19	23	32
Without surgery	540	17.3	12.7	5	9	13	21	35
IRON DEFICIENCY ANEMIAS (291)								
Total	745	12.1	10.3	2	5	9	14	23
Age:								
65 to 74 years	310	9.6	8.1	2	4	7	12	18
75 to 84 years	285	13.7	11.5	4	7	10	15	25
85 years and over	150	14.0	11.0	2	4	12	19	29
One diagnosis	195	7.5	5.4	1	2	6	10	14
Two or more diagnoses	550	13.7	11.2	3	6	10	15	27
With surgery	115	14.7	13.0	4	6	10	14	33
Without surgery	630	11.6	9.7	2	4	9	14	23
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	2,305	14.2	12.8	2	5	10	17	31
Age:								
65 to 74 years	925	13.1	11.7	2	5	10	16	25
75 to 84 years	1,100	14.7	13.2	2	5	10	19	30
85 years and over	280	16.1	13.9	3	6	10	22	39
One diagnosis	1,025	12.0	10.0	2	5	9	16	24
Two or more diagnoses	1,280	16.0	14.4	2	6	11	21	35
With surgery	370	19.1	17.0	4	8	13	25	41
Without surgery	1,935	13.3	11.6	2	5	10	17	29
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	860	14.0	12.2	3	5	10	18	29
Age:								
65 to 74 years	295	15.8	12.2	4	7	12	21	30
75 to 84 years	440	14.0	12.7	2	4	10	18	30
85 years and over	125	9.8	9.3	2	3	6	13	20
One diagnosis	290	9.6	7.2	2	4	7	13	18
Two or more diagnoses	570	16.3	13.5	3	6	12	22	36
With surgery	70	18.4	12.1	8	10	14	20	35
Without surgery	790	13.6	12.1	2	5	9	18	29
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	425	15.5	13.6	2	5	11	21	32
Age:								
65 to 74 years	300	15.1	13.2	3	6	11	19	31
75 to 84 years	110	15.5	12.6	2	4	12	28	32
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	270	15.5	10.9	2	7	12	21	31
Two or more diagnoses	155	15.5	17.3	2	4	9	16	37
With surgery	30	32.3	24.2	3	4	32	44	63
Without surgery	395	14.2	11.4	2	5	11	19	29
PSYCHONEUROTIC DISORDERS (324)								
Total	1,825	14.5	12.4	2	5	10	19	32
Age:								
65 to 74 years	1,210	14.0	12.4	2	4	9	19	31
75 to 84 years	575	15.3	12.5	3	6	11	19	33
85 years and over	40	17.6	11.6	2	8	12	26	35
One diagnosis	915	15.1	12.4	2	6	11	20	31
Two or more diagnoses	910	13.9	12.4	2	4	9	18	34
With surgery	95	16.9	15.4	2	5	9	21	43
Without surgery	1,730	14.4	12.2	2	5	10	19	31
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	8,460	16.8	15.2	1	5	12	23	37
Age:								
65 to 74 years	3,400	16.4	15.5	1	5	11	23	37
75 to 84 years	3,820	16.8	14.9	1	6	12	23	37
85 years and over	1,240	17.6	15.4	2	5	13	25	37
One diagnosis	4,660	16.0	14.7	1	4	12	22	36
Two or more diagnoses	3,800	17.8	15.7	2	6	13	24	38
With surgery	355	23.4	17.8	3	10	22	29	47
Without surgery	8,105	16.5	15.0	1	5	12	23	37
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	4,750	18.6	15.6	3	7	14	25	39
Age:								
65 to 74 years	1,845	18.2	14.9	3	7	14	24	38
75 to 84 years	2,095	18.6	15.7	3	7	13	26	39
85 years and over	810	19.4	16.6	2	8	15	26	41
One diagnosis	1,810	16.3	14.1	2	6	12	21	33
Two or more diagnoses	2,940	20.0	16.2	3	8	15	27	41
With surgery	230	21.7	15.1	2	9	20	29	44
Without surgery	4,520	18.4	15.6	3	7	14	25	38
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	3,445	12.6	10.9	3	5	9	16	24
Age:								
65 to 74 years	1,340	11.8	10.2	3	5	8	15	22
75 to 84 years	1,630	12.7	10.7	3	5	10	15	24
85 years and over	475	14.7	12.9	3	5	10	19	31
One diagnosis	1,215	10.2	9.3	2	4	7	12	20
Two or more diagnoses	2,230	13.9	11.5	3	6	11	17	25
With surgery	260	20.2	15.9	5	9	15	24	44
Without surgery	3,185	12.0	10.1	3	5	9	15	23
PARALYSIS AGITANS (350)								
Total	830	16.4	14.2	2	6	13	21	31
Age:								
65 to 74 years	510	16.8	13.6	2	7	14	22	31
75 to 84 years	290	16.4	15.7	2	6	13	20	30
85 years and over	30	8.8	3.9	3	4	7	10	13
One diagnosis	375	15.1	13.2	2	4	13	22	29
Two or more diagnoses	455	17.5	15.0	4	7	14	20	31
With surgery	45	25.8	16.2	2	10	22	34	45
Without surgery	785	15.8	13.9	2	6	13	20	29

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	1,140	12.4	9.9	3	5	9	15	26
Age:								
65 to 74 years	620	12.1	10.5	2	5	9	14	26
75 to 84 years	435	13.3	9.1	3	6	11	16	27
85 years and over	85	10.1	8.8	3	4	7	11	17
One diagnosis	585	11.6	10.0	2	4	9	15	23
Two or more diagnoses	555	13.3	9.7	4	6	10	16	27
With surgery	200	13.2	10.5	2	4	11	16	28
Without surgery	940	12.2	9.7	3	5	9	15	25
CATARACT (385)								
Total	9,695	7.5	5.0	3	4	6	8	12
Age:								
65 to 74 years	4,765	7.3	4.7	3	4	6	7	12
75 to 84 years	4,200	7.6	5.3	3	4	6	8	12
85 years and over	730	7.9	4.9	3	5	6	8	15
One diagnosis	7,960	7.0	4.2	3	4	5	7	11
Two or more diagnoses	1,735	9.8	7.2	4	5	7	12	16
With surgery	9,345	7.4	4.8	3	4	6	8	12
Without surgery	350	8.5	9.6	1	3	5	9	15
GLAUCOMA (387)								
Total	935	7.6	5.9	2	4	6	8	13
Age:								
65 to 74 years	480	7.8	5.8	2	4	6	8	14
75 to 84 years	370	6.9	4.6	2	4	5	7	11
85 years and over	85	9.6	9.7	2	3	6	9	25
One diagnosis	610	6.4	4.0	2	3	5	7	10
Two or more diagnoses	325	9.8	7.9	3	4	6	11	19
With surgery	820	7.5	5.4	2	4	6	8	12
Without surgery	115	8.2	8.6	2	3	5	7	20
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	840	14.4	10.6	3	7	11	19	27
Age:								
65 to 74 years	630	14.5	10.0	4	7	12	19	26
75 to 84 years	190	14.6	12.7	2	5	9	20	34
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	165	12.8	6.8	3	8	12	17	23
Two or more diagnoses	675	14.8	11.3	4	6	11	20	28
With surgery	95	19.4	12.0	5	8	17	25	30
Without surgery	745	13.8	10.2	3	7	11	19	27
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	15,145	13.8	11.0	3	6	10	17	27
Age:								
65 to 74 years	5,460	12.9	9.5	3	6	10	17	26
75 to 84 years	7,135	13.9	11.3	3	6	11	17	28
85 years and over	2,550	15.4	13.1	3	6	11	19	33
One diagnosis	4,445	12.7	10.2	3	5	9	16	26
Two or more diagnoses	10,700	14.2	11.3	3	6	11	18	28
With surgery	965	20.8	14.5	4	10	18	28	39
Without surgery	14,180	13.3	10.6	3	6	10	17	26
ACUTE CORONARY OCCLUSION (420.1)								
Total	11,685	17.4	12.5	1	6	18	24	31
Age:								
65 to 74 years	6,400	18.2	12.0	1	8	19	24	31
75 to 84 years	4,395	16.9	13.1	1	5	16	24	31
85 years and over	890	14.9	12.3	1	3	14	22	30
One diagnosis	5,745	16.2	11.2	1	5	17	23	29
Two or more diagnoses	5,940	18.7	13.5	1	8	18	25	34
With surgery	410	24.6	18.8	1	9	21	36	48
Without surgery	11,275	17.2	12.1	1	6	18	24	31
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	10,400	13.5	11.0	3	6	10	17	27
Age:								
65 to 74 years	5,685	12.5	10.0	3	5	9	16	23
75 to 84 years	3,855	14.7	12.0	3	6	11	19	28
85 years and over	860	14.6	12.5	2	5	10	20	33
One diagnosis	4,005	12.1	9.5	2	5	9	16	23
Two or more diagnoses	6,395	14.3	11.8	3	6	11	18	28
With surgery	545	21.5	16.6	3	9	18	27	42
Without surgery	9,855	13.0	10.5	3	5	10	17	25
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	585	13.6	10.7	2	6	11	17	25
Age:								
65 to 74 years	250	13.2	10.1	2	5	11	17	27
75 to 84 years	240	14.8	12.2	4	7	11	18	25
85 years and over	95	11.7	6.6	1	6	11	15	19
One diagnosis	150	12.3	8.4	2	5	11	15	24
Two or more diagnoses	435	14.1	11.3	3	6	11	18	25
With surgery	45	13.0	7.2	3	3	15	18	20
Without surgery	540	13.7	10.9	2	6	11	17	26
FUNCTIONAL DISEASE OF HEART (433)								
Total	2,930	12.1	10.6	1	4	9	16	25
Age:								
65 to 74 years	1,530	11.4	10.2	1	4	8	15	24
75 to 84 years	1,135	12.9	11.0	2	5	9	17	26
85 years and over	265	12.7	11.0	1	5	10	15	25
One diagnosis	1,115	10.4	8.9	1	3	8	14	20
Two or more diagnoses	1,815	13.2	11.4	2	5	10	17	27
With surgery	570	16.5	10.6	4	8	14	20	32
Without surgery	2,360	11.1	10.4	1	3	8	14	23
CONGESTIVE HEART FAILURE (434.1)								
Total	8,030	14.7	12.2	2	6	11	19	30
Age:								
65 to 74 years	3,310	15.0	12.2	3	7	12	18	29
75 to 84 years	3,545	14.6	12.3	2	5	11	19	31
85 years and over	1,175	13.9	12.2	2	5	10	18	30
One diagnosis	3,800	13.5	11.0	2	6	10	17	28
Two or more diagnoses	4,230	15.7	13.3	2	6	12	20	33
With surgery	430	23.9	17.1	5	10	19	33	49
Without surgery	7,600	14.1	11.7	2	6	11	18	28
HYPERTENSIVE HEART DISEASE (442,443)								
Total	4,110	14.0	11.4	3	6	11	18	27
Age:								
65 to 74 years	1,965	13.0	10.0	3	5	10	17	26
75 to 84 years	1,710	15.4	12.8	4	7	12	19	29
85 years and over	435	13.4	10.4	2	5	11	17	28
One diagnosis	1,040	11.8	9.4	3	5	9	15	21
Two or more diagnoses	3,070	14.8	11.8	3	6	11	19	29
With surgery	300	23.4	16.4	7	12	19	32	43
Without surgery	3,810	13.3	10.5	3	6	10	17	26
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	3,140	11.6	10.1	2	5	8	14	23
Age:								
65 to 74 years	1,860	11.5	10.0	2	4	8	14	23
75 to 84 years	1,065	11.7	9.9	2	5	8	14	21
85 years and over	215	13.0	11.4	2	5	9	16	25
One diagnosis	990	9.4	9.3	2	4	6	11	19
Two or more diagnoses	2,150	12.6	10.3	3	6	9	16	24
With surgery	360	15.4	14.0	2	6	12	19	30
Without surgery	2,780	11.1	9.4	2	4	8	14	22
GENERAL ARTERIOSCLEROSIS (450)								
Total	4,050	15.9	14.1	3	6	12	20	33
Age:								
65 to 74 years	1,120	16.5	15.1	3	6	12	21	34
75 to 84 years	1,950	15.7	13.3	3	6	12	20	33
85 years and over	980	15.5	14.4	2	5	11	21	31
One diagnosis	900	13.9	11.8	2	5	11	19	29
Two or more diagnoses	3,150	16.5	14.6	3	6	12	21	35
With surgery	880	24.5	16.3	8	13	20	30	47
Without surgery	3,170	13.5	12.4	2	5	9	17	27
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	800	13.7	12.8	1	2	10	20	28
Age:								
65 to 74 years	410	14.4	12.2	1	3	12	22	29
75 to 84 years	310	12.1	13.4	1	1	7	19	26
85 years and over	80	16.0	12.4	2	5	11	24	28
One diagnosis	400	12.8	12.4	1	1	10	20	25
Two or more diagnoses	400	14.5	13.0	1	4	10	22	31
With surgery	335	19.1	13.0	1	11	18	24	37
Without surgery	465	9.7	11.0	1	1	6	13	24

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	810	17.3	13.9	2	7	14	23	36
Age:								
65 to 74 years	475	16.9	14.1	2	6	13	24	35
75 to 84 years	275	18.0	14.7	3	8	14	22	39
85 years and over	60	17.6	6.2	6	12	15	22	25
One diagnosis	440	15.5	11.2	4	7	13	20	28
Two or more diagnoses	370	19.4	16.3	2	6	16	27	39
With surgery	505	21.3	13.8	8	11	18	26	39
Without surgery	305	10.7	11.4	1	3	6	13	25
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	805	28.7	18.7	9	15	24	35	56
Age:								
65 to 74 years	290	28.6	18.9	7	15	23	38	56
75 to 84 years	415	28.7	18.0	9	15	26	34	55
85 years and over	100	29.2	21.2	9	12	19	36	63
One diagnosis	440	29.2	18.4	10	17	25	36	56
Two or more diagnoses	365	28.2	19.2	9	14	23	35	57
With surgery	555	31.9	17.7	14	20	27	38	57
Without surgery	250	21.8	19.1	3	9	13	31	52
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	1,190	18.0	15.6	4	6	12	24	40
Age:								
65 to 74 years	750	15.4	13.8	4	5	10	20	30
75 to 84 years	380	21.4	15.4	4	9	17	29	46
85 years and over	60	28.3	25.6	2	5	19	46	72
One diagnosis	660	14.1	12.6	3	4	9	19	30
Two or more diagnoses	530	22.8	17.5	5	9	17	29	45
With surgery	740	16.0	14.9	3	5	10	21	38
Without surgery	450	21.2	16.0	5	9	16	28	43
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	1,120	8.7	5.6	3	5	7	11	15
Age:								
65 to 74 years	830	8.5	5.5	3	4	7	10	15
75 to 84 years	255	9.3	5.1	4	5	8	11	15
85 years and over	35	9.9	8.7	1	2	5	14	23
One diagnosis	665	7.8	4.4	3	5	6	9	14
Two or more diagnoses	455	10.0	6.8	3	5	9	12	17
With surgery	905	9.2	5.7	3	5	7	11	16
Without surgery	215	6.7	4.1	1	3	6	9	12
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	1,165	15.0	11.0	5	8	12	17	27
Age:								
65 to 74 years	660	15.6	12.5	5	8	13	18	29
75 to 84 years	415	14.5	8.8	6	8	12	16	25
85 years and over	90	12.4	6.5	5	8	11	14	21
One diagnosis	530	13.3	9.3	5	7	11	16	22
Two or more diagnoses	635	16.4	12.0	5	9	13	19	30
With surgery	140	21.4	18.5	4	8	15	27	46
Without surgery	1,025	14.1	9.2	5	8	11	16	25
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	765	15.3	9.5	6	9	13	18	25
Age:								
65 to 74 years	455	13.4	6.7	6	8	12	16	20
75 to 84 years	255	17.8	12.0	6	10	15	21	28
85 years and over	55	19.0	12.2	5	9	13	25	40
One diagnosis	490	15.7	10.7	6	9	13	18	26
Two or more diagnoses	275	14.5	6.9	7	9	13	17	22
With surgery	70	20.0	10.1	6	13	17	22	37
Without surgery	695	14.8	9.3	6	9	13	17	24
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	1,370	17.3	13.7	3	8	14	22	32
Age:								
65 to 74 years	640	16.1	11.0	3	9	14	21	30
75 to 84 years	570	18.1	15.1	2	7	15	23	37
85 years and over	160	19.7	17.3	3	8	14	24	38
One diagnosis	420	15.9	12.8	3	8	13	20	27
Two or more diagnoses	950	18.0	14.0	3	8	15	23	35
With surgery	220	23.6	14.6	7	13	18	29	43
Without surgery	1,150	16.1	13.2	2	7	13	21	29
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	850	9.7	8.3	2	4	7	12	18
Age:								
65 to 74 years	445	9.1	6.3	2	4	7	11	17
75 to 84 years	285	10.7	11.0	2	5	8	12	19
85 years and over	120	9.7	7.1	3	4	7	13	17
One diagnosis	320	9.2	6.3	2	4	7	12	16
Two or more diagnoses	530	10.1	9.3	2	4	7	11	19
With surgery	70	12.2	8.1	3	4	11	17	23
Without surgery	780	9.5	8.3	2	4	7	11	17
INFLUENZA (480-483)								
Total	1,000	13.3	10.9	4	6	10	15	28
Age:								
65 to 74 years	575	11.8	8.2	4	6	9	14	22
75 to 84 years	360	15.5	13.6	4	6	11	18	31
85 years and over	65	13.8	12.2	2	5	9	17	35
One diagnosis	470	10.9	8.7	3	5	8	13	17
Two or more diagnoses	530	15.4	12.1	4	7	11	20	31
With surgery	50	29.8	22.8	7	10	20	40	56
Without surgery	950	12.4	9.1	4	6	9	15	27
LOBAR PNEUMONIA (490)								
Total	360	15.9	10.5	4	8	14	19	27
Age:								
65 to 74 years	200	15.2	9.7	5	8	14	18	23
75 to 84 years	120	16.7	9.7	3	7	15	23	27
85 years and over	40	16.7	15.4	1	3	14	18	37
One diagnosis	135	13.3	8.4	4	6	13	18	20
Two or more diagnoses	225	17.5	11.4	4	9	15	22	28
With surgery	25	*	*	*	*	*	*	*
Without surgery	335	15.2	9.9	4	7	14	18	26
BRONCHOPNEUMONIA (491)								
Total	2,590	15.1	12.8	3	6	11	19	32
Age:								
65 to 74 years	965	14.8	12.2	3	6	11	19	31
75 to 84 years	1,180	15.6	13.0	3	7	11	19	33
85 years and over	445	14.4	13.6	2	6	10	18	29
One diagnosis	710	13.2	10.7	3	7	10	15	24
Two or more diagnoses	1,880	15.8	13.4	3	6	11	20	34
With surgery	205	23.7	14.9	7	12	20	32	40
Without surgery	2,385	14.3	12.3	2	6	11	18	30
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	1,795	12.9	9.9	4	6	10	16	25
Age:								
65 to 74 years	900	11.7	8.2	4	6	9	14	21
75 to 84 years	655	14.2	11.6	4	6	10	18	28
85 years and over	240	13.9	9.9	3	6	12	18	25
One diagnosis	645	10.0	6.7	3	5	8	13	17
Two or more diagnoses	1,150	14.5	11.0	4	7	11	18	28
With surgery	100	19.1	14.8	3	9	15	21	35
Without surgery	1,695	12.6	9.4	4	6	10	15	24
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	4,390	13.8	10.5	3	7	11	17	27
Age:								
65 to 74 years	1,730	13.4	9.9	4	7	11	16	25
75 to 84 years	1,920	13.8	10.6	3	7	10	17	26
85 years and over	740	14.5	11.7	1	6	12	18	30
One diagnosis	1,905	12.2	8.4	3	6	10	15	22
Two or more diagnoses	2,485	15.0	11.8	3	7	12	19	30
With surgery	270	20.1	12.7	6	11	17	27	35
Without surgery	4,120	13.4	10.2	3	6	11	16	25
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	1,350	10.2	7.2	3	5	8	12	20
Age:								
65 to 74 years	825	10.2	7.9	3	5	8	12	19
75 to 84 years	415	9.8	5.4	3	5	8	11	19
85 years and over	110	11.9	7.7	4	6	9	14	21
One diagnosis	515	8.4	4.5	3	4	7	10	13
Two or more diagnoses	835	11.3	8.2	4	6	9	14	21
With surgery	20	*	*	*	*	*	*	*
Without surgery	1,330	10.1	7.1	3	5	8	12	19

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	1,170	11.1	7.7	3	5	8	13	22
Age:								
65 to 74 years	700	10.6	7.1	3	5	8	13	21
75 to 84 years	405	11.7	8.6	3	5	9	14	22
85 years and over	65	12.5	5.9	6	6	12	16	19
One diagnosis	565	9.5	5.7	3	5	8	12	16
Two or more diagnoses	605	12.6	8.8	4	6	10	16	25
With surgery	120	14.3	12.4	2	5	7	20	36
Without surgery	1,050	10.7	6.8	3	5	8	13	21
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	1,155	13.7	10.4	3	6	11	17	27
Age:								
65 to 74 years	700	13.7	11.0	3	6	11	16	27
75 to 84 years	370	14.0	9.8	4	6	10	20	31
85 years and over	85	13.2	7.8	4	9	11	14	22
One diagnosis	420	12.1	8.9	3	6	10	14	22
Two or more diagnoses	735	14.7	11.0	3	6	11	19	30
With surgery	125	21.5	17.6	3	6	17	33	45
Without surgery	1,030	12.8	8.7	4	6	10	15	25
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	425	12.7	11.4	3	5	9	15	27
Age:								
65 to 74 years	280	12.5	11.5	3	5	8	15	25
75 to 84 years	125	11.2	9.6	3	4	8	12	17
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	150	9.5	9.6	1	4	5	11	21
Two or more diagnoses	275	14.4	12.0	4	7	10	16	31
With surgery	90	12.1	11.5	1	2	8	15	32
Without surgery	335	12.8	11.4	4	5	9	14	24
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	1,060	12.0	10.2	1	4	9	15	24
Age:								
65 to 74 years	545	11.9	10.1	1	3	9	16	24
75 to 84 years	410	12.5	10.9	1	6	9	15	25
85 years and over	105	10.3	6.8	2	4	8	12	20
One diagnosis	405	10.2	7.3	1	3	9	14	19
Two or more diagnoses	655	13.1	11.4	1	5	9	18	27
With surgery	45	23.1	17.6	7	7	12	40	50
Without surgery	1,015	11.5	9.4	1	4	9	15	23
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	2,830	13.1	11.4	3	5	9	16	27
Age:								
65 to 74 years	1,810	12.2	10.4	3	5	9	15	22
75 to 84 years	910	14.1	12.5	3	5	10	17	30
85 years and over	110	19.7	14.0	6	9	14	21	38
One diagnosis	1,055	10.8	8.1	3	5	8	14	20
Two or more diagnoses	1,775	14.4	12.8	3	6	10	17	31
With surgery	300	18.0	15.0	3	7	13	24	37
Without surgery	2,530	12.5	10.7	3	5	9	15	23
DISEASES OF ESOPHAGUS (539)								
Total	830	10.8	8.9	2	4	8	14	21
Age:								
65 to 74 years	405	9.5	8.7	2	3	7	12	17
75 to 84 years	335	11.6	8.8	3	5	8	15	23
85 years and over	90	13.7	8.9	3	5	11	19	24
One diagnosis	390	10.2	8.6	2	3	7	12	24
Two or more diagnoses	440	11.4	9.1	2	4	9	15	20
With surgery	395	12.8	11.0	2	4	10	16	28
Without surgery	435	9.0	5.9	2	4	7	12	16
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	1,065	15.5	10.8	4	7	13	21	28
Age:								
65 to 74 years	610	14.9	9.9	4	7	13	19	28
75 to 84 years	395	15.2	9.0	4	8	13	22	27
85 years and over	60	24.2	21.4	6	7	20	24	35
One diagnosis	540	13.8	9.1	3	6	12	18	25
Two or more diagnoses	525	17.3	12.1	5	9	14	23	30
With surgery	320	19.8	10.2	7	12	18	25	30
Without surgery	745	13.7	10.5	4	6	11	17	25
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	440	17.3	11.6	4	8	14	24	33
Age:								
65 to 74 years	250	15.7	9.6	4	8	13	22	29
75 to 84 years	170	18.1	13.6	4	8	14	22	36
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	180	14.8	11.8	3	6	12	19	32
Two or more diagnoses	260	19.0	11.1	6	10	17	26	35
With surgery	140	22.9	13.9	4	12	20	31	36
Without surgery	300	14.7	9.2	4	7	12	20	28
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	2,270	12.9	10.1	3	6	10	17	25
Age:								
65 to 74 years	1,365	11.9	8.4	3	5	9	16	24
75 to 84 years	810	14.6	12.4	3	6	10	18	28
85 years and over	95	13.9	7.9	5	8	11	20	22
One diagnosis	1,010	11.4	8.2	3	5	9	15	21
Two or more diagnoses	1,260	14.2	11.2	4	6	10	19	27
With surgery	480	22.5	13.1	9	15	20	27	34
Without surgery	1,790	10.3	7.2	3	5	8	13	19
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	1,505	16.1	11.7	4	8	13	20	33
Age:								
65 to 74 years	825	15.7	12.2	4	7	12	18	33
75 to 84 years	570	16.9	11.6	4	9	13	21	35
85 years and over	110	15.0	8.0	3	8	14	18	27
One diagnosis	835	14.5	10.6	4	7	11	17	27
Two or more diagnoses	670	18.1	12.8	4	10	14	24	37
With surgery	370	25.1	13.6	8	15	24	33	41
Without surgery	1,135	13.2	9.4	3	7	11	15	24
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	280	18.0	14.8	4	9	15	21	34
Age:								
65 to 74 years	160	20.8	17.1	8	10	15	22	35
75 to 84 years	95	15.5	10.3	3	8	12	20	26
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	180	15.1	8.2	5	9	13	18	26
Two or more diagnoses	100	23.2	21.3	3	9	17	22	50
With surgery	235	18.2	15.1	7	9	14	21	30
Without surgery	45	17.2	13.3	2	4	16	18	37
GASTRITIS AND DUODENITIS (543)								
Total	1,610	9.6	7.5	2	4	7	12	18
Age:								
65 to 74 years	920	9.3	7.9	2	4	7	11	17
75 to 84 years	545	9.8	6.6	2	5	8	14	19
85 years and over	145	11.0	8.4	3	5	8	14	19
One diagnosis	545	8.2	5.7	2	4	6	10	16
Two or more diagnoses	1,065	10.4	8.2	2	5	8	13	19
With surgery	125	13.2	10.3	3	6	9	18	21
Without surgery	1,485	9.3	7.2	2	4	7	12	16
APPENDICITIS (550-553)								
Total	570	16.2	12.0	5	8	13	21	31
Age:								
65 to 74 years	360	14.9	10.4	5	8	12	18	30
75 to 84 years	165	17.1	9.4	5	8	15	23	32
85 years and over	45	23.1	23.5	6	10	12	19	47
One diagnosis	365	12.1	7.1	5	7	11	14	21
Two or more diagnoses	205	23.5	15.0	7	12	21	30	36
With surgery	515	16.6	12.2	5	8	13	21	31
Without surgery	55	12.3	8.7	1	4	10	15	21
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	4,605	10.1	6.5	5	6	8	11	16
Age:								
65 to 74 years	2,815	9.5	5.4	5	6	8	10	15
75 to 84 years	1,590	10.8	7.8	5	6	9	12	17
85 years and over	200	11.6	7.4	4	7	9	14	18
One diagnosis	3,250	9.2	5.3	5	6	8	10	14
Two or more diagnoses	1,355	12.1	8.3	5	7	10	13	20
With surgery	4,320	10.1	6.1	5	6	8	11	16
Without surgery	285	9.4	10.8	1	4	7	10	17

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	2,710	11.0	9.7	2	4	8	14	22
Age:								
65 to 74 years	1,590	10.4	9.2	2	4	7	14	21
75 to 84 years	950	12.1	11.0	3	5	9	14	25
85 years and over	170	10.3	6.5	3	5	8	14	18
One diagnosis	810	9.6	8.0	2	3	7	13	21
Two or more diagnoses	1,900	11.6	10.3	3	5	8	14	23
With surgery	565	17.1	10.5	3	10	14	22	31
Without surgery	2,145	9.4	8.9	2	4	7	11	17
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	1,575	12.4	9.2	5	7	9	14	22
Age:								
65 to 74 years	1,025	12.1	7.3	5	7	10	14	22
75 to 84 years	470	12.3	8.3	4	7	10	15	21
85 years and over	80	16.5	23.2	1	4	7	15	44
One diagnosis	1,025	11.4	8.5	5	6	9	13	19
Two or more diagnoses	550	14.2	10.0	4	7	11	17	26
With surgery	1,365	12.8	8.1	5	7	10	15	22
Without surgery	210	10.0	14.1	1	3	6	10	19
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	1,305	13.9	10.3	5	7	10	16	27
Age:								
65 to 74 years	555	13.9	9.9	5	7	9	16	27
75 to 84 years	530	14.2	10.0	6	7	11	16	27
85 years and over	220	13.4	11.5	2	6	11	15	24
One diagnosis	745	12.7	10.4	5	7	10	13	20
Two or more diagnoses	560	15.6	9.8	5	8	12	21	30
With surgery	1,145	14.0	9.4	6	8	11	16	27
Without surgery	160	13.2	15.1	1	4	7	15	26
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	2,550	14.4	13.2	2	5	10	18	31
Age:								
65 to 74 years	1,065	14.8	13.1	3	5	10	19	32
75 to 84 years	1,075	14.5	14.5	1	4	10	19	33
85 years and over	410	13.1	9.5	2	6	11	17	26
One diagnosis	1,320	12.5	11.1	1	4	9	16	27
Two or more diagnoses	1,230	16.5	14.9	3	6	11	21	36
With surgery	1,085	20.0	14.7	5	9	16	27	37
Without surgery	1,465	10.3	10.2	1	3	7	13	20
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	2,625	9.9	9.5	2	4	7	12	19
Age:								
65 to 74 years	1,300	9.5	10.3	2	3	6	11	18
75 to 84 years	1,010	9.7	7.8	2	4	7	11	21
85 years and over	315	12.0	10.4	3	4	9	15	22
One diagnosis	1,170	8.5	8.4	2	3	5	10	16
Two or more diagnoses	1,455	11.0	10.1	2	4	7	13	22
With surgery	250	16.3	14.2	2	6	11	22	33
Without surgery	2,375	9.2	8.6	2	4	6	11	17
DIVERTICULITIS (572.1)								
Total	5,425	11.0	9.5	2	4	8	13	22
Age:								
65 to 74 years	2,760	10.9	9.8	2	4	7	13	23
75 to 84 years	2,145	11.4	9.5	3	5	8	14	23
85 years and over	520	10.1	8.1	3	4	7	12	19
One diagnosis	2,490	10.5	9.3	2	4	7	13	21
Two or more diagnoses	2,935	11.5	9.7	3	5	8	14	23
With surgery	1,480	16.0	12.0	3	7	13	20	34
Without surgery	3,945	9.2	7.7	2	4	6	11	18
CIRRHOSIS OF LIVER (581)								
Total	1,010	15.1	13.4	2	5	11	20	30
Age:								
65 to 74 years	715	14.1	11.6	3	5	10	19	29
75 to 84 years	280	16.6	15.5	2	6	13	19	36
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	425	13.7	11.6	3	5	11	18	25
Two or more diagnoses	585	16.1	14.5	2	6	12	22	31
With surgery	130	24.9	13.5	5	16	21	31	46
Without surgery	880	13.6	12.8	2	5	9	18	27
CHOLELITHIASIS (584)								
Total	5,630	15.9	10.5	5	9	13	20	28
Age:								
65 to 74 years	3,435	14.8	9.2	5	9	12	18	26
75 to 84 years	1,955	17.3	11.7	5	8	14	22	32
85 years and over	240	19.6	15.0	5	9	14	24	34
One diagnosis	3,015	15.3	9.9	6	9	12	18	27
Two or more diagnoses	2,615	16.6	11.2	4	8	13	21	30
With surgery	3,845	18.2	10.2	9	11	15	22	31
Without surgery	1,785	10.8	9.4	2	4	7	13	23
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	2,470	14.3	11.4	4	7	11	17	25
Age:								
65 to 74 years	1,250	13.4	9.8	4	7	11	16	21
75 to 84 years	990	14.7	12.2	4	6	11	18	28
85 years and over	230	17.8	14.4	4	8	14	20	36
One diagnosis	1,335	12.1	7.4	3	7	11	15	20
Two or more diagnoses	1,135	16.9	14.3	4	7	12	20	35
With surgery	1,060	18.7	11.9	9	11	15	21	34
Without surgery	1,410	11.0	9.7	3	5	8	12	20
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	815	15.5	11.8	3	6	12	20	31
Age:								
65 to 74 years	370	13.4	8.8	4	6	11	18	27
75 to 84 years	375	16.7	13.3	3	6	13	20	35
85 years and over	70	19.8	14.5	3	6	17	26	38
One diagnosis	445	15.4	9.9	4	7	13	20	29
Two or more diagnoses	370	15.6	13.6	3	6	10	19	34
With surgery	310	21.1	12.0	8	13	18	25	37
Without surgery	505	12.0	10.2	3	5	8	15	25
DISEASES OF PANCREAS (587)								
Total	575	12.9	8.9	3	7	11	16	20
Age:								
65 to 74 years	345	13.8	10.3	3	7	11	17	22
75 to 84 years	210	11.9	6.0	3	7	11	16	19
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	220	12.4	7.6	3	8	11	15	21
Two or more diagnoses	355	13.2	9.6	3	6	11	16	20
With surgery	120	22.5	12.2	11	16	18	25	39
Without surgery	455	10.4	5.6	2	6	10	14	17
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	745	16.4	15.2	2	6	12	21	36
Age:								
65 to 74 years	425	15.0	14.4	1	5	11	18	31
75 to 84 years	235	18.6	16.2	4	6	14	22	41
85 years and over	85	16.9	15.4	3	6	10	22	38
One diagnosis	235	17.4	17.7	1	4	11	22	41
Two or more diagnoses	510	15.9	13.8	3	7	12	19	33
With surgery	220	18.6	15.9	4	8	14	22	37
Without surgery	525	15.4	14.8	2	5	11	19	35
INFECTIONS OF KIDNEY (600)								
Total	1,125	13.8	11.0	4	6	11	17	26
Age:								
65 to 74 years	600	13.2	9.6	3	6	11	18	24
75 to 84 years	405	15.4	13.5	5	7	11	17	31
85 years and over	120	11.0	7.1	1	5	9	14	22
One diagnosis	385	11.2	9.1	3	5	9	13	21
Two or more diagnoses	740	15.1	11.7	4	7	12	19	29
With surgery	235	15.5	12.5	3	7	12	20	25
Without surgery	890	13.3	10.5	4	6	10	16	27
CALCULI OF KIDNEY AND URETER (602)								
Total	1,380	10.1	8.7	2	4	7	13	20
Age:								
65 to 74 years	920	9.0	6.9	2	3	7	12	17
75 to 84 years	410	12.1	10.5	2	4	8	17	24
85 years and over	50	14.6	14.6	1	4	8	15	42
One diagnosis	875	8.6	7.2	1	3	6	12	17
Two or more diagnoses	505	12.7	10.3	3	5	9	16	23
With surgery	765	12.9	9.5	3	6	10	16	23
Without surgery	615	6.6	5.7	1	2	4	8	14

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	920	13.2	12.4	2	4	9	18	29
Age:								
65 to 74 years	650	12.7	11.9	2	4	9	17	28
75 to 84 years	230	14.4	14.3	2	5	11	19	27
85 years and over	40	14.1	9.9	1	3	14	18	27
One diagnosis	440	11.4	12.3	2	3	7	15	22
Two or more diagnoses	480	14.8	12.4	3	5	11	20	30
With surgery	580	14.7	11.5	2	5	12	19	31
Without surgery	340	10.6	13.5	1	3	6	11	22
CYSTITIS (605)								
Total	1,640	11.0	10.6	2	4	8	14	21
Age:								
65 to 74 years	755	9.1	7.9	2	3	7	11	19
75 to 84 years	715	12.8	12.4	2	4	9	15	26
85 years and over	170	12.2	11.1	3	5	7	17	21
One diagnosis	725	8.0	8.5	1	3	5	9	15
Two or more diagnoses	915	13.5	11.4	3	6	10	17	27
With surgery	880	10.5	11.0	1	3	7	13	20
Without surgery	760	11.7	10.1	3	5	8	14	24
OTHER DISEASES OF BLADDER (606)								
Total	645	15.2	11.9	3	6	10	21	34
Age:								
65 to 74 years	310	13.8	12.2	2	5	10	16	34
75 to 84 years	265	15.2	10.1	3	7	12	22	31
85 years and over	70	21.0	14.8	3	6	20	31	42
One diagnosis	320	13.1	11.0	2	5	10	15	26
Two or more diagnoses	325	17.2	12.4	4	6	12	23	36
With surgery	490	15.3	11.9	3	6	11	21	33
Without surgery	155	14.7	12.0	3	6	9	21	34
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	1,040	7.2	7.0	1	2	4	9	16
Age:								
65 to 74 years	560	5.6	5.2	1	2	3	6	10
75 to 84 years	395	8.5	7.3	1	2	5	12	17
85 years and over	85	12.4	10.7	3	4	8	16	30
One diagnosis	550	5.5	5.4	1	2	3	6	12
Two or more diagnoses	490	9.2	7.9	2	3	6	11	21
With surgery	890	7.0	6.9	1	2	4	8	15
Without surgery	150	8.5	7.5	1	2	5	11	18
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	1,285	11.2	9.2	2	5	8	14	24
Age:								
65 to 74 years	560	10.3	8.2	2	4	8	13	21
75 to 84 years	490	11.3	9.5	2	4	8	14	25
85 years and over	235	13.3	10.1	3	6	10	17	25
One diagnosis	465	10.3	7.9	2	4	8	13	20
Two or more diagnoses	820	11.7	9.8	2	5	8	14	25
With surgery	455	11.4	10.8	2	3	7	15	25
Without surgery	830	11.2	8.1	3	6	8	14	23
HYPERPLASIA OF PROSTATE (610)								
Total	7,350	15.6	10.1	5	8	13	19	28
Age:								
65 to 74 years	3,960	14.5	9.5	4	8	12	18	26
75 to 84 years	2,765	16.5	10.4	6	9	14	20	30
85 years and over	625	18.2	11.9	5	9	15	23	34
One diagnosis	4,110	14.2	8.9	5	8	12	17	25
Two or more diagnoses	3,240	17.3	11.3	5	9	14	22	31
With surgery	6,355	15.9	9.8	6	9	13	19	28
Without surgery	995	13.4	11.6	2	5	10	17	27
OTHER DISEASES OF PROSTATE (611,612)								
Total	395	10.7	8.6	2	4	7	15	23
Age:								
65 to 74 years	245	8.5	6.5	2	3	6	11	19
75 to 84 years	125	14.8	10.5	2	5	12	21	26
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	235	9.4	7.8	1	3	6	14	21
Two or more diagnoses	160	12.6	9.4	3	5	9	17	24
With surgery	225	10.8	8.5	2	3	7	17	23
Without surgery	170	10.5	8.8	2	5	7	12	24
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	845	8.6	6.9	2	3	6	11	17
Age:								
65 to 74 years	535	7.5	6.2	2	3	5	9	15
75 to 84 years	265	10.5	7.9	2	4	8	13	19
85 years and over	45	10.1	5.7	3	6	9	10	15
One diagnosis	460	7.3	6.2	2	3	5	9	14
Two or more diagnoses	385	10.1	7.3	2	4	8	13	21
With surgery	705	8.7	7.3	2	3	6	11	17
Without surgery	140	8.0	4.2	3	4	6	10	13
UTEROVAGINAL PROLAPSE (631)								
Total	2,535	12.1	5.8	6	8	11	14	18
Age:								
65 to 74 years	1,835	12.1	6.2	6	8	10	14	18
75 to 84 years	635	12.2	4.6	6	8	11	14	19
85 years and over	65	12.7	6.5	5	7	9	18	21
One diagnosis	1,495	11.5	5.4	6	8	10	13	16
Two or more diagnoses	1,040	13.1	6.3	6	9	11	16	20
With surgery	2,315	12.3	5.1	7	8	11	14	18
Without surgery	220	10.5	10.5	1	3	8	14	17
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	1,700	15.7	13.8	3	5	12	20	32
Age:								
65 to 74 years	860	14.3	12.3	3	5	10	17	28
75 to 84 years	665	17.3	14.2	4	6	14	23	35
85 years and over	175	16.3	17.7	3	4	11	18	33
One diagnosis	810	12.5	11.8	2	4	8	15	27
Two or more diagnoses	890	18.6	14.8	4	8	14	22	38
With surgery	630	18.7	16.4	2	5	14	25	41
Without surgery	1,070	14.0	11.6	4	6	10	17	26
RHEUMATOID ARTHRITIS (722.0)								
Total	1,110	17.1	13.5	4	7	13	22	32
Age:								
65 to 74 years	725	16.2	12.8	4	7	13	20	30
75 to 84 years	355	18.8	14.8	4	7	16	25	34
85 years and over	30	18.3	9.4	4	7	18	24	28
One diagnosis	530	16.1	12.0	4	8	12	20	29
Two or more diagnoses	580	17.9	14.6	4	7	14	24	33
With surgery	260	19.6	16.1	4	7	14	25	48
Without surgery	850	16.3	12.4	4	7	13	21	30
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	1,755	16.1	14.8	3	6	11	18	35
Age:								
65 to 74 years	845	17.4	16.1	4	6	12	19	42
75 to 84 years	730	14.7	13.8	3	6	10	16	33
85 years and over	180	15.8	12.2	3	7	12	22	31
One diagnosis	625	19.2	16.0	4	7	12	26	45
Two or more diagnoses	1,130	14.4	13.9	3	6	10	16	29
With surgery	425	25.5	18.5	5	11	20	36	52
Without surgery	1,330	13.1	12.0	3	6	9	14	25
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	1,040	11.5	8.5	3	5	8	15	23
Age:								
65 to 74 years	635	11.6	8.8	3	5	8	13	23
75 to 84 years	335	11.5	8.4	4	5	8	15	23
85 years and over	70	11.1	6.6	1	3	10	16	17
One diagnosis	335	11.4	9.8	3	5	7	11	25
Two or more diagnoses	705	11.6	7.9	3	5	9	15	22
With surgery	105	18.9	12.4	5	7	16	26	37
Without surgery	935	10.7	7.5	3	5	8	14	21
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	1,250	12.1	9.8	3	5	9	15	23
Age:								
65 to 74 years	590	12.3	10.1	2	5	10	15	23
75 to 84 years	500	11.7	8.6	3	6	9	14	23
85 years and over	160	12.7	12.0	3	5	8	16	25
One diagnosis	605	11.2	9.5	2	4	9	14	20
Two or more diagnoses	645	13.0	9.9	4	6	9	16	25
With surgery	135	18.1	13.7	5	7	13	22	43
Without surgery	1,115	11.4	8.9	3	5	9	14	22

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	805	13.3	10.1	3	6	10	17	27
Age:								
65 to 74 years	310	13.5	13.2	2	5	9	15	30
75 to 84 years	365	13.4	7.7	4	7	12	18	25
85 years and over	130	12.5	7.3	3	6	12	17	20
One diagnosis	175	13.3	11.5	2	6	11	17	21
Two or more diagnoses	630	13.3	9.7	3	6	10	17	27
With surgery	95	12.1	8.5	2	2	10	16	26
Without surgery	710	13.5	10.3	3	6	10	17	26
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	745	17.9	13.6	5	9	14	22	35
Age:								
65 to 74 years	560	17.7	13.1	5	9	14	21	35
75 to 84 years	160	18.3	12.1	4	7	15	23	32
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	405	18.4	14.6	4	9	15	22	31
Two or more diagnoses	340	17.4	12.2	5	9	13	22	36
With surgery	235	23.8	13.3	10	13	21	30	39
Without surgery	510	15.2	12.8	4	7	12	19	26
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	675	8.2	9.1	1	2	5	9	18
Age:								
65 to 74 years	480	7.7	9.6	1	2	5	9	15
75 to 84 years	175	8.7	7.7	2	3	5	9	22
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	375	6.9	8.8	1	2	4	7	14
Two or more diagnoses	300	9.7	9.1	2	3	7	11	20
With surgery	330	6.5	8.7	1	2	3	6	16
Without surgery	345	9.7	9.1	2	4	7	11	19
CONGENITAL MALFORMATIONS (750-759)								
Total	235	11.6	12.2	2	3	7	12	27
Age:								
65 to 74 years	160	10.8	9.9	2	3	7	12	26
75 to 84 years	60	12.5	15.1	2	3	6	10	33
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	90	10.2	11.1	2	3	5	11	26
Two or more diagnoses	145	12.5	12.7	3	4	7	13	29
With surgery	100	15.6	15.4	2	3	6	26	36
Without surgery	135	8.7	8.1	2	3	6	9	15
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	415	7.2	6.5	1	2	5	9	15
Age:								
65 to 74 years	240	7.0	6.5	1	2	5	9	16
75 to 84 years	135	7.1	4.9	1	3	6	9	13
85 years and over	40	8.1	10.0	1	1	3	9	22
One diagnosis	360	6.8	5.8	1	2	5	8	15
Two or more diagnoses	55	9.7	9.4	1	1	7	12	20
With surgery	50	13.5	9.5	2	4	10	19	24
Without surgery	365	6.3	5.4	1	2	4	8	14
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	1,160	6.3	6.0	1	2	4	7	12
Age:								
65 to 74 years	605	5.6	4.5	1	2	4	7	10
75 to 84 years	450	7.1	7.5	1	2	4	8	15
85 years and over	105	6.5	5.4	1	2	4	9	12
One diagnosis	980	6.1	6.0	1	2	4	7	11
Two or more diagnoses	180	7.4	5.6	1	3	5	10	15
With surgery	220	6.0	4.9	1	2	4	8	12
Without surgery	940	6.4	6.2	1	2	4	7	13
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	1,330	10.1	10.0	2	3	7	13	20
Age:								
65 to 74 years	645	9.9	10.0	2	3	7	13	19
75 to 84 years	525	10.4	10.9	2	4	7	13	21
85 years and over	160	10.2	6.5	2	4	9	14	20
One diagnosis	1,150	9.8	9.0	2	3	7	13	20
Two or more diagnoses	180	11.9	14.8	2	4	7	12	21
With surgery	255	15.0	11.6	2	6	12	20	32
Without surgery	1,075	8.9	9.2	2	3	6	11	17
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	950	11.9	8.5	2	5	10	16	23
Age:								
65 to 74 years	430	10.7	7.3	2	4	9	15	21
75 to 84 years	420	12.2	9.2	2	6	10	15	24
85 years and over	100	15.4	8.5	4	9	14	19	23
One diagnosis	830	12.1	8.5	2	5	10	17	23
Two or more diagnoses	120	10.2	7.5	2	4	9	12	16
With surgery	550	14.8	8.5	5	9	13	19	24
Without surgery	400	7.8	6.6	1	3	6	10	15
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	1,535	10.3	9.2	2	4	7	13	21
Age:								
65 to 74 years	830	9.5	8.4	1	3	7	13	19
75 to 84 years	595	11.3	10.1	2	4	8	14	21
85 years and over	110	11.8	8.2	2	5	10	13	25
One diagnosis	1,335	10.4	9.3	2	3	8	13	20
Two or more diagnoses	200	10.1	8.5	2	4	6	14	21
With surgery	400	12.4	8.7	2	4	10	19	23
Without surgery	1,135	9.6	9.2	1	3	7	11	18
NERVOUSNESS AND DEBILITY (790)								
Total	270	16.3	16.9	2	5	10	19	40
Age:								
65 to 74 years	155	14.3	14.3	2	4	10	18	28
75 to 84 years	95	16.0	15.0	1	6	10	16	42
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	90	13.7	9.5	2	7	10	18	29
Two or more diagnoses	180	17.6	19.4	2	4	10	20	50
With surgery	25	*	*	*	*	*	*	*
Without surgery	245	15.9	16.8	2	5	10	18	35
UREMIA (792)								
Total	250	14.7	10.8	2	5	11	22	31
Age:								
65 to 74 years	125	13.0	10.4	1	5	10	16	31
75 to 84 years	75	14.7	11.3	3	4	10	20	29
85 years and over	50	19.1	9.5	4	7	20	26	29
One diagnosis	165	12.9	9.6	1	4	10	18	27
Two or more diagnoses	85	18.3	11.8	4	6	15	27	34
With surgery	40	20.4	10.8	5	9	16	31	34
Without surgery	210	13.7	10.4	1	4	10	20	29
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	155	14.4	14.4	2	4	9	17	28
Age:								
65 to 74 years	10	*	*	*	*	*	*	*
75 to 84 years	85	13.4	10.7	1	3	10	22	27
85 years and over	60	9.1	4.8	2	4	8	13	15
One diagnosis	65	13.0	13.1	1	2	5	22	35
Two or more diagnoses	90	15.3	15.2	3	6	12	16	25
With surgery	10	*	*	*	*	*	*	*
Without surgery	145	14.3	14.9	2	4	8	18	30
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	1,195	10.6	10.8	1	2	6	15	24
Age:								
65 to 74 years	725	9.6	10.1	1	2	5	13	22
75 to 84 years	375	12.0	10.9	1	3	9	16	27
85 years and over	95	12.9	14.1	1	2	5	19	34
One diagnosis	835	10.2	10.2	1	2	6	14	22
Two or more diagnoses	360	11.6	11.8	1	3	7	16	26
With surgery	325	9.7	10.5	1	2	5	15	27
Without surgery	870	10.9	10.9	1	3	7	15	23
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	1,645	17.8	12.8	5	8	14	23	33
Age:								
65 to 74 years	650	18.3	14.0	5	8	14	23	36
75 to 84 years	690	17.9	12.7	5	8	15	23	33
85 years and over	305	16.6	10.1	5	8	14	22	29
One diagnosis	730	17.0	11.7	5	8	14	21	33
Two or more diagnoses	915	18.5	13.6	5	8	15	23	33
With surgery	130	29.3	23.5	3	11	19	48	57
Without surgery	1,515	16.8	10.9	5	8	14	22	31

Table 5 NEW ENGLAND: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	920	12.7	10.3	2	5	9	18	27
Age:								
65 to 74 years	400	12.6	9.3	3	5	9	16	26
75 to 84 years	340	12.9	11.7	1	3	7	21	29
85 years and over	180	12.7	9.5	3	5	10	18	22
One diagnosis	280	10.5	9.3	2	4	6	14	25
Two or more diagnoses	640	13.7	10.6	2	5	10	19	28
With surgery	55	18.7	12.8	5	9	14	24	31
Without surgery	865	12.3	10.0	2	4	8	18	27
FRACTURE OF PELVIS (808)								
Total	870	22.5	14.6	5	11	20	29	41
Age:								
65 to 74 years	240	23.0	14.0	5	12	21	28	41
75 to 84 years	410	21.7	13.8	5	10	20	30	40
85 years and over	220	23.5	16.4	6	13	18	29	43
One diagnosis	410	20.4	14.6	4	8	17	28	37
Two or more diagnoses	460	24.4	14.3	7	14	21	31	42
With surgery	55	27.3	12.4	6	12	28	37	40
Without surgery	815	22.2	14.7	5	11	20	29	41
FRACTURE OF HUMERUS (812)								
Total	1,560	15.6	13.7	2	5	11	23	33
Age:								
65 to 74 years	655	14.6	13.5	2	4	9	21	31
75 to 84 years	710	15.2	13.3	1	5	11	22	31
85 years and over	195	20.6	15.4	4	6	17	29	43
One diagnosis	830	12.6	12.7	1	3	8	18	28
Two or more diagnoses	730	19.1	14.1	3	7	15	27	37
With surgery	480	18.5	15.9	2	6	15	27	38
Without surgery	1,080	14.4	12.4	2	5	10	21	31
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	835	8.6	9.1	1	2	5	11	18
Age:								
65 to 74 years	450	7.2	7.7	1	2	5	9	16
75 to 84 years	325	9.6	7.7	1	3	7	14	19
85 years and over	60	13.7	17.9	1	3	5	18	27
One diagnosis	490	5.6	5.6	1	1	3	7	12
Two or more diagnoses	345	13.0	11.0	3	5	10	16	24
With surgery	575	8.1	8.8	1	2	5	10	17
Without surgery	260	9.8	9.4	1	3	7	13	19
FRACTURE OF FEMUR (820,821)								
Total	7,955	27.2	16.8	8	16	23	35	50
Age:								
65 to 74 years	2,220	28.1	16.7	10	17	23	35	50
75 to 84 years	3,500	27.0	16.5	8	15	23	36	49
85 years and over	2,235	26.6	17.2	7	15	23	33	49
One diagnosis	4,930	25.3	15.2	8	15	22	33	45
Two or more diagnoses	3,025	30.2	18.6	10	17	26	39	56
With surgery	6,050	27.2	15.3	11	16	23	34	47
Without surgery	1,905	27.1	20.8	2	10	23	40	56
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	1,915	15.4	13.4	3	6	11	19	31
Age:								
65 to 74 years	1,110	14.2	11.4	3	6	10	18	29
75 to 84 years	640	17.2	15.7	2	5	12	24	37
85 years and over	165	16.5	14.8	5	7	12	17	27
One diagnosis	1,200	13.8	11.8	3	5	10	17	28
Two or more diagnoses	715	18.1	15.3	2	6	14	25	40
With surgery	945	16.0	12.1	3	6	12	23	31
Without surgery	970	14.8	14.5	2	5	10	18	32
SPRAINS OF BACK (846,847)								
Total	940	11.4	8.9	3	5	9	14	21
Age:								
65 to 74 years	520	10.0	7.8	2	5	7	12	19
75 to 84 years	320	11.5	6.4	3	6	10	15	21
85 years and over	100	18.7	15.1	5	8	14	21	42
One diagnosis	395	10.5	8.5	3	5	8	13	19
Two or more diagnoses	545	12.0	9.1	3	5	9	16	23
With surgery	40	17.0	9.9	2	3	17	24	29
Without surgery	900	11.2	8.8	3	5	9	13	21

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	1,395	11.5	12.8	1	3	7	14	26
Age:								
65 to 74 years	740	11.6	12.8	1	3	7	15	28
75 to 84 years	455	10.2	11.5	1	3	7	13	20
85 years and over	200	13.7	14.7	2	3	9	17	28
One diagnosis	395	10.6	12.4	1	2	6	14	26
Two or more diagnoses	1,000	11.8	12.9	1	3	7	15	26
With surgery	305	14.5	12.6	1	3	11	21	31
Without surgery	1,090	10.6	12.6	1	3	6	12	23
LACERATION AND OPEN WOUND (870-898)								
Total	860	9.8	10.8	1	2	6	12	20
Age:								
65 to 74 years	540	9.4	11.3	1	2	5	10	23
75 to 84 years	280	10.7	10.4	1	3	8	13	19
85 years and over	40	8.9	5.2	2	3	7	13	15
One diagnosis	400	7.0	8.8	1	2	4	7	13
Two or more diagnoses	460	12.2	11.7	1	3	9	15	27
With surgery	420	10.2	12.6	1	2	5	12	26
Without surgery	440	9.4	8.7	1	3	7	12	16
SUPERFICIAL INJURY (910-918)								
Total	70	7.5	6.9	1	2	4	8	19
Age:								
65 to 74 years	65	7.8	7.1	1	2	5	9	19
75 to 84 years	5	*	*	*	*	*	*	*
85 years and over	–	–	–	–	–	–	–	–
One diagnosis	15	*	*	*	*	*	*	*
Two or more diagnoses	55	8.0	7.6	1	2	4	10	21
With surgery	5	*	*	*	*	*	*	*
Without surgery	65	6.2	5.1	1	2	4	7	11
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	1,750	10.4	8.7	2	4	7	13	22
Age:								
65 to 74 years	635	9.3	7.9	2	3	6	12	20
75 to 84 years	735	11.4	9.5	2	4	8	15	23
85 years and over	380	10.3	8.1	1	4	8	15	21
One diagnosis	410	8.0	6.9	2	3	5	10	16
Two or more diagnoses	1,340	11.1	9.1	2	4	8	14	22
With surgery	135	11.7	9.7	1	4	9	15	22
Without surgery	1,615	10.3	8.6	2	4	7	13	22
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	695	8.8	8.9	1	3	5	11	19
Age:								
65 to 74 years	405	8.3	8.9	1	2	5	11	18
75 to 84 years	235	10.2	9.6	2	3	6	14	21
85 years and over	55	6.8	5.3	1	2	5	8	12
One diagnosis	370	6.5	6.2	1	2	4	8	14
Two or more diagnoses	325	11.5	10.7	2	3	7	15	28
With surgery	55	22.4	15.0	2	3	19	34	42
Without surgery	640	7.7	7.1	1	3	5	10	16
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	935	13.4	14.1	2	4	8	16	31
Age:								
65 to 74 years	575	11.3	12.2	2	3	7	14	25
75 to 84 years	320	16.4	16.7	3	5	8	22	40
85 years and over	40	18.9	10.8	5	9	15	23	32
One diagnosis	550	12.0	13.9	1	3	7	15	30
Two or more diagnoses	385	15.3	14.3	3	6	10	21	32
With surgery	440	14.5	13.4	2	4	9	18	34
Without surgery	495	12.4	14.7	2	4	7	13	29

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	4,800	16.5	14.9	2	6	11	22	36
Age:								
65 to 74 years	2,660	16.8	14.8	2	6	12	22	37
75 to 84 years	1,760	15.7	14.8	1	5	11	20	35
85 years and over	380	18.0	15.2	3	7	13	24	36
One diagnosis	1,845	14.7	14.6	1	4	9	18	34
Two or more diagnoses	2,955	17.6	14.9	3	7	13	24	38
With surgery	1,195	21.1	16.6	3	8	17	29	45
Without surgery	3,605	15.0	13.9	2	5	10	19	33
HERPES ZOSTER (088)								
Total	930	16.2	12.6	4	7	12	20	30
Age:								
65 to 74 years	490	14.0	10.9	4	7	11	18	24
75 to 84 years	370	18.0	13.2	5	8	15	22	33
85 years and over	70	21.4	17.2	2	5	18	30	43
One diagnosis	380	15.9	12.8	4	7	12	20	30
Two or more diagnoses	550	16.3	12.5	5	7	12	21	30
With surgery	90	26.8	18.9	10	13	18	27	58
Without surgery	840	15.0	11.2	4	7	11	20	29
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	2,015	16.7	16.5	2	5	11	20	37
Age:								
65 to 74 years	1,195	15.3	14.9	2	4	11	19	30
75 to 84 years	660	18.4	17.1	2	6	12	23	44
85 years and over	160	20.3	22.3	1	4	10	30	60
One diagnosis	1,140	14.1	14.6	2	4	9	18	31
Two or more diagnoses	875	20.1	18.1	3	7	15	25	46
With surgery	1,395	15.9	15.5	2	5	10	20	35
Without surgery	620	18.5	18.4	1	4	13	23	47
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	945	20.0	16.4	3	7	14	27	45
Age:								
65 to 74 years	545	20.2	17.1	3	7	14	30	48
75 to 84 years	315	20.1	14.4	3	10	16	27	42
85 years and over	85	18.2	18.1	4	7	13	20	32
One diagnosis	515	19.3	16.8	2	7	14	24	43
Two or more diagnoses	430	20.8	15.8	5	8	15	29	47
With surgery	535	22.6	17.3	3	7	17	33	49
Without surgery	410	16.5	14.4	4	7	11	20	33
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	2,850	21.1	14.6	5	10	18	28	40
Age:								
65 to 74 years	1,355	21.5	14.2	4	10	18	29	40
75 to 84 years	1,240	21.0	14.5	5	10	18	27	39
85 years and over	255	19.3	17.2	4	7	13	24	42
One diagnosis	1,105	19.7	14.7	4	9	16	26	39
Two or more diagnoses	1,745	21.9	14.5	5	10	19	29	41
With surgery	1,320	25.0	12.8	11	16	22	31	40
Without surgery	1,530	17.7	15.3	3	6	12	24	39
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	8,855	23.1	15.3	6	12	19	29	43
Age:								
65 to 74 years	4,910	22.7	15.1	6	13	19	29	41
75 to 84 years	3,415	23.5	15.4	6	12	20	30	44
85 years and over	530	24.2	15.9	6	12	20	33	47
One diagnosis	3,400	22.4	14.3	6	13	19	28	41
Two or more diagnoses	5,455	23.6	15.8	5	12	20	30	45
With surgery	5,820	25.9	14.1	12	16	22	32	44
Without surgery	3,035	17.7	16.0	2	6	12	23	39
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	4,095	23.5	16.5	4	11	20	31	46
Age:								
65 to 74 years	2,235	24.0	16.0	5	12	21	32	46
75 to 84 years	1,495	23.5	16.7	4	11	21	30	47
85 years and over	365	20.5	18.2	2	5	16	30	42
One diagnosis	1,970	23.0	16.2	4	11	20	29	46
Two or more diagnoses	2,125	23.9	16.7	5	11	21	33	46
With surgery	2,925	26.1	16.0	8	15	23	34	48
Without surgery	1,170	16.9	15.9	2	5	12	23	37
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	1,820	20.1	14.8	4	9	17	27	39
Age:								
65 to 74 years	1,080	20.4	14.8	3	9	17	27	40
75 to 84 years	660	19.1	13.6	4	9	16	25	36
85 years and over	80	24.4	20.5	4	8	13	41	57
One diagnosis	675	18.3	12.6	3	9	16	26	34
Two or more diagnoses	1,145	21.2	15.8	4	9	17	29	42
With surgery	755	26.5	15.2	11	15	23	34	44
Without surgery	1,065	15.6	12.6	2	6	12	21	31
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	2,110	22.2	14.9	5	12	19	30	43
Age:								
65 to 74 years	1,170	22.3	15.5	4	11	19	29	43
75 to 84 years	835	22.0	13.5	6	12	19	31	39
85 years and over	105	23.6	17.9	5	11	21	28	36
One diagnosis	765	23.5	15.9	6	12	21	31	45
Two or more diagnoses	1,345	21.5	14.2	4	11	18	29	42
With surgery	1,105	26.8	12.7	13	17	24	33	44
Without surgery	1,005	17.2	15.5	2	6	13	22	35
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	7,420	18.7	15.4	3	7	15	25	38
Age:								
65 to 74 years	5,310	18.9	14.9	3	8	15	25	38
75 to 84 years	1,920	18.6	16.7	3	7	13	25	39
85 years and over	190	13.1	12.6	1	6	10	16	25
One diagnosis	3,360	17.4	14.0	3	7	14	24	36
Two or more diagnoses	4,060	19.8	16.4	4	8	15	26	41
With surgery	3,320	21.1	14.7	5	10	18	27	39
Without surgery	4,100	16.7	15.7	2	6	12	22	37
MALIGNANT NEOPLASM OF BREAST (170)								
Total	6,740	16.5	12.1	5	9	13	19	31
Age:								
65 to 74 years	3,995	16.6	12.2	5	9	13	19	31
75 to 84 years	2,340	16.8	12.2	5	9	13	20	33
85 years and over	405	13.6	9.4	3	7	11	16	25
One diagnosis	3,080	14.2	8.6	5	9	12	16	23
Two or more diagnoses	3,660	18.5	14.1	4	9	14	22	37
With surgery	4,450	16.0	10.2	7	9	13	18	27
Without surgery	2,290	17.5	15.1	3	6	13	22	37
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	1,670	14.5	13.6	3	5	9	18	35
Age:								
65 to 74 years	1,165	14.6	13.9	3	4	9	19	33
75 to 84 years	455	14.5	12.8	3	5	9	18	35
85 years and over	50	11.3	12.2	4	5	6	10	20
One diagnosis	1,085	12.7	12.1	3	4	7	15	29
Two or more diagnoses	585	17.8	15.4	4	5	12	26	39
With surgery	1,165	13.4	12.7	3	4	8	16	30
Without surgery	505	17.1	15.1	3	5	11	25	39
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	2,480	16.2	14.1	4	7	11	19	33
Age:								
65 to 74 years	1,625	14.6	12.4	3	7	10	17	29
75 to 84 years	805	19.3	16.6	4	7	14	24	42
85 years and over	50	19.3	13.0	3	9	15	24	35
One diagnosis	1,165	13.4	12.3	3	6	10	15	24
Two or more diagnoses	1,315	18.7	15.1	4	8	13	23	38
With surgery	1,895	15.4	12.8	4	7	11	18	31
Without surgery	585	18.6	17.6	3	5	12	24	44
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	1,205	21.3	16.3	4	10	16	27	42
Age:								
65 to 74 years	815	21.7	16.2	5	11	16	28	46
75 to 84 years	350	20.2	16.8	3	9	16	25	37
85 years and over	40	22.2	11.0	8	9	21	27	36
One diagnosis	415	19.0	14.1	5	10	14	22	39
Two or more diagnoses	790	22.5	17.2	4	10	18	28	45
With surgery	650	24.0	16.3	10	13	18	28	46
Without surgery	555	18.1	15.7	3	5	12	26	37

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	7,245	17.3	13.5	4	8	13	22	34
Age:								
65 to 74 years	3,300	16.8	13.2	4	8	13	21	33
75 to 84 years	3,340	17.6	13.6	4	8	13	23	37
85 years and over	605	18.5	14.5	5	8	13	23	37
One diagnosis	3,265	15.4	12.1	3	7	12	19	31
Two or more diagnoses	3,980	18.9	14.3	5	8	15	24	39
With surgery	4,640	18.3	12.6	6	9	15	23	34
Without surgery	2,605	15.6	14.7	2	5	10	20	35
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	865	23.3	16.3	5	12	19	29	46
Age:								
65 to 74 years	590	21.6	15.9	3	12	18	25	45
75 to 84 years	255	28.0	16.8	9	15	25	34	53
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	330	20.9	15.4	4	12	17	24	42
Two or more diagnoses	535	24.8	16.7	6	13	20	33	47
With surgery	595	25.1	15.0	10	15	20	30	46
Without surgery	270	19.3	18.4	2	6	13	25	46
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	6,885	13.4	13.1	2	4	9	18	29
Age:								
65 to 74 years	3,715	12.8	12.9	2	3	8	17	29
75 to 84 years	2,670	13.7	12.9	2	4	9	18	28
85 years and over	500	16.3	14.7	3	6	12	19	38
One diagnosis	4,000	11.6	12.1	1	3	7	15	25
Two or more diagnoses	2,885	16.0	13.9	2	5	12	22	33
With surgery	5,400	13.1	12.6	2	4	9	17	28
Without surgery	1,485	14.5	14.8	2	4	9	19	33
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	3,950	10.8	12.6	1	2	6	14	26
Age:								
65 to 74 years	2,100	9.5	11.3	1	2	5	12	21
75 to 84 years	1,455	12.1	14.3	1	2	6	15	28
85 years and over	395	13.0	12.1	2	3	8	18	27
One diagnosis	2,520	8.2	10.0	1	2	4	10	19
Two or more diagnoses	1,430	15.4	15.2	2	4	10	20	37
With surgery	3,420	10.1	12.1	1	2	5	12	24
Without surgery	530	15.4	15.1	1	4	11	19	32
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	8,485	19.4	16.8	2	7	14	26	42
Age:								
65 to 74 years	5,075	19.2	16.8	2	6	14	26	43
75 to 84 years	2,945	19.6	16.8	3	7	15	26	41
85 years and over	465	19.2	16.3	2	5	13	30	43
One diagnosis	4,700	18.2	16.6	2	6	13	24	40
Two or more diagnoses	3,785	20.8	16.9	3	8	16	28	43
With surgery	2,800	22.6	17.8	4	9	17	29	46
Without surgery	5,685	17.8	16.0	2	6	13	24	39
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	1,420	18.7	15.5	2	6	14	26	39
Age:								
65 to 74 years	845	20.5	16.3	3	7	16	29	41
75 to 84 years	530	14.9	11.7	2	5	11	22	32
85 years and over	45	29.3	24.9	2	8	16	45	62
One diagnosis	775	18.6	15.6	2	6	14	27	39
Two or more diagnoses	645	18.9	15.4	3	7	14	25	40
With surgery	545	21.2	15.7	5	9	18	27	41
Without surgery	875	17.2	15.2	2	5	12	25	37
LEUKEMIA AND ALEUKEMIA (204)								
Total	2,350	16.9	14.5	2	6	12	22	35
Age:								
65 to 74 years	1,125	17.4	14.9	3	7	12	24	37
75 to 84 years	1,080	16.4	13.6	2	5	13	22	34
85 years and over	145	15.7	16.9	1	5	11	18	29
One diagnosis	1,030	16.1	13.5	2	6	12	22	35
Two or more diagnoses	1,320	17.5	15.2	3	6	13	22	36
With surgery	320	20.3	16.7	3	10	15	29	46
Without surgery	2,030	16.3	14.0	2	6	12	22	35
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	1,895	19.4	16.0	3	7	15	26	39
Age:								
65 to 74 years	1,215	19.2	14.9	3	7	15	27	38
75 to 84 years	595	20.0	18.6	3	6	13	25	45
85 years and over	85	17.2	11.0	4	9	15	18	33
One diagnosis	925	16.6	14.7	3	6	12	22	36
Two or more diagnoses	970	22.0	16.8	4	9	18	29	45
With surgery	555	21.8	17.0	4	10	16	29	45
Without surgery	1,340	18.4	15.5	3	6	14	24	37
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	965	14.7	8.8	4	9	13	18	26
Age:								
65 to 74 years	665	15.1	8.9	4	9	13	19	26
75 to 84 years	265	13.9	8.7	3	7	13	17	26
85 years and over	35	14.6	5.8	8	9	12	18	23
One diagnosis	520	14.2	8.5	3	8	13	17	25
Two or more diagnoses	445	15.3	9.1	4	9	13	19	27
With surgery	755	15.8	8.8	5	10	14	19	28
Without surgery	210	10.7	7.5	3	4	9	15	18
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	1,185	10.3	9.7	2	3	6	13	24
Age:								
65 to 74 years	780	9.2	9.2	1	3	5	11	21
75 to 84 years	355	13.2	10.8	3	5	8	17	26
85 years and over	50	6.4	3.3	2	3	6	8	10
One diagnosis	660	8.6	8.7	1	2	5	10	20
Two or more diagnoses	525	12.4	10.5	3	5	8	16	27
With surgery	1,005	10.4	9.3	2	3	6	14	24
Without surgery	180	9.6	11.7	2	3	5	8	27
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	1,350	8.1	7.3	2	3	5	10	17
Age:								
65 to 74 years	990	7.9	6.9	2	3	5	10	17
75 to 84 years	335	8.1	5.9	2	3	6	10	18
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	640	6.0	6.0	2	2	3	6	12
Two or more diagnoses	710	10.0	7.8	2	4	8	13	18
With surgery	1,255	7.8	6.6	2	3	5	10	17
Without surgery	95	11.7	12.5	1	3	7	15	19
LIPOMA (226)								
Total	1,305	6.0	5.9	1	2	3	7	12
Age:								
65 to 74 years	1,025	5.9	5.7	1	2	4	7	11
75 to 84 years	270	6.4	6.5	1	2	3	8	13
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	870	4.6	4.0	1	2	3	6	9
Two or more diagnoses	435	8.9	7.8	2	3	6	11	19
With surgery	1,225	5.9	5.8	1	2	3	7	12
Without surgery	80	8.6	7.0	2	3	6	9	15
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	2,350	8.7	9.9	1	2	5	10	20
Age:								
65 to 74 years	1,460	7.9	9.1	1	2	4	9	18
75 to 84 years	770	10.0	11.1	1	3	6	10	26
85 years and over	120	9.8	9.1	1	4	7	12	14
One diagnosis	1,810	7.6	9.4	1	2	4	9	14
Two or more diagnoses	540	12.3	10.5	1	4	9	17	28
With surgery	2,100	8.4	8.6	1	2	5	10	19
Without surgery	250	11.6	16.9	1	2	5	10	29
ASTHMA (241)								
Total	3,130	13.5	10.2	4	6	10	17	26
Age:								
65 to 74 years	2,085	13.4	10.5	4	6	10	17	24
75 to 84 years	945	13.7	9.5	4	7	10	18	27
85 years and over	100	13.6	10.9	4	6	8	14	31
One diagnosis	1,045	11.6	8.5	3	5	9	14	21
Two or more diagnoses	2,085	14.4	10.8	4	7	11	18	28
With surgery	145	21.5	12.4	7	12	17	28	38
Without surgery	2,985	13.1	9.9	4	6	10	16	24

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	1,815	14.6	12.5	4	7	10	17	26
Age:								
65 to 74 years	1,370	13.3	10.2	4	6	10	16	24
75 to 84 years	390	16.5	13.0	5	7	13	18	32
85 years and over	55	34.2	29.6	9	12	18	48	82
One diagnosis	680	11.3	8.8	4	6	9	13	19
Two or more diagnoses	1,135	16.6	13.9	5	7	12	20	30
With surgery	755	12.5	11.4	4	6	9	13	22
Without surgery	1,060	16.1	13.0	4	7	13	19	29
DIABETES MELLITUS (260)								
Total	25,200	16.6	13.5	4	7	12	20	33
Age:								
65 to 74 years	15,100	16.2	13.3	4	7	12	20	32
75 to 84 years	8,930	17.0	13.5	4	7	13	21	34
85 years and over	1,170	18.6	15.1	4	8	14	24	38
One diagnosis	5,735	14.6	12.2	3	6	11	18	30
Two or more diagnoses	19,465	17.1	13.8	4	8	13	21	34
With surgery	4,215	25.1	18.4	6	11	20	34	50
Without surgery	20,985	14.9	11.6	4	7	11	18	28
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	1,205	18.6	15.5	3	7	13	25	39
Age:								
65 to 74 years	610	18.4	12.7	5	9	15	24	32
75 to 84 years	425	19.6	18.8	2	5	11	27	47
85 years and over	170	16.7	15.5	1	6	10	21	43
One diagnosis	265	15.8	13.7	3	6	12	19	31
Two or more diagnoses	940	19.4	15.9	4	8	14	26	42
With surgery	105	28.2	19.4	8	11	20	36	59
Without surgery	1,100	17.6	14.8	3	7	13	23	38
GOUT (288)								
Total	855	13.7	11.2	3	6	10	16	30
Age:								
65 to 74 years	545	13.1	10.8	3	5	10	16	27
75 to 84 years	265	14.6	12.0	4	7	11	15	33
85 years and over	45	15.0	11.0	5	6	10	13	26
One diagnosis	265	12.1	10.4	3	4	8	13	26
Two or more diagnoses	590	14.4	11.5	3	7	11	16	30
With surgery	145	15.2	14.3	3	6	11	17	27
Without surgery	710	13.3	10.4	3	6	10	15	30
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	1,210	17.9	12.5	5	9	14	22	33
Age:								
65 to 74 years	550	16.9	12.0	5	8	14	20	29
75 to 84 years	540	18.4	12.9	5	9	14	24	36
85 years and over	120	19.9	12.5	5	11	16	23	38
One diagnosis	400	15.9	12.4	4	8	12	20	28
Two or more diagnoses	810	18.8	12.4	5	11	15	23	35
With surgery	210	18.6	9.4	5	12	18	25	28
Without surgery	1,000	17.7	13.1	5	8	14	21	35
IRON DEFICIENCY ANEMIAS (291)								
Total	1,920	15.0	11.5	4	7	12	18	26
Age:								
65 to 74 years	805	14.4	12.8	4	7	11	17	24
75 to 84 years	875	15.3	10.0	5	8	13	19	26
85 years and over	240	16.1	12.0	3	6	13	22	29
One diagnosis	460	12.9	8.9	4	6	11	16	24
Two or more diagnoses	1,460	15.7	12.1	5	8	13	19	28
With surgery	405	20.4	15.4	6	11	16	24	33
Without surgery	1,515	13.6	9.7	4	7	11	17	24
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	5,020	15.7	12.7	3	6	12	20	32
Age:								
65 to 74 years	2,310	15.3	12.0	2	6	12	20	31
75 to 84 years	2,170	15.8	12.5	3	7	12	20	33
85 years and over	540	17.2	16.0	3	6	12	21	37
One diagnosis	1,830	14.5	12.4	2	5	10	19	32
Two or more diagnoses	3,190	16.4	12.9	3	7	13	21	33
With surgery	840	20.9	13.6	4	11	19	27	39
Without surgery	4,180	14.7	12.3	2	6	11	19	31
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	2,900	18.6	16.7	3	6	13	24	41
Age:								
65 to 74 years	925	18.4	15.7	3	7	13	24	40
75 to 84 years	1,585	19.3	17.1	3	7	13	25	43
85 years and over	390	16.2	17.3	2	4	11	20	35
One diagnosis	1,015	15.7	15.1	2	5	10	21	35
Two or more diagnoses	1,885	20.1	17.3	4	7	14	25	44
With surgery	235	26.1	20.9	6	10	19	33	55
Without surgery	2,665	17.9	16.1	3	6	12	23	39
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	1,730	20.1	13.0	5	10	17	26	36
Age:								
65 to 74 years	1,275	20.0	12.6	6	11	17	26	34
75 to 84 years	415	20.4	14.0	4	9	18	26	40
85 years and over	40	23.0	15.5	4	8	17	34	45
One diagnosis	990	21.4	12.6	6	12	19	28	38
Two or more diagnoses	740	18.5	13.4	4	9	16	22	33
With surgery	70	17.7	7.9	7	11	16	20	28
Without surgery	1,660	20.2	13.2	5	10	17	26	36
PSYCHONEUROTIC DISORDERS (324)								
Total	3,900	18.7	14.5	4	7	15	24	38
Age:								
65 to 74 years	2,795	19.5	14.9	4	8	15	26	40
75 to 84 years	1,035	16.9	13.4	4	6	13	21	33
85 years and over	70	11.6	7.3	2	7	9	13	23
One diagnosis	2,045	20.1	14.9	4	8	17	27	39
Two or more diagnoses	1,855	17.1	13.9	4	7	13	21	36
With surgery	190	21.9	14.8	6	11	16	29	45
Without surgery	3,710	18.5	14.4	4	7	14	24	37
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	22,265	18.4	17.6	1	5	13	26	43
Age:								
65 to 74 years	9,615	18.6	17.6	1	5	13	26	44
75 to 84 years	9,730	18.4	17.7	1	5	12	26	43
85 years and over	2,920	17.7	17.3	1	4	12	25	44
One diagnosis	10,670	17.1	16.8	1	4	11	24	42
Two or more diagnoses	11,595	19.6	18.2	1	5	14	28	45
With surgery	1,195	27.0	20.8	2	9	23	39	56
Without surgery	21,070	17.9	17.3	1	4	12	25	42
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	11,610	19.6	16.2	3	7	15	26	41
Age:								
65 to 74 years	4,705	19.6	16.2	3	8	15	26	41
75 to 84 years	5,410	19.9	16.3	2	8	15	26	41
85 years and over	1,495	18.6	16.2	1	6	14	27	42
One diagnosis	3,180	18.7	15.9	3	7	14	24	40
Two or more diagnoses	8,430	19.9	16.4	3	7	15	27	42
With surgery	730	27.3	18.4	8	14	23	36	53
Without surgery	10,880	19.1	16.0	2	7	14	25	41
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	9,560	15.3	13.8	3	6	10	18	31
Age:								
65 to 74 years	3,990	14.8	12.9	4	6	10	17	30
75 to 84 years	4,150	15.4	13.9	3	6	11	18	32
85 years and over	1,420	16.4	15.5	2	5	11	22	35
One diagnosis	2,670	13.0	12.8	3	5	9	15	26
Two or more diagnoses	6,890	16.2	14.0	4	7	11	20	33
With surgery	610	22.2	15.1	7	11	17	30	41
Without surgery	8,950	14.9	13.6	3	6	10	18	30
PARALYSIS AGITANS (350)								
Total	2,660	22.6	17.0	5	10	18	29	47
Age:								
65 to 74 years	1,795	23.4	17.1	5	10	19	30	47
75 to 84 years	790	20.8	16.6	5	9	15	26	46
85 years and over	75	21.5	16.9	3	7	18	28	40
One diagnosis	1,075	24.5	16.0	7	13	21	31	43
Two or more diagnoses	1,585	21.3	17.5	5	8	15	26	49
With surgery	250	30.7	20.2	9	14	24	39	62
Without surgery	2,410	21.7	16.4	5	9	17	28	45

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	2,720	14.0	10.3	3	6	11	18	26
Age:								
65 to 74 years	1,715	14.3	10.6	3	6	12	18	25
75 to 84 years	835	13.5	9.7	3	6	10	18	26
85 years and over	170	13.5	10.6	4	6	8	18	31
One diagnosis	1,320	12.6	9.8	3	5	10	16	24
Two or more diagnoses	1,400	15.3	10.7	4	7	13	20	30
With surgery	470	15.1	12.3	2	5	12	19	34
Without surgery	2,250	13.8	9.9	3	6	11	18	25
CATARACT (385)								
Total	33,580	8.6	5.4	4	6	7	9	13
Age:								
65 to 74 years	17,210	8.2	4.4	4	6	7	8	12
75 to 84 years	14,350	8.8	6.0	4	6	7	9	13
85 years and over	2,020	10.1	7.4	5	6	7	11	15
One diagnosis	26,100	8.2	4.5	4	6	7	9	12
Two or more diagnoses	7,480	9.8	7.4	4	6	7	10	15
With surgery	32,200	8.5	5.1	4	6	7	9	13
Without surgery	1,380	9.1	9.4	1	3	6	10	18
GLAUCOMA (387)								
Total	2,995	8.6	5.5	3	5	7	10	15
Age:								
65 to 74 years	1,790	8.3	5.2	3	4	6	10	15
75 to 84 years	1,065	9.2	5.9	3	5	7	11	15
85 years and over	140	7.5	4.6	2	4	7	8	10
One diagnosis	2,130	8.1	5.0	3	4	6	10	14
Two or more diagnoses	865	9.7	6.3	3	5	7	11	19
With surgery	2,480	8.5	5.1	3	5	7	10	15
Without surgery	515	8.9	7.0	2	4	6	11	18
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	2,150	16.6	12.5	4	7	12	22	34
Age:								
65 to 74 years	1,645	16.0	12.1	4	7	12	21	33
75 to 84 years	480	18.4	13.5	4	7	14	24	37
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	360	16.6	13.5	2	5	11	26	38
Two or more diagnoses	1,790	16.6	12.3	4	8	13	22	34
With surgery	235	19.8	11.9	6	9	17	27	36
Without surgery	1,915	16.2	12.5	3	7	12	21	34
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	47,970	15.8	13.3	3	7	12	20	31
Age:								
65 to 74 years	19,085	15.2	12.2	3	7	12	19	29
75 to 84 years	21,950	15.9	13.4	3	7	12	20	32
85 years and over	6,935	17.0	15.2	3	6	12	21	35
One diagnosis	12,830	14.2	12.7	2	6	10	18	29
Two or more diagnoses	35,140	16.4	13.4	4	7	12	20	33
With surgery	4,260	22.8	16.0	6	11	18	30	44
Without surgery	43,710	15.1	12.8	3	6	11	19	30
ACUTE CORONARY OCCLUSION (420.1)								
Total	32,590	18.5	13.6	1	6	18	26	35
Age:								
65 to 74 years	18,875	19.3	13.0	1	8	19	26	35
75 to 84 years	11,810	17.6	14.1	1	4	16	26	34
85 years and over	1,905	16.4	15.2	1	2	13	25	36
One diagnosis	15,120	17.7	13.0	1	5	18	25	33
Two or more diagnoses	17,470	19.2	14.0	1	7	19	27	36
With surgery	1,350	24.0	17.2	3	12	21	32	46
Without surgery	31,240	18.3	13.3	1	6	18	26	34
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	30,880	15.3	12.2	3	7	12	20	29
Age:								
65 to 74 years	16,860	15.0	11.5	3	7	12	19	28
75 to 84 years	11,720	15.6	12.6	3	7	12	20	31
85 years and over	2,300	16.6	14.6	3	6	12	21	36
One diagnosis	10,610	14.2	11.7	3	6	11	18	28
Two or more diagnoses	20,270	16.0	12.4	4	7	12	20	31
With surgery	1,735	23.4	16.6	6	11	18	30	47
Without surgery	29,145	14.9	11.7	3	6	12	19	28

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	1,405	14.7	14.0	1	5	12	18	27
Age:								
65 to 74 years	640	14.0	11.1	2	5	12	18	26
75 to 84 years	600	16.2	16.6	1	5	12	19	32
85 years and over	165	12.1	12.7	1	2	8	17	24
One diagnosis	350	13.5	13.2	2	6	10	16	22
Two or more diagnoses	1,055	15.1	14.2	1	5	12	19	27
With surgery	90	19.7	15.2	3	7	15	23	41
Without surgery	1,315	14.4	13.8	1	5	12	18	26
FUNCTIONAL DISEASE OF HEART (433)								
Total	8,735	13.2	12.0	1	5	10	17	27
Age:								
65 to 74 years	4,330	12.3	11.3	1	4	9	15	25
75 to 84 years	3,590	14.0	12.5	2	5	10	18	29
85 years and over	815	13.7	12.9	1	4	10	18	27
One diagnosis	2,605	12.2	10.1	2	5	9	15	24
Two or more diagnoses	6,130	13.6	12.7	1	5	10	17	28
With surgery	1,810	17.2	14.1	4	8	13	20	33
Without surgery	6,925	12.1	11.1	1	4	9	15	25
CONGESTIVE HEART FAILURE (434.1)								
Total	19,660	15.9	13.5	2	6	12	21	33
Age:								
65 to 74 years	8,865	15.9	12.8	3	7	12	21	32
75 to 84 years	8,295	15.6	13.6	2	6	12	20	33
85 years and over	2,500	16.6	15.1	1	5	12	23	35
One diagnosis	8,990	15.3	13.1	2	6	11	20	32
Two or more diagnoses	10,670	16.4	13.7	2	6	12	21	33
With surgery	1,275	23.9	16.0	5	11	21	32	46
Without surgery	18,385	15.3	13.1	2	6	12	20	32
HYPERTENSIVE HEART DISEASE (442,443)								
Total	15,135	15.9	12.8	4	7	12	20	31
Age:								
65 to 74 years	7,835	14.8	11.3	4	7	12	19	28
75 to 84 years	6,135	16.7	13.6	4	7	12	21	33
85 years and over	1,165	19.1	15.9	3	9	14	25	36
One diagnosis	2,700	13.4	12.0	3	5	10	16	28
Two or more diagnoses	12,435	16.5	12.8	4	7	13	21	32
With surgery	1,430	21.1	14.5	6	10	17	28	40
Without surgery	13,705	15.4	12.4	4	7	12	19	30
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	6,745	13.2	12.3	3	5	9	16	27
Age:								
65 to 74 years	4,115	12.1	11.7	2	5	8	14	24
75 to 84 years	2,245	14.5	12.9	3	5	10	18	30
85 years and over	385	16.5	13.5	3	7	12	22	30
One diagnosis	2,040	11.1	11.4	2	4	7	13	23
Two or more diagnoses	4,705	14.0	12.6	3	6	10	17	28
With surgery	640	18.0	14.6	3	7	13	23	37
Without surgery	6,105	12.6	12.0	3	5	9	15	25
GENERAL ARTERIOSCLEROSIS (450)								
Total	10,145	19.0	16.5	3	7	13	25	41
Age:								
65 to 74 years	3,430	18.7	16.1	3	7	13	25	41
75 to 84 years	4,675	19.1	16.5	3	7	13	25	44
85 years and over	2,040	19.3	17.3	3	6	14	26	40
One diagnosis	2,060	16.2	15.6	2	5	11	21	35
Two or more diagnoses	8,085	19.7	16.7	4	7	14	26	43
With surgery	2,275	27.5	17.9	8	14	22	38	53
Without surgery	7,870	16.5	15.2	3	6	11	21	36
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	1,900	13.2	13.7	1	1	10	19	29
Age:								
65 to 74 years	1,110	13.5	13.6	1	2	10	19	32
75 to 84 years	680	13.7	14.4	1	2	10	19	26
85 years and over	110	7.4	8.4	1	1	2	10	19
One diagnosis	910	12.1	12.8	1	1	9	17	25
Two or more diagnoses	990	14.2	14.5	1	2	10	20	31
With surgery	890	17.5	14.6	1	7	16	22	32
Without surgery	1,010	9.4	11.7	1	1	5	12	22

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	1,905	18.5	15.0	2	7	16	25	38
Age:								
65 to 74 years	1,055	17.9	14.6	2	7	15	23	39
75 to 84 years	730	19.6	15.8	2	7	16	26	39
85 years and over	120	17.3	12.4	1	6	15	24	33
One diagnosis	845	15.7	12.6	2	5	13	22	31
Two or more diagnoses	1,060	20.8	16.3	3	8	17	27	42
With surgery	1,210	21.5	15.4	5	10	18	27	41
Without surgery	695	13.4	12.8	2	3	8	20	29
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	1,530	29.4	19.6	6	14	26	40	57
Age:								
65 to 74 years	590	31.3	19.2	9	17	27	42	61
75 to 84 years	745	30.1	19.7	7	15	27	39	57
85 years and over	195	21.2	18.1	3	7	15	30	48
One diagnosis	705	28.8	20.3	6	13	25	38	56
Two or more diagnoses	825	30.0	19.0	7	15	27	41	58
With surgery	915	32.3	18.1	10	18	29	43	57
Without surgery	615	25.1	20.9	3	9	20	33	57
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	2,940	17.9	15.8	3	7	12	24	39
Age:								
65 to 74 years	1,945	15.9	13.7	3	6	10	21	36
75 to 84 years	850	20.9	18.7	4	8	15	28	43
85 years and over	145	27.4	17.3	5	15	22	39	52
One diagnosis	1,545	15.0	14.1	3	5	10	18	34
Two or more diagnoses	1,395	21.1	16.9	5	8	16	28	43
With surgery	1,805	16.8	16.0	3	6	10	22	38
Without surgery	1,135	19.7	15.3	3	8	15	28	41
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	3,225	10.0	7.3	4	5	8	11	17
Age:								
65 to 74 years	2,435	9.9	7.5	4	5	7	11	17
75 to 84 years	695	10.4	6.6	3	5	8	13	18
85 years and over	95	11.0	4.7	3	7	11	14	16
One diagnosis	1,575	8.8	5.1	3	5	7	10	15
Two or more diagnoses	1,650	11.2	8.7	4	6	8	13	19
With surgery	2,710	10.3	7.3	4	6	8	12	17
Without surgery	515	8.4	6.9	2	3	6	10	16
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	3,070	16.9	10.7	7	10	14	21	29
Age:								
65 to 74 years	1,945	16.5	10.9	7	10	13	19	29
75 to 84 years	1,020	17.2	10.1	7	10	14	22	28
85 years and over	105	20.6	10.3	5	13	17	28	33
One diagnosis	1,105	15.5	9.5	6	9	13	19	25
Two or more diagnoses	1,965	17.7	11.2	7	10	14	22	30
With surgery	290	22.5	16.8	5	11	20	26	44
Without surgery	2,780	16.3	9.6	7	10	14	20	28
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	1,755	17.5	12.5	6	9	14	21	32
Age:								
65 to 74 years	1,145	17.2	12.6	6	9	14	20	28
75 to 84 years	530	19.1	12.6	6	9	15	24	37
85 years and over	80	11.1	6.5	5	8	9	10	18
One diagnosis	875	17.6	11.8	6	9	14	22	32
Two or more diagnoses	880	17.4	13.1	6	8	14	20	33
With surgery	145	26.4	17.0	8	12	18	39	54
Without surgery	1,610	16.7	11.7	6	8	14	20	30
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	3,985	18.3	14.6	2	8	14	24	37
Age:								
65 to 74 years	2,220	18.4	14.6	2	9	14	23	37
75 to 84 years	1,490	18.3	14.6	2	8	14	24	37
85 years and over	275	17.0	14.5	2	5	14	22	36
One diagnosis	955	16.3	13.9	1	6	13	19	35
Two or more diagnoses	3,030	18.9	14.7	2	9	15	24	37
With surgery	620	25.6	17.3	7	11	21	35	48
Without surgery	3,365	16.9	13.6	2	7	14	22	34
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	1,680	10.6	7.8	3	5	8	12	20
Age:								
65 to 74 years	890	10.4	8.2	3	5	8	12	20
75 to 84 years	600	11.0	7.1	3	5	9	14	20
85 years and over	190	10.3	8.1	3	5	8	11	16
One diagnosis	390	8.7	6.0	2	4	7	10	14
Two or more diagnoses	1,290	11.2	8.2	3	5	8	13	21
With surgery	150	11.3	9.2	1	4	9	16	22
Without surgery	1,530	10.5	7.7	3	5	8	12	20
INFLUENZA (480-483)								
Total	2,100	13.1	10.1	4	6	10	16	25
Age:								
65 to 74 years	1,280	13.1	9.8	4	6	10	16	23
75 to 84 years	665	12.5	10.2	3	5	9	15	27
85 years and over	155	15.2	11.6	5	7	10	20	26
One diagnosis	670	10.4	7.2	3	5	8	12	20
Two or more diagnoses	1,430	14.3	11.0	4	7	11	17	28
With surgery	85	24.2	15.7	5	12	20	30	47
Without surgery	2,015	12.6	9.5	4	6	9	15	23
LOBAR PNEUMONIA (490)								
Total	1,035	15.4	11.8	3	7	13	19	29
Age:								
65 to 74 years	555	13.8	8.9	3	7	12	18	23
75 to 84 years	375	17.8	15.4	3	7	14	20	43
85 years and over	105	14.7	8.7	3	6	14	19	25
One diagnosis	265	13.5	8.2	2	7	13	18	20
Two or more diagnoses	770	16.0	12.8	3	7	13	19	33
With surgery	70	27.4	11.2	14	19	21	36	43
Without surgery	965	14.5	11.4	3	7	12	18	25
BRONCHOPNEUMONIA (491)								
Total	7,125	15.9	13.5	2	7	12	20	32
Age:								
65 to 74 years	2,890	15.3	13.0	2	7	11	18	30
75 to 84 years	2,980	16.8	14.2	3	7	12	21	33
85 years and over	1,255	15.3	12.9	1	6	11	20	33
One diagnosis	1,385	12.9	10.1	3	6	10	16	23
Two or more diagnoses	5,740	16.7	14.1	2	7	12	21	33
With surgery	640	26.8	18.0	9	14	21	35	52
Without surgery	6,485	14.8	12.5	2	6	11	18	30
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	4,840	14.7	9.9	5	8	12	18	26
Age:								
65 to 74 years	2,460	14.3	9.1	5	8	12	18	26
75 to 84 years	1,880	15.0	10.7	5	8	12	18	27
85 years and over	500	15.6	10.8	3	8	13	20	28
One diagnosis	1,130	12.2	7.9	4	6	10	15	21
Two or more diagnoses	3,710	15.5	10.3	5	8	12	19	28
With surgery	355	23.0	12.6	9	14	22	29	36
Without surgery	4,485	14.0	9.4	5	7	11	17	25
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	8,855	16.3	12.8	4	8	13	20	31
Age:								
65 to 74 years	3,895	15.7	12.1	5	8	12	19	29
75 to 84 years	3,540	17.4	13.7	4	8	14	22	34
85 years and over	1,420	15.2	12.6	2	6	12	18	33
One diagnosis	3,235	14.3	11.0	4	7	11	17	26
Two or more diagnoses	5,620	17.5	13.7	4	8	14	22	34
With surgery	835	25.3	16.2	8	14	21	34	48
Without surgery	8,020	15.4	12.1	4	7	12	19	29
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	3,160	11.8	7.7	4	6	9	14	21
Age:								
65 to 74 years	1,810	11.5	7.5	4	6	9	14	20
75 to 84 years	1,115	12.2	7.7	5	7	10	14	22
85 years and over	235	13.0	8.4	5	8	10	13	22
One diagnosis	630	10.9	8.1	4	6	8	12	20
Two or more diagnoses	2,530	12.1	7.5	4	6	10	14	21
With surgery	135	17.7	11.5	6	8	13	21	29
Without surgery	3,025	11.6	7.3	4	6	9	14	20

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	2,250	12.2	9.4	4	6	9	15	22
Age:								
65 to 74 years	1,395	11.4	8.1	4	6	9	14	21
75 to 84 years	710	13.0	9.0	4	6	10	17	24
85 years and over	145	16.8	17.3	5	7	12	16	30
One diagnosis	810	10.2	6.6	4	5	8	12	20
Two or more diagnoses	1,440	13.4	10.4	4	7	10	16	25
With surgery	305	15.7	11.2	4	8	12	21	30
Without surgery	1,945	11.7	8.9	4	6	9	14	21
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	2,440	14.4	11.2	4	7	11	17	26
Age:								
65 to 74 years	1,535	14.0	11.0	4	7	10	17	26
75 to 84 years	805	14.6	11.4	5	7	11	17	26
85 years and over	100	18.3	12.0	3	8	16	23	32
One diagnosis	730	12.4	9.4	4	7	10	15	21
Two or more diagnoses	1,710	15.2	11.8	5	7	11	18	29
With surgery	325	17.4	13.9	4	8	14	22	30
Without surgery	2,115	13.9	10.7	4	7	10	17	26
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	1,340	13.1	11.0	3	6	10	16	23
Age:								
65 to 74 years	795	11.9	10.5	3	5	9	15	20
75 to 84 years	485	14.2	9.5	4	8	11	18	26
85 years and over	60	20.6	21.1	3	5	9	26	52
One diagnosis	385	9.3	7.7	2	3	7	12	17
Two or more diagnoses	955	14.7	11.7	5	7	11	18	25
With surgery	285	13.4	12.4	2	4	10	17	27
Without surgery	1,055	13.0	10.6	4	6	10	16	22
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	3,345	14.0	12.8	1	4	10	19	30
Age:								
65 to 74 years	1,545	13.8	12.4	1	5	10	19	29
75 to 84 years	1,450	14.4	13.6	1	4	10	19	32
85 years and over	350	13.6	11.5	1	5	10	17	28
One diagnosis	1,130	14.0	12.6	1	5	10	19	31
Two or more diagnoses	2,215	14.1	13.0	1	4	10	19	30
With surgery	250	23.5	13.6	7	11	21	30	42
Without surgery	3,095	13.3	12.4	1	4	10	18	28
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	7,335	15.2	12.7	3	7	11	19	30
Age:								
65 to 74 years	4,860	14.9	12.2	3	6	11	18	30
75 to 84 years	2,230	15.8	13.6	4	7	11	20	31
85 years and over	245	15.2	14.6	2	6	11	18	27
One diagnosis	2,190	13.4	11.4	3	6	10	16	27
Two or more diagnoses	5,145	15.9	13.2	4	7	12	20	32
With surgery	890	21.3	16.1	4	8	17	27	44
Without surgery	6,445	14.3	12.0	3	6	10	17	28
DISEASES OF ESOPHAGUS (539)								
Total	1,860	12.1	10.7	2	4	9	15	26
Age:								
65 to 74 years	1,145	11.2	10.3	1	3	9	14	23
75 to 84 years	630	13.9	11.6	3	6	10	17	29
85 years and over	85	11.2	6.2	3	6	9	16	20
One diagnosis	785	10.0	8.4	1	3	8	13	19
Two or more diagnoses	1,075	13.7	11.9	2	5	10	16	30
With surgery	970	12.4	11.4	1	3	10	16	27
Without surgery	890	11.9	9.9	3	5	9	14	21
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	2,585	17.0	12.6	4	8	14	22	31
Age:								
65 to 74 years	1,615	16.8	12.6	4	8	14	22	29
75 to 84 years	890	17.2	12.2	4	9	14	22	32
85 years and over	80	19.1	15.6	4	7	12	23	42
One diagnosis	1,070	16.1	11.7	3	8	12	21	32
Two or more diagnoses	1,515	17.7	13.1	5	9	15	22	30
With surgery	835	23.1	13.7	9	14	20	28	38
Without surgery	1,750	14.1	10.8	4	7	11	17	25
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	900	16.7	10.3	5	9	14	22	28
Age:								
65 to 74 years	550	17.2	10.9	6	10	14	22	30
75 to 84 years	280	15.3	8.9	4	8	13	20	25
85 years and over	70	17.7	10.9	3	6	15	24	35
One diagnosis	400	15.0	8.5	4	8	13	20	27
Two or more diagnoses	500	18.0	11.4	6	10	14	23	32
With surgery	290	21.1	11.4	9	12	19	25	36
Without surgery	610	14.5	9.1	3	7	13	19	27
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	5,220	14.1	10.0	4	7	11	17	25
Age:								
65 to 74 years	3,505	13.8	10.1	4	7	11	16	24
75 to 84 years	1,470	14.2	9.3	5	7	12	18	25
85 years and over	245	18.7	12.1	6	9	16	25	33
One diagnosis	1,870	12.5	8.2	4	6	10	15	23
Two or more diagnoses	3,350	15.0	10.8	5	7	12	19	27
With surgery	1,185	21.1	12.6	9	12	18	24	37
Without surgery	4,035	12.1	8.1	4	6	10	15	21
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	3,830	15.4	10.1	5	8	13	19	28
Age:								
65 to 74 years	2,360	15.2	10.0	6	8	12	18	27
75 to 84 years	1,265	15.1	9.7	5	8	13	19	27
85 years and over	205	20.4	12.7	6	11	17	24	37
One diagnosis	1,785	13.9	7.8	5	8	12	17	24
Two or more diagnoses	2,045	16.8	11.6	6	8	14	21	31
With surgery	960	20.7	12.1	8	12	18	25	36
Without surgery	2,870	13.7	8.7	5	8	11	16	24
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	845	18.2	12.0	5	10	15	24	33
Age:								
65 to 74 years	515	18.3	12.4	5	10	14	24	36
75 to 84 years	255	17.9	11.0	3	10	15	23	30
85 years and over	75	18.7	12.4	3	11	15	23	30
One diagnosis	355	16.3	10.4	5	10	14	19	28
Two or more diagnoses	490	19.6	12.8	4	10	17	26	37
With surgery	645	20.2	12.0	7	11	17	25	37
Without surgery	200	11.5	9.2	1	6	10	14	18
GASTRITIS AND DUODENITIS (543)								
Total	3,320	10.9	9.4	3	5	8	13	20
Age:								
65 to 74 years	2,115	10.4	8.9	3	5	8	12	19
75 to 84 years	1,055	11.7	10.0	3	5	8	15	22
85 years and over	150	13.1	11.1	3	5	9	16	26
One diagnosis	955	8.4	6.9	2	3	6	10	17
Two or more diagnoses	2,365	11.9	10.1	3	5	9	14	22
With surgery	425	18.4	11.7	7	10	15	22	33
Without surgery	2,895	9.8	8.5	2	4	7	12	18
APPENDICITIS (550-553)								
Total	1,655	16.4	10.9	6	9	13	20	31
Age:								
65 to 74 years	1,035	15.7	10.6	6	8	12	19	30
75 to 84 years	510	17.4	10.7	7	10	14	21	32
85 years and over	110	17.7	13.4	4	8	13	21	40
One diagnosis	965	14.8	9.7	6	8	12	17	26
Two or more diagnoses	690	18.6	12.0	7	10	15	24	36
With surgery	1,455	16.2	10.3	6	9	13	19	30
Without surgery	200	17.5	14.5	3	6	12	24	39
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	13,365	11.0	6.9	5	7	9	12	18
Age:								
65 to 74 years	9,095	10.3	6.0	5	7	8	11	16
75 to 84 years	3,870	12.3	8.3	5	7	10	13	20
85 years and over	400	13.5	8.2	5	9	11	16	21
One diagnosis	8,675	9.8	5.1	5	6	8	10	14
Two or more diagnoses	4,690	13.2	8.9	6	8	10	15	22
With surgery	12,590	11.0	6.6	5	7	9	12	17
Without surgery	775	11.3	11.0	2	4	8	12	23

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (56D.4)								
Total	4,970	12.1	10.0	3	5	8	15	25
Age:								
65 to 74 years	2,955	11.7	9.7	3	5	8	14	24
75 to 84 years	1,695	12.7	9.9	4	6	9	15	26
85 years and over	320	13.2	12.6	3	5	8	16	29
One diagnosis	1,190	10.3	7.9	2	4	8	12	21
Two or more diagnoses	3,780	12.7	10.5	3	5	9	15	26
With surgery	1,135	18.7	13.6	5	9	14	24	36
Without surgery	3,835	10.2	7.7	3	5	8	12	20
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	4,520	13.3	8.8	5	7	10	15	23
Age:								
65 to 74 years	3,260	13.0	8.5	5	8	10	15	23
75 to 84 years	1,130	14.3	9.5	5	7	12	17	26
85 years and over	130	13.7	9.1	3	6	11	19	28
One diagnosis	2,605	11.6	7.1	5	7	9	13	18
Two or more diagnoses	1,915	15.7	10.2	6	9	12	19	27
With surgery	3,925	13.6	8.7	6	8	11	16	23
Without surgery	595	11.8	9.3	2	5	9	15	24
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	3,705	13.8	11.0	4	7	10	16	26
Age:								
65 to 74 years	1,620	13.4	10.0	4	7	10	15	23
75 to 84 years	1,660	13.9	10.8	5	7	10	16	27
85 years and over	425	15.1	14.4	2	6	10	19	33
One diagnosis	2,045	12.3	10.1	4	7	9	13	21
Two or more diagnoses	1,660	15.7	11.7	4	8	12	20	32
With surgery	3,095	14.2	10.5	5	7	10	16	26
Without surgery	610	12.0	12.8	1	3	8	13	30
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	7,185	15.2	13.2	2	5	11	20	32
Age:								
65 to 74 years	3,235	15.2	12.8	2	6	11	19	31
75 to 84 years	2,935	16.1	13.9	2	6	12	21	34
85 years and over	1,015	12.8	12.1	1	4	8	17	30
One diagnosis	3,565	14.4	13.0	2	5	10	19	31
Two or more diagnoses	3,620	16.0	13.4	2	6	12	21	33
With surgery	3,050	20.3	13.8	6	10	17	26	38
Without surgery	4,135	11.5	11.4	1	4	8	14	24
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	5,935	10.2	9.8	2	4	7	12	19
Age:								
65 to 74 years	3,355	9.6	9.5	2	4	7	11	18
75 to 84 years	2,090	10.8	10.1	2	4	8	13	21
85 years and over	490	12.1	10.1	2	5	9	15	24
One diagnosis	2,260	8.1	7.5	2	3	6	9	15
Two or more diagnoses	3,675	11.5	10.8	3	5	8	13	21
With surgery	570	18.5	17.1	5	7	13	23	33
Without surgery	5,365	9.4	8.2	2	4	7	11	17
DIVERTICULITIS (572.1)								
Total	11,860	13.0	11.0	3	6	9	16	25
Age:								
65 to 74 years	6,310	12.9	10.8	3	6	9	16	26
75 to 84 years	4,550	13.0	11.2	3	5	9	16	25
85 years and over	1,000	13.7	11.6	3	6	10	17	27
One diagnosis	4,355	11.5	9.6	3	5	8	14	23
Two or more diagnoses	7,505	13.8	11.7	4	6	10	17	27
With surgery	3,570	18.7	14.4	5	8	15	24	37
Without surgery	8,290	10.5	8.0	3	5	8	13	19
CIRRHOSIS OF LIVER (581)								
Total	3,005	17.8	13.2	4	8	14	23	35
Age:								
65 to 74 years	2,380	17.7	13.2	4	8	14	23	35
75 to 84 years	555	18.4	13.2	3	8	15	25	37
85 years and over	70	15.3	7.5	6	8	15	19	27
One diagnosis	1,045	17.0	13.1	4	8	13	23	34
Two or more diagnoses	1,960	18.2	13.2	5	8	15	24	36
With surgery	550	21.7	12.4	7	11	19	31	38
Without surgery	2,455	16.9	13.2	4	7	13	22	32
CHOLELITHIASIS (584)								
Total	12,370	17.2	11.5	6	9	14	21	30
Age:								
65 to 74 years	7,760	16.5	10.4	6	9	14	20	29
75 to 84 years	4,005	18.4	13.5	5	9	15	24	34
85 years and over	605	17.8	10.7	6	9	17	23	29
One diagnosis	5,715	15.5	9.3	6	9	13	19	26
Two or more diagnoses	6,655	18.7	13.0	5	9	15	24	34
With surgery	8,600	19.8	11.5	9	11	16	24	33
Without surgery	3,770	11.4	9.3	3	5	8	13	22
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	6,425	15.6	11.7	4	7	12	19	30
Age:								
65 to 74 years	3,420	14.9	10.8	4	7	12	18	28
75 to 84 years	2,420	16.1	12.4	4	7	12	20	31
85 years and over	585	17.2	14.0	5	7	13	21	30
One diagnosis	3,195	14.3	10.4	4	7	11	17	27
Two or more diagnoses	3,230	16.9	12.8	5	8	13	21	32
With surgery	2,700	20.3	12.1	9	12	16	24	34
Without surgery	3,725	12.2	10.2	3	5	9	14	23
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	1,720	18.3	13.6	5	8	14	24	35
Age:								
65 to 74 years	855	18.3	14.4	4	8	13	23	37
75 to 84 years	680	18.8	13.1	5	8	15	26	35
85 years and over	185	16.6	11.3	4	7	13	22	29
One diagnosis	745	18.1	13.9	4	8	13	24	34
Two or more diagnoses	975	18.4	13.4	5	8	15	24	35
With surgery	690	25.4	14.2	10	15	22	32	42
Without surgery	1,030	13.5	10.8	4	6	10	17	27
DISEASES OF PANCREAS (587)								
Total	1,435	15.8	11.9	4	7	12	21	30
Age:								
65 to 74 years	855	15.4	11.4	5	8	11	19	29
75 to 84 years	495	16.1	12.5	3	7	13	22	31
85 years and over	85	18.8	13.4	3	9	16	22	40
One diagnosis	555	13.6	9.5	4	6	10	18	27
Two or more diagnoses	880	17.2	13.0	4	8	13	22	32
With surgery	325	23.4	13.6	7	14	21	30	41
Without surgery	1,110	13.6	10.4	4	7	10	16	28
NEPHRITIS, NEPHROSIS, AND HYORONEPHROSIS (590-594,601)								
Total	1,955	18.7	15.3	3	7	15	24	40
Age:								
65 to 74 years	1,095	20.8	15.4	5	9	16	27	42
75 to 84 years	720	15.7	14.1	3	5	11	21	33
85 years and over	140	17.8	17.8	2	5	13	21	30
One diagnosis	565	18.0	15.7	3	6	14	23	38
Two or more diagnoses	1,390	19.0	15.2	3	7	15	24	40
With surgery	725	22.9	16.1	7	11	18	28	48
Without surgery	1,230	16.2	14.2	2	5	12	22	35
INFECTIONS OF KIDNEY (600)								
Total	3,715	14.9	12.4	4	7	11	18	28
Age:								
65 to 74 years	2,060	14.0	11.5	4	6	10	16	26
75 to 84 years	1,300	15.5	13.7	4	7	11	18	29
85 years and over	355	17.8	11.6	5	9	15	24	31
One diagnosis	1,185	12.8	10.9	3	6	9	15	2.
Two or more diagnoses	2,530	15.8	12.9	4	7	12	19	30
With surgery	1,140	17.3	14.2	5	8	13	21	33
Without surgery	2,575	13.8	11.4	4	6	10	16	26
CALCULI OF KIDNEY AND URETER (602)								
Total	3,160	11.1	8.9	3	4	8	15	22
Age:								
65 to 74 years	2,325	11.0	9.1	2	4	8	15	22
75 to 84 years	790	11.1	8.5	3	5	9	14	20
85 years and over	45	11.6	7.8	3	4	8	15	24
One diagnosis	1,640	10.0	8.5	2	4	7	13	20
Two or more diagnoses	1,520	12.2	9.1	3	5	9	16	24
With surgery	1,985	13.3	9.4	4	6	11	17	24
Without surgery	1,175	7.3	6.3	2	3	5	9	14

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	2,540	13.7	12.3	2	5	10	18	27
Age:								
65 to 74 years	1,500	12.6	10.9	2	5	9	17	24
75 to 84 years	835	15.1	14.2	2	5	10	20	29
85 years and over	205	16.1	12.9	1	4	14	24	34
One diagnosis	1,030	11.1	11.9	2	3	7	14	21
Two or more diagnoses	1,510	15.4	12.3	2	6	12	21	30
With surgery	1,695	15.1	12.7	3	6	12	19	29
Without surgery	845	10.8	10.8	1	3	6	14	25
CYSTITIS (605)								
Total	4,835	11.4	11.2	2	4	8	13	22
Age:								
65 to 74 years	2,390	10.3	10.3	2	4	7	12	21
75 to 84 years	1,900	12.0	11.4	2	5	8	14	23
85 years and over	545	14.1	13.4	3	5	11	18	26
One diagnosis	1,685	8.9	10.5	2	3	5	10	16
Two or more diagnoses	3,150	12.7	11.3	3	5	9	15	25
With surgery	3,010	11.1	11.1	2	4	7	13	22
Without surgery	1,825	11.8	11.3	3	5	8	14	22
OTHER DISEASES OF BLADDER (606)								
Total	2,095	14.5	10.8	3	6	11	19	28
Age:								
65 to 74 years	1,135	13.3	10.6	3	5	10	17	26
75 to 84 years	775	15.9	10.9	3	7	13	21	31
85 years and over	185	15.7	10.8	3	6	13	20	32
One diagnosis	835	12.1	8.9	2	5	9	16	23
Two or more diagnoses	1,260	16.0	11.6	4	7	13	21	31
With surgery	1,605	14.9	10.5	3	7	12	19	28
Without surgery	490	13.2	11.6	2	5	9	18	29
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	3,070	10.3	10.4	2	3	6	13	21
Age:								
65 to 74 years	1,820	9.6	10.3	2	3	6	12	19
75 to 84 years	1,085	11.4	10.7	2	4	7	15	24
85 years and over	165	10.1	8.2	2	3	7	14	20
One diagnosis	1,225	8.7	9.9	1	2	5	9	18
Two or more diagnoses	1,845	11.4	10.6	2	4	7	15	22
With surgery	2,555	10.1	10.1	2	3	6	13	21
Without surgery	515	11.4	11.7	2	4	7	15	24
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	2,920	13.1	11.1	3	5	10	17	27
Age:								
65 to 74 years	1,525	10.7	8.5	2	4	8	14	21
75 to 84 years	1,115	15.7	12.3	3	7	12	20	32
85 years and over	280	15.9	14.7	3	6	10	18	40
One diagnosis	1,155	11.1	9.5	2	4	8	14	24
Two or more diagnoses	1,765	14.5	11.8	3	6	11	18	29
With surgery	1,405	12.1	10.3	2	4	9	16	26
Without surgery	1,515	14.1	11.7	3	6	10	17	29
HYPERPLASIA OF PROSTATE (610)								
Total	23,045	16.9	11.1	5	9	14	21	30
Age:								
65 to 74 years	13,445	15.8	10.2	5	9	13	19	27
75 to 84 years	8,190	18.0	11.7	6	10	15	22	33
85 years and over	1,410	20.7	13.9	7	11	17	25	36
One diagnosis	12,255	15.4	9.9	5	9	13	19	27
Two or more diagnoses	10,790	18.6	12.0	6	10	16	23	33
With surgery	20,220	17.3	10.7	6	10	15	21	29
Without surgery	2,825	14.4	13.3	2	5	10	18	32
OTHER DISEASES OF PROSTATE (611,612)								
Total	1,000	11.9	10.5	2	4	9	15	24
Age:								
65 to 74 years	640	11.4	10.2	2	4	8	13	24
75 to 84 years	305	13.1	10.6	2	6	10	17	27
85 years and over	55	11.8	12.4	1	3	7	13	21
One diagnosis	425	11.4	10.8	2	4	8	12	28
Two or more diagnoses	575	12.3	10.2	3	4	9	16	23
With surgery	630	13.4	11.7	2	5	10	18	29
Without surgery	370	9.5	7.4	3	4	7	11	19
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	2,425	9.2	7.9	2	4	7	11	17
Age:								
65 to 74 years	1,640	8.3	6.3	2	4	7	10	15
75 to 84 years	685	10.9	9.7	2	4	8	12	20
85 years and over	100	12.5	12.1	3	5	6	16	26
One diagnosis	1,225	7.4	4.6	2	3	6	9	13
Two or more diagnoses	1,200	11.1	9.8	3	4	8	13	20
With surgery	1,820	9.1	8.4	2	3	6	10	17
Without surgery	605	9.6	5.7	3	5	8	12	17
UTEROVAGINAL PROLAPSE (631)								
Total	6,350	12.7	6.2	7	9	11	14	19
Age:								
65 to 74 years	4,680	12.3	5.2	7	9	11	14	18
75 to 84 years	1,545	13.7	7.9	7	9	11	15	21
85 years and over	125	14.2	11.9	1	9	11	17	21
One diagnosis	3,500	12.1	5.5	6	8	11	14	18
Two or more diagnoses	2,850	13.3	6.9	7	9	11	15	20
With surgery	5,905	12.8	6.2	7	9	11	14	19
Without surgery	445	10.8	6.0	3	5	10	14	19
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	3,670	15.7	13.9	3	6	11	20	32
Age:								
65 to 74 years	1,890	15.0	13.9	3	5	10	18	32
75 to 84 years	1,475	16.4	13.9	3	7	12	22	32
85 years and over	305	17.0	14.0	5	7	12	21	29
One diagnosis	1,505	13.3	13.2	2	4	9	16	29
Two or more diagnoses	2,165	17.5	14.1	4	7	13	23	34
With surgery	1,425	17.2	16.3	2	5	11	23	41
Without surgery	2,245	14.8	12.0	4	6	11	18	29
RHEUMATOID ARTHRITIS (722.0)								
Total	1,960	18.5	14.3	5	8	15	23	35
Age:								
65 to 74 years	1,260	18.3	14.2	5	8	14	23	34
75 to 84 years	650	18.1	12.3	6	9	15	22	35
85 years and over	50	29.8	28.8	5	8	14	32	82
One diagnosis	670	18.1	13.6	5	8	15	23	28
Two or more diagnoses	1,290	18.8	14.7	5	8	14	23	37
With surgery	410	19.7	14.7	4	8	16	26	37
Without surgery	1,550	18.2	14.2	5	8	14	22	34
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	4,515	17.7	14.0	5	8	14	22	34
Age:								
65 to 74 years	2,390	18.8	14.4	5	8	14	23	37
75 to 84 years	1,750	16.5	13.5	4	7	12	20	31
85 years and over	375	16.2	12.9	4	6	13	21	33
One diagnosis	1,600	19.4	15.6	4	7	15	26	41
Two or more diagnoses	2,915	16.8	12.8	5	8	13	20	30
With surgery	1,080	25.8	17.5	8	12	21	34	49
Without surgery	3,435	15.1	11.5	4	7	12	19	28
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	3,230	13.8	10.1	4	7	11	17	25
Age:								
65 to 74 years	1,890	13.2	9.2	4	6	11	17	24
75 to 84 years	1,065	13.7	9.7	5	7	11	16	24
85 years and over	275	17.8	16.0	4	7	13	22	35
One diagnosis	730	11.2	7.5	3	6	8	14	21
Two or more diagnoses	2,500	14.5	10.7	4	7	11	19	26
With surgery	330	18.0	12.3	6	9	14	23	30
Without surgery	2,900	13.3	9.8	4	6	11	16	24
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	2,495	16.3	13.5	4	7	12	20	32
Age:								
65 to 74 years	1,350	14.7	11.5	4	6	11	19	29
75 to 84 years	985	18.2	15.4	4	7	13	22	41
85 years and over	160	18.9	14.4	3	8	15	23	38
One diagnosis	975	15.5	11.2	4	7	13	21	30
Two or more diagnoses	1,520	16.9	14.7	4	7	11	20	34
With surgery	355	22.1	17.4	5	9	16	26	51
Without surgery	2,140	15.4	12.4	4	7	11	19	30

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	2,050	17.5	13.4	5	8	13	22	34
Age:								
65 to 74 years	740	16.8	12.4	4	8	13	21	32
75 to 84 years	940	18.1	13.8	5	8	13	23	35
85 years and over	370	17.5	14.0	4	8	14	20	35
One diagnosis	320	16.8	13.8	4	8	12	20	34
Two or more diagnoses	1,730	17.6	13.3	5	8	14	22	33
With surgery	195	20.8	17.3	4	8	15	29	40
Without surgery	1,855	17.2	12.8	5	8	13	21	32
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	2,005	17.3	11.9	6	9	14	21	31
Age:								
65 to 74 years	1,485	17.6	12.2	6	9	14	21	31
75 to 84 years	460	16.0	11.3	5	9	13	18	27
85 years and over	60	18.2	9.8	7	9	13	25	32
One diagnosis	1,005	16.3	10.6	6	9	14	19	28
Two or more diagnoses	1,000	18.2	13.0	6	9	13	22	34
With surgery	465	23.6	12.6	9	14	21	28	41
Without surgery	1,540	15.4	11.0	5	9	12	17	26
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	1,500	8.3	7.5	1	3	5	10	19
Age:								
65 to 74 years	1,060	7.9	7.5	1	2	5	9	18
75 to 84 years	405	9.1	7.3	2	3	7	12	19
85 years and over	35	14.4	7.6	3	8	11	21	24
One diagnosis	875	6.8	6.3	1	2	4	8	16
Two or more diagnoses	625	10.4	8.5	2	4	7	13	21
With surgery	940	6.3	6.0	1	2	4	7	13
Without surgery	560	11.8	8.6	2	6	9	15	23
CONGENITAL MALFORMATIONS (750-759)								
Total	760	14.7	12.2	3	5	11	18	32
Age:								
65 to 74 years	535	15.3	12.9	3	6	11	18	34
75 to 84 years	205	12.7	9.7	2	4	10	17	27
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	260	10.3	10.5	2	4	7	11	21
Two or more diagnoses	500	17.0	12.3	3	8	14	22	34
With surgery	395	14.1	13.0	3	4	9	17	30
Without surgery	365	15.4	11.1	3	7	13	19	32
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	1,215	10.6	12.2	1	3	6	13	22
Age:								
65 to 74 years	645	8.9	8.8	1	2	5	11	20
75 to 84 years	510	12.2	15.1	1	3	7	15	31
85 years and over	60	14.0	13.1	1	3	8	20	33
One diagnosis	865	9.3	9.1	1	2	5	12	21
Two or more diagnoses	350	13.7	17.2	1	3	7	17	29
With surgery	270	14.2	14.4	2	4	10	19	32
Without surgery	945	9.5	11.2	1	2	6	11	21
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	2,200	9.1	9.8	2	3	6	10	19
Age:								
65 to 74 years	1,325	8.7	9.3	1	3	6	10	18
75 to 84 years	755	9.4	9.4	2	3	6	11	22
85 years and over	120	12.2	14.9	2	3	8	13	20
One diagnosis	1,605	8.4	8.9	1	3	5	9	19
Two or more diagnoses	595	10.9	11.6	2	4	8	12	20
With surgery	485	9.6	9.8	2	3	6	11	19
Without surgery	1,715	8.9	9.8	1	3	6	10	19
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	2,095	12.7	11.5	2	5	8	16	27
Age:								
65 to 74 years	1,125	11.5	10.0	2	5	8	15	23
75 to 84 years	775	13.6	13.0	2	5	8	17	33
85 years and over	195	15.7	12.6	3	6	12	21	34
One diagnosis	1,565	12.7	11.7	2	4	8	17	27
Two or more diagnoses	530	12.8	11.2	3	5	9	15	29
With surgery	425	16.7	14.0	3	6	12	21	40
Without surgery	1,670	11.7	10.6	2	4	8	14	24
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	2,780	15.1	12.2	3	6	12	19	30
Age:								
65 to 74 years	1,625	14.4	11.7	3	6	12	18	27
75 to 84 years	965	15.6	12.5	2	6	13	20	30
85 years and over	190	18.5	14.7	3	8	16	25	36
One diagnosis	2,255	15.3	12.7	2	5	13	19	31
Two or more diagnoses	525	14.4	9.8	4	6	12	18	26
With surgery	1,705	17.8	11.5	4	10	15	22	33
Without surgery	1,075	10.8	12.2	1	3	6	14	23
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	3,680	13.2	12.6	2	4	9	16	28
Age:								
65 to 74 years	2,115	11.7	11.2	2	4	7	14	25
75 to 84 years	1,220	14.9	13.5	3	5	10	18	31
85 years and over	345	16.4	15.5	2	6	12	20	37
One diagnosis	2,770	12.3	12.2	2	4	8	15	28
Two or more diagnoses	910	15.8	13.2	3	6	12	19	32
With surgery	1,325	13.2	11.2	2	5	9	17	28
Without surgery	2,355	13.2	13.3	2	4	8	16	29
NERVOUSNESS AND DEBILITY (790)								
Total	335	15.3	14.4	3	5	9	19	40
Age:								
65 to 74 years	155	15.6	14.9	3	4	9	19	44
75 to 84 years	150	14.1	13.3	2	5	9	16	34
85 years and over	30	19.0	15.5	5	5	10	29	41
One diagnosis	100	16.5	17.3	3	4	7	17	47
Two or more diagnoses	235	14.7	12.8	2	5	9	21	35
With surgery	25	*	*	*	*	*	*	*
Without surgery	310	15.1	14.4	3	5	9	18	41
UREMIA (792)								
Total	805	16.3		1	5	13	22	35
Age:								
65 to 74 years	380	16.1	12.8	1	5	13	24	35
75 to 84 years	320	16.9	16.1	1	5	12	21	42
85 years and over	105	15.1	13.4	1	2	13	21	31
One diagnosis	485	15.2	13.5	1	4	12	21	32
Two or more diagnoses	320	17.8	15.3	1	6	14	24	38
With surgery	80	26.0	15.5	7	14	21	35	49
Without surgery	725	14.9	13.6	1	4	11	20	32
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	350	15.6	13.1	4	6	11	18	36
Age:								
65 to 74 years	60	18.7	12.6	3	6	15	24	36
75 to 84 years	140	16.4	14.3	3	6	10	20	35
85 years and over	150	13.5	11.7	3	6	9	16	27
One diagnosis	85	9.4	7.2	1	4	6	13	19
Two or more diagnoses	265	17.6	13.9	4	6	13	23	37
With surgery	30	11.7	9.6	2	3	7	13	25
Without surgery	320	15.9	13.3	4	6	12	19	36
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	2,120	12.4	13.2	1	3	8	16	28
Age:								
65 to 74 years	1,315	11.7	11.9	1	3	7	16	26
75 to 84 years	640	13.4	14.0	1	3	8	18	30
85 years and over	165	13.6	17.9	1	3	9	15	30
One diagnosis	1,210	11.3	11.3	1	3	7	16	25
Two or more diagnoses	910	13.8	15.2	1	3	8	18	30
With surgery	610	13.3	13.6	1	2	9	19	30
Without surgery	1,510	12.0	12.9	1	3	7	16	28
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	3,770	18.0	12.5	5	9	15	23	33
Age:								
65 to 74 years	1,665	16.5	12.1	4	8	13	21	31
75 to 84 years	1,680	18.8	12.1	6	10	16	24	34
85 years and over	425	20.8	15.0	5	8	17	29	40
One diagnosis	1,575	15.8	11.3	4	8	13	20	30
Two or more diagnoses	2,195	19.6	13.2	6	10	16	25	36
With surgery	210	24.8	16.6	6	11	21	34	47
Without surgery	3,560	17.6	12.2	5	9	14	22	32

Table 6 MIDDLE ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	2,315	13.9	11.3	3	6	10	18	27
Age:								
65 to 74 years	1,095	12.5	9.5	2	5	9	17	26
75 to 84 years	910	14.3	11.5	3	6	11	18	29
85 years and over	310	17.7	15.0	5	8	12	22	35
One diagnosis	565	11.9	10.2	2	5	9	15	23
Two or more diagnoses	1,750	14.6	11.6	3	6	11	20	28
With surgery	180	18.1	11.7	4	8	14	26	35
Without surgery	2,135	13.6	11.2	3	6	10	17	26
FRACTURE OF PELVIS (808)								
Total	2,155	25.5	16.7	7	12	21	34	49
Age:								
65 to 74 years	790	24.9	15.8	7	13	22	32	47
75 to 84 years	1,005	25.4	15.9	7	13	22	34	48
85 years and over	360	27.0	20.4	6	10	20	43	54
One diagnosis	960	23.9	16.4	6	11	20	33	45
Two or more diagnoses	1,195	26.7	16.9	8	13	23	36	50
With surgery	140	36.6	16.5	15	24	34	47	53
Without surgery	2,015	24.7	16.5	7	11	21	33	48
FRACTURE OF HUMERUS (812)								
Total	4,435	14.8	14.3	2	4	9	19	35
Age:								
65 to 74 years	2,140	12.6	12.8	2	3	8	15	28
75 to 84 years	1,720	16.8	15.4	2	5	11	24	39
85 years and over	575	16.5	15.0	2	4	11	23	41
One diagnosis	2,410	12.3	13.4	1	3	7	15	30
Two or more diagnoses	2,025	17.7	14.8	3	7	13	23	40
With surgery	1,915	15.0	13.7	2	4	10	20	34
Without surgery	2,520	14.6	14.7	2	4	9	19	36
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	3,160	8.4	11.4	1	2	4	9	19
Age:								
65 to 74 years	1,810	6.8	9.5	1	2	3	7	14
75 to 84 years	1,125	10.6	13.7	1	2	5	12	26
85 years and over	225	10.0	10.3	1	2	6	13	22
One diagnosis	1,855	5.2	7.1	1	1	3	5	9
Two or more diagnoses	1,305	13.0	14.3	2	3	7	16	31
With surgery	2,445	7.6	10.1	1	2	3	8	17
Without surgery	715	11.1	14.6	1	2	5	12	30
FRACTURE OF FEMUR (820,821)								
Total	19,740	27.5	18.0	7	14	23	36	53
Age:								
65 to 74 years	5,505	27.6	17.2	9	15	24	35	52
75 to 84 years	9,470	28.1	18.3	8	15	23	38	54
85 years and over	4,765	26.0	18.2	6	12	21	35	52
One diagnosis	11,790	26.5	17.3	8	14	22	34	51
Two or more diagnoses	7,950	28.9	18.9	7	15	25	39	56
With surgery	14,775	28.2	16.9	10	16	24	36	52
Without surgery	4,965	25.4	20.8	2	8	20	37	56
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	5,170	16.2	15.3	3	6	11	20	35
Age:								
65 to 74 years	3,245	15.3	14.3	3	6	10	19	33
75 to 84 years	1,620	17.2	15.8	3	6	12	22	35
85 years and over	305	21.3	20.1	3	6	12	32	52
One diagnosis	3,030	15.2	15.0	2	5	10	19	34
Two or more diagnoses	2,140	17.7	15.6	4	7	13	23	36
With surgery	2,865	17.0	15.8	3	6	11	21	36
Without surgery	2,305	15.2	14.5	2	5	10	19	32
SPRAINS OF BACK (846,847)								
Total	1,740	12.4	8.7	3	6	10	16	23
Age:								
65 to 74 years	1,035	12.1	7.8	3	6	10	16	22
75 to 84 years	580	12.3	9.4	3	6	9	14	21
85 years and over	125	16.3	11.2	4	8	14	18	29
One diagnosis	590	11.9	7.3	3	6	10	15	21
Two or more diagnoses	1,150	12.7	9.3	3	6	10	16	23
With surgery	115	18.7	10.5	5	10	17	23	32
Without surgery	1,625	12.0	8.4	3	6	10	15	21
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	4,330	12.0	13.2	1	3	7	14	26
Age:								
65 to 74 years	2,120	11.7	13.3	1	3	7	14	26
75 to 84 years	1,710	12.0	12.9	1	3	7	15	26
85 years and over	500	13.0	13.7	2	4	8	14	29
One diagnosis	1,120	13.0	16.3	1	3	7	14	30
Two or more diagnoses	3,210	11.6	11.9	1	3	7	14	25
With surgery	810	17.0	18.8	1	4	9	22	44
Without surgery	3,520	10.8	11.2	1	3	7	13	23
LACERATION AND OPEN WOUND (870-898)								
Total	2,130	10.4	11.9	1	3	6	12	24
Age:								
65 to 74 years	1,165	9.7	11.4	1	2	6	11	22
75 to 84 years	760	11.2	12.4	1	3	7	13	24
85 years and over	205	11.8	12.2	2	3	8	13	25
One diagnosis	785	7.8	10.3	1	2	4	9	16
Two or more diagnoses	1,345	11.9	12.4	2	4	8	14	25
With surgery	1,115	11.3	13.3	1	2	7	13	28
Without surgery	1,015	9.4	9.9	1	3	6	11	21
SUPERFICIAL INJURY (910-918)								
Total	240	12.8	15.7	1	3	7	14	26
Age:								
65 to 74 years	120	7.9	7.2	1	2	5	10	20
75 to 84 years	80	21.0	22.7	3	6	11	24	61
85 years and over	40	11.1	9.1	2	2	8	16	23
One diagnosis	25	*	*	*	*	*	*	*
Two or more diagnoses	215	12.7	16.4	2	3	7	13	27
With surgery	10	*	*	*	*	*	*	*
Without surgery	230	12.7	16.0	1	3	7	14	27
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	4,280	11.7	10.8	2	4	8	15	24
Age:								
65 to 74 years	1,680	9.8	8.4	1	3	7	13	21
75 to 84 years	1,790	12.8	12.0	2	5	8	16	26
85 years and over	810	13.5	11.7	2	5	10	17	26
One diagnosis	980	9.8	10.3	1	3	7	13	20
Two or more diagnoses	3,300	12.3	10.9	2	5	8	15	25
With surgery	450	17.1	13.0	3	7	14	23	33
Without surgery	3,830	11.1	10.3	2	4	8	14	23
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	1,680	9.7	8.9	1	3	7	13	20
Age:								
65 to 74 years	965	8.4	7.0	1	3	6	12	16
75 to 84 years	580	9.9	8.1	1	3	7	14	22
85 years and over	135	18.6	16.6	2	6	14	24	38
One diagnosis	595	6.6	6.9	1	2	4	7	13
Two or more diagnoses	1,085	11.4	9.5	2	4	9	14	22
With surgery	70	16.1	7.8	3	11	14	22	25
Without surgery	1,610	9.5	8.9	1	3	6	12	19
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	2,185	12.7	11.8	2	4	8	16	29
Age:								
65 to 74 years	1,345	12.0	10.9	2	4	8	15	26
75 to 84 years	710	13.5	13.2	2	4	9	17	29
85 years and over	130	16.9	12.4	4	6	11	26	37
One diagnosis	1,360	11.2	10.4	2	4	7	14	24
Two or more diagnoses	825	15.4	13.4	3	6	11	19	36
With surgery	1,015	14.5	12.4	2	5	10	18	34
Without surgery	1,170	11.2	11.0	2	4	7	14	23

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	5,615	14.3	13.8	2	4	9	19	31
Age:								
65 to 74 years	3,135	13.5	12.7	2	4	9	18	29
75 to 84 years	1,985	15.4	14.8	2	5	10	20	34
85 years and over	495	15.0	16.2	1	4	9	19	30
One diagnosis	2,075	12.1	12.7	1	3	8	15	27
Two or more diagnoses	3,540	15.6	14.3	2	5	11	20	34
With surgery	1,270	18.0	15.0	2	6	14	25	39
Without surgery	4,345	13.2	13.3	2	4	8	17	29
HERPES ZOSTER (088)								
Total	1,655	13.8	11.3	4	6	10	17	29
Age:								
65 to 74 years	765	10.6	7.5	3	5	8	13	20
75 to 84 years	695	16.8	13.0	5	7	12	22	34
85 years and over	195	15.3	13.7	3	6	11	21	30
One diagnosis	585	12.5	9.5	3	6	9	15	25
Two or more diagnoses	1,070	14.4	12.1	4	6	10	19	30
With surgery	85	14.1	11.0	4	5	9	21	32
Without surgery	1,570	13.7	11.3	4	6	10	17	28
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	1,890	16.2	15.7	2	4	10	23	39
Age:								
65 to 74 years	1,165	16.6	16.2	2	5	10	24	39
75 to 84 years	565	15.8	15.6	2	4	9	24	39
85 years and over	160	14.9	12.7	2	4	11	20	37
One diagnosis	970	13.2	14.6	2	3	7	15	34
Two or more diagnoses	920	19.4	16.3	3	6	13	29	42
With surgery	1,255	14.4	14.2	2	4	9	17	35
Without surgery	635	19.8	17.9	2	4	14	30	45
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	1,060	19.1	15.9	2	6	14	25	44
Age:								
65 to 74 years	550	19.3	15.2	3	7	16	27	41
75 to 84 years	440	19.2	16.6	2	6	15	25	46
85 years and over	70	16.6	17.3	1	4	11	17	46
One diagnosis	560	17.5	15.4	2	5	12	25	39
Two or more diagnoses	500	20.9	16.4	4	8	17	26	49
With surgery	540	21.7	14.8	6	10	18	28	41
Without surgery	520	16.4	16.6	1	4	10	22	47
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	2,880	20.3	15.7	4	8	17	25	40
Age:								
65 to 74 years	1,455	19.4	14.6	4	8	17	24	36
75 to 84 years	1,175	21.8	17.1	4	9	17	28	45
85 years and over	250	18.5	14.9	4	5	16	23	37
One diagnosis	1,105	18.0	14.1	3	7	15	23	33
Two or more diagnoses	1,775	21.7	16.5	4	9	18	27	43
With surgery	1,370	26.0	16.1	11	15	22	31	48
Without surgery	1,510	15.1	13.5	2	5	11	21	33
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	9,260	21.5	15.7	4	10	18	28	41
Age:								
65 to 74 years	4,805	21.0	15.1	4	10	17	27	39
75 to 84 years	3,685	22.2	16.2	3	10	19	29	43
85 years and over	770	21.6	16.7	4	9	18	28	40
One diagnosis	3,120	19.5	13.8	3	10	17	25	36
Two or more diagnoses	6,140	22.6	16.5	4	10	19	30	43
With surgery	5,610	24.6	13.9	11	15	22	30	41
Without surgery	3,650	16.7	17.1	2	4	10	22	40
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	3,940	23.4	16.6	3	10	20	33	45
Age:								
65 to 74 years	2,045	23.0	15.4	3	10	21	32	43
75 to 84 years	1,530	24.4	18.3	4	9	20	35	52
85 years and over	365	21.4	16.1	4	10	17	29	38
One diagnosis	1,595	21.2	14.9	3	8	19	29	39
Two or more diagnoses	2,345	24.9	17.6	5	10	21	35	48
With surgery	2,680	25.1	15.0	6	14	23	33	43
Without surgery	1,260	19.7	19.1	1	5	12	30	48
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	1,865	18.6	13.8	3	8	16	25	38
Age:								
65 to 74 years	1,095	18.1	13.0	3	8	16	25	37
75 to 84 years	645	20.5	15.4	3	8	17	27	40
85 years and over	125	13.4	8.9	2	6	11	18	24
One diagnosis	665	17.7	12.6	4	8	14	25	34
Two or more diagnoses	1,200	19.1	14.4	2	7	17	25	39
With surgery	760	23.5	12.8	9	14	21	29	42
Without surgery	1,105	15.3	13.4	1	5	11	20	32
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	2,085	22.9	16.5	3	10	20	31	46
Age:								
65 to 74 years	1,065	23.7	16.6	4	12	21	30	46
75 to 84 years	865	22.2	16.3	3	8	20	30	45
85 years and over	155	21.4	16.7	4	7	16	31	37
One diagnosis	690	21.6	17.4	3	8	19	27	43
Two or more diagnoses	1,395	23.5	16.0	4	10	21	33	47
With surgery	1,065	27.3	14.5	11	17	24	33	50
Without surgery	1,020	18.3	17.3	1	5	12	26	40
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	7,670	18.1	15.6	3	7	14	23	38
Age:								
65 to 74 years	5,620	18.2	15.4	3	7	14	24	38
75 to 84 years	1,840	18.0	16.2	2	6	13	23	39
85 years and over	210	17.3	17.1	1	4	12	26	36
One diagnosis	3,185	17.2	14.4	2	6	14	22	35
Two or more diagnoses	4,485	18.8	16.4	3	7	14	25	40
With surgery	3,100	20.7	14.6	6	10	17	26	38
Without surgery	4,570	16.3	16.0	1	4	10	22	39
MALIGNANT NEOPLASM OF BREAST (170)								
Total	7,270	16.9	13.5	5	8	13	20	33
Age:								
65 to 74 years	3,990	16.8	13.5	5	9	12	19	32
75 to 84 years	2,750	16.6	13.4	4	8	13	19	34
85 years and over	530	18.5	13.5	5	8	14	23	36
One diagnosis	3,115	14.2	9.7	5	8	12	16	24
Two or more diagnoses	4,155	18.9	15.4	4	8	14	24	37
With surgery	4,720	15.9	11.2	6	9	12	18	28
Without surgery	2,550	18.7	16.7	3	6	13	25	41
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	1,690	14.7	14.7	2	4	9	19	36
Age:								
65 to 74 years	1,020	13.2	12.8	2	4	8	17	31
75 to 84 years	605	16.8	17.3	2	4	10	21	41
85 years and over	65	17.8	12.0	4	7	14	30	35
One diagnosis	845	11.5	12.3	2	4	6	14	28
Two or more diagnoses	845	17.8	16.1	3	6	12	23	39
With surgery	1,195	14.0	13.4	2	4	8	18	35
Without surgery	495	16.2	17.2	1	4	9	21	39
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	2,465	14.8	13.2	3	6	10	17	30
Age:								
65 to 74 years	1,605	14.4	12.5	3	7	10	17	28
75 to 84 years	785	15.2	14.6	3	5	10	18	34
85 years and over	75	17.4	9.5	4	9	16	23	28
One diagnosis	1,235	11.8	9.6	3	5	9	14	21
Two or more diagnoses	1,230	17.7	15.4	4	7	12	21	38
With surgery	1,875	14.0	11.9	3	7	10	16	25
Without surgery	590	17.0	16.2	2	5	10	23	39
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	1,290	21.4	15.3	5	10	17	27	41
Age:								
65 to 74 years	825	21.1	16.9	3	9	16	26	44
75 to 84 years	420	21.9	11.9	7	14	20	27	37
85 years and over	45	21.2	13.9	5	7	17	32	40
One diagnosis	320	18.0	13.7	2	9	15	23	36
Two or more diagnoses	970	22.5	15.7	5	11	19	29	42
With surgery	680	23.0	14.0	10	13	19	27	40
Without surgery	610	19.6	16.5	3	6	15	26	42

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	8,535	15.7	13.0	3	7	12	19	31
Age:								
65 to 74 years	3,735	14.3	11.3	3	7	11	18	27
75 to 84 years	3,955	16.5	13.7	3	7	13	20	34
85 years and over	845	18.3	15.7	4	7	12	22	40
One diagnosis	3,410	14.0	10.9	3	7	11	17	26
Two or more diagnoses	5,125	16.8	14.1	3	7	13	21	33
With surgery	4,990	16.5	12.2	5	8	13	20	31
Without surgery	3,545	14.5	14.0	2	5	10	18	32
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	1,180	21.2	16.7	4	8	16	29	46
Age:								
65 to 74 years	715	20.5	15.6	4	8	16	27	46
75 to 84 years	405	21.4	18.2	3	7	15	31	44
85 years and over	60	27.5	17.5	6	13	21	36	48
One diagnosis	375	20.2	12.2	7	12	17	23	36
Two or more diagnoses	805	21.6	18.4	4	6	15	32	48
With surgery	660	22.7	14.1	8	13	18	30	44
Without surgery	520	19.3	19.3	3	5	11	26	51
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	6,765	12.8	12.8	2	3	8	17	29
Age:								
65 to 74 years	3,560	11.9	12.2	1	3	7	16	27
75 to 84 years	2,745	13.4	13.3	2	4	8	17	31
85 years and over	460	16.2	14.4	2	5	10	22	38
One diagnosis	3,910	10.5	11.2	1	3	6	13	24
Two or more diagnoses	2,855	15.9	14.2	2	5	10	22	37
With surgery	5,500	12.6	12.6	2	3	8	16	29
Without surgery	1,265	13.8	13.6	1	4	8	19	32
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	3,585	9.7	11.4	1	2	5	11	22
Age:								
65 to 74 years	1,675	8.6	9.4	1	2	5	11	18
75 to 84 years	1,420	10.6	13.2	1	3	5	11	24
85 years and over	490	10.9	11.8	1	3	6	12	31
One diagnosis	1,955	8.6	12.2	1	2	4	9	19
Two or more diagnoses	1,630	11.0	10.3	1	3	7	14	25
With surgery	2,970	9.0	10.7	1	2	5	10	21
Without surgery	615	13.2	13.9	1	4	9	17	30
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	8,405	17.9	16.2	2	6	13	24	40
Age:								
65 to 74 years	4,875	18.5	16.7	2	6	13	25	42
75 to 84 years	2,970	17.6	16.2	2	6	12	23	39
85 years and over	560	14.5	10.9	3	5	12	20	28
One diagnosis	4,215	17.0	16.1	2	5	11	22	38
Two or more diagnoses	4,190	18.9	16.3	3	6	14	26	42
With surgery	2,755	20.7	16.5	4	8	15	27	45
Without surgery	5,650	16.5	16.0	2	5	11	22	37
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	1,810	18.7	15.7	3	7	14	25	37
Age:								
65 to 74 years	1,160	18.7	16.6	3	6	13	24	40
75 to 84 years	570	17.7	12.7	4	7	14	25	32
85 years and over	80	26.4	19.8	6	11	17	33	57
One diagnosis	875	16.9	15.2	3	6	12	22	33
Two or more diagnoses	935	20.3	16.1	4	8	16	28	40
With surgery	625	20.1	15.1	4	8	17	26	41
Without surgery	1,185	18.0	16.0	3	6	13	24	35
LEUKEMIA AND ALEUKEMIA (204)								
Total	3,545	14.4	14.1	2	4	10	19	30
Age:								
65 to 74 years	1,715	14.6	13.8	2	5	10	19	30
75 to 84 years	1,530	14.2	14.1	1	4	10	20	29
85 years and over	300	13.9	15.1	2	4	8	15	33
One diagnosis	1,595	12.5	12.6	1	3	8	17	28
Two or more diagnoses	1,950	15.9	15.0	2	5	11	21	33
With surgery	455	19.1	15.3	5	7	14	26	40
Without surgery	3,090	13.7	13.7	1	4	9	18	28
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	2,200	18.2	15.7	3	6	13	25	39
Age:								
65 to 74 years	1,440	18.1	14.9	3	6	14	25	38
75 to 84 years	645	18.2	16.8	3	6	12	23	39
85 years and over	115	19.8	17.9	2	4	14	24	44
One diagnosis	920	15.6	13.6	3	5	11	21	34
Two or more diagnoses	1,280	20.1	16.8	3	6	15	29	41
With surgery	550	22.1	18.6	3	7	16	32	45
Without surgery	1,650	16.9	14.4	3	5	12	23	36
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	1,185	13.4	10.5	2	5	11	17	25
Age:								
65 to 74 years	845	12.9	10.4	2	4	11	16	26
75 to 84 years	315	14.9	11.0	3	6	12	19	25
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	500	10.2	6.0	1	4	11	14	17
Two or more diagnoses	685	15.8	12.4	3	5	13	22	32
With surgery	915	15.6	10.6	3	9	13	19	29
Without surgery	270	6.0	6.1	1	2	4	7	13
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	1,275	8.6	9.2	1	2	5	10	18
Age:								
65 to 74 years	835	7.3	7.4	1	2	4	9	15
75 to 84 years	355	11.3	12.4	2	3	6	13	27
85 years and over	85	9.8	5.0	3	6	9	11	15
One diagnosis	690	5.7	4.5	1	2	4	7	11
Two or more diagnoses	585	12.0	11.7	2	4	8	14	28
With surgery	1,115	8.6	8.7	1	2	5	10	18
Without surgery	160	8.6	12.2	1	2	4	9	12
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	1,615	8.6	7.7	2	3	5	11	17
Age:								
65 to 74 years	1,075	8.5	7.8	2	3	5	11	17
75 to 84 years	475	9.0	7.7	2	3	6	12	18
85 years and over	65	7.5	4.5	3	3	6	8	13
One diagnosis	665	6.8	7.1	1	2	4	8	14
Two or more diagnoses	950	9.9	7.9	2	3	8	13	19
With surgery	1,460	8.4	7.1	2	3	6	12	17
Without surgery	155	10.3	11.5	1	3	5	11	28
LIPOMA (226)								
Total	1,205	6.1	5.4	1	2	4	7	12
Age:								
65 to 74 years	970	5.8	4.7	1	2	4	7	11
75 to 84 years	225	7.5	7.3	1	2	4	9	16
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	790	4.9	3.9	1	2	3	6	9
Two or more diagnoses	415	8.3	6.8	2	3	6	9	18
With surgery	1,165	6.1	5.4	1	2	4	7	12
Without surgery	40	6.0	3.6	1	1	6	8	10
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	1,965	6.1	7.0	1	1	3	7	13
Age:								
65 to 74 years	1,120	5.0	6.0	1	1	2	6	10
75 to 84 years	720	7.0	7.5	1	2	4	9	15
85 years and over	125	9.8	9.9	1	3	6	11	24
One diagnosis	1,405	5.0	5.9	1	1	2	5	10
Two or more diagnoses	560	8.8	8.6	1	2	6	11	20
With surgery	1,825	5.9	6.6	1	1	3	7	12
Without surgery	140	8.6	10.8	1	2	6	9	16
ASTHMA (241)								
Total	4,975	11.6	9.8	3	5	8	14	22
Age:								
65 to 74 years	3,500	11.5	9.0	3	5	9	14	21
75 to 84 years	1,335	11.6	10.8	2	4	7	14	24
85 years and over	140	13.6	16.0	3	6	9	15	23
One diagnosis	1,725	9.4	6.9	2	4	7	13	18
Two or more diagnoses	3,250	12.7	10.9	3	5	9	15	25
With surgery	205	20.4	16.6	3	8	17	25	42
Without surgery	4,770	11.2	9.2	2	5	8	14	21

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient chorocteristics	Number of discharges	Average stoy (doys)	Standard deviation (doys)	Percentiles (doys)				
				10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Totol	2,500	12.1	9.2	4	6	9	14	24
Age:								
65 to 74 years	1,820	11.3	8.5	4	6	8	13	22
75 to 84 years	620	13.9	10.7	4	6	10	18	27
85 years ond over	60	15.2	8.1	7	10	11	19	25
One diognosis	910	9.5	6.3	3	5	7	11	18
Two or more diognoses	1,590	13.6	10.1	4	7	10	17	26
With surgery	1,035	11.3	7.7	5	6	9	13	20
Without surgery	1,465	12.6	10.0	3	6	9	16	25
DIABETES MELLITUS (260)								
Totol	31,910	14.5	12.4	3	6	10	18	29
Age:								
65 to 74 years	18,795	14.2	12.1	3	6	10	17	28
75 to 84 years	11,420	14.9	12.9	3	6	11	18	30
85 years ond over	1,695	15.8	13.2	3	7	11	21	32
One diognosis	6,570	12.3	10.5	3	5	9	15	24
Two or more diognoses	25,340	15.1	12.8	4	6	11	19	30
With surgery	4,170	22.7	17.1	6	10	17	30	47
Without surgery	27,740	13.3	11.1	3	6	10	16	25
MALNUTRITIONAL OEFICIENCY STATES (286)								
Totol	1,455	14.6	12.6	3	6	10	18	31
Age:								
65 to 74 years	635	15.3	12.0	3	7	12	20	33
75 to 84 years	565	14.7	13.2	3	6	10	19	29
85 years ond over	255	12.7	12.6	2	4	8	14	29
One diognosis	280	12.3	11.5	2	5	9	13	26
Two or more diognoses	1,175	15.2	12.8	3	6	11	19	32
With surgery	145	19.3	15.2	4	7	13	25	43
Without surgery	1,310	14.1	12.2	2	6	10	18	30
GOUT (288)								
Totol	1,215	11.4	8.9	3	5	8	14	23
Age:								
65 to 74 years	670	10.5	6.9	3	5	8	13	20
75 to 84 years	445	12.8	11.0	3	5	9	16	26
85 years ond over	100	11.4	9.4	3	4	8	15	25
One diognosis	280	9.1	7.1	3	4	7	10	19
Two or more diognoses	935	12.1	9.3	3	5	9	16	25
With surgery	120	14.0	13.4	3	4	9	17	28
Without surgery	1,095	11.2	8.2	3	5	8	13	23
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Totol	1,785	14.8	11.0	4	7	11	18	28
Age:								
65 to 74 years	670	14.3	10.1	4	7	11	18	27
75 to 84 years	880	15.0	11.7	3	7	11	19	30
85 years ond over	235	15.3	10.6	5	7	12	19	26
One diognosis	575	12.8	9.5	3	6	10	16	27
Two or more diognoses	1,210	15.7	11.5	4	8	12	19	28
With surgery	295	17.4	14.1	5	7	14	20	32
Without surgery	1,490	14.3	10.2	4	7	11	18	28
IRON OEFICIENCY ANEMIAS (291)								
Totol	2,760	13.0	9.7	3	6	10	16	24
Age:								
65 to 74 years	1,115	12.1	7.9	3	6	10	15	23
75 to 84 years	1,295	13.8	10.6	3	6	11	17	26
85 years ond over	350	13.0	11.0	4	6	9	17	23
One diognosis	675	9.9	6.4	2	4	8	12	18
Two or more diagnoses	2,085	14.0	10.3	4	7	11	17	26
With surgery	560	15.8	10.1	5	8	13	20	28
Without surgery	2,200	12.3	9.4	3	6	10	15	22
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Totol	6,380	13.3	12.1	2	4	9	17	28
Age:								
65 to 74 years	2,785	12.5	11.4	1	4	9	16	26
75 to 84 years	2,840	14.0	12.2	2	5	10	18	29
85 years ond over	755	13.7	14.1	2	4	8	16	29
One diognosis	2,050	9.7	9.4	1	3	6	13	21
Two or more diagnoses	4,330	15.0	12.8	3	6	11	19	30
With surgery	1,005	20.8	14.2	5	11	17	28	36
Without surgery	5,375	11.9	11.1	2	4	8	15	24
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Totol	4,380	19.1	16.5	3	7	13	25	41
Age:								
65 to 74 years	1,650	17.8	14.8	3	6	13	24	38
75 to 84 years	2,005	19.7	17.5	4	7	13	26	42
85 years ond over	725	19.9	17.4	5	8	14	24	46
One diagnosis	1,390	16.9	15.0	3	6	12	23	34
Two or more diagnoses	2,990	20.1	17.1	4	8	14	27	43
With surgery	265	27.6	21.1	6	12	21	37	56
Without surgery	4,115	18.5	16.0	3	7	13	25	41
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Totol	2,165	19.8	16.0	3	6	14	29	43
Age:								
65 to 74 years	1,660	20.4	15.9	3	7	16	29	44
75 to 84 years	465	17.5	16.0	2	4	12	26	38
85 years ond over	40	20.0	16.2	4	5	15	25	39
One diagnosis	1,060	20.3	15.5	3	7	16	30	43
Two or more diagnoses	1,105	19.3	16.4	3	6	13	28	41
With surgery	100	19.0	14.6	3	5	16	25	42
Without surgery	2,065	19.8	16.0	3	7	14	29	43
PSYCHONEUROTIC DISORDERS (324)								
Totol	6,135	16.2	14.2	3	5	11	22	35
Age:								
65 to 74 years	4,565	16.3	14.0	3	5	11	23	35
75 to 84 years	1,415	16.2	14.7	3	5	11	21	35
85 years ond over	155	14.1	12.9	3	5	9	18	34
One diagnosis	2,790	16.8	14.5	2	5	12	23	36
Two or more diagnoses	3,345	15.7	13.9	3	5	10	21	34
With surgery	315	18.6	16.0	3	5	13	22	41
Without surgery	5,820	16.0	14.1	3	5	11	22	35
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Totol	28,855	17.3	16.7	1	4	12	24	39
Age:								
65 to 74 years	11,580	17.1	16.9	1	4	11	23	40
75 to 84 years	12,980	17.7	16.9	1	5	12	24	39
85 years ond over	4,295	16.4	16.0	1	4	11	23	37
One diagnosis	11,745	15.6	15.7	1	3	10	21	36
Two or more diagnoses	17,110	18.4	17.3	1	5	13	25	42
With surgery	1,200	23.6	18.1	5	10	19	31	45
Without surgery	27,655	17.0	16.6	1	4	11	23	39
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Totol	13,670	18.9	16.5	2	6	14	25	41
Age:								
65 to 74 years	6,035	18.9	16.5	3	7	14	24	41
75 to 84 years	5,995	18.6	16.3	2	6	13	25	40
85 years ond over	1,640	20.0	17.4	2	7	14	29	44
One diagnosis	3,840	16.9	16.0	2	5	11	23	37
Two or more diagnoses	9,830	19.7	16.7	3	7	15	26	42
With surgery	965	24.9	18.2	6	11	20	34	52
Without surgery	12,705	18.4	16.3	2	6	13	24	40
CEREBRAL ARTERIOSCLEROSIS (50 SPECIFIED) (334.0)								
Totol	13,730	13.6	12.2	3	5	9	17	27
Age:								
65 to 74 years	5,645	12.6	11.3	3	5	9	15	25
75 to 84 years	6,315	14.3	12.9	3	6	10	18	29
85 years ond over	1,770	14.5	12.5	3	6	10	18	31
One diagnosis	3,950	10.9	9.6	3	5	8	13	21
Two or more diagnoses	9,780	14.7	13.0	3	6	10	18	30
With surgery	1,030	19.0	13.6	6	9	14	23	41
Without surgery	12,700	13.2	12.0	3	5	9	16	27
PARALYSIS AGITANS (350)								
Totol	2,720	18.6	14.3	4	7	14	26	38
Age:								
65 to 74 years	1,700	19.0	15.4	4	7	14	27	40
75 to 84 years	915	17.9	12.3	4	8	14	25	33
85 years ond over	105	18.2	12.0	6	8	15	20	36
One diagnosis	850	19.5	14.3	5	9	16	25	41
Two or more diagnoses	1,870	18.2	14.3	4	7	14	26	36
With surgery	195	24.0	17.4	7	9	16	37	49
Without surgery	2,525	18.2	14.0	4	7	14	25	37

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	3,695	13.4	11.0	3	6	10	16	26
Age:								
65 to 74 years	2,120	12.8	10.4	3	6	10	15	23
75 to 84 years	1,325	13.7	11.0	3	6	10	17	28
85 years and over	250	16.2	13.9	3	5	12	21	32
One diagnosis	1,325	11.2	9.4	2	5	8	13	22
Two or more diagnoses	2,370	14.6	11.5	3	6	11	18	28
With surgery	580	14.8	11.4	3	7	11	17	29
Without surgery	3,115	13.1	10.8	3	6	10	16	26
CATARACT (385)								
Total	29,410	8.7	5.4	4	5	7	9	14
Age:								
65 to 74 years	14,285	8.5	5.0	4	5	7	9	14
75 to 84 years	13,100	8.9	5.4	4	5	7	10	14
85 years and over	2,025	9.6	7.1	4	6	7	10	15
One diagnosis	21,930	8.3	4.2	4	5	7	9	13
Two or more diagnoses	7,480	10.0	7.5	4	6	7	11	16
With surgery	28,145	8.7	5.2	4	5	7	9	14
Without surgery	1,265	8.8	7.9	1	4	7	11	16
GLAUCOMA (387)								
Total	2,390	9.2	7.1	3	4	7	10	17
Age:								
65 to 74 years	1,395	8.7	6.1	3	4	7	10	16
75 to 84 years	820	9.6	7.7	3	5	7	12	18
85 years and over	175	11.0	11.0	4	5	7	12	17
One diagnosis	1,340	7.9	5.6	2	4	6	9	15
Two or more diagnoses	1,050	10.9	8.5	4	5	8	14	20
With surgery	1,850	9.3	6.8	3	5	7	11	17
Without surgery	540	8.7	8.2	2	4	6	10	17
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	1,805	15.4	12.9	3	7	12	19	30
Age:								
65 to 74 years	1,290	15.0	12.8	3	6	11	18	28
75 to 84 years	465	16.2	13.4	3	7	12	20	32
85 years and over	50	17.9	10.4	5	8	15	24	30
One diagnosis	300	12.3	11.0	2	4	8	16	27
Two or more diagnoses	1,505	16.0	13.2	4	7	12	19	32
With surgery	145	20.5	12.7	7	13	16	24	39
Without surgery	1,660	15.0	12.9	3	6	11	19	29
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	52,120	14.1	11.9	3	6	10	18	28
Age:								
65 to 74 years	20,050	13.4	11.0	3	6	10	17	26
75 to 84 years	23,995	14.1	11.7	3	6	11	18	28
85 years and over	8,075	15.7	14.2	2	6	11	20	32
One diagnosis	12,595	12.3	10.9	2	5	9	16	24
Two or more diagnoses	39,525	14.7	12.2	3	6	11	18	28
With surgery	4,050	20.3	14.9	5	9	16	25	40
Without surgery	48,070	13.6	11.5	3	5	10	17	27
ACUTE CORONARY OCCLUSION (420.1)								
Total	31,405	17.9	13.9	1	5	16	25	35
Age:								
65 to 74 years	17,545	18.6	13.5	1	7	18	26	35
75 to 84 years	11,605	17.4	14.2	1	4	15	25	35
85 years and over	2,255	14.3	14.1	1	2	9	22	32
One diagnosis	13,640	16.6	12.8	1	4	16	24	32
Two or more diagnoses	17,765	18.8	14.5	1	6	17	27	37
With surgery	1,075	26.7	18.1	6	14	22	36	50
Without surgery	30,330	17.5	13.6	1	5	16	25	34
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	34,180	13.6	11.4	3	5	10	17	27
Age:								
65 to 74 years	17,910	13.0	10.5	3	5	10	17	26
75 to 84 years	13,195	14.1	12.3	3	5	10	18	28
85 years and over	3,075	14.6	12.9	3	6	10	18	30
One diagnosis	9,530	11.9	10.2	2	4	9	15	24
Two or more diagnoses	24,650	14.2	11.9	3	6	10	18	28
With surgery	1,840	19.6	14.9	4	9	15	26	39
Without surgery	32,340	13.2	11.1	3	5	10	17	26
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	2,425	14.0	12.5	2	4	10	19	31
Age:								
65 to 74 years	1,140	13.6	11.4	2	5	10	18	30
75 to 84 years	945	14.4	12.6	2	4	10	20	30
85 years and over	340	14.2	15.4	1	3	8	16	39
One diagnosis	530	11.0	10.1	2	4	7	14	22
Two or more diagnoses	1,895	14.9	13.0	2	5	11	20	33
With surgery	120	27.6	15.9	6	14	25	38	51
Without surgery	2,305	13.3	11.9	2	4	9	18	29
FUNCTIONAL DISEASE OF HEART (433)								
Total	9,315	11.9	10.9	2	4	8	15	25
Age:								
65 to 74 years	4,470	11.1	10.7	2	4	7	14	23
75 to 84 years	3,925	12.2	10.2	2	5	9	16	24
85 years and over	920	14.9	13.8	2	5	10	21	31
One diagnosis	2,465	9.9	8.6	1	3	7	13	21
Two or more diagnoses	6,850	12.7	11.5	2	4	9	16	27
With surgery	1,465	17.4	12.1	3	8	15	23	34
Without surgery	7,850	10.9	10.3	1	4	8	13	22
CONGESTIVE HEART FAILURE (434.1)								
Total	21,125	14.4	12.6	2	5	11	18	30
Age:								
65 to 74 years	8,730	14.2	11.4	3	6	11	18	29
75 to 84 years	9,350	14.4	13.0	2	5	11	18	30
85 years and over	3,045	14.9	14.4	1	4	10	19	34
One diagnosis	7,645	12.8	11.3	2	5	9	16	26
Two or more diagnoses	13,480	15.3	13.2	2	6	11	19	32
With surgery	985	23.6	16.1	5	11	19	31	46
Without surgery	20,140	13.9	12.2	2	5	10	18	29
HYPERTENSIVE HEART DISEASE (442,443)								
Total	16,760	13.9	11.9	3	6	10	17	28
Age:								
65 to 74 years	8,415	13.2	11.2	3	5	10	16	26
75 to 84 years	6,955	14.3	12.2	3	6	10	17	29
85 years and over	1,390	16.2	13.7	3	6	12	22	35
One diagnosis	3,040	10.9	9.4	2	4	8	13	22
Two or more diagnoses	13,720	14.6	12.3	3	6	11	18	29
With surgery	1,280	18.5	14.0	4	9	15	23	35
Without surgery	15,480	13.5	11.7	3	6	10	16	27
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	11,055	11.7	11.0	2	4	8	14	23
Age:								
65 to 74 years	6,390	11.1	10.1	2	4	8	13	22
75 to 84 years	3,890	12.6	12.2	2	5	9	15	26
85 years and over	775	12.2	11.4	3	5	9	14	21
One diagnosis	2,820	8.4	7.7	2	3	6	10	16
Two or more diagnoses	8,235	12.9	11.7	3	5	9	15	25
With surgery	1,095	15.2	12.2	3	6	11	20	34
Without surgery	9,960	11.3	10.8	2	4	8	13	22
GENERAL ARTERIOSCLEROSIS (450)								
Total	17,645	16.4	15.0	3	5	11	21	35
Age:								
65 to 74 years	5,805	15.9	14.7	3	5	11	20	35
75 to 84 years	8,315	16.4	14.6	3	6	12	21	35
85 years and over	3,525	17.4	16.4	2	5	12	22	40
One diagnosis	2,830	14.6	13.9	2	4	10	19	31
Two or more diagnoses	14,815	16.8	15.2	3	6	12	21	36
With surgery	3,070	24.9	17.0	6	12	21	32	49
Without surgery	14,575	14.7	13.9	2	5	10	18	31
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	2,350	12.5	12.9	1	2	8	18	28
Age:								
65 to 74 years	1,355	13.1	12.6	1	2	10	19	31
75 to 84 years	845	12.2	13.6	1	2	7	17	25
85 years and over	150	8.6	10.0	1	2	4	10	21
One diagnosis	1,110	10.9	10.9	1	2	6	17	24
Two or more diagnoses	1,240	13.9	14.3	1	3	10	19	31
With surgery	1,000	18.6	13.9	1	10	16	24	36
Without surgery	1,350	8.0	9.8	1	1	4	10	21

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	1,840	18.4	16.6	2	7	13	23	39
Age:								
65 to 74 years	1,070	17.3	14.9	2	6	12	22	38
75 to 84 years	625	18.3	17.2	2	7	14	22	36
85 years and over	145	27.2	22.0	3	10	22	37	52
One diagnosis	810	16.7	15.6	2	6	12	21	36
Two or more diagnoses	1,030	19.8	17.1	3	7	15	26	42
With surgery	1,015	21.9	16.0	7	11	16	27	42
Without surgery	825	14.1	16.2	1	3	8	18	36
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	1,315	27.9	19.1	6	12	24	39	55
Age:								
65 to 74 years	590	32.2	20.0	8	16	30	44	59
75 to 84 years	520	25.6	18.3	6	10	21	35	53
85 years and over	205	21.5	15.3	3	8	16	32	41
One diagnosis	480	24.4	17.9	6	10	20	32	48
Two or more diagnoses	835	30.0	19.5	6	14	26	42	58
With surgery	860	30.4	18.8	9	15	25	41	57
Without surgery	455	23.2	18.8	3	7	16	32	52
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	3,340	17.7	14.7	4	7	13	22	38
Age:								
65 to 74 years	2,155	15.4	12.8	4	6	11	19	32
75 to 84 years	1,000	20.7	16.2	6	9	15	28	41
85 years and over	185	27.2	18.8	5	11	23	41	51
One diagnosis	1,565	15.2	13.6	4	6	10	18	36
Two or more diagnoses	1,775	19.8	15.3	5	9	15	25	39
With surgery	1,745	14.8	12.9	4	6	10	17	31
Without surgery	1,595	20.8	15.8	5	8	16	28	42
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	4,165	9.9	7.3	3	5	8	11	17
Age:								
65 to 74 years	3,000	9.1	5.8	3	5	8	11	15
75 to 84 years	975	11.4	9.6	3	5	8	13	22
85 years and over	190	14.8	11.9	3	6	11	18	29
One diagnosis	1,945	8.9	5.7	3	5	7	10	15
Two or more diagnoses	2,220	10.8	8.4	3	5	8	12	20
With surgery	3,340	10.4	7.5	4	6	8	12	18
Without surgery	825	7.8	6.6	1	3	5	10	16
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	4,150	14.7	9.9	5	8	12	18	26
Age:								
65 to 74 years	2,595	13.6	8.8	5	7	11	16	23
75 to 84 years	1,345	16.8	11.7	5	9	13	20	30
85 years and over	210	14.6	8.4	4	8	13	19	24
One diagnosis	1,660	12.7	8.3	5	7	10	15	21
Two or more diagnoses	2,490	16.0	10.6	6	9	13	19	28
With surgery	345	22.7	14.6	7	13	19	29	40
Without surgery	3,805	14.0	9.1	5	7	11	17	23
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	1,460	15.5	12.6	6	8	12	17	26
Age:								
65 to 74 years	940	14.7	11.0	6	8	11	18	25
75 to 84 years	465	16.4	13.7	6	9	13	17	27
85 years and over	55	20.0	22.3	7	8	12	17	28
One diagnosis	675	13.1	7.3	6	8	11	16	22
Two or more diagnoses	785	17.5	15.6	6	8	13	19	29
With surgery	95	24.4	20.7	6	10	18	26	46
Without surgery	1,365	14.8	11.6	6	8	12	16	24
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	3,550	15.6	12.1	2	7	13	21	30
Age:								
65 to 74 years	1,960	16.0	11.5	2	8	13	21	30
75 to 84 years	1,330	15.6	13.3	2	6	13	20	31
85 years and over	260	12.2	9.5	1	4	11	18	25
One diagnosis	850	14.3	10.4	2	7	11	18	27
Two or more diagnoses	2,700	16.0	12.6	2	7	13	21	31
With surgery	480	22.7	16.8	7	11	18	26	49
Without surgery	3,070	14.5	10.8	1	6	12	19	28

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	5,280	10.0	7.6	3	5	7	12	19
Age:								
65 to 74 years	2,710	9.2	6.9	2	4	7	12	17
75 to 84 years	1,990	9.9	7.2	3	5	7	12	19
85 years and over	580	13.6	10.6	4	6	10	18	27
One diagnosis	1,290	7.4	5.2	2	4	6	8	14
Two or more diagnoses	3,990	10.8	8.1	3	5	8	13	20
With surgery	335	11.5	10.1	1	2	8	18	24
Without surgery	4,945	9.9	7.4	3	5	7	12	18
INFLUENZA (480-483)								
Total	5,185	11.7	9.5	3	5	8	14	23
Age:								
65 to 74 years	3,105	11.4	9.1	3	5	8	13	21
75 to 84 years	1,625	12.0	10.1	3	5	8	14	25
85 years and over	455	12.5	10.1	2	5	9	17	27
One diagnosis	1,720	8.9	7.5	3	4	6	10	16
Two or more diagnoses	3,465	13.1	10.1	4	6	9	16	26
With surgery	180	18.9	14.6	6	9	12	26	39
Without surgery	5,005	11.4	9.2	3	5	8	14	22
LOBAR PNEUMONIA (490)								
Total	985	14.3	10.4	3	7	11	19	28
Age:								
65 to 74 years	420	13.6	10.5	2	6	10	19	27
75 to 84 years	470	14.3	9.9	3	8	11	17	28
85 years and over	95	17.6	11.7	1	7	16	22	37
One diagnosis	285	11.8	7.0	3	6	10	16	21
Two or more diagnoses	700	15.4	11.4	2	7	12	20	31
With surgery	75	21.6	10.8	3	10	24	27	32
Without surgery	910	13.7	10.2	2	7	10	18	27
BRONCHOPNEUMONIA (491)								
Total	8,665	15.0	12.8	3	6	11	18	32
Age:								
65 to 74 years	3,670	14.8	12.2	3	6	11	18	30
75 to 84 years	3,485	15.2	13.2	2	6	11	19	34
85 years and over	1,510	14.8	13.4	1	5	10	19	33
One diagnosis	2,075	12.0	9.4	3	5	9	14	22
Two or more diagnoses	6,590	15.9	13.6	2	6	12	20	35
With surgery	600	30.1	18.5	8	15	26	42	56
Without surgery	8,065	13.8	11.5	2	6	10	17	28
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	7,500	13.7	10.5	4	6	10	17	27
Age:								
65 to 74 years	3,635	13.1	9.7	4	6	10	15	24
75 to 84 years	2,820	14.1	10.8	4	6	11	18	28
85 years and over	1,045	15.0	12.4	4	6	11	19	30
One diagnosis	1,930	10.5	7.5	3	5	8	13	19
Two or more diagnoses	5,570	14.9	11.1	4	7	11	18	29
With surgery	420	21.1	12.0	8	11	17	29	38
Without surgery	7,080	13.3	10.3	4	6	10	16	25
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	13,130	14.5	11.1	4	7	11	18	29
Age:								
65 to 74 years	5,655	14.0	10.2	4	7	11	17	27
75 to 84 years	5,475	14.7	11.5	3	7	11	18	30
85 years and over	2,000	15.3	12.5	2	6	11	20	32
One diagnosis	4,565	12.3	9.0	3	6	10	15	23
Two or more diagnoses	8,565	15.7	12.0	4	7	12	20	31
With surgery	860	23.9	14.7	8	13	19	32	42
Without surgery	12,270	13.8	10.5	3	7	11	17	27
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	5,310	10.5	7.3	3	5	8	13	19
Age:								
65 to 74 years	2,970	10.0	6.8	3	5	8	12	17
75 to 84 years	1,805	11.2	7.9	4	6	9	14	21
85 years and over	535	11.2	7.5	3	5	8	15	20
One diagnosis	1,370	7.9	4.8	3	4	6	10	14
Two or more diagnoses	3,940	11.4	7.8	4	6	9	14	20
With surgery	265	13.3	6.6	5	8	11	18	21
Without surgery	5,045	10.4	7.3	3	5	8	13	18

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	3,875	11.1	9.3	3	5	8	13	20
Age:								
65 to 74 years	2,305	10.2	8.5	3	5	8	12	18
75 to 84 years	1,310	12.3	9.8	4	6	9	15	23
85 years and over	260	13.2	11.8	4	5	9	15	27
One diagnosis	1,445	8.9	6.8	3	4	7	10	15
Two or more diagnoses	2,430	12.4	10.3	4	6	9	14	22
With surgery	340	14.9	14.6	2	5	9	18	32
Without surgery	3,535	10.7	8.5	3	5	8	13	19
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	3,680	13.4	10.9	4	6	10	16	25
Age:								
65 to 74 years	2,495	13.6	11.5	4	6	10	15	25
75 to 84 years	1,020	13.0	9.4	4	6	9	17	25
85 years and over	165	12.8	9.6	3	5	9	16	25
One diagnosis	1,265	11.6	8.2	4	5	9	14	20
Two or more diagnoses	2,415	14.4	12.0	4	6	10	17	27
With surgery	265	17.8	15.5	5	8	12	22	33
Without surgery	3,415	13.1	10.3	4	6	10	15	24
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	1,665	11.2	8.3	2	5	8	14	23
Age:								
65 to 74 years	1,060	10.3	7.9	2	4	8	13	21
75 to 84 years	515	12.2	8.6	4	6	9	14	25
85 years and over	90	15.8	9.6	5	8	11	22	29
One diagnosis	445	9.3	7.1	3	4	7	11	17
Two or more diagnoses	1,220	11.9	8.6	2	5	9	16	23
With surgery	310	12.0	10.0	2	4	8	16	26
Without surgery	1,355	11.0	7.9	3	5	9	13	22
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	2,835	12.9	11.6	1	4	10	17	27
Age:								
65 to 74 years	1,135	11.8	10.8	1	4	9	15	23
75 to 84 years	1,265	13.9	12.5	1	4	10	19	30
85 years and over	435	12.9	10.7	1	3	11	20	28
One diagnosis	565	10.5	9.2	1	3	7	15	21
Two or more diagnoses	2,270	13.5	12.1	1	4	10	18	29
With surgery	105	21.1	18.5	5	8	14	29	41
Without surgery	2,730	12.6	11.1	1	4	9	17	27
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	10,345	13.0	11.1	3	5	9	16	27
Age:								
65 to 74 years	6,455	12.5	10.3	3	5	9	15	25
75 to 84 years	3,385	13.4	12.2	3	5	9	16	29
85 years and over	505	15.6	11.8	3	5	11	22	32
One diagnosis	2,290	10.8	9.8	2	4	8	13	23
Two or more diagnoses	8,055	13.6	11.4	3	5	10	17	28
With surgery	930	20.1	14.1	4	9	17	26	40
Without surgery	9,415	12.3	10.5	3	5	9	15	25
DISEASES OF ESOPHAGUS (539)								
Total	2,475	10.4	9.8	2	3	7	13	22
Age:								
65 to 74 years	1,485	10.2	9.8	2	3	7	13	22
75 to 84 years	810	10.8	9.7	1	4	8	14	23
85 years and over	180	11.0	10.1	3	4	8	12	23
One diagnosis	930	8.4	9.8	1	2	5	10	17
Two or more diagnoses	1,545	11.7	9.5	2	5	9	15	24
With surgery	1,100	12.6	11.2	2	4	9	16	26
Without surgery	1,375	8.7	8.1	1	3	6	11	17
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	3,820	14.8	11.5	3	6	12	19	28
Age:								
65 to 74 years	2,395	14.5	11.4	4	6	12	18	26
75 to 84 years	1,210	15.3	11.5	3	6	12	20	31
85 years and over	215	15.4	13.1	3	8	11	16	35
One diagnosis	1,330	13.1	10.5	2	5	10	16	27
Two or more diagnoses	2,490	15.8	12.0	4	7	13	19	29
With surgery	1,010	21.0	13.8	7	11	17	27	39
Without surgery	2,810	12.6	9.7	3	5	10	16	23
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	1,190	17.2	10.7	5	10	15	21	30
Age:								
65 to 74 years	635	16.3	9.7	5	9	14	20	29
75 to 84 years	425	18.3	12.4	7	11	15	22	30
85 years and over	130	18.2	9.1	5	10	19	23	30
One diagnosis	465	14.4	8.7	3	8	13	19	25
Two or more diagnoses	725	19.0	11.5	7	11	16	23	32
With surgery	330	21.6	12.8	10	13	18	24	38
Without surgery	860	15.5	9.3	5	8	13	21	28
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	7,550	11.7	9.3	3	5	9	15	23
Age:								
65 to 74 years	4,835	11.1	8.6	2	5	8	14	22
75 to 84 years	2,340	12.4	9.9	3	5	9	16	23
85 years and over	375	15.6	12.2	3	6	11	22	31
One diagnosis	2,575	9.8	7.5	2	4	7	12	18
Two or more diagnoses	4,975	12.7	9.9	3	5	10	16	24
With surgery	1,455	18.6	10.9	6	11	17	23	32
Without surgery	6,095	10.1	8.1	2	4	7	12	19
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	4,690	14.7	10.8	4	7	12	18	27
Age:								
65 to 74 years	2,650	13.9	9.8	5	7	11	17	25
75 to 84 years	1,750	15.5	11.4	4	8	12	19	29
85 years and over	290	18.3	14.0	3	9	15	22	33
One diagnosis	1,985	12.7	7.6	4	7	11	16	22
Two or more diagnoses	2,705	16.2	12.4	5	8	12	19	31
With surgery	920	21.5	13.0	8	13	18	27	38
Without surgery	3,770	13.1	9.4	4	7	11	16	22
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	635	17.9	11.3	5	9	15	22	32
Age:								
65 to 74 years	415	16.9	10.9	5	8	14	21	31
75 to 84 years	180	20.2	11.9	6	13	18	24	34
85 years and over	40	17.9	11.7	6	7	13	23	33
One diagnosis	320	17.4	10.6	6	10	14	21	30
Two or more diagnoses	315	18.4	12.0	5	8	17	23	37
With surgery	450	19.2	10.8	7	11	17	23	33
Without surgery	185	14.6	11.9	2	6	11	19	30
GASTRITIS AND DUODENITIS (543)								
Total	5,615	9.2	8.0	2	4	7	11	18
Age:								
65 to 74 years	3,345	8.6	7.3	2	4	6	10	17
75 to 84 years	1,850	10.2	8.9	2	4	7	12	19
85 years and over	420	9.6	7.9	3	4	6	12	19
One diagnosis	1,725	7.1	5.6	2	3	5	8	13
Two or more diagnoses	3,890	10.1	8.7	2	4	7	12	19
With surgery	520	13.8	9.7	4	7	11	18	24
Without surgery	5,095	8.7	7.6	2	4	6	10	17
APPENDICITIS (550-553)								
Total	1,895	14.3	9.9	5	7	11	18	26
Age:								
65 to 74 years	1,165	13.4	9.6	5	7	10	16	23
75 to 84 years	590	15.1	9.6	5	8	12	19	27
85 years and over	140	18.7	12.2	6	11	13	25	32
One diagnosis	1,025	11.9	7.9	5	7	9	14	21
Two or more diagnoses	870	17.2	11.1	6	9	14	22	31
With surgery	1,650	14.6	9.4	6	8	11	18	26
Without surgery	245	12.5	12.7	1	3	8	15	31
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	13,945	10.0	6.6	4	6	8	11	16
Age:								
65 to 74 years	9,250	9.5	5.9	4	6	8	10	15
75 to 84 years	4,155	10.6	7.0	5	6	9	11	17
85 years and over	540	13.3	10.4	5	7	10	16	22
One diagnosis	8,895	8.8	4.0	4	6	8	10	13
Two or more diagnoses	5,050	12.1	9.1	5	7	9	14	21
With surgery	13,000	10.1	6.3	5	6	8	11	16
Without surgery	945	8.5	8.7	1	3	6	10	17

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	7,550	9.9	9.2	2	4	7	12	19
Age:								
65 to 74 years	4,605	9.2	8.5	2	3	7	11	17
75 to 84 years	2,540	10.8	9.9	2	4	8	13	22
85 years and over	405	11.3	11.2	2	4	7	13	23
One diagnosis	1,780	7.5	6.5	1	2	5	9	16
Two or more diagnoses	5,770	10.6	9.8	2	4	7	13	20
With surgery	1,585	14.3	11.3	3	6	12	18	26
Without surgery	5,965	8.7	8.2	2	3	6	10	16
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	4,100	12.5	8.4	5	7	10	14	21
Age:								
65 to 74 years	2,905	12.1	8.2	5	7	9	14	21
75 to 84 years	1,040	13.3	8.6	6	8	11	16	22
85 years and over	155	14.0	8.5	4	8	12	18	22
One diagnosis	2,160	10.7	5.5	5	7	9	12	17
Two or more diagnoses	1,940	14.4	10.4	5	7	11	17	25
With surgery	3,610	12.7	8.0	5	7	10	14	21
Without surgery	490	11.2	10.7	2	4	8	14	20
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	3,685	13.0	10.2	3	6	10	16	26
Age:								
65 to 74 years	1,580	13.4	10.8	4	7	10	15	26
75 to 84 years	1,650	12.1	9.0	3	6	9	15	22
85 years and over	455	15.0	12.0	2	5	12	22	31
One diagnosis	1,790	10.5	7.1	3	6	8	12	18
Two or more diagnoses	1,895	15.5	12.0	3	7	12	20	31
With surgery	2,920	14.3	10.3	5	7	11	17	27
Without surgery	765	8.3	8.4	1	2	5	11	18
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	7,850	13.6	12.8	1	4	10	17	29
Age:								
65 to 74 years	3,405	13.9	13.0	2	4	10	17	28
75 to 84 years	3,265	13.5	12.8	1	4	9	17	29
85 years and over	1,180	12.8	12.2	1	4	9	17	28
One diagnosis	3,200	12.4	12.2	1	3	9	16	27
Two or more diagnoses	4,650	14.4	13.1	2	5	10	18	30
With surgery	2,875	20.4	14.4	5	10	16	26	38
Without surgery	4,975	9.6	9.8	1	3	6	12	21
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	10,965	9.2	8.6	2	3	6	11	18
Age:								
65 to 74 years	5,785	8.4	7.5	2	3	6	10	17
75 to 84 years	4,130	9.8	9.1	2	4	7	12	19
85 years and over	1,050	11.2	11.1	2	4	7	13	21
One diagnosis	4,385	6.9	6.1	1	3	5	8	13
Two or more diagnoses	6,580	10.7	9.6	2	4	7	13	21
With surgery	1,060	14.6	13.0	3	5	10	17	32
Without surgery	9,905	8.6	7.7	2	3	6	10	17
DIVERTICULITIS (572.1)								
Total	16,450	10.5	10.1	2	4	7	12	22
Age:								
65 to 74 years	8,830	10.0	9.5	2	4	7	12	20
75 to 84 years	6,360	11.0	10.6	2	4	7	13	23
85 years and over	1,260	11.8	11.7	3	5	8	13	23
One diagnosis	5,540	8.3	7.5	1	3	6	10	17
Two or more diagnoses	10,910	11.6	11.1	2	4	8	14	24
With surgery	4,215	15.0	12.6	3	5	11	20	30
Without surgery	12,235	9.0	8.7	2	4	6	10	16
CIRRHOSIS OF LIVER (581)								
Total	2,510	17.6	14.3	4	7	13	23	36
Age:								
65 to 74 years	1,845	17.3	14.2	4	7	13	23	35
75 to 84 years	580	19.5	14.9	4	8	14	25	44
85 years and over	85	9.7	5.1	3	5	8	14	17
One diagnosis	730	15.1	12.2	2	6	12	20	32
Two or more diagnoses	1,780	18.6	14.9	4	7	14	24	37
With surgery	560	25.8	16.5	7	12	22	35	49
Without surgery	1,950	15.2	12.6	3	6	11	20	31
CHOLELITHIASIS (584)								
Total	18,400	14.9	10.3	4	8	12	19	27
Age:								
65 to 74 years	11,345	14.3	9.3	4	8	12	18	25
75 to 84 years	6,095	15.8	11.5	4	7	13	21	30
85 years and over	960	15.3	11.9	4	6	11	21	31
One diagnosis	8,260	14.0	8.8	4	8	11	17	25
Two or more diagnoses	10,140	15.6	11.3	4	7	13	20	29
With surgery	11,615	17.8	9.9	8	10	15	21	30
Without surgery	6,785	9.9	8.9	2	4	7	11	20
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	8,615	12.6	10.1	3	5	9	15	24
Age:								
65 to 74 years	4,605	12.0	9.5	3	5	9	15	22
75 to 84 years	3,195	12.8	9.9	3	5	10	16	24
85 years and over	815	15.7	13.5	4	6	11	21	33
One diagnosis	3,785	11.4	8.8	3	5	9	14	22
Two or more diagnoses	4,830	13.6	11.0	3	6	10	16	27
With surgery	2,740	17.6	11.2	7	10	14	21	31
Without surgery	5,875	10.3	8.7	3	4	7	12	20
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	2,630	13.0	11.4	3	5	9	17	27
Age:								
65 to 74 years	1,365	11.8	9.8	2	4	8	15	25
75 to 84 years	980	13.9	12.9	3	5	9	17	28
85 years and over	285	15.6	12.1	4	6	13	19	30
One diagnosis	975	12.1	11.2	2	4	8	15	27
Two or more diagnoses	1,655	13.5	11.4	3	5	9	17	27
With surgery	695	20.6	12.4	8	12	17	25	36
Without surgery	1,935	10.2	9.6	2	4	7	12	21
DISEASES OF PANCREAS (587)								
Total	1,755	13.7	11.4	3	6	10	18	28
Age:								
65 to 74 years	995	13.9	11.2	3	6	10	18	27
75 to 84 years	650	13.3	11.3	2	5	10	18	28
85 years and over	110	14.5	14.1	2	4	10	17	34
One diagnosis	730	10.7	8.5	2	5	8	14	23
Two or more diagnoses	1,025	15.8	12.7	4	7	11	21	30
With surgery	250	26.7	13.9	9	17	24	33	49
Without surgery	1,505	11.5	9.4	2	5	9	14	22
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	2,350	16.9	14.8	2	6	12	21	35
Age:								
65 to 74 years	1,385	15.4	12.3	2	6	12	20	31
75 to 84 years	740	19.3	17.4	3	7	12	26	44
85 years and over	225	17.8	18.0	1	3	11	26	39
One diagnosis	565	14.5	13.8	2	5	10	19	32
Two or more diagnoses	1,785	17.6	15.0	3	6	13	23	36
With surgery	810	19.0	14.1	3	8	16	24	37
Without surgery	1,540	15.8	15.0	2	5	11	20	34
INFECTIONS OF KIDNEY (600)								
Total	6,090	13.8	11.4	4	6	10	17	28
Age:								
65 to 74 years	3,060	13.1	11.5	3	6	9	15	26
75 to 84 years	2,310	14.5	11.3	4	6	10	19	29
85 years and over	720	14.2	11.6	4	6	11	18	26
One diagnosis	1,725	10.8	8.5	3	5	8	12	21
Two or more diagnoses	4,365	14.9	12.2	4	6	11	19	30
With surgery	1,205	17.7	12.9	5	8	14	23	35
Without surgery	4,885	12.8	10.9	4	6	9	15	25
CALCULI OF KIDNEY AND URETER (602)								
Total	4,150	10.7	8.8	2	4	8	14	21
Age:								
65 to 74 years	3,040	10.1	8.2	2	3	7	13	20
75 to 84 years	1,015	12.5	10.0	3	5	9	16	22
85 years and over	95	11.1	8.2	3	4	9	13	20
One diagnosis	2,020	9.2	7.9	2	3	6	12	18
Two or more diagnoses	2,130	12.1	9.3	2	5	10	16	24
With surgery	2,330	13.5	8.9	4	7	11	17	24
Without surgery	1,820	7.1	7.1	1	3	4	8	14

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	2,985	13.0	12.2	2	4	9	17	28
Age:								
65 to 74 years	1,830	12.4	12.2	2	3	9	15	28
75 to 84 years	995	14.2	12.2	3	5	11	19	28
85 years and over	160	12.0	12.5	1	2	8	15	26
One diagnosis	1,145	9.5	9.1	1	3	7	13	19
Two or more diagnoses	1,840	15.1	13.5	2	5	11	19	32
With surgery	1,855	15.3	12.6	3	6	12	19	31
Without surgery	1,130	9.1	10.6	1	2	5	11	19
CYSTITIS (605)								
Total	7,410	10.5	9.4	2	4	8	13	21
Age:								
65 to 74 years	3,955	9.3	8.2	2	3	7	12	18
75 to 84 years	2,770	11.4	10.2	2	4	8	14	22
85 years and over	685	13.4	10.6	3	6	10	16	26
One diagnosis	2,275	7.6	7.3	1	2	5	9	15
Two or more diagnoses	5,135	11.8	9.9	3	5	9	14	22
With surgery	4,100	10.1	9.5	2	3	7	13	21
Without surgery	3,310	11.0	9.3	2	5	8	13	21
OTHER DISEASES OF BLADDER (606)								
Total	3,090	14.6	12.0	3	5	11	19	30
Age:								
65 to 74 years	1,485	13.8	10.6	3	6	11	17	26
75 to 84 years	1,315	15.2	13.1	3	5	11	20	33
85 years and over	290	15.8	13.5	3	6	10	20	33
One diagnosis	1,025	10.9	9.3	2	4	8	15	23
Two or more diagnoses	2,065	16.4	12.8	3	7	13	21	33
With surgery	2,370	14.7	11.3	3	6	12	19	29
Without surgery	720	14.3	14.2	2	4	7	20	36
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	3,870	9.7	9.3	2	3	6	12	20
Age:								
65 to 74 years	2,150	8.6	8.4	1	3	5	11	17
75 to 84 years	1,450	11.1	9.6	2	4	8	14	22
85 years and over	270	11.1	12.2	2	4	7	12	22
One diagnosis	1,420	7.6	7.9	1	2	4	9	16
Two or more diagnoses	2,450	10.9	9.7	2	4	8	13	22
With surgery	3,280	9.4	8.9	2	3	6	12	20
Without surgery	590	11.2	10.8	2	4	8	13	19
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	4,295	11.2	10.2	2	4	7	13	23
Age:								
65 to 74 years	2,120	10.0	9.1	2	4	7	12	20
75 to 84 years	1,625	12.1	10.6	3	4	8	14	27
85 years and over	550	12.7	12.2	3	5	8	14	28
One diagnosis	1,505	9.4	9.0	2	3	6	11	20
Two or more diagnoses	2,790	12.1	10.6	3	5	8	14	25
With surgery	1,660	11.1	11.8	2	3	6	13	26
Without surgery	2,635	11.2	9.1	3	5	8	13	22
HYPERPLASIA OF PROSTATE (610)								
Total	23,935	15.3	10.8	4	8	12	19	28
Age:								
65 to 74 years	13,080	14.2	10.1	4	7	11	18	25
75 to 84 years	8,850	16.2	11.2	5	8	13	20	30
85 years and over	2,005	18.1	12.7	5	9	15	23	34
One diagnosis	11,510	13.6	9.1	4	7	11	16	24
Two or more diagnoses	12,425	16.8	12.0	4	8	14	21	31
With surgery	20,645	15.7	10.5	6	8	13	19	28
Without surgery	3,290	12.5	12.4	2	4	8	16	28
OTHER DISEASES OF PROSTATE (611,612)								
Total	1,610	10.6	9.2	2	4	7	13	22
Age:								
65 to 74 years	940	9.7	8.6	2	4	6	12	20
75 to 84 years	570	10.9	8.9	2	4	8	13	22
85 years and over	100	17.7	11.8	4	8	11	28	34
One diagnosis	635	7.0	5.5	2	3	5	8	14
Two or more diagnoses	975	13.0	10.2	3	5	9	16	28
With surgery	990	11.3	9.5	2	4	8	15	22
Without surgery	620	9.5	8.5	2	4	6	10	17
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	2,805	9.2	8.6	2	4	7	11	17
Age:								
65 to 74 years	1,925	8.9	8.5	2	4	6	10	16
75 to 84 years	770	10.1	9.0	2	4	8	13	18
85 years and over	110	9.3	7.5	1	3	6	13	22
One diagnosis	1,380	7.5	6.0	2	3	5	9	14
Two or more diagnoses	1,425	10.9	10.3	3	5	8	13	20
With surgery	2,080	9.2	9.1	2	4	6	10	17
Without surgery	725	9.4	7.3	3	4	7	11	17
UTEROVAGINAL PROLAPSE (631)								
Total	7,415	12.7	6.5	7	8	11	14	19
Age:								
65 to 74 years	5,265	12.3	5.4	7	8	11	14	19
75 to 84 years	2,025	13.5	8.7	7	9	11	15	20
85 years and over	125	12.1	7.1	6	7	10	13	20
One diagnosis	3,335	11.9	5.6	7	8	10	13	17
Two or more diagnoses	4,080	13.3	7.1	7	9	11	16	21
With surgery	6,880	12.7	6.0	7	9	11	14	19
Without surgery	535	12.0	11.3	2	6	9	14	21
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	4,265	14.8	12.6	3	6	11	19	28
Age:								
65 to 74 years	2,420	14.2	12.6	3	5	10	18	28
75 to 84 years	1,535	15.7	12.7	4	7	11	20	29
85 years and over	310	15.5	12.0	3	8	10	21	29
One diagnosis	1,540	12.3	11.7	2	4	8	14	26
Two or more diagnoses	2,725	16.3	13.0	4	7	12	20	29
With surgery	1,215	16.8	15.4	3	6	12	22	35
Without surgery	3,050	14.1	11.3	3	6	10	18	27
RHEUMATOID ARTHRITIS (722.0)								
Total	3,210	17.2	13.3	4	8	13	22	34
Age:								
65 to 74 years	2,095	17.5	14.0	4	8	13	22	35
75 to 84 years	1,030	16.3	11.5	5	7	13	21	31
85 years and over	85	19.9	16.6	5	7	14	24	40
One diagnosis	905	16.4	12.2	4	7	13	21	34
Two or more diagnoses	2,305	17.5	13.7	4	8	13	22	35
With surgery	535	20.1	14.2	6	9	16	26	38
Without surgery	2,675	16.6	13.1	4	7	12	20	31
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	7,595	15.5	13.5	3	6	11	19	34
Age:								
65 to 74 years	3,735	15.6	14.1	3	6	10	19	34
75 to 84 years	3,215	15.5	13.2	4	6	11	18	33
85 years and over	645	14.9	11.7	3	6	10	20	29
One diagnosis	2,015	17.2	15.0	3	6	12	23	38
Two or more diagnoses	5,580	14.9	12.9	4	6	10	18	31
With surgery	1,515	24.5	17.2	6	10	20	34	46
Without surgery	6,080	13.2	11.4	3	6	10	15	26
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	5,335	12.4	10.1	3	5	9	15	24
Age:								
65 to 74 years	3,055	11.2	8.5	2	5	9	14	21
75 to 84 years	1,900	14.0	11.4	3	6	10	17	28
85 years and over	380	13.9	13.0	3	6	10	15	27
One diagnosis	1,140	10.2	9.3	2	4	7	12	21
Two or more diagnoses	4,195	13.0	10.2	3	6	10	15	25
With surgery	605	16.2	11.9	4	9	13	22	29
Without surgery	4,730	11.9	9.7	3	5	9	14	23
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	3,955	13.3	11.7	3	6	10	16	26
Age:								
65 to 74 years	1,980	11.9	10.1	3	5	9	13	23
75 to 84 years	1,515	14.9	12.4	3	7	11	18	28
85 years and over	460	14.5	14.5	3	6	10	17	28
One diagnosis	1,300	11.7	10.4	3	5	8	14	23
Two or more diagnoses	2,655	14.1	12.2	3	6	10	17	28
With surgery	360	17.8	15.4	3	7	12	23	38
Without surgery	3,595	12.9	11.1	3	6	9	15	25

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	2,595	14.5	11.6	4	6	11	19	28
Age:								
65 to 74 years	1,000	12.5	10.8	3	5	9	15	24
75 to 84 years	1,150	16.1	12.4	4	7	12	21	28
85 years and over	445	15.2	10.3	4	7	12	21	28
One diagnosis	360	11.5	8.9	3	4	9	15	24
Two or more diagnoses	2,235	15.0	11.9	4	6	11	19	28
With surgery	180	16.1	16.1	1	5	11	18	34
Without surgery	2,415	14.4	11.1	4	6	11	19	27
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	2,500	17.0	12.7	5	8	13	21	33
Age:								
65 to 74 years	1,905	16.5	11.4	5	8	13	21	33
75 to 84 years	525	17.6	14.2	4	8	13	22	34
85 years and over	70	25.5	24.9	4	6	9	45	63
One diagnosis	1,075	16.8	12.4	5	8	13	20	32
Two or more diagnoses	1,425	17.1	12.8	5	7	13	22	34
With surgery	625	25.2	15.1	8	13	22	33	44
Without surgery	1,875	14.2	10.4	4	7	11	17	25
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	1,870	8.7	9.0	1	2	5	11	18
Age:								
65 to 74 years	1,295	8.0	8.2	1	2	5	10	17
75 to 84 years	480	9.3	8.8	1	3	6	13	20
85 years and over	95	14.5	15.4	2	5	9	16	31
One diagnosis	1,050	6.4	6.5	1	2	4	8	14
Two or more diagnoses	820	11.6	10.8	2	4	8	14	21
With surgery	1,120	7.0	8.5	1	2	4	8	14
Without surgery	750	11.2	9.2	2	4	8	15	22
CONGENITAL MALFORMATIONS (750-759)								
Total	1,140	11.9	10.2	2	4	8	15	24
Age:								
65 to 74 years	840	11.7	10.5	2	4	8	15	24
75 to 84 years	260	11.0	7.3	3	5	9	15	19
85 years and over	40	20.1	15.3	1	9	17	22	38
One diagnosis	385	10.0	8.3	2	4	7	12	18
Two or more diagnoses	755	12.8	11.0	3	4	9	18	25
With surgery	550	11.8	10.1	2	4	8	16	24
Without surgery	590	11.9	10.3	3	4	8	15	23
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	1,350	7.2	8.4	1	2	4	8	15
Age:								
65 to 74 years	830	6.6	7.2	1	2	4	7	15
75 to 84 years	385	7.5	8.5	1	2	5	9	12
85 years and over	135	10.0	13.0	1	2	5	10	20
One diagnosis	950	6.6	8.2	1	2	4	7	14
Two or more diagnoses	400	8.6	8.7	1	3	6	10	17
With surgery	130	9.7	7.2	2	4	7	12	21
Without surgery	1,220	6.9	8.5	1	2	4	7	14
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	2,845	6.7	6.6	1	2	4	8	12
Age:								
65 to 74 years	1,615	6.6	5.9	1	3	4	8	12
75 to 84 years	960	6.9	7.2	1	2	5	8	13
85 years and over	270	6.2	7.8	1	2	3	7	11
One diagnosis	2,275	6.6	6.8	1	2	4	8	12
Two or more diagnoses	570	6.9	5.8	1	2	4	9	15
With surgery	535	7.8	7.7	1	2	5	9	17
Without surgery	2,310	6.4	6.2	1	2	4	8	12
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	3,170	10.0	10.7	1	3	6	12	22
Age:								
65 to 74 years	1,700	9.3	9.9	1	3	6	10	21
75 to 84 years	1,220	10.2	9.8	1	3	6	13	22
85 years and over	250	13.2	17.6	1	2	5	19	31
One diagnosis	2,305	9.6	10.2	1	3	6	12	21
Two or more diagnoses	865	10.8	11.8	2	3	6	13	25
With surgery	465	13.7	11.9	2	4	10	19	28
Without surgery	2,705	9.3	10.4	1	3	6	11	21
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	2,025	12.0	10.1	2	4	9	16	24
Age:								
65 to 74 years	1,095	11.1	8.2	2	4	9	15	21
75 to 84 years	715	12.9	11.9	2	5	9	16	25
85 years and over	215	13.3	12.0	2	4	7	18	33
One diagnosis	1,540	11.3	8.9	2	4	9	15	22
Two or more diagnoses	485	14.0	13.1	2	4	11	19	25
With surgery	1,105	14.2	9.2	3	8	12	18	25
Without surgery	920	9.2	10.5	1	3	5	11	20
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	3,810	9.7	9.0	1	3	6	12	20
Age:								
65 to 74 years	2,140	8.7	8.2	1	3	6	11	17
75 to 84 years	1,305	10.8	10.1	2	4	7	13	24
85 years and over	365	10.9	8.5	2	4	8	14	21
One diagnosis	2,910	9.1	8.4	1	3	6	11	19
Two or more diagnoses	900	11.6	10.3	2	4	8	14	24
With surgery	1,175	8.9	7.5	1	3	6	12	19
Without surgery	2,635	10.0	9.5	2	4	7	12	20
NERVOUSNESS AND DEBILITY (790)								
Total	805	13.1	13.5	2	4	8	17	29
Age:								
65 to 74 years	390	12.3	14.3	2	4	7	13	29
75 to 84 years	325	13.1	12.0	2	4	8	18	27
85 years and over	90	17.0	14.3	4	6	11	23	32
One diagnosis	275	11.4	10.4	2	4	8	14	22
Two or more diagnoses	530	14.0	14.8	2	4	8	18	31
With surgery	35	26.9	16.5	3	7	25	39	46
Without surgery	770	12.5	13.0	2	4	8	15	27
UREMIA (792)								
Total	585	13.1	14.7	1	3	7	18	31
Age:								
65 to 74 years	260	11.3	14.8	1	2	6	14	22
75 to 84 years	245	13.9	12.1	1	4	8	23	30
85 years and over	80	16.5	19.8	1	3	8	17	48
One diagnosis	315	10.0	10.7	1	2	6	13	25
Two or more diagnoses	270	16.7	17.6	2	5	8	23	32
With surgery	45	23.6	23.4	1	8	19	23	37
Without surgery	540	12.2	13.3	1	3	7	15	31
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	795	14.7	15.3	2	4	9	20	29
Age:								
65 to 74 years	105	21.7	17.7	3	8	16	26	43
75 to 84 years	335	14.4	14.3	2	5	11	19	27
85 years and over	355	13.0	14.9	2	3	7	15	29
One diagnosis	170	16.8	19.0	2	4	8	22	43
Two or more diagnoses	625	14.2	14.1	2	5	9	20	28
With surgery	55	11.2	7.5	3	5	8	15	21
Without surgery	740	15.0	15.7	2	4	9	20	30
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	2,580	9.7	10.5	1	2	6	11	22
Age:								
65 to 74 years	1,535	8.7	8.9	1	2	6	10	18
75 to 84 years	855	11.0	12.3	1	2	7	12	27
85 years and over	190	11.8	12.6	1	2	7	16	28
One diagnosis	1,285	8.2	8.7	1	2	5	10	18
Two or more diagnoses	1,295	11.2	11.9	1	3	7	13	25
With surgery	590	9.1	10.8	1	2	4	11	22
Without surgery	1,990	9.9	10.4	1	2	7	12	21
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	4,590	17.9	12.8	5	9	14	23	34
Age:								
65 to 74 years	1,850	17.1	12.4	5	8	14	21	34
75 to 84 years	2,095	18.3	12.6	6	9	15	24	35
85 years and over	645	18.6	14.0	6	9	15	23	34
One diagnosis	1,490	14.9	11.0	4	7	12	18	27
Two or more diagnoses	3,100	19.3	13.3	6	9	16	25	36
With surgery	230	25.6	14.3	11	15	22	32	46
Without surgery	4,360	17.5	12.5	5	8	14	22	34

Table 7 EAST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	3,180	13.1	11.1	3	5	10	16	26
Age:								
65 to 74 years	1,570	12.4	10.1	2	5	9	15	25
75 to 84 years	1,210	13.0	11.4	3	5	9	17	26
85 years and over	400	15.9	13.3	4	7	11	19	28
One diagnosis	750	9.0	7.3	2	4	7	11	18
Two or more diagnoses	2,430	14.3	11.8	3	6	11	18	27
With surgery	235	15.3	9.7	3	6	13	22	28
Without surgery	2,945	12.9	11.2	3	5	9	16	26
FRACTURE OF PELVIS (808)								
Total	2,725	25.8	16.4	6	13	23	35	48
Age:								
65 to 74 years	945	24.9	17.0	5	10	22	34	48
75 to 84 years	1,240	26.9	15.8	8	14	24	36	48
85 years and over	540	24.7	16.4	7	11	20	34	48
One diagnosis	1,180	23.4	15.6	5	10	21	32	43
Two or more diagnoses	1,545	27.6	16.8	8	14	24	37	52
With surgery	215	33.2	18.5	7	20	30	43	60
Without surgery	2,510	25.1	16.1	6	12	22	34	47
FRACTURE OF HUMERUS (812)								
Total	4,855	14.5	14.0	2	4	9	19	35
Age:								
65 to 74 years	2,110	13.2	12.8	2	4	8	17	31
75 to 84 years	2,065	15.1	14.8	2	4	9	20	35
85 years and over	680	16.5	14.8	2	5	11	23	38
One diagnosis	2,510	10.8	11.0	1	3	6	13	24
Two or more diagnoses	2,345	18.4	15.7	3	6	13	24	41
With surgery	1,955	14.8	14.4	2	4	9	19	39
Without surgery	2,900	14.2	13.7	2	4	9	19	30
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	4,255	8.1	11.0	1	2	4	8	19
Age:								
65 to 74 years	2,175	6.6	8.9	1	2	3	7	14
75 to 84 years	1,690	9.5	12.8	1	2	4	10	24
85 years and over	390	10.1	12.2	1	2	5	12	26
One diagnosis	2,555	4.9	5.8	1	1	3	5	10
Two or more diagnoses	1,700	12.8	14.7	1	3	7	15	28
With surgery	3,095	7.6	10.5	1	2	3	8	17
Without surgery	1,160	9.3	12.3	1	2	4	10	23
FRACTURE OF FEMUR (820,821)								
Total	24,885	27.5	18.3	7	15	23	36	53
Age:								
65 to 74 years	6,420	27.9	17.9	8	15	23	36	53
75 to 84 years	11,775	27.9	18.3	7	15	23	35	54
85 years and over	6,690	26.6	18.5	6	13	21	36	53
One diagnosis	13,480	26.1	17.1	7	14	21	33	50
Two or more diagnoses	11,405	29.2	19.4	6	15	25	39	57
With surgery	18,410	27.4	16.3	11	16	23	34	49
Without surgery	6,475	28.0	23.0	2	7	22	43	62
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	5,905	17.1	15.7	3	6	11	21	38
Age:								
65 to 74 years	3,545	16.8	15.3	3	6	11	20	36
75 to 84 years	1,950	17.4	16.1	2	6	11	24	40
85 years and over	410	18.5	16.2	4	8	13	20	41
One diagnosis	3,270	14.1	13.3	2	5	10	17	30
Two or more diagnoses	2,635	20.8	17.5	4	8	15	27	47
With surgery	3,385	17.3	14.9	4	7	12	21	37
Without surgery	2,520	16.8	16.6	2	5	11	21	40
SPRAINS OF BACK (846,847)								
Total	3,085	11.2	8.2	2	5	9	14	21
Age:								
65 to 74 years	1,800	9.7	7.1	2	5	8	12	17
75 to 84 years	1,005	12.6	8.8	2	5	10	17	25
85 years and over	280	15.0	9.9	3	6	13	21	30
One diagnosis	955	10.1	8.3	2	4	7	13	20
Two or more diagnoses	2,130	11.7	8.1	3	5	9	15	22
With surgery	90	13.0	8.4	3	6	10	15	28
Without surgery	2,995	11.1	8.2	2	5	9	14	21
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	4,265	11.2	12.5	1	3	7	14	24
Age:								
65 to 74 years	2,275	11.8	13.6	1	2	7	14	29
75 to 84 years	1,520	10.8	11.9	1	3	7	13	22
85 years and over	470	9.4	7.3	1	4	7	12	21
One diagnosis	980	9.6	12.2	1	1	5	12	22
Two or more diagnoses	3,285	11.7	12.5	1	3	7	14	24
With surgery	845	15.3	16.1	1	3	9	20	39
Without surgery	3,420	10.2	11.2	1	3	7	12	21
LACERATION AND OPEN WOUND (870-898)								
Total	3,065	9.9	11.4	1	3	6	11	23
Age:								
65 to 74 years	1,765	10.1	11.3	1	2	6	13	24
75 to 84 years	1,070	9.7	11.9	1	3	6	11	21
85 years and over	230	9.5	9.2	1	4	7	10	18
One diagnosis	925	8.0	10.0	1	2	4	8	21
Two or more diagnoses	2,140	10.8	11.8	1	3	6	13	24
With surgery	1,495	9.7	11.7	1	2	5	11	26
Without surgery	1,570	10.1	11.0	1	3	6	12	22
SUPERFICIAL INJURY (910-918)								
Total	460	10.0	10.8	1	2	5	13	25
Age:								
65 to 74 years	235	9.1	10.0	1	2	5	13	19
75 to 84 years	170	9.9	11.8	1	2	5	9	34
85 years and over	55	14.4	9.2	1	5	13	21	23
One diagnosis	35	5.7	3.7	2	2	4	7	11
Two or more diagnoses	425	10.4	11.0	1	2	5	14	27
With surgery	55	18.2	13.9	2	4	12	32	36
Without surgery	405	8.9	9.7	1	2	5	10	21
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	5,990	10.8	10.7	1	3	7	14	23
Age:								
65 to 74 years	2,405	9.2	9.6	1	3	6	12	19
75 to 84 years	2,670	11.2	10.6	1	4	8	15	25
85 years and over	915	13.5	12.8	2	4	9	18	30
One diagnosis	1,200	7.8	9.7	1	2	4	10	16
Two or more diagnoses	4,790	11.5	10.8	2	4	8	15	25
With surgery	560	15.4	14.4	2	4	9	23	34
Without surgery	5,430	10.3	10.1	1	3	7	13	22
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	2,340	8.7	8.6	1	3	6	11	17
Age:								
65 to 74 years	1,280	8.0	7.3	1	2	5	10	16
75 to 84 years	900	9.5	9.5	1	3	6	12	19
85 years and over	160	10.1	11.2	1	3	8	12	18
One diagnosis	850	6.3	6.7	1	1	4	8	13
Two or more diagnoses	1,490	10.1	9.2	2	4	7	12	20
With surgery	115	17.6	16.4	4	7	11	19	42
Without surgery	2,225	8.3	7.7	1	3	5	10	16
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	2,605	12.4	12.2	2	4	8	15	29
Age:								
65 to 74 years	1,545	11.7	12.5	2	3	7	14	29
75 to 84 years	880	12.9	11.8	2	4	8	18	28
85 years and over	180	15.3	11.9	2	7	12	20	30
One diagnosis	1,475	10.5	10.9	1	3	6	13	24
Two or more diagnoses	1,130	14.8	13.5	2	5	9	20	34
With surgery	1,065	13.8	13.5	2	3	9	19	31
Without surgery	1,540	11.3	11.2	2	4	7	13	26

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	3,900	12.4	12.5	2	4	8	15	27
Age:								
65 to 74 years	2,085	11.5	11.6	1	4	7	14	26
75 to 84 years	1,440	13.8	14.0	2	5	9	16	30
85 years and over	375	12.5	10.5	1	4	9	17	27
One diagnosis	1,520	10.1	11.2	1	3	6	11	21
Two or more diagnoses	2,380	13.9	13.0	2	5	9	17	30
With surgery	625	15.3	14.8	3	5	9	19	35
Without surgery	3,275	11.9	11.9	1	4	8	14	26
HERPES ZOSTER (088)								
Total	1,370	15.2	14.1	3	6	10	18	34
Age:								
65 to 74 years	540	13.3	13.3	3	5	10	15	23
75 to 84 years	595	15.8	14.8	3	5	10	20	36
85 years and over	235	18.1	13.8	5	8	11	26	39
One diagnosis	485	14.0	14.9	3	5	10	15	28
Two or more diagnoses	885	15.9	13.7	3	6	10	19	37
With surgery	80	24.7	23.1	5	12	15	25	63
Without surgery	1,290	14.6	13.2	3	6	10	18	32
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	1,020	13.3	13.9	1	3	8	16	31
Age:								
65 to 74 years	470	11.9	12.4	1	2	7	16	30
75 to 84 years	410	14.2	13.2	3	4	10	17	30
85 years and over	140	15.4	19.2	2	3	6	15	43
One diagnosis	575	11.8	14.1	1	3	6	13	30
Two or more diagnoses	445	15.2	13.5	2	5	11	20	33
With surgery	660	11.1	12.2	1	3	7	13	27
Without surgery	360	17.3	15.8	1	5	12	24	39
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	430	17.5	16.6	2	6	12	24	39
Age:								
65 to 74 years	175	19.8	20.1	1	5	13	26	46
75 to 84 years	190	14.5	13.1	3	5	10	18	32
85 years and over	65	20.2	13.8	2	8	16	29	41
One diagnosis	205	18.2	17.0	2	5	14	28	36
Two or more diagnoses	225	16.8	16.2	3	6	11	20	41
With surgery	220	21.1	18.4	4	8	16	27	49
Without surgery	210	13.7	13.6	1	4	7	19	37
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	1,620	17.2	13.4	3	7	14	23	33
Age:								
65 to 74 years	725	16.1	11.1	3	7	14	22	29
75 to 84 years	695	19.0	15.7	4	8	14	26	37
85 years and over	200	14.6	10.8	2	6	11	19	32
One diagnosis	625	16.8	13.6	3	7	13	21	34
Two or more diagnoses	995	17.4	13.2	3	7	14	23	33
With surgery	695	21.1	11.9	8	12	18	26	37
Without surgery	925	14.2	13.6	2	5	9	20	29
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	5,120	19.9	15.4	2	8	16	26	40
Age:								
65 to 74 years	2,530	19.6	15.1	2	9	16	25	40
75 to 84 years	2,035	20.2	15.4	2	7	17	28	41
85 years and over	555	20.3	16.8	2	7	17	26	42
One diagnosis	1,895	18.1	14.6	2	7	15	23	39
Two or more diagnoses	3,225	21.0	15.8	3	9	17	28	41
With surgery	3,000	23.0	13.6	9	14	20	28	41
Without surgery	2,120	15.6	16.7	1	3	9	22	40
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	1,895	21.3	15.9	3	9	18	28	43
Age:								
65 to 74 years	1,040	21.3	15.3	4	10	19	27	41
75 to 84 years	670	20.5	15.2	3	8	18	27	42
85 years and over	185	24.1	20.4	3	8	16	31	50
One diagnosis	705	20.6	14.9	2	8	19	28	39
Two or more diagnoses	1,190	21.7	16.4	4	10	17	28	44
With surgery	1,275	22.4	13.1	6	14	20	28	42
Without surgery	620	19.0	20.3	2	5	10	26	45
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	855	19.8	15.8	4	8	15	26	38
Age:								
65 to 74 years	440	19.3	15.3	4	8	15	26	35
75 to 84 years	325	19.2	16.1	4	7	14	26	40
85 years and over	90	23.9	16.2	6	9	25	29	42
One diagnosis	290	19.7	16.5	3	7	15	26	36
Two or more diagnoses	565	19.8	15.4	4	9	15	26	38
With surgery	415	23.6	14.0	9	13	20	28	41
Without surgery	440	16.1	16.6	2	5	10	22	34
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	1,090	19.3	14.5	4	9	16	25	38
Age:								
65 to 74 years	505	19.4	14.9	4	9	16	25	39
75 to 84 years	485	18.9	14.6	3	8	15	26	36
85 years and over	100	20.9	11.6	4	11	19	26	38
One diagnosis	415	17.0	13.2	3	8	14	21	31
Two or more diagnoses	675	20.8	15.1	4	9	17	27	43
With surgery	520	22.5	11.7	9	14	20	27	38
Without surgery	570	16.5	16.2	2	5	12	19	41
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	4,045	16.8	15.0	2	5	12	23	36
Age:								
65 to 74 years	2,795	16.7	14.5	2	5	13	23	35
75 to 84 years	1,155	17.4	16.3	2	5	12	23	37
85 years and over	95	14.5	13.4	2	5	10	16	33
One diagnosis	1,815	15.7	13.5	2	5	12	21	34
Two or more diagnoses	2,230	17.7	16.1	2	6	13	24	37
With surgery	1,610	18.0	13.7	4	8	15	23	36
Without surgery	2,435	16.0	15.7	2	4	10	23	36
MALIGNANT NEOPLASM OF BREAST (170)								
Total	4,380	16.6	13.6	4	8	12	20	34
Age:								
65 to 74 years	2,390	16.3	12.6	4	8	12	20	34
75 to 84 years	1,645	17.0	15.0	4	8	12	20	34
85 years and over	345	16.1	12.6	4	7	12	21	33
One diagnosis	1,985	13.8	10.8	3	8	11	16	26
Two or more diagnoses	2,395	18.9	15.1	4	8	13	24	40
With surgery	2,775	15.5	11.1	6	9	12	17	29
Without surgery	1,605	18.5	16.9	3	6	12	26	44
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	970	14.9	16.7	2	4	8	17	39
Age:								
65 to 74 years	590	13.5	15.6	2	4	7	13	34
75 to 84 years	335	17.1	18.4	2	4	9	22	42
85 years and over	45	15.8	15.6	2	3	9	18	39
One diagnosis	575	12.1	14.2	1	3	6	13	33
Two or more diagnoses	395	18.9	19.1	3	5	10	24	49
With surgery	640	13.4	14.0	2	4	8	14	34
Without surgery	330	17.8	20.6	1	3	8	24	53
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	1,585	13.9	12.6	2	5	9	16	29
Age:								
65 to 74 years	1,015	13.5	13.0	2	5	9	16	27
75 to 84 years	505	14.1	11.3	3	7	10	17	27
85 years and over	65	17.9	14.9	4	6	10	29	41
One diagnosis	760	10.7	8.7	2	4	8	13	22
Two or more diagnoses	825	16.9	14.7	3	7	11	19	42
With surgery	1,105	13.3	11.3	2	5	10	16	26
Without surgery	480	15.3	15.0	2	5	9	16	40
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	720	20.1	16.4	3	8	15	28	43
Age:								
65 to 74 years	470	20.2	15.8	3	8	15	27	43
75 to 84 years	200	20.4	18.7	2	6	13	32	48
85 years and over	50	18.4	9.0	4	10	17	25	30
One diagnosis	225	18.4	16.2	2	4	15	27	36
Two or more diagnoses	495	20.9	16.4	4	8	16	29	44
With surgery	350	24.5	16.2	7	13	19	32	45
Without surgery	370	16.0	15.4	2	5	11	19	35

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	5,960	14.7	12.8	3	6	11	18	29
Age:								
65 to 74 years	2,375	14.7	13.6	3	6	10	17	27
75 to 84 years	2,875	14.7	12.1	3	6	11	18	28
85 years and over	710	15.0	12.5	2	5	11	20	32
One diagnosis	2,525	12.9	10.9	3	6	10	15	22
Two or more diagnoses	3,435	16.1	13.9	3	6	12	20	34
With surgery	3,070	15.0	11.0	5	8	12	18	26
Without surgery	2,890	14.4	14.5	2	4	9	18	33
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	685	20.5	16.9	3	9	16	25	36
Age:								
65 to 74 years	435	19.2	14.7	3	8	16	24	36
75 to 84 years	185	22.3	19.5	2	9	20	28	35
85 years and over	65	23.5	21.2	3	7	15	26	59
One diagnosis	265	17.9	11.4	3	9	16	23	31
Two or more diagnoses	420	22.1	19.4	2	8	17	27	47
With surgery	380	20.3	11.4	8	12	19	25	32
Without surgery	305	20.6	21.9	2	4	12	26	53
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	3,375	12.4	12.0	2	4	8	16	29
Age:								
65 to 74 years	1,645	11.0	10.1	1	3	7	14	25
75 to 84 years	1,265	13.2	13.7	2	4	8	15	32
85 years and over	465	15.1	12.7	2	5	10	20	34
One diagnosis	1,945	10.1	10.9	1	3	6	12	22
Two or more diagnoses	1,430	15.5	12.7	3	6	11	22	33
With surgery	2,590	12.0	11.4	2	4	8	15	28
Without surgery	785	13.8	13.7	1	4	8	19	34
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	2,535	10.7	13.1	1	2	5	13	26
Age:								
65 to 74 years	1,085	9.6	12.2	1	2	4	11	25
75 to 84 years	1,075	11.0	13.0	1	2	6	14	26
85 years and over	375	13.0	15.2	1	3	8	15	28
One diagnosis	1,465	8.7	10.5	1	2	4	11	19
Two or more diagnoses	1,070	13.5	15.5	1	3	7	17	34
With surgery	2,060	10.0	12.2	1	2	5	12	24
Without surgery	475	13.8	16.1	1	3	7	15	37
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	5,570	16.2	16.2	2	5	10	21	37
Age:								
65 to 74 years	3,260	16.3	16.3	2	5	10	21	39
75 to 84 years	1,960	16.0	16.2	2	5	10	22	33
85 years and over	350	15.9	14.4	2	5	11	23	32
One diagnosis	3,020	14.9	15.3	2	4	9	20	34
Two or more diagnoses	2,550	17.7	17.0	2	5	12	23	39
With surgery	1,665	17.2	15.3	2	6	13	22	36
Without surgery	3,905	15.8	16.5	2	4	10	21	38
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	1,125	16.5	16.1	2	5	10	23	39
Age:								
65 to 74 years	690	15.5	15.2	1	4	10	19	39
75 to 84 years	350	18.7	18.5	2	5	11	25	42
85 years and over	85	15.3	9.9	2	6	13	24	29
One diagnosis	570	16.0	14.0	2	4	11	23	39
Two or more diagnoses	555	17.0	17.9	1	5	10	23	40
With surgery	355	17.0	14.3	2	6	11	24	38
Without surgery	770	16.3	16.8	1	4	10	21	41
LEUKEMIA AND ALEUKEMIA (204)								
Total	2,070	13.5	13.5	2	4	8	18	29
Age:								
65 to 74 years	920	11.8	11.6	1	4	7	16	26
75 to 84 years	955	13.9	13.5	2	4	9	18	30
85 years and over	195	19.4	18.4	2	6	11	27	45
One diagnosis	815	11.6	11.2	1	4	7	15	25
Two or more diagnoses	1,255	14.7	14.6	2	4	9	20	34
With surgery	240	18.2	15.7	5	8	14	23	32
Without surgery	1,830	12.8	13.0	1	4	8	17	29
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	1,570	16.0	15.3	1	4	11	20	36
Age:								
65 to 74 years	920	16.2	15.3	2	5	11	20	38
75 to 84 years	595	15.9	15.9	1	3	11	20	36
85 years and over	55	14.1	8.7	3	5	10	21	26
One diagnosis	795	14.9	14.5	1	3	10	19	34
Two or more diagnoses	775	17.2	16.1	3	5	12	22	37
With surgery	315	16.9	16.2	2	7	11	18	39
Without surgery	1,255	15.8	15.1	1	4	11	20	35
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	735	12.0	9.6	1	3	10	18	26
Age:								
65 to 74 years	430	11.9	9.1	1	3	11	18	25
75 to 84 years	295	12.3	10.4	2	4	7	20	27
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	360	9.7	8.8	1	2	6	14	24
Two or more diagnoses	375	14.3	9.7	3	6	13	19	27
With surgery	435	15.2	9.4	2	7	14	21	27
Without surgery	300	7.3	7.8	1	2	4	8	20
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	650	8.7	9.1	1	3	5	9	19
Age:								
65 to 74 years	430	8.7	9.7	2	3	5	8	18
75 to 84 years	190	8.3	7.9	1	3	5	10	19
85 years and over	30	10.2	7.5	1	3	7	15	20
One diagnosis	330	6.6	5.2	1	3	5	8	12
Two or more diagnoses	320	10.9	11.4	2	3	6	13	26
With surgery	480	9.1	9.6	2	3	6	9	20
Without surgery	170	7.5	7.4	1	3	5	9	14
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	755	7.6	6.7	1	2	4	11	17
Age:								
65 to 74 years	520	8.1	7.3	1	2	4	12	18
75 to 84 years	215	6.7	5.2	1	2	4	9	12
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	340	4.7	3.7	1	2	3	5	9
Two or more diagnoses	415	10.0	7.6	2	3	8	14	19
With surgery	685	7.5	6.5	1	2	4	11	17
Without surgery	70	8.8	8.3	2	3	5	9	21
LIPOMA (226)								
Total	760	6.0	6.0	1	2	3	6	14
Age:								
65 to 74 years	605	5.8	5.8	1	2	3	6	14
75 to 84 years	140	6.8	6.6	1	2	4	7	16
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	500	4.9	4.8	1	2	3	5	10
Two or more diagnoses	260	8.1	7.4	2	3	5	9	19
With surgery	720	6.0	6.1	1	2	3	6	14
Without surgery	40	6.1	4.9	2	2	3	7	12
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	1,105	5.9	6.3	1	2	3	7	12
Age:								
65 to 74 years	605	5.9	7.0	1	2	3	6	13
75 to 84 years	400	5.8	5.0	1	2	4	7	12
85 years and over	100	6.4	6.4	1	2	3	8	12
One diagnosis	860	5.1	5.5	1	2	3	6	10
Two or more diagnoses	245	8.9	8.0	1	2	6	13	17
With surgery	985	5.6	5.8	1	2	3	6	12
Without surgery	120	8.5	8.8	1	2	5	12	15
ASTHMA (241)								
Total	3,395	10.3	8.9	2	4	7	12	19
Age:								
65 to 74 years	2,220	10.2	9.3	2	4	7	12	18
75 to 84 years	1,035	10.2	8.4	2	4	7	12	20
85 years and over	140	11.7	8.4	3	5	9	14	22
One diagnosis	1,250	7.9	7.6	2	3	6	9	14
Two or more diagnoses	2,145	11.6	9.4	3	5	9	14	21
With surgery	150	15.7	15.3	2	5	11	17	40
Without surgery	3,245	10.0	8.5	2	4	7	12	19

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	1,590	10.6	8.2	3	5	8	12	21
Age:								
65 to 74 years	1,055	10.1	7.5	3	5	7	12	20
75 to 84 years	485	11.3	9.5	3	5	8	15	22
85 years and over	50	13.5	6.0	7	9	11	12	24
One diagnosis	655	9.9	8.1	3	5	7	11	19
Two or more diagnoses	935	11.1	8.2	3	5	8	14	22
With surgery	620	9.8	6.5	4	5	7	12	18
Without surgery	970	11.1	9.1	3	5	8	14	22
DIABETES MELLITUS (260)								
Total	16,800	13.3	12.3	3	5	9	16	28
Age:								
65 to 74 years	8,970	12.7	11.5	3	5	9	15	27
75 to 84 years	6,480	14.0	13.2	3	5	9	17	29
85 years and over	1,350	14.4	13.3	3	6	10	17	31
One diagnosis	3,560	10.1	9.6	2	4	7	12	21
Two or more diagnoses	13,240	14.2	12.8	3	6	10	17	29
With surgery	2,060	20.0	16.8	3	7	15	26	44
Without surgery	14,740	12.4	11.3	3	5	9	15	25
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	965	14.2	12.9	2	6	10	17	26
Age:								
65 to 74 years	345	14.2	12.7	3	6	10	15	26
75 to 84 years	385	12.9	9.4	2	5	10	17	24
85 years and over	235	16.1	17.2	2	5	11	17	29
One diagnosis	160	8.9	7.3	2	3	6	11	19
Two or more diagnoses	805	15.2	13.5	3	6	11	18	27
With surgery	140	17.7	12.5	4	10	14	22	30
Without surgery	825	13.5	12.9	2	5	10	16	25
GOUT (288)								
Total	910	11.5	12.3	3	4	7	13	22
Age:								
65 to 74 years	475	11.1	12.4	2	4	7	12	21
75 to 84 years	360	12.5	12.7	3	5	8	15	23
85 years and over	75	8.9	7.9	3	4	6	10	15
One diagnosis	305	9.2	10.7	2	4	6	11	17
Two or more diagnoses	605	12.6	12.8	3	5	8	15	24
With surgery	75	10.8	7.7	4	5	6	13	22
Without surgery	835	11.5	12.6	2	4	7	13	21
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	1,340	11.8	10.5	2	4	8	15	26
Age:								
65 to 74 years	415	11.7	9.5	2	4	8	15	28
75 to 84 years	730	10.5	8.5	2	4	7	13	21
85 years and over	195	17.1	16.2	3	5	10	23	38
One diagnosis	490	8.8	6.9	1	3	7	12	17
Two or more diagnoses	850	13.6	11.8	3	4	9	17	28
With surgery	150	13.5	8.5	3	6	13	19	24
Without surgery	1,190	11.6	10.8	2	4	8	14	26
IRON DEFICIENCY ANEMIAS (291)								
Total	1,800	11.5	9.6	3	5	8	14	23
Age:								
65 to 74 years	705	10.5	9.2	2	4	7	13	22
75 to 84 years	835	11.5	8.7	3	5	9	14	23
85 years and over	260	14.2	12.4	3	5	10	20	28
One diagnosis	580	9.0	6.6	2	4	7	12	19
Two or more diagnoses	1,220	12.7	10.5	3	5	9	15	25
With surgery	265	16.5	11.8	5	8	12	22	30
Without surgery	1,535	10.6	8.8	2	4	8	13	22
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	4,490	10.8	11.5	1	3	7	13	23
Age:								
65 to 74 years	1,785	10.7	12.1	1	3	7	12	22
75 to 84 years	1,960	9.6	9.8	1	3	6	12	21
85 years and over	745	14.1	13.2	2	5	9	18	31
One diagnosis	1,590	8.0	9.5	1	2	5	9	17
Two or more diagnoses	2,900	12.3	12.2	2	4	8	15	28
With surgery	420	17.3	14.2	4	6	12	24	37
Without surgery	4,070	10.1	11.0	1	3	6	12	22
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	3,495	17.9	16.4	3	6	12	22	41
Age:								
65 to 74 years	1,020	17.8	15.4	4	7	12	22	39
75 to 84 years	1,775	17.2	15.6	3	6	12	22	39
85 years and over	700	20.1	19.5	3	6	12	27	45
One diagnosis	1,135	16.8	15.5	3	7	11	22	38
Two or more diagnoses	2,360	18.5	16.9	3	6	13	23	41
With surgery	145	26.7	19.2	7	10	18	39	50
Without surgery	3,350	17.6	16.2	3	6	12	22	40
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	1,995	18.4	16.3	2	6	12	26	42
Age:								
65 to 74 years	1,475	18.6	16.7	2	6	12	25	42
75 to 84 years	490	17.5	15.0	2	5	12	26	39
85 years and over	30	24.3	17.5	7	9	17	28	47
One diagnosis	1,165	18.6	15.5	2	5	14	27	42
Two or more diagnoses	830	18.2	17.3	3	6	10	25	40
With surgery	75	22.1	20.8	3	5	12	31	40
Without surgery	1,920	18.3	16.1	2	6	12	25	42
PSYCHONEUROTIC DISORDERS (324)								
Total	5,585	14.9	14.4	2	4	9	20	33
Age:								
65 to 74 years	3,945	15.1	15.1	2	4	9	20	34
75 to 84 years	1,455	14.5	12.8	2	5	10	21	30
85 years and over	185	12.1	10.1	3	4	8	15	27
One diagnosis	2,495	16.0	14.4	2	4	10	24	34
Two or more diagnoses	3,090	13.9	14.3	2	4	8	17	32
With surgery	220	20.8	19.5	3	6	12	27	51
Without surgery	5,365	14.6	14.1	2	4	9	20	33
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	17,650	17.2	17.0	1	4	11	23	41
Age:								
65 to 74 years	6,050	16.7	17.2	1	4	10	22	41
75 to 84 years	8,480	17.7	17.2	1	4	11	24	42
85 years and over	3,120	16.9	16.2	1	4	11	23	40
One diagnosis	7,625	15.8	16.5	1	3	10	21	38
Two or more diagnoses	10,025	18.3	17.3	2	5	12	25	44
With surgery	615	25.6	20.5	3	8	19	40	57
Without surgery	17,035	16.9	16.8	1	4	11	23	40
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	7,290	18.7	17.3	2	6	12	25	43
Age:								
65 to 74 years	2,740	18.4	16.5	3	6	13	24	41
75 to 84 years	3,360	18.5	16.7	2	6	12	25	42
85 years and over	1,190	20.0	20.6	1	5	12	28	51
One diagnosis	2,515	16.5	16.7	1	4	10	22	39
Two or more diagnoses	4,775	19.8	17.5	3	7	14	27	46
With surgery	320	21.2	14.9	4	10	16	32	42
Without surgery	6,970	18.6	17.4	2	6	12	25	43
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	9,745	13.5	13.3	3	5	9	16	28
Age:								
65 to 74 years	3,460	12.2	12.6	2	4	8	14	23
75 to 84 years	4,690	13.6	13.3	2	5	9	16	28
85 years and over	1,595	16.3	14.6	3	6	12	21	32
One diagnosis	2,920	10.9	11.0	2	4	7	13	21
Two or more diagnoses	6,825	14.6	14.1	3	5	10	18	31
With surgery	545	18.9	14.3	5	9	15	22	37
Without surgery	9,200	13.2	13.2	2	5	9	16	27
PARALYSIS AGITANS (350)								
Total	2,315	17.8	16.1	3	6	12	23	38
Age:								
65 to 74 years	1,485	18.3	16.2	3	6	13	25	38
75 to 84 years	725	16.9	16.0	4	6	11	21	38
85 years and over	105	16.9	15.1	2	6	12	23	29
One diagnosis	765	18.9	15.8	3	7	14	25	38
Two or more diagnoses	1,550	17.2	16.2	3	6	11	22	38
With surgery	165	25.1	20.4	4	9	20	30	56
Without surgery	2,150	17.2	15.6	3	6	11	23	37

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	2,805	11.3	11.2	2	4	8	14	21
Age:								
65 to 74 years	1,755	10.4	9.7	2	4	7	13	19
75 to 84 years	860	12.0	12.1	2	4	9	14	22
85 years and over	190	16.3	16.6	3	6	11	20	28
One diagnosis	1,230	9.0	8.0	2	3	6	11	17
Two or more diagnoses	1,575	13.1	12.8	3	5	9	15	24
With surgery	450	12.5	10.8	2	5	9	15	26
Without surgery	2,355	11.1	11.2	2	4	8	13	21
CATARACT (385)								
Total	14,365	7.9	4.7	4	5	6	8	13
Age:								
65 to 74 years	6,595	7.7	4.2	4	5	6	8	13
75 to 84 years	6,525	8.0	4.9	4	5	6	8	14
85 years and over	1,245	8.1	5.8	3	5	6	8	13
One diagnosis	10,940	7.4	3.6	3	5	6	8	12
Two or more diagnoses	3,425	9.5	7.0	4	5	7	11	16
With surgery	13,675	7.9	4.6	4	5	6	8	13
Without surgery	690	7.8	6.9	1	3	6	9	14
GLAUCOMA (387)								
Total	1,550	7.5	6.4	2	3	5	8	13
Age:								
65 to 74 years	780	6.9	5.5	2	3	5	8	12
75 to 84 years	655	7.6	7.1	2	3	5	8	14
85 years and over	115	10.7	7.0	2	5	7	14	21
One diagnosis	925	6.2	4.6	2	3	4	7	11
Two or more diagnoses	625	9.3	8.0	2	4	7	10	19
With surgery	1,060	8.1	5.9	2	4	6	9	14
Without surgery	490	6.2	7.1	1	2	4	7	11
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	1,030	14.6	14.1	3	5	10	17	30
Age:								
65 to 74 years	705	15.2	15.7	3	5	10	18	32
75 to 84 years	290	13.9	9.8	3	6	11	18	28
85 years and over	35	9.0	3.2	5	7	8	9	12
One diagnosis	170	11.1	10.2	1	3	6	15	22
Two or more diagnoses	860	15.3	14.6	3	6	10	18	30
With surgery	115	24.4	20.1	3	12	17	30	50
Without surgery	915	13.4	12.6	3	5	9	16	24
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	25,965	13.3	12.1	3	5	9	16	27
Age:								
65 to 74 years	9,240	11.9	10.3	3	5	8	15	24
75 to 84 years	12,190	13.8	12.7	3	5	9	17	28
85 years and over	4,535	14.7	13.3	2	5	11	19	32
One diagnosis	6,520	11.9	11.2	2	5	8	14	24
Two or more diagnoses	19,445	13.7	12.3	3	5	10	17	29
With surgery	1,590	19.7	15.6	4	9	15	25	38
Without surgery	24,375	12.9	11.7	2	5	9	16	26
ACUTE CORONARY OCCLUSION (420.1)								
Total	16,950	17.1	14.0	1	4	15	25	35
Age:								
65 to 74 years	8,845	17.8	12.7	1	7	17	25	33
75 to 84 years	6,610	17.1	15.5	1	3	14	25	38
85 years and over	1,495	13.1	13.5	1	1	7	19	33
One diagnosis	8,250	16.1	12.8	1	4	15	23	32
Two or more diagnoses	8,700	18.1	15.0	1	5	16	26	38
With surgery	490	22.7	17.5	2	9	19	30	49
Without surgery	16,460	17.0	13.9	1	4	15	24	34
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	20,665	12.3	11.2	2	4	8	16	26
Age:								
65 to 74 years	10,010	11.3	9.9	2	4	8	14	24
75 to 84 years	8,455	13.1	12.0	2	5	9	17	27
85 years and over	2,200	14.2	13.0	2	5	10	19	31
One diagnosis	6,470	11.0	10.4	2	4	7	14	23
Two or more diagnoses	14,195	13.0	11.4	2	5	9	17	27
With surgery	945	18.8	15.5	3	7	14	26	40
Without surgery	19,720	12.0	10.8	2	4	8	15	25
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	1,990	13.9	12.7	2	5	10	17	29
Age:								
65 to 74 years	815	12.2	9.9	2	4	9	16	23
75 to 84 years	850	14.2	11.9	3	6	11	18	30
85 years and over	325	17.6	18.7	2	4	12	20	46
One diagnosis	470	13.7	13.0	2	5	10	17	31
Two or more diagnoses	1,520	14.0	12.6	2	5	10	17	29
With surgery	90	22.8	21.4	3	6	18	23	51
Without surgery	1,900	13.5	12.0	2	5	10	16	29
FUNCTIONAL DISEASE OF HEART (433)								
Total	6,645	11.1	11.1	2	4	7	14	23
Age:								
65 to 74 years	3,020	10.1	10.8	1	3	6	12	22
75 to 84 years	2,830	11.3	10.6	2	4	8	14	23
85 years and over	795	13.9	13.8	2	5	10	17	27
One diagnosis	1,875	8.5	8.7	1	3	5	10	18
Two or more diagnoses	4,770	12.1	11.8	2	4	8	15	24
With surgery	720	16.8	12.2	4	8	14	21	30
Without surgery	5,925	10.4	10.8	2	3	7	13	22
CONGESTIVE HEART FAILURE (434.1)								
Total	13,790	13.7	12.5	2	5	9	17	29
Age:								
65 to 74 years	4,905	13.6	12.6	3	5	9	17	28
75 to 84 years	6,335	13.7	12.2	2	5	10	17	29
85 years and over	2,550	13.7	12.9	1	4	10	18	30
One diagnosis	4,795	12.5	11.2	2	5	9	16	27
Two or more diagnoses	8,995	14.3	13.1	2	5	10	18	30
With surgery	520	21.8	15.0	5	10	17	29	47
Without surgery	13,270	13.3	12.2	2	5	9	17	28
HYPERTENSIVE HEART DISEASE (442,443)								
Total	7,845	13.2	12.4	3	5	9	16	28
Age:								
65 to 74 years	3,495	12.4	11.4	3	5	8	15	25
75 to 84 years	3,415	13.7	13.0	3	5	9	17	30
85 years and over	935	14.3	14.2	3	5	9	17	32
One diagnosis	1,490	11.2	11.9	2	4	7	13	23
Two or more diagnoses	6,355	13.6	12.5	3	5	9	17	29
With surgery	475	14.2	11.5	3	5	10	20	30
Without surgery	7,370	13.1	12.5	3	5	9	16	28
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	7,285	10.2	10.1	2	4	6	12	21
Age:								
65 to 74 years	3,680	8.9	8.8	2	3	6	10	18
75 to 84 years	3,090	11.1	10.9	2	4	7	14	23
85 years and over	515	13.8	12.9	2	4	9	18	31
One diagnosis	2,245	7.8	8.1	1	3	5	8	16
Two or more diagnoses	5,040	11.2	10.8	2	4	7	14	23
With surgery	560	13.5	12.8	2	5	9	17	29
Without surgery	6,725	9.9	9.8	2	3	6	12	21
GENERAL ARTERIOSCLEROSIS (450)								
Total	10,825	15.0	14.6	2	5	10	19	33
Age:								
65 to 74 years	3,095	13.2	13.1	2	4	9	16	29
75 to 84 years	5,145	15.5	15.3	2	5	10	19	35
85 years and over	2,585	16.2	14.7	3	6	11	21	33
One diagnosis	1,815	13.3	14.0	2	4	8	17	28
Two or more diagnoses	9,010	15.3	14.7	2	5	10	19	34
With surgery	1,385	24.0	17.6	6	11	19	31	48
Without surgery	9,440	13.7	13.6	2	4	9	17	30
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	1,035	11.5	12.8	1	1	7	17	26
Age:								
65 to 74 years	565	13.1	12.8	1	1	11	19	27
75 to 84 years	395	9.1	10.8	1	1	5	11	22
85 years and over	75	11.8	19.5	1	1	2	10	37
One diagnosis	500	10.6	12.5	1	1	6	15	23
Two or more diagnoses	535	12.3	13.1	1	1	7	18	27
With surgery	455	18.0	12.7	2	10	15	22	32
Without surgery	580	6.4	10.4	1	1	2	6	16

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	835	16.0	15.0	1	4	12	19	38
Age:								
65 to 74 years	470	16.9	15.0	2	5	13	21	39
75 to 84 years	280	14.9	14.8	1	5	11	17	33
85 years and over	85	14.2	15.7	1	4	11	16	24
One diagnosis	330	12.3	11.5	1	4	10	16	24
Two or more diagnoses	505	18.3	16.5	2	6	14	22	47
With surgery	450	18.6	13.3	5	10	15	22	37
Without surgery	385	12.8	16.2	1	2	6	14	32
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	675	26.9	19.3	6	11	21	41	57
Age:								
65 to 74 years	215	26.9	19.8	3	9	20	46	54
75 to 84 years	275	29.8	18.2	9	15	24	44	58
85 years and over	185	22.6	19.4	4	9	15	26	59
One diagnosis	250	26.7	18.2	5	11	21	46	56
Two or more diagnoses	425	27.0	19.8	6	10	21	40	58
With surgery	400	29.0	17.5	9	14	25	44	56
Without surgery	275	23.8	21.2	3	7	15	35	58
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	2,285	17.6	15.7	4	6	12	23	40
Age:								
65 to 74 years	1,325	15.3	15.3	3	5	10	17	33
75 to 84 years	765	20.8	15.3	4	8	16	30	43
85 years and over	195	20.8	17.5	4	7	15	27	44
One diagnosis	1,060	15.7	15.1	3	5	10	18	38
Two or more diagnoses	1,225	19.3	16.0	4	7	14	26	42
With surgery	955	14.5	14.0	3	5	9	16	35
Without surgery	1,330	19.9	16.5	4	7	14	27	43
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	2,695	8.7	5.7	2	5	7	11	15
Age:								
65 to 74 years	1,890	8.2	5.0	2	5	7	10	14
75 to 84 years	740	9.9	7.1	2	5	7	12	18
85 years and over	65	7.0	3.6	2	3	7	9	12
One diagnosis	1,330	7.9	4.9	2	4	7	9	13
Two or more diagnoses	1,365	9.4	6.2	2	5	8	12	17
With surgery	2,140	9.3	5.4	3	5	8	11	16
Without surgery	555	6.3	5.8	1	2	4	8	12
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	2,755	13.1	9.5	4	6	10	16	24
Age:								
65 to 74 years	1,585	12.8	8.9	4	6	10	16	23
75 to 84 years	1,050	13.7	10.7	4	6	11	16	25
85 years and over	120	11.2	4.8	3	7	11	14	17
One diagnosis	1,320	11.2	6.8	4	6	9	14	20
Two or more diagnoses	1,435	14.8	11.2	5	7	11	18	30
With surgery	170	17.4	14.0	3	6	12	24	32
Without surgery	2,585	12.8	9.1	4	6	10	15	23
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	1,040	12.7	9.7	4	7	9	14	21
Age:								
65 to 74 years	635	11.8	7.7	4	7	9	13	19
75 to 84 years	280	15.0	13.3	4	6	11	17	25
85 years and over	125	12.2	8.9	4	6	10	14	21
One diagnosis	480	12.7	10.1	4	6	9	15	23
Two or more diagnoses	560	12.7	9.5	4	7	10	14	21
With surgery	80	26.7	20.1	4	10	16	40	56
Without surgery	960	11.5	7.2	4	6	9	14	20
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	1,610	15.6	13.6	2	7	12	18	31
Age:								
65 to 74 years	800	14.5	12.5	3	7	11	15	30
75 to 84 years	665	17.6	14.9	2	8	13	22	38
85 years and over	145	12.8	11.2	1	3	9	17	25
One diagnosis	470	13.1	11.4	1	7	11	15	24
Two or more diagnoses	1,140	16.6	14.2	3	7	13	20	34
With surgery	150	16.4	13.6	5	9	11	17	29
Without surgery	1,460	15.5	13.5	2	7	12	18	32
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	4,995	9.7	8.5	3	4	7	11	18
Age:								
65 to 74 years	2,410	8.2	6.8	2	4	6	9	14
75 to 84 years	1,965	10.1	7.0	3	5	8	12	19
85 years and over	620	14.1	14.8	3	5	9	16	28
One diagnosis	1,365	8.3	8.5	2	3	6	9	15
Two or more diagnoses	3,630	10.2	8.4	3	5	7	12	20
With surgery	145	12.7	12.2	1	4	8	16	23
Without surgery	4,850	9.6	8.3	3	4	7	11	18
INFLUENZA (480-483)								
Total	7,850	10.3	8.5	3	5	7	12	19
Age:								
65 to 74 years	4,220	9.5	7.3	3	4	7	11	17
75 to 84 years	2,965	10.9	9.2	3	5	8	13	20
85 years and over	665	12.7	11.3	3	5	9	15	23
One diagnosis	3,520	8.2	6.2	2	4	6	9	14
Two or more diagnoses	4,330	12.0	9.7	3	5	9	14	23
With surgery	220	16.0	11.5	5	8	12	18	32
Without surgery	7,630	10.1	8.4	3	5	7	12	19
LOBAR PNEUMONIA (490)								
Total	970	13.2	10.1	3	6	10	15	26
Age:								
65 to 74 years	450	12.8	9.0	4	6	10	15	23
75 to 84 years	345	12.7	8.5	3	7	11	14	27
85 years and over	175	15.0	14.7	1	4	9	17	38
One diagnosis	440	10.6	6.7	3	6	9	13	19
Two or more diagnoses	530	15.4	11.9	3	7	12	19	32
With surgery	35	23.9	16.6	5	7	22	25	40
Without surgery	935	12.8	9.6	3	6	10	15	25
BRONCHOPNEUMONIA (491)								
Total	5,625	12.6	11.0	3	5	9	15	26
Age:								
65 to 74 years	2,320	12.4	10.9	3	5	9	14	26
75 to 84 years	2,245	12.6	11.2	2	5	9	15	25
85 years and over	1,060	13.1	10.8	2	6	9	17	27
One diagnosis	1,825	9.8	6.6	3	5	8	12	19
Two or more diagnoses	3,800	13.9	12.3	3	5	10	17	29
With surgery	190	23.4	17.2	8	11	17	27	47
Without surgery	5,435	12.2	10.5	3	5	9	15	25
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	5,315	12.7	10.2	4	6	9	15	24
Age:								
65 to 74 years	2,310	11.7	8.7	4	6	9	14	21
75 to 84 years	2,140	12.9	10.6	4	6	10	14	23
85 years and over	865	14.7	12.7	2	5	10	20	29
One diagnosis	1,805	10.7	8.0	3	5	8	13	20
Two or more diagnoses	3,510	13.7	11.1	4	6	10	16	25
With surgery	230	20.2	18.2	5	8	12	22	51
Without surgery	5,085	12.4	9.6	4	6	9	15	23
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	9,545	13.4	11.0	3	6	10	16	27
Age:								
65 to 74 years	3,840	12.8	10.0	3	6	10	16	25
75 to 84 years	3,970	14.1	11.7	3	6	10	17	28
85 years and over	1,735	13.2	11.4	2	5	10	16	27
One diagnosis	3,390	11.7	9.7	3	5	9	14	21
Two or more diagnoses	6,155	14.4	11.6	3	6	11	18	29
With surgery	480	22.1	14.8	4	10	18	30	44
Without surgery	9,065	13.0	10.6	3	6	10	16	25
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	4,170	10.0	7.7	3	5	8	12	18
Age:								
65 to 74 years	2,290	8.9	5.8	3	5	7	11	16
75 to 84 years	1,545	11.1	9.1	4	5	8	13	20
85 years and over	335	12.6	10.0	4	5	9	16	25
One diagnosis	1,345	7.7	5.8	2	4	6	9	12
Two or more diagnoses	2,825	11.1	8.2	4	5	8	13	21
With surgery	100	19.9	11.0	4	8	20	24	32
Without surgery	4,070	9.8	7.4	3	5	8	11	17

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	3,735	9.9	7.5	3	4	7	12	18
Age:								
65 to 74 years	2,010	9.1	6.8	2	4	7	11	16
75 to 84 years	1,400	10.8	8.4	3	5	8	13	20
85 years and over	325	11.1	7.6	4	5	7	15	24
One diagnosis	1,505	8.4	6.5	2	4	6	10	14
Two or more diagnoses	2,230	10.9	8.1	3	5	8	14	20
With surgery	250	13.5	11.5	3	6	10	17	24
Without surgery	3,485	9.6	7.1	3	4	7	12	18
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	2,360	12.2	10.3	3	5	9	14	25
Age:								
65 to 74 years	1,495	11.7	9.6	3	5	8	13	23
75 to 84 years	725	12.6	10.7	3	5	9	16	24
85 years and over	140	15.7	13.8	4	6	10	14	35
One diagnosis	805	11.9	10.9	3	5	8	13	25
Two or more diagnoses	1,555	12.3	9.9	3	5	9	15	25
With surgery	145	15.4	13.7	3	6	10	21	31
Without surgery	2,215	12.0	9.9	3	5	8	14	24
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	1,040	11.0	9.1	3	5	8	13	20
Age:								
65 to 74 years	560	10.7	9.3	2	5	7	14	21
75 to 84 years	355	10.7	5.9	4	6	10	12	18
85 years and over	125	12.6	13.8	3	5	8	13	23
One diagnosis	280	9.8	10.7	2	4	6	11	20
Two or more diagnoses	760	11.4	8.4	3	6	9	14	20
With surgery	155	10.4	8.8	2	3	8	13	18
Without surgery	885	11.1	9.1	3	5	8	13	20
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	1,220	11.9	11.1	1	4	8	15	27
Age:								
65 to 74 years	425	11.8	10.4	1	4	8	16	26
75 to 84 years	485	13.8	12.8	2	5	10	17	31
85 years and over	310	9.3	8.4	1	3	7	11	23
One diagnosis	245	9.5	7.3	1	4	7	12	18
Two or more diagnoses	975	12.6	11.8	1	4	8	16	28
With surgery	30	15.3	8.0	4	6	15	20	25
Without surgery	1,190	11.9	11.2	1	4	8	15	27
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	6,515	12.7	11.8	2	5	9	15	26
Age:								
65 to 74 years	3,880	11.9	11.1	2	4	8	14	25
75 to 84 years	2,310	13.7	12.4	2	5	9	17	29
85 years and over	325	15.2	13.7	3	5	12	19	28
One diagnosis	1,645	10.3	9.1	2	4	7	13	21
Two or more diagnoses	4,870	13.5	12.5	3	5	9	16	29
With surgery	530	18.4	16.1	3	6	14	25	41
Without surgery	5,985	12.2	11.2	2	5	9	15	25
DISEASES OF ESOPHAGUS (539)								
Total	1,480	9.1	9.8	1	2	6	11	20
Age:								
65 to 74 years	775	7.4	7.8	1	2	5	10	13
75 to 84 years	565	10.9	11.3	1	3	7	14	23
85 years and over	140	11.7	11.7	1	4	8	13	24
One diagnosis	450	6.0	6.4	1	2	3	7	14
Two or more diagnoses	1,030	10.5	10.7	2	3	7	12	21
With surgery	500	11.4	11.9	1	3	7	13	26
Without surgery	980	8.0	8.4	1	2	5	9	17
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	2,430	12.8	11.4	2	5	9	16	26
Age:								
65 to 74 years	1,460	12.2	10.8	2	4	9	15	23
75 to 84 years	810	13.4	12.2	2	5	9	17	28
85 years and over	160	15.2	12.6	3	6	10	20	33
One diagnosis	1,145	10.4	8.1	1	4	8	14	23
Two or more diagnoses	1,285	14.9	13.4	3	5	11	18	29
With surgery	535	20.7	13.5	7	11	17	26	36
Without surgery	1,895	10.6	9.6	2	4	7	14	22
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	660	13.7	9.7	4	6	11	18	27
Age:								
65 to 74 years	320	11.4	7.5	3	5	9	15	23
75 to 84 years	260	16.3	11.2	5	8	12	20	31
85 years and over	80	14.2	9.7	2	5	13	19	27
One diagnosis	295	11.8	7.3	4	6	10	16	22
Two or more diagnoses	365	15.1	11.0	4	7	11	20	30
With surgery	175	18.8	10.0	5	11	18	25	30
Without surgery	485	11.8	8.8	4	6	9	14	22
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	5,855	10.5	8.8	2	4	7	13	21
Age:								
65 to 74 years	3,580	9.9	8.2	2	4	7	12	19
75 to 84 years	1,960	11.1	9.3	2	4	8	14	22
85 years and over	315	13.5	11.2	3	5	9	19	26
One diagnosis	2,280	8.6	6.8	2	3	6	11	17
Two or more diagnoses	3,575	11.7	9.7	3	5	8	14	23
With surgery	1,000	16.2	10.0	4	9	14	20	29
Without surgery	4,855	9.3	8.1	2	4	7	11	18
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	2,615	14.0	10.7	3	7	11	17	26
Age:								
65 to 74 years	1,420	12.7	8.7	3	6	10	16	25
75 to 84 years	950	14.6	11.2	4	7	12	18	29
85 years and over	245	19.0	16.3	4	7	14	23	37
One diagnosis	1,300	11.5	7.9	3	6	9	15	21
Two or more diagnoses	1,315	16.5	12.4	5	8	13	21	31
With surgery	525	20.2	11.5	7	12	18	26	35
Without surgery	2,090	12.5	9.9	3	6	10	15	22
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	405	20.0	15.3	4	10	14	28	39
Age:								
65 to 74 years	215	19.6	15.6	6	10	13	27	39
75 to 84 years	175	19.6	14.0	3	11	16	23	37
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	195	14.8	8.1	6	9	13	17	24
Two or more diagnoses	210	24.8	18.5	2	10	21	34	52
With surgery	325	20.5	14.9	8	10	15	27	38
Without surgery	80	17.9	16.9	1	2	12	30	42
GASTRITIS AND DUODENITIS (543)								
Total	4,535	7.6	6.6	2	3	5	9	15
Age:								
65 to 74 years	2,690	7.0	5.9	1	3	5	9	14
75 to 84 years	1,490	8.6	7.5	2	3	6	10	17
85 years and over	355	8.8	6.9	2	3	7	11	15
One diagnosis	1,590	5.4	4.1	1	2	4	7	10
Two or more diagnoses	2,945	8.8	7.3	2	3	6	11	17
With surgery	320	11.7	10.4	2	4	9	16	21
Without surgery	4,215	7.3	6.1	2	3	5	9	15
APPENDICITIS (550-553)								
Total	1,125	13.6	9.8	5	7	10	16	25
Age:								
65 to 74 years	660	12.0	7.7	5	6	9	15	22
75 to 84 years	365	14.6	9.2	6	8	11	18	26
85 years and over	100	20.4	17.9	1	7	14	25	46
One diagnosis	660	12.5	9.3	4	6	9	15	25
Two or more diagnoses	465	15.1	10.3	5	8	12	19	24
With surgery	915	14.1	9.3	5	7	11	17	25
Without surgery	210	11.2	11.6	1	2	9	13	23
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	8,000	9.6	6.2	4	6	8	10	15
Age:								
65 to 74 years	5,100	8.5	4.2	4	6	7	9	12
75 to 84 years	2,455	11.2	7.9	5	7	9	12	18
85 years and over	445	12.4	10.7	3	6	9	14	23
One diagnosis	5,275	8.4	4.0	4	6	7	9	12
Two or more diagnoses	2,725	11.8	8.7	5	7	9	13	20
With surgery	7,335	9.6	5.6	5	6	8	10	14
Without surgery	665	9.1	11.1	1	3	6	9	19

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	5,480	8.9	8.2	2	3	6	11	18
Age:								
65 to 74 years	3,205	8.1	7.1	2	3	5	10	17
75 to 84 years	1,940	9.8	9.3	2	3	6	12	20
85 years and over	335	10.9	10.6	3	4	7	14	19
One diagnosis	1,250	6.6	5.8	1	2	4	8	13
Two or more diagnoses	4,230	9.5	8.8	2	4	6	12	19
With surgery	950	12.9	10.4	2	4	10	18	25
Without surgery	4,530	8.0	7.5	2	3	5	10	16
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	2,695	12.1	8.8	4	7	9	14	21
Age:								
65 to 74 years	1,700	11.0	7.3	4	6	9	12	18
75 to 84 years	830	14.1	10.9	4	7	11	17	27
85 years and over	165	13.0	8.9	2	6	12	16	28
One diagnosis	1,450	10.3	6.8	4	6	8	12	16
Two or more diagnoses	1,245	14.1	10.3	4	7	11	17	26
With surgery	2,200	12.6	7.8	6	7	10	14	21
Without surgery	495	9.7	12.0	1	3	5	9	22
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	1,810	12.3	10.3	3	6	9	14	24
Age:								
65 to 74 years	800	11.7	10.3	3	6	9	13	20
75 to 84 years	720	13.5	11.0	4	6	10	15	29
85 years and over	290	11.2	8.2	2	4	9	15	21
One diagnosis	975	10.3	7.2	3	5	8	12	18
Two or more diagnoses	835	14.7	12.6	3	6	10	18	30
With surgery	1,375	14.0	10.9	5	7	10	16	26
Without surgery	435	7.1	5.7	1	3	5	9	15
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	5,200	12.0	12.4	1	3	8	16	26
Age:								
65 to 74 years	1,970	13.0	12.9	1	3	8	18	29
75 to 84 years	2,335	11.6	12.3	1	3	7	15	25
85 years and over	895	10.9	11.3	1	2	6	16	25
One diagnosis	2,275	9.6	10.2	1	2	6	13	22
Two or more diagnoses	2,925	13.9	13.6	1	4	9	19	31
With surgery	1,675	19.4	14.3	3	9	16	24	36
Without surgery	3,525	8.5	9.6	1	2	5	10	19
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	10,310	8.2	8.1	1	3	5	9	16
Age:								
65 to 74 years	4,900	7.6	7.3	1	3	5	9	15
75 to 84 years	4,110	8.2	7.7	2	3	6	9	16
85 years and over	1,300	10.7	11.1	2	4	7	13	22
One diagnosis	4,215	6.0	5.6	1	2	4	7	11
Two or more diagnoses	6,095	9.8	9.1	2	4	7	11	20
With surgery	700	11.6	11.6	2	3	8	15	27
Without surgery	9,610	8.0	7.7	1	3	5	9	16
DIVERTICULITIS (572.1)								
Total	11,600	9.0	9.1	1	3	6	11	19
Age:								
65 to 74 years	5,775	8.0	7.7	1	3	5	10	17
75 to 84 years	4,665	9.6	9.6	2	3	6	11	20
85 years and over	1,160	11.6	11.6	2	4	7	13	26
One diagnosis	4,715	6.9	6.6	1	2	4	8	13
Two or more diagnoses	6,885	10.5	10.1	2	4	7	13	21
With surgery	2,415	13.3	11.8	2	4	9	18	30
Without surgery	9,185	7.9	7.8	1	3	5	9	16
CIRRHOSIS OF LIVER (581)								
Total	1,120	12.0	11.7	1	3	8	16	27
Age:								
65 to 74 years	695	13.5	12.0	2	5	9	16	30
75 to 84 years	270	13.2	11.9	2	4	8	22	27
85 years and over	155	3.1	2.2	1	1	2	2	6
One diagnosis	455	9.2	9.0	1	2	6	12	24
Two or more diagnoses	665	13.9	12.9	2	5	8	17	33
With surgery	310	11.2	13.5	1	2	5	14	27
Without surgery	810	12.3	10.9	2	5	8	16	27
CHOLELITHIASIS (584)								
Total	11,645	14.1	11.0	3	6	11	17	26
Age:								
65 to 74 years	6,730	13.2	9.6	3	7	11	16	23
75 to 84 years	4,110	15.5	12.5	3	7	12	19	29
85 years and over	805	15.3	12.9	3	5	11	21	31
One diagnosis	5,565	12.5	8.4	3	7	11	16	22
Two or more diagnoses	6,080	15.6	12.9	3	6	12	20	30
With surgery	7,055	17.4	10.6	8	10	14	20	28
Without surgery	4,590	9.1	9.8	2	3	6	10	17
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	5,500	11.7	9.9	2	4	9	15	23
Age:								
65 to 74 years	2,770	11.1	8.8	2	4	9	14	21
75 to 84 years	2,235	12.0	10.3	2	4	8	16	25
85 years and over	495	13.4	12.9	3	5	9	15	25
One diagnosis	2,595	10.3	8.0	2	4	8	13	20
Two or more diagnoses	2,905	12.9	11.2	3	5	9	16	25
With surgery	1,545	16.9	9.8	8	10	14	20	28
Without surgery	3,955	9.6	9.2	2	4	6	11	20
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	1,680	11.4	10.8	2	3	7	15	24
Age:								
65 to 74 years	780	10.8	11.7	2	3	6	14	23
75 to 84 years	725	12.2	10.0	2	4	9	16	25
85 years and over	175	10.5	9.1	1	4	7	13	20
One diagnosis	645	9.1	8.5	2	3	5	11	20
Two or more diagnoses	1,035	12.8	11.7	2	4	9	17	25
With surgery	400	19.9	13.6	5	11	16	25	36
Without surgery	1,280	8.7	8.1	2	3	6	11	19
DISEASES OF PANCREAS (587)								
Total	1,015	12.8	11.7	2	5	9	17	27
Age:								
65 to 74 years	605	12.2	10.6	1	5	9	16	25
75 to 84 years	350	13.6	11.8	3	5	9	18	27
85 years and over	60	14.5	18.2	1	3	7	17	29
One diagnosis	375	9.2	7.7	1	3	7	11	18
Two or more diagnoses	640	14.9	13.0	3	6	11	20	29
With surgery	185	20.6	12.4	8	11	19	27	31
Without surgery	830	11.1	10.7	2	4	8	13	23
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	1,360	13.8	12.6	2	5	10	17	29
Age:								
65 to 74 years	810	13.9	13.0	2	5	11	17	26
75 to 84 years	380	12.5	11.3	2	5	9	14	26
85 years and over	170	16.3	12.5	1	5	11	26	34
One diagnosis	380	12.5	10.9	2	4	10	14	28
Two or more diagnoses	980	14.3	13.1	2	5	10	19	29
With surgery	275	15.2	12.8	2	5	11	20	30
Without surgery	1,085	13.5	12.5	2	5	10	17	28
INFECTIONS OF KIDNEY (600)								
Total	3,905	12.7	11.5	3	5	8	16	26
Age:								
65 to 74 years	1,805	11.1	10.4	2	4	7	14	23
75 to 84 years	1,580	14.2	12.2	3	5	10	18	29
85 years and over	520	13.6	12.2	4	6	10	15	25
One diagnosis	1,335	9.1	7.1	2	4	7	11	17
Two or more diagnoses	2,570	14.6	12.8	3	6	10	18	30
With surgery	525	16.9	14.5	3	6	13	21	33
Without surgery	3,380	12.1	10.8	3	5	8	15	25
CALCULI OF KIDNEY AND URETER (602)								
Total	3,000	8.9	9.4	1	3	5	11	18
Age:								
65 to 74 years	2,105	8.2	8.6	1	2	5	10	16
75 to 84 years	800	10.1	10.0	2	3	7	12	21
85 years and over	95	13.5	16.5	2	3	6	15	27
One diagnosis	1,630	7.0	6.3	1	2	5	9	14
Two or more diagnoses	1,370	11.1	11.7	2	3	7	14	22
With surgery	1,310	12.6	11.2	3	5	10	15	23
Without surgery	1,690	6.0	6.5	1	2	4	6	12

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	1,865	11.3	10.3	2	4	8	15	24
Age:								
65 to 74 years	1,080	10.1	10.1	2	3	7	12	21
75 to 84 years	675	12.7	9.7	2	5	10	17	25
85 years and over	110	14.3	13.3	2	5	9	18	27
One diagnosis	615	9.6	9.8	1	3	6	12	23
Two or more diagnoses	1,250	12.1	10.4	2	4	9	15	25
With surgery	1,075	13.3	10.9	2	5	9	17	27
Without surgery	790	8.5	8.6	1	3	5	11	17
CYSTITIS (605)								
Total	5,385	9.6	9.1	2	4	6	11	20
Age:								
65 to 74 years	2,600	8.1	7.5	1	3	6	10	15
75 to 84 years	2,100	10.0	8.8	2	4	7	12	21
85 years and over	685	14.3	12.8	3	6	10	17	31
One diagnosis	1,830	7.5	8.3	1	3	5	8	14
Two or more diagnoses	3,555	10.7	9.3	2	4	7	13	21
With surgery	2,255	9.6	8.5	2	3	6	12	20
Without surgery	3,130	9.7	9.5	2	4	6	11	19
OTHER DISEASES OF BLADDER (606)								
Total	2,180	12.1	10.2	2	5	9	16	24
Age:								
65 to 74 years	1,050	12.3	11.1	2	4	8	15	27
75 to 84 years	930	11.9	9.4	2	5	9	16	22
85 years and over	200	12.5	8.2	2	5	11	18	22
One diagnosis	835	9.6	9.5	2	3	6	12	20
Two or more diagnoses	1,345	13.7	10.3	3	6	11	18	27
With surgery	1,535	13.0	10.6	2	5	10	17	24
Without surgery	645	10.1	8.8	2	3	7	13	22
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	2,925	9.0	8.7	2	3	6	11	18
Age:								
65 to 74 years	1,495	8.1	7.4	1	3	5	10	16
75 to 84 years	1,110	10.3	10.4	2	3	7	12	20
85 years and over	320	8.9	6.9	1	4	6	11	18
One diagnosis	1,205	7.3	7.3	1	2	5	8	14
Two or more diagnoses	1,720	10.2	9.3	2	4	7	12	20
With surgery	2,240	9.3	8.7	2	3	7	11	19
Without surgery	685	8.0	8.4	1	3	5	10	15
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	3,745	10.1	9.3	2	4	7	12	21
Age:								
65 to 74 years	1,590	8.6	8.3	2	3	6	9	17
75 to 84 years	1,630	11.4	9.9	2	5	8	14	23
85 years and over	525	11.0	9.4	3	4	7	14	25
One diagnosis	1,380	8.4	8.3	2	3	6	10	16
Two or more diagnoses	2,365	11.1	9.7	2	4	7	13	24
With surgery	990	9.8	8.2	2	3	7	12	22
Without surgery	2,755	10.3	9.6	2	4	7	12	20
HYPERPLASIA OF PROSTATE (610)								
Total	14,475	13.9	10.3	4	7	11	17	26
Age:								
65 to 74 years	7,585	12.4	8.9	3	7	10	15	22
75 to 84 years	5,475	15.1	11.0	4	8	12	18	29
85 years and over	1,415	17.1	12.6	4	8	14	21	33
One diagnosis	7,465	12.6	8.8	4	7	10	15	22
Two or more diagnoses	7,010	15.3	11.5	4	7	12	19	29
With surgery	11,700	14.5	9.7	6	8	11	17	26
Without surgery	2,775	11.3	12.2	1	3	7	14	24
OTHER DISEASES OF PROSTATE (611,612)								
Total	1,330	9.6	10.2	2	3	7	11	19
Age:								
65 to 74 years	805	7.8	6.6	2	3	6	9	15
75 to 84 years	455	11.8	13.1	2	4	8	13	21
85 years and over	70	16.6	16.1	3	4	7	24	27
One diagnosis	545	9.1	12.5	2	3	6	9	14
Two or more diagnoses	785	9.9	8.3	2	4	7	12	19
With surgery	625	10.8	13.0	2	3	7	12	20
Without surgery	705	8.5	6.6	2	4	7	10	16
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	1,825	8.4	6.6	2	3	6	10	17
Age:								
65 to 74 years	1,175	7.9	5.9	2	3	6	9	16
75 to 84 years	550	9.0	6.8	2	4	7	11	17
85 years and over	100	11.7	11.2	2	4	6	15	23
One diagnosis	930	6.8	5.2	2	3	5	9	13
Two or more diagnoses	895	10.1	7.5	3	4	7	13	20
With surgery	1,240	8.1	7.1	2	3	5	9	17
Without surgery	585	9.2	5.4	3	5	7	11	16
UTEROVAGINAL PROLAPSE (631)								
Total	4,185	12.4	6.9	6	8	10	14	19
Age:								
65 to 74 years	2,965	12.0	5.9	6	8	10	14	18
75 to 84 years	1,065	12.6	7.7	5	8	11	15	20
85 years and over	155	19.0	13.4	5	9	16	22	40
One diagnosis	2,050	11.8	5.6	6	8	10	13	18
Two or more diagnoses	2,135	13.0	8.0	5	8	11	15	21
With surgery	3,790	12.7	6.7	7	8	11	14	19
Without surgery	395	9.5	8.4	1	3	7	12	18
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	3,080	12.3	10.9	3	5	8	16	24
Age:								
65 to 74 years	1,515	11.6	11.0	2	4	8	15	22
75 to 84 years	1,215	12.5	10.4	3	5	8	16	26
85 years and over	350	14.2	11.8	4	6	10	16	28
One diagnosis	1,260	10.0	7.9	2	4	7	13	18
Two or more diagnoses	1,820	13.8	12.3	3	5	9	18	28
With surgery	750	13.7	13.0	2	4	9	18	33
Without surgery	2,330	11.8	10.0	3	5	8	15	22
RHEUMATOID ARTHRITIS (722.0)								
Total	2,420	14.6	12.8	3	6	10	18	30
Age:								
65 to 74 years	1,575	15.1	13.3	3	6	11	19	32
75 to 84 years	730	13.9	12.2	3	6	10	17	27
85 years and over	115	11.2	7.0	4	5	8	14	17
One diagnosis	805	12.4	9.8	3	5	9	16	24
Two or more diagnoses	1,615	15.7	13.9	3	6	11	19	32
With surgery	295	18.9	14.4	3	7	17	23	37
Without surgery	2,125	14.0	12.4	3	6	10	16	30
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	6,090	14.0	12.9	3	5	9	17	30
Age:								
65 to 74 years	2,845	13.7	12.9	3	5	9	17	30
75 to 84 years	2,490	14.2	12.6	3	5	10	18	30
85 years and over	755	14.3	13.6	3	6	9	17	33
One diagnosis	1,910	15.0	13.2	3	5	10	20	32
Two or more diagnoses	4,180	13.6	12.7	3	5	9	16	29
With surgery	1,175	21.3	14.6	4	9	18	30	38
Without surgery	4,915	12.3	11.8	3	5	8	15	25
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	3,575	11.0	9.3	3	5	8	13	22
Age:								
65 to 74 years	1,865	10.4	9.8	2	4	7	12	20
75 to 84 years	1,400	11.7	8.9	3	5	9	14	23
85 years and over	310	11.1	7.5	3	5	8	15	23
One diagnosis	775	10.3	9.1	2	4	7	12	20
Two or more diagnoses	2,800	11.1	9.4	3	5	8	13	22
With surgery	275	15.9	12.6	4	6	12	21	30
Without surgery	3,300	10.5	8.9	2	4	8	13	20
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	4,025	12.0	10.9	2	4	8	14	24
Age:								
65 to 74 years	1,780	10.2	9.2	2	4	7	12	21
75 to 84 years	1,685	13.5	11.7	3	5	10	17	26
85 years and over	560	13.4	12.6	3	5	9	15	29
One diagnosis	1,460	10.4	9.4	2	4	8	12	21
Two or more diagnoses	2,565	12.9	11.6	3	5	9	16	27
With surgery	270	14.8	14.6	2	4	10	19	29
Without surgery	3,755	11.8	10.6	2	4	8	14	23

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	2,665	13.8	10.9	3	6	10	17	28
Age:								
65 to 74 years	970	12.3	9.7	2	5	9	16	25
75 to 84 years	1,280	14.0	10.8	4	6	10	18	27
85 years and over	415	16.4	13.1	3	6	12	22	34
One diagnosis	425	12.1	8.2	3	6	10	15	22
Two or more diagnoses	2,240	14.1	11.3	3	6	10	18	29
With surgery	220	14.6	15.6	2	3	10	15	36
Without surgery	2,445	13.7	10.4	3	6	10	17	28
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	1,680	13.3	9.2	4	6	10	18	25
Age:								
65 to 74 years	1,250	12.7	8.5	4	6	10	17	24
75 to 84 years	360	14.8	10.8	3	6	11	20	29
85 years and over	70	16.4	9.9	4	7	12	24	29
One diagnosis	800	13.6	9.6	4	6	11	18	25
Two or more diagnoses	880	13.0	8.7	4	6	10	18	24
With surgery	370	20.9	10.2	9	12	20	25	31
Without surgery	1,310	11.2	7.5	3	5	9	14	21
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	1,210	8.5	8.3	2	3	6	10	16
Age:								
65 to 74 years	740	7.0	5.7	1	3	5	8	13
75 to 84 years	405	10.9	11.4	2	4	7	13	21
85 years and over	65	11.0	4.9	3	7	10	13	17
One diagnosis	600	7.4	8.1	1	2	5	9	15
Two or more diagnoses	610	9.6	8.3	2	4	6	12	19
With surgery	490	7.2	9.0	1	2	4	9	14
Without surgery	720	9.4	7.7	2	4	6	12	18
CONGENITAL MALFORMATIONS (750-759)								
Total	710	11.5	11.3	2	4	7	14	24
Age:								
65 to 74 years	415	10.4	10.6	2	4	7	13	22
75 to 84 years	260	13.0	12.2	2	4	8	19	28
85 years and over	35	12.1	11.9	1	2	8	15	25
One diagnosis	275	10.3	9.4	1	3	7	13	22
Two or more diagnoses	435	12.2	12.3	2	4	8	14	26
With surgery	295	11.9	9.9	2	4	9	15	24
Without surgery	415	11.1	12.2	1	3	7	12	24
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	1,190	6.6	9.1	1	1	3	7	14
Age:								
65 to 74 years	560	6.2	8.1	1	1	3	7	14
75 to 84 years	505	6.0	7.2	1	2	4	6	12
85 years and over	125	10.8	16.1	1	3	6	11	19
One diagnosis	870	6.2	9.2	1	1	3	7	12
Two or more diagnoses	320	7.6	8.7	1	2	4	8	18
With surgery	90	11.7	14.8	1	2	4	10	29
Without surgery	1,100	6.2	8.3	1	1	3	7	13
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	2,300	5.6	5.7	1	2	3	6	11
Age:								
65 to 74 years	1,285	5.5	5.1	1	2	3	6	11
75 to 84 years	775	5.9	6.6	1	2	4	7	11
85 years and over	240	5.2	4.7	1	2	3	6	9
One diagnosis	1,810	5.2	5.2	1	2	3	6	10
Two or more diagnoses	490	7.1	7.0	1	3	5	8	13
With surgery	250	7.3	7.4	1	2	5	8	17
Without surgery	2,050	5.4	5.4	1	2	3	6	10
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	2,540	7.7	8.5	1	2	5	9	16
Age:								
65 to 74 years	1,455	6.7	6.5	1	2	5	8	13
75 to 84 years	875	8.9	11.0	1	2	5	10	21
85 years and over	210	9.7	7.6	1	3	8	12	21
One diagnosis	1,875	7.0	7.9	1	2	4	8	14
Two or more diagnoses	665	9.7	9.7	1	3	6	11	21
With surgery	330	12.4	12.4	2	3	8	16	26
Without surgery	2,210	7.0	7.5	1	2	4	8	13
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	1,085	9.5	9.7	1	3	6	12	19
Age:								
65 to 74 years	485	7.3	6.0	1	2	5	10	14
75 to 84 years	425	11.3	12.6	2	3	8	15	23
85 years and over	175	11.3	9.0	1	3	9	18	24
One diagnosis	900	9.7	10.2	1	3	6	12	20
Two or more diagnoses	185	8.8	6.6	1	3	6	13	19
With surgery	420	12.0	7.3	3	6	10	14	22
Without surgery	665	8.0	10.7	1	2	4	9	19
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	3,030	8.9	9.2	1	3	5	11	18
Age:								
65 to 74 years	1,670	7.8	7.5	1	2	5	9	17
75 to 84 years	1,055	9.9	9.9	2	3	6	12	21
85 years and over	305	11.6	13.4	2	4	7	14	21
One diagnosis	2,285	8.7	9.3	1	3	5	10	18
Two or more diagnoses	745	9.8	9.1	2	3	6	13	20
With surgery	630	9.0	8.8	1	3	5	11	21
Without surgery	2,400	8.9	9.4	2	3	6	11	18
NERVOUSNESS AND DEBILITY (790)								
Total	1,035	12.2	12.5	2	4	8	14	25
Age:								
65 to 74 years	460	9.6	9.9	2	3	7	11	18
75 to 84 years	385	13.9	13.6	2	4	10	17	28
85 years and over	190	15.3	14.5	2	5	11	17	34
One diagnosis	385	10.6	11.7	1	3	7	12	23
Two or more diagnoses	650	13.1	13.0	2	5	9	16	26
With surgery	50	16.9	10.9	3	9	14	18	27
Without surgery	985	12.0	12.6	2	4	8	14	25
UREMIA (792)								
Total	415	14.6	13.0	2	4	10	23	34
Age:								
65 to 74 years	95	11.5	9.1	3	4	9	13	25
75 to 84 years	200	16.0	15.1	2	4	9	25	38
85 years and over	120	14.6	11.3	1	5	11	23	33
One diagnosis	265	11.0	9.2	2	4	7	14	26
Two or more diagnoses	150	20.9	16.0	1	7	18	29	41
With surgery	25	*	*	*	*	*	*	*
Without surgery	390	13.8	12.5	1	4	9	20	31
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	985	14.2	13.2	2	5	9	18	32
Age:								
65 to 74 years	110	14.2	11.9	3	6	9	17	31
75 to 84 years	450	14.1	15.4	2	4	8	16	36
85 years and over	425	14.3	10.7	2	6	12	19	29
One diagnosis	225	10.4	10.5	1	3	7	11	25
Two or more diagnoses	760	15.3	13.7	3	5	10	19	34
With surgery	60	17.7	7.7	8	11	15	24	30
Without surgery	925	13.9	13.4	2	5	9	18	34
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	2,125	9.2	10.9	1	2	5	11	19
Age:								
65 to 74 years	1,215	8.5	9.6	1	2	5	10	18
75 to 84 years	745	9.6	12.6	1	2	5	9	21
85 years and over	165	13.1	10.9	1	5	11	16	23
One diagnosis	1,195	6.9	8.0	1	1	4	8	16
Two or more diagnoses	930	12.3	13.2	2	4	7	14	30
With surgery	435	8.7	11.5	1	1	3	10	23
Without surgery	1,690	9.4	10.8	1	2	6	11	18
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	3,255	18.6	13.7	5	8	14	24	36
Age:								
65 to 74 years	1,335	17.0	12.4	4	7	13	23	33
75 to 84 years	1,435	19.6	14.6	6	9	15	24	39
85 years and over	485	20.1	14.2	5	9	16	26	38
One diagnosis	1,120	16.6	12.2	4	7	13	22	34
Two or more diagnoses	2,135	19.7	14.4	5	9	15	26	37
With surgery	185	23.2	17.5	7	8	15	34	43
Without surgery	3,070	18.4	13.4	5	8	14	24	35

001003-0080

Table 8 WEST NORTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	2,355	12.3	10.1	2	5	9	15	26
Age:								
65 to 74 years	1,130	10.8	8.8	2	4	8	14	22
75 to 84 years	880	13.6	11.3	2	5	10	17	29
85 years and over	345	13.7	10.6	3	6	11	18	31
One diagnosis	665	9.5	7.1	2	4	7	12	18
Two or more diagnoses	1,690	13.4	10.9	2	5	10	17	28
With surgery	175	15.8	11.1	2	6	16	22	29
Without surgery	2,180	12.0	10.0	2	5	9	15	26
FRACTURE OF PELVIS (808)								
Total	1,795	25.9	16.5	6	13	23	35	47
Age:								
65 to 74 years	585	25.4	16.3	5	13	23	34	45
75 to 84 years	690	26.1	16.2	6	14	23	36	46
85 years and over	520	26.2	17.1	6	13	22	34	49
One diagnosis	785	23.2	15.8	4	10	20	31	43
Two or more diagnoses	1,010	27.9	16.7	8	15	25	37	50
With surgery	125	26.9	13.6	7	15	28	36	47
Without surgery	1,670	25.8	16.7	6	13	22	35	47
FRACTURE OF HUMERUS (812)								
Total	2,910	15.3	15.0	2	4	10	19	34
Age:								
65 to 74 years	1,125	12.8	13.2	2	4	8	16	30
75 to 84 years	1,290	16.2	15.0	3	5	11	22	34
85 years and over	495	18.8	17.6	3	6	14	24	48
One diagnosis	1,455	11.7	12.4	2	4	7	15	25
Two or more diagnoses	1,455	18.9	16.4	3	6	13	25	43
With surgery	1,000	15.6	16.0	2	4	10	19	35
Without surgery	1,910	15.2	14.5	2	5	10	20	33
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	2,530	7.8	11.0	1	2	4	7	18
Age:								
65 to 74 years	1,385	6.2	8.4	1	1	3	6	15
75 to 84 years	845	8.5	10.8	1	2	4	11	20
85 years and over	300	13.2	17.8	1	3	5	14	35
One diagnosis	1,460	4.9	5.4	1	1	3	5	11
Two or more diagnoses	1,070	11.8	14.7	1	3	6	14	26
With surgery	1,650	6.9	8.9	1	1	3	7	18
Without surgery	880	9.4	13.9	1	2	4	10	17
FRACTURE OF FEMUR (820,821)								
Total	15,040	28.0	19.5	4	14	23	37	56
Age:								
65 to 74 years	3,720	26.1	17.7	5	14	22	34	51
75 to 84 years	7,135	28.7	19.9	5	14	24	38	57
85 years and over	4,185	28.5	20.1	4	14	23	38	57
One diagnosis	8,515	25.8	18.2	4	13	22	34	51
Two or more diagnoses	6,525	30.9	20.7	6	16	27	42	61
With surgery	10,085	28.3	16.9	10	16	24	35	52
Without surgery	4,955	27.3	24.0	1	5	21	42	63
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	3,550	15.6	15.4	2	5	10	19	33
Age:								
65 to 74 years	2,190	14.8	14.7	2	5	10	18	30
75 to 84 years	1,110	16.5	15.9	3	6	11	21	33
85 years and over	250	19.5	17.8	4	7	13	26	41
One diagnosis	2,010	12.7	12.4	2	4	9	16	27
Two or more diagnoses	1,540	19.4	17.8	3	8	13	25	45
With surgery	1,820	16.7	16.2	3	6	11	20	37
Without surgery	1,730	14.6	14.4	2	4	10	18	31
SPRAINS OF BACK (846,847)								
Total	2,940	11.5	9.5	3	5	9	14	21
Age:								
65 to 74 years	1,630	10.5	7.9	3	5	8	13	20
75 to 84 years	1,050	12.7	11.4	3	5	9	15	25
85 years and over	260	13.2	9.5	3	5	11	18	23
One diagnosis	1,035	10.5	9.0	3	5	8	12	20
Two or more diagnoses	1,905	12.1	9.7	3	5	9	15	23
With surgery	120	15.0	10.2	4	8	13	16	24
Without surgery	2,820	11.4	9.4	3	5	8	14	21
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	2,595	10.6	12.0	1	2	6	13	25
Age:								
65 to 74 years	1,250	9.7	12.2	1	2	5	11	22
75 to 84 years	1,000	11.3	10.9	1	3	7	16	28
85 years and over	345	12.1	13.5	2	3	7	13	25
One diagnosis	615	8.5	9.4	1	2	4	12	22
Two or more diagnoses	1,980	11.3	12.6	1	3	6	14	28
With surgery	575	12.5	14.4	1	2	8	16	28
Without surgery	2,020	10.1	11.1	1	2	6	12	23
LACERATION AND OPEN WOUND (870-898)								
Total	2,320	8.5	10.2	1	2	5	10	18
Age:								
65 to 74 years	1,215	7.9	10.4	1	2	4	8	17
75 to 84 years	865	8.4	8.9	1	3	5	10	17
85 years and over	240	12.0	12.3	1	3	8	17	27
One diagnosis	830	6.1	7.3	1	1	3	7	13
Two or more diagnoses	1,490	9.9	11.2	1	3	6	11	22
With surgery	1,105	8.6	11.3	1	2	4	9	21
Without surgery	1,215	8.4	9.0	1	2	5	10	18
SUPERFICIAL INJURY (910-918)								
Total	430	8.9	8.3	1	2	5	13	23
Age:								
65 to 74 years	235	7.7	7.3	1	2	4	10	16
75 to 84 years	160	9.6	9.0	1	2	7	12	24
85 years and over	35	13.3	9.2	1	3	11	21	24
One diagnosis	75	6.5	6.6	1	1	3	8	14
Two or more diagnoses	355	9.4	8.5	1	2	6	13	23
With surgery	35	11.7	11.2	2	3	6	15	27
Without surgery	395	8.6	7.9	1	2	5	12	21
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	4,655	9.9	10.0	1	3	6	13	20
Age:								
65 to 74 years	1,855	8.9	10.6	1	3	5	10	17
75 to 84 years	1,940	9.8	7.9	2	4	7	13	20
85 years and over	860	12.3	12.2	2	4	8	15	26
One diagnosis	1,060	7.0	6.5	1	2	4	8	15
Two or more diagnoses	3,595	10.8	10.7	2	4	7	14	21
With surgery	340	13.9	13.3	2	4	9	18	33
Without surgery	4,315	9.6	9.6	1	3	6	12	19
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	1,515	7.8	9.1	1	2	4	9	15
Age:								
65 to 74 years	890	6.8	7.9	1	2	4	8	14
75 to 84 years	520	8.6	8.5	1	2	5	11	18
85 years and over	105	12.3	16.1	1	2	6	14	26
One diagnosis	620	5.6	7.8	1	1	3	6	12
Two or more diagnoses	895	9.3	9.5	2	3	6	11	18
With surgery	60	10.2	7.1	1	5	7	16	18
Without surgery	1,455	7.7	9.1	1	2	4	9	15
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	2,475	12.0	13.0	2	3	7	15	27
Age:								
65 to 74 years	1,355	10.5	11.1	2	3	6	12	24
75 to 84 years	870	12.4	14.1	1	3	7	16	29
85 years and over	250	18.8	16.5	2	6	14	25	44
One diagnosis	1,400	10.3	12.0	1	3	6	12	23
Two or more diagnoses	1,075	14.4	13.9	2	4	9	19	34
With surgery	790	15.0	15.5	2	4	9	19	38
Without surgery	1,685	10.6	11.4	1	3	6	13	24

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	5,365	12.0	11.0	2	4	8	15	24
Age:								
65 to 74 years	3,055	12.0	11.0	2	4	8	16	25
75 to 84 years	1,860	11.7	10.1	2	5	9	15	23
85 years and over	450	13.9	14.0	1	4	10	18	28
One diagnosis	1,975	9.9	9.8	1	3	7	12	21
Two or more diagnoses	3,390	13.3	11.4	2	5	10	17	27
With surgery	890	15.5	12.1	2	6	12	20	31
Without surgery	4,475	11.4	10.6	2	4	8	14	23
HERPES ZOSTER (088)								
Total	1,305	13.5	10.3	4	6	11	17	26
Age:								
65 to 74 years	705	11.5	7.9	3	5	9	14	21
75 to 84 years	500	14.4	9.1	4	7	12	18	27
85 years and over	100	23.7	20.4	5	6	17	30	49
One diagnosis	545	11.1	6.6	3	6	10	14	20
Two or more diagnoses	760	15.3	12.1	4	6	12	19	30
With surgery	50	18.9	12.7	8	10	14	18	35
Without surgery	1,255	13.3	10.2	3	6	10	17	26
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	1,795	13.9	14.2	2	4	9	16	33
Age:								
65 to 74 years	1,055	13.6	13.7	2	4	9	16	29
75 to 84 years	645	14.1	14.5	2	4	8	16	36
85 years and over	95	16.5	17.8	3	6	8	19	31
One diagnosis	1,010	11.5	11.7	2	3	7	13	28
Two or more diagnoses	785	17.1	16.5	3	6	11	21	43
With surgery	1,220	13.4	13.4	2	4	9	16	29
Without surgery	575	14.9	15.8	2	4	8	17	38
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	670	16.3	15.6	3	5	10	19	38
Age:								
65 to 74 years	345	18.3	17.2	2	5	12	27	40
75 to 84 years	275	14.1	13.9	3	5	10	16	30
85 years and over	50	14.4	9.7	5	7	9	18	27
One diagnosis	380	16.1	16.4	3	5	9	18	39
Two or more diagnoses	290	16.6	14.4	3	5	13	20	37
With surgery	320	19.3	16.5	3	7	15	27	40
Without surgery	350	13.5	14.1	3	4	8	15	35
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	1,830	17.2	13.5	2	6	14	23	35
Age:								
65 to 74 years	915	17.6	13.6	3	7	15	24	35
75 to 84 years	775	17.8	14.1	2	7	15	22	37
85 years and over	140	10.8	7.2	2	5	8	15	20
One diagnosis	680	17.2	13.0	2	6	15	26	36
Two or more diagnoses	1,150	17.1	13.9	2	7	14	21	35
With surgery	775	21.9	11.3	10	14	20	28	35
Without surgery	1,055	13.7	14.0	1	4	8	17	33
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	5,770	19.8	14.6	4	9	16	26	39
Age:								
65 to 74 years	3,075	18.7	13.9	4	9	15	24	35
75 to 84 years	2,135	21.0	15.2	3	9	18	29	42
85 years and over	560	21.4	15.2	4	9	18	29	42
One diagnosis	1,970	17.9	12.8	4	8	15	23	33
Two or more diagnoses	3,800	20.8	15.4	4	9	17	28	41
With surgery	3,660	22.9	13.3	9	13	19	28	41
Without surgery	2,110	14.5	15.2	1	4	8	20	35
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	2,315	21.6	15.1	3	9	20	28	42
Age:								
65 to 74 years	1,220	22.4	14.2	5	12	20	28	41
75 to 84 years	910	21.5	16.0	3	6	20	29	43
85 years and over	185	17.2	15.4	1	5	13	23	34
One diagnosis	1,065	21.3	14.6	3	8	20	28	40
Two or more diagnoses	1,250	21.9	15.6	4	10	19	29	43
With surgery	1,570	24.3	13.5	7	14	22	30	43
Without surgery	745	16.0	16.7	2	4	9	25	36
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	1,195	18.7	14.8	2	7	14	26	38
Age:								
65 to 74 years	645	16.8	13.6	2	6	13	23	35
75 to 84 years	490	21.2	16.0	2	8	18	28	47
85 years and over	60	18.2	15.4	3	10	12	17	50
One diagnosis	505	17.8	14.2	3	6	14	26	35
Two or more diagnoses	690	19.3	15.2	2	7	14	27	42
With surgery	485	24.4	13.2	9	13	23	31	43
Without surgery	710	14.8	14.6	1	4	9	20	33
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	1,650	17.9	13.5	3	8	15	23	35
Age:								
65 to 74 years	845	17.3	13.2	3	7	15	23	32
75 to 84 years	660	18.9	13.9	4	10	15	24	39
85 years and over	145	16.7	13.0	4	7	13	22	34
One diagnosis	495	15.7	13.1	3	6	13	19	31
Two or more diagnoses	1,155	18.9	13.6	4	9	16	24	38
With surgery	730	22.5	12.4	11	14	19	27	38
Without surgery	920	14.2	13.2	2	5	10	17	32
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	6,250	15.1	13.0	2	5	11	20	32
Age:								
65 to 74 years	4,500	15.4	12.8	2	6	12	21	32
75 to 84 years	1,625	14.5	13.4	2	4	10	20	32
85 years and over	125	11.8	14.0	1	2	6	15	27
One diagnosis	2,855	13.9	12.3	2	5	10	19	29
Two or more diagnoses	3,395	16.1	13.5	3	6	12	22	34
With surgery	2,515	17.4	12.5	3	8	14	23	35
Without surgery	3,735	13.6	13.1	2	4	9	18	29
MALIGNANT NEOPLASM OF BREAST (170)								
Total	4,565	15.2	11.4	5	8	12	18	29
Age:								
65 to 74 years	2,760	15.4	11.2	6	8	12	18	29
75 to 84 years	1,620	15.1	11.7	4	7	12	18	30
85 years and over	185	12.8	12.1	2	4	10	14	26
One diagnosis	2,075	13.1	8.1	5	8	11	15	22
Two or more diagnoses	2,490	16.9	13.5	4	8	12	21	34
With surgery	3,075	14.0	9.1	6	8	11	16	23
Without surgery	1,490	17.6	14.9	3	6	13	24	37
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	1,820	10.9	10.7	3	4	7	13	24
Age:								
65 to 74 years	1,325	10.5	10.3	2	4	6	12	23
75 to 84 years	460	11.6	10.5	3	4	8	14	23
85 years and over	35	19.3	18.1	5	5	8	26	47
One diagnosis	1,010	8.8	7.6	3	4	5	11	16
Two or more diagnoses	810	13.6	13.0	3	4	9	17	31
With surgery	1,175	9.4	8.1	3	4	6	11	18
Without surgery	645	13.7	13.8	2	3	8	19	32
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	1,670	11.9	10.1	3	5	9	14	21
Age:								
65 to 74 years	1,115	11.7	9.9	3	5	9	14	20
75 to 84 years	515	12.4	11.0	3	5	8	15	23
85 years and over	40	11.4	3.9	7	7	10	13	17
One diagnosis	835	9.6	7.7	3	4	7	12	17
Two or more diagnoses	835	14.2	11.7	4	7	11	17	24
With surgery	1,215	10.6	7.1	3	5	9	13	18
Without surgery	455	15.4	15.2	3	6	10	18	27
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	785	16.9	14.0	2	6	13	22	35
Age:								
65 to 74 years	580	17.3	15.0	2	5	13	23	37
75 to 84 years	185	15.8	9.9	2	8	15	18	31
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	195	13.5	16.1	1	2	8	18	29
Two or more diagnoses	590	18.0	13.0	3	8	15	24	36
With surgery	390	19.9	10.3	8	12	17	24	35
Without surgery	395	13.8	16.2	1	2	7	16	33

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	6,765	14.2	11.4	3	6	11	18	28
Age:								
65 to 74 years	3,440	13.9	10.9	3	6	11	18	27
75 to 84 years	2,765	14.6	12.4	3	6	11	17	29
85 years and over	560	14.0	9.2	3	6	12	18	26
One diagnosis	3,050	12.5	9.5	3	6	10	15	24
Two or more diagnoses	3,715	15.6	12.6	3	7	12	20	32
With surgery	4,090	15.2	11.1	4	8	12	18	27
Without surgery	2,675	12.7	11.7	2	4	9	16	28
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	795	18.3	13.7	4	8	16	22	33
Age:								
65 to 74 years	500	16.9	13.3	3	7	15	21	29
75 to 84 years	260	21.6	14.5	5	11	19	27	36
85 years and over	35	14.4	5.9	8	9	12	14	20
One diagnosis	290	18.0	12.6	6	10	15	22	31
Two or more diagnoses	505	18.5	14.2	3	7	17	23	33
With surgery	425	21.2	11.4	10	14	19	24	35
Without surgery	370	15.1	15.2	2	5	10	20	28
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	3,950	12.1	11.6	2	4	8	15	26
Age:								
65 to 74 years	2,190	11.2	10.4	2	4	8	13	25
75 to 84 years	1,485	12.7	11.7	3	5	9	16	26
85 years and over	275	16.5	16.9	2	5	11	19	32
One diagnosis	2,360	10.3	10.2	2	4	7	11	23
Two or more diagnoses	1,590	14.8	12.8	3	6	11	18	29
With surgery	3,150	11.6	10.8	2	4	8	14	24
Without surgery	800	14.2	14.1	2	5	9	17	30
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	4,115	8.1	10.1	1	2	4	9	18
Age:								
65 to 74 years	2,335	7.9	10.0	1	2	4	9	17
75 to 84 years	1,330	8.1	9.6	1	2	4	9	19
85 years and over	450	9.2	11.8	1	2	5	12	20
One diagnosis	2,335	6.8	8.1	1	2	3	8	15
Two or more diagnoses	1,780	9.9	12.1	1	2	5	11	24
With surgery	3,555	7.6	9.7	1	2	4	9	16
Without surgery	560	11.8	11.8	1	3	8	14	29
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	6,025	15.9	14.6	2	5	11	22	36
Age:								
65 to 74 years	3,800	15.9	14.6	2	5	11	22	35
75 to 84 years	1,870	16.5	14.9	2	5	11	23	41
85 years and over	355	13.2	12.1	2	5	9	17	29
One diagnosis	3,185	14.7	14.8	2	4	9	19	33
Two or more diagnoses	2,840	17.3	14.2	2	6	13	24	38
With surgery	2,025	17.4	15.0	3	6	12	23	39
Without surgery	4,000	15.2	14.3	1	5	10	21	35
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	1,000	16.1	14.0	3	5	12	22	33
Age:								
65 to 74 years	605	15.2	13.2	2	5	12	21	31
75 to 84 years	320	18.6	15.7	4	6	13	27	38
85 years and over	75	12.0	10.8	2	4	6	19	30
One diagnosis	425	12.4	10.0	2	4	9	17	28
Two or more diagnoses	575	18.8	15.8	3	6	15	26	35
With surgery	345	17.2	13.0	4	7	14	21	36
Without surgery	655	15.5	14.5	2	4	10	22	32
LEUKEMIA AND ALEUKEMIA (204)								
Total	2,040	13.0	13.4	1	3	8	17	29
Age:								
65 to 74 years	1,050	13.4	12.9	2	4	9	18	30
75 to 84 years	880	12.4	13.2	1	3	8	16	28
85 years and over	110	13.3	18.7	1	3	7	11	36
One diagnosis	1,020	12.5	12.4	1	3	8	17	30
Two or more diagnoses	1,020	13.4	14.3	1	4	9	17	29
With surgery	210	15.7	15.0	2	5	11	20	36
Without surgery	1,830	12.6	13.2	1	3	8	17	29
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	1,675	15.4	14.8	2	5	11	20	34
Age:								
65 to 74 years	1,035	14.6	14.4	2	4	11	19	31
75 to 84 years	550	16.9	14.9	2	5	11	24	37
85 years and over	90	15.4	17.3	4	6	9	17	24
One diagnosis	815	14.7	15.4	1	4	10	19	32
Two or more diagnoses	860	16.1	14.1	3	5	12	22	35
With surgery	380	15.9	14.2	3	6	10	20	38
Without surgery	1,295	15.3	14.9	2	4	11	20	33
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	835	13.4	12.1	2	5	11	16	24
Age:								
65 to 74 years	630	12.7	10.9	2	5	11	15	24
75 to 84 years	185	14.7	14.9	2	5	11	17	24
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	460	11.4	7.6	1	5	10	14	21
Two or more diagnoses	375	15.8	15.6	3	5	12	18	29
With surgery	635	15.1	12.1	4	9	12	17	26
Without surgery	200	7.8	10.0	1	2	4	9	16
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	750	8.1	8.0	1	2	5	11	16
Age:								
65 to 74 years	475	7.8	7.7	1	2	4	10	17
75 to 84 years	240	8.5	8.7	2	2	5	11	15
85 years and over	35	9.4	7.4	2	3	6	12	18
One diagnosis	390	6.6	6.8	1	2	3	8	15
Two or more diagnoses	360	9.7	8.9	2	3	6	13	20
With surgery	625	7.7	7.9	1	2	4	10	15
Without surgery	125	10.0	7.9	2	3	7	14	22
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	1,025	9.0	7.3	2	3	7	12	20
Age:								
65 to 74 years	755	9.0	7.4	2	3	7	11	19
75 to 84 years	235	9.4	7.1	2	3	6	14	20
85 years and over	35	8.6	5.2	2	3	6	13	15
One diagnosis	365	7.4	6.2	1	2	4	10	15
Two or more diagnoses	660	9.9	7.7	2	3	8	14	20
With surgery	885	9.1	7.5	2	3	7	12	20
Without surgery	140	8.6	5.7	2	3	7	12	18
LIPOMA (226)								
Total	1,080	6.3	7.5	1	2	3	7	11
Age:								
65 to 74 years	870	6.2	7.1	1	2	3	7	10
75 to 84 years	175	6.9	9.2	1	2	3	6	21
85 years and over	35	6.7	5.3	2	3	5	7	12
One diagnosis	720	5.0	5.2	1	2	3	6	9
Two or more diagnoses	360	9.0	10.2	2	3	5	8	25
With surgery	1,010	6.4	7.5	1	2	3	7	11
Without surgery	70	6.0	8.0	1	2	3	6	7
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	1,305	7.5	7.8	1	2	5	9	15
Age:								
65 to 74 years	845	6.7	6.0	1	2	4	9	14
75 to 84 years	410	8.8	10.2	1	2	5	10	22
85 years and over	50	9.4	10.0	2	3	4	8	27
One diagnosis	1,040	6.8	7.0	1	2	4	8	13
Two or more diagnoses	265	10.0	10.1	1	2	7	12	21
With surgery	1,225	7.2	7.5	1	2	4	9	14
Without surgery	80	11.7	10.8	2	3	5	18	27
ASTHMA (241)								
Total	3,340	10.2	7.5	3	5	8	12	19
Age:								
65 to 74 years	2,475	9.9	7.5	3	5	8	12	18
75 to 84 years	795	11.1	7.9	3	5	9	13	20
85 years and over	70	8.4	4.4	3	5	8	9	15
One diagnosis	1,340	8.3	5.0	2	4	7	10	15
Two or more diagnoses	2,000	11.4	8.7	3	5	9	14	22
With surgery	115	15.5	9.7	3	7	14	21	29
Without surgery	3,225	10.0	7.4	3	5	8	12	18

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	1,900	11.0	8.0	3	5	8	15	21
Age:								
65 to 74 years	1,350	10.8	8.2	3	5	7	15	22
75 to 84 years	500	11.3	7.7	3	6	9	14	20
85 years and over	50	12.4	6.7	5	6	9	16	22
One diagnosis	715	7.8	5.2	3	4	6	8	14
Two or more diagnoses	1,185	12.9	8.8	4	6	10	17	24
With surgery	870	10.0	6.6	4	5	7	12	19
Without surgery	1,030	11.8	8.9	2	5	9	17	23
DIABETES MELLITUS (260)								
Total	18,595	13.4	11.4	3	6	10	16	27
Age:								
65 to 74 years	11,115	12.9	10.5	3	6	10	16	25
75 to 84 years	6,425	14.2	12.5	3	6	10	17	30
85 years and over	1,055	13.8	12.3	3	5	10	16	28
One diagnosis	4,270	11.5	9.7	3	5	8	14	23
Two or more diagnoses	14,325	14.0	11.7	3	6	10	17	28
With surgery	2,240	21.4	15.5	5	10	17	28	42
Without surgery	16,355	12.3	10.2	3	5	9	15	24
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	1,210	13.5	11.9	3	5	10	17	27
Age:								
65 to 74 years	520	13.4	11.9	3	5	9	16	26
75 to 84 years	520	12.3	11.0	2	4	9	16	22
85 years and over	170	17.5	13.7	3	8	13	23	30
One diagnosis	315	9.8	7.9	2	4	7	13	19
Two or more diagnoses	895	14.8	12.8	3	6	11	19	28
With surgery	60	21.7	19.6	3	5	12	34	52
Without surgery	1,150	13.0	11.2	3	5	10	16	25
GOUT (288)								
Total	1,110	10.6	8.9	3	5	7	12	19
Age:								
65 to 74 years	725	9.7	7.7	3	4	7	12	16
75 to 84 years	340	12.0	10.5	3	6	9	13	21
85 years and over	45	13.1	10.2	4	5	7	16	29
One diagnosis	295	8.0	5.2	3	4	6	9	16
Two or more diagnoses	815	11.5	9.7	3	5	8	13	21
With surgery	115	16.3	14.2	5	6	13	18	38
Without surgery	995	9.9	7.8	3	5	7	12	16
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	1,125	12.9	9.5	3	6	10	17	24
Age:								
65 to 74 years	545	11.6	8.5	3	6	10	16	20
75 to 84 years	480	14.3	10.2	3	6	11	20	28
85 years and over	100	13.0	10.0	3	6	11	13	23
One diagnosis	400	10.2	8.0	2	4	8	13	20
Two or more diagnoses	725	14.3	9.9	4	7	12	19	25
With surgery	160	15.1	11.2	4	7	12	17	27
Without surgery	965	12.5	9.1	3	5	10	17	24
IRON DEFICIENCY ANEMIAS (291)								
Total	1,975	11.4	8.6	3	5	9	14	21
Age:								
65 to 74 years	940	11.0	8.0	4	5	8	14	20
75 to 84 years	830	11.4	8.4	2	6	9	14	20
85 years and over	205	13.1	11.4	3	6	9	14	23
One diagnosis	425	9.9	7.4	2	4	8	14	22
Two or more diagnoses	1,550	11.8	8.8	4	6	9	14	21
With surgery	290	15.1	11.1	4	7	12	19	27
Without surgery	1,685	10.8	7.9	3	5	9	13	20
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	5,250	12.1	11.0	2	4	8	15	25
Age:								
65 to 74 years	2,405	12.4	11.1	2	5	9	15	25
75 to 84 years	2,300	11.5	9.8	2	4	8	15	25
85 years and over	545	13.7	14.0	2	4	9	17	29
One diagnosis	1,885	10.1	8.9	2	4	7	12	22
Two or more diagnoses	3,365	13.2	11.8	2	5	9	17	27
With surgery	635	18.5	14.1	5	7	14	24	37
Without surgery	4,615	11.2	10.1	2	4	8	14	24
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	4,080	17.1	15.1	3	7	12	21	38
Age:								
65 to 74 years	1,420	17.0	14.7	4	7	12	20	36
75 to 84 years	1,980	17.3	15.7	3	6	12	21	39
85 years and over	680	16.9	14.4	3	6	12	22	39
One diagnosis	1,240	14.8	13.7	3	5	10	17	33
Two or more diagnoses	2,840	18.1	15.7	4	7	13	22	39
With surgery	225	26.8	18.9	9	12	19	38	53
Without surgery	3,855	16.5	14.7	3	6	12	20	37
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	1,620	14.4	12.6	2	4	10	21	31
Age:								
65 to 74 years	1,215	14.8	12.6	2	4	10	21	31
75 to 84 years	375	13.3	12.6	1	3	9	20	29
85 years and over	30	14.7	7.7	4	7	14	16	24
One diagnosis	925	15.0	12.7	1	4	11	24	31
Two or more diagnoses	695	13.6	12.4	2	5	9	18	30
With surgery	70	12.9	10.4	3	5	7	18	29
Without surgery	1,550	14.5	12.7	2	4	10	21	31
PSYCHONEUROTIC DISORDERS (324)								
Total	5,015	13.7	12.3	2	5	9	18	29
Age:								
65 to 74 years	3,695	13.5	11.6	2	5	9	18	29
75 to 84 years	1,195	14.5	14.4	2	5	9	19	34
85 years and over	125	11.0	10.0	1	2	8	15	22
One diagnosis	2,395	15.4	13.4	2	5	11	21	33
Two or more diagnoses	2,620	12.2	11.0	2	5	8	15	26
With surgery	175	20.0	16.6	4	7	16	25	42
Without surgery	4,840	13.5	12.1	2	5	9	18	29
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	20,715	15.3	14.8	1	4	10	21	34
Age:								
65 to 74 years	8,570	14.7	14.0	1	4	10	20	32
75 to 84 years	9,260	16.0	15.4	1	4	11	22	36
85 years and over	2,885	15.1	15.1	1	4	9	20	35
One diagnosis	8,975	14.0	14.3	1	3	9	19	32
Two or more diagnoses	11,740	16.4	15.2	1	5	11	22	36
With surgery	935	22.5	16.9	3	10	19	30	47
Without surgery	19,780	15.0	14.7	1	4	10	20	33
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	12,020	17.2	15.0	3	6	12	22	36
Age:								
65 to 74 years	5,085	17.4	15.1	3	6	12	23	37
75 to 84 years	5,250	17.3	15.0	3	6	12	22	36
85 years and over	1,685	16.6	15.0	2	5	12	22	36
One diagnosis	3,860	15.5	14.6	2	5	11	20	32
Two or more diagnoses	8,160	18.0	15.2	3	7	13	23	38
With surgery	750	20.2	15.5	5	9	15	26	38
Without surgery	11,270	17.0	15.0	3	6	12	22	36
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	10,345	12.7	11.7	3	5	9	16	26
Age:								
65 to 74 years	4,320	11.7	10.4	3	5	8	14	22
75 to 84 years	4,685	13.1	12.2	3	5	9	16	27
85 years and over	1,340	14.3	13.8	2	4	9	19	33
One diagnosis	3,075	10.6	9.6	2	4	7	13	22
Two or more diagnoses	7,270	13.5	12.4	3	5	9	16	27
With surgery	845	19.7	15.1	6	10	16	24	36
Without surgery	9,500	12.0	11.2	3	4	8	14	25
PARALYSIS AGITANS (350)								
Total	2,145	17.2	13.2	4	8	13	21	33
Age:								
65 to 74 years	1,400	18.1	13.5	5	9	14	22	35
75 to 84 years	690	15.6	12.4	4	7	11	20	32
85 years and over	55	14.3	11.1	2	5	10	20	26
One diagnosis	920	17.5	13.1	6	8	13	21	32
Two or more diagnoses	1,225	17.1	13.3	4	8	13	22	35
With surgery	145	18.8	13.1	6	9	15	21	36
Without surgery	2,000	17.1	13.2	4	8	13	21	33

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	2,690	11.9	9.9	3	5	9	15	22
Age:								
65 to 74 years	1,665	11.5	10.4	2	5	8	14	21
75 to 84 years	915	12.6	9.1	4	6	10	15	24
85 years and over	110	11.6	9.3	4	5	9	13	19
One diagnosis	1,055	10.2	9.3	3	4	7	13	19
Two or more diagnoses	1,635	12.9	10.2	3	6	10	16	25
With surgery	415	12.6	9.6	3	5	10	16	24
Without surgery	2,275	11.7	10.0	3	5	8	14	21
CATARACT (385)								
Total	24,540	7.9	4.6	4	5	6	8	13
Age:								
65 to 74 years	12,540	7.7	4.5	4	5	6	8	12
75 to 84 years	10,550	8.0	4.5	4	5	6	8	13
85 years and over	1,450	8.8	5.8	4	5	7	10	14
One diagnosis	19,685	7.5	3.6	4	5	6	8	12
Two or more diagnoses	4,855	9.5	6.9	4	5	7	11	16
With surgery	23,520	7.9	4.4	4	5	6	8	13
Without surgery	1,020	8.1	8.5	1	3	6	8	14
GLAUCOMA (387)								
Total	2,165	7.6	6.7	2	3	6	8	13
Age:								
65 to 74 years	1,275	7.2	5.6	2	3	6	8	12
75 to 84 years	780	7.7	6.6	2	4	6	8	14
85 years and over	110	11.3	14.4	2	4	6	11	24
One diagnosis	1,405	6.7	5.3	2	3	5	7	11
Two or more diagnoses	760	9.3	8.5	2	4	7	11	17
With surgery	1,760	7.5	6.6	2	3	6	8	13
Without surgery	405	8.0	7.4	1	3	6	9	14
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	1,210	13.5	12.2	3	5	9	17	28
Age:								
65 to 74 years	900	12.8	10.4	3	6	9	16	26
75 to 84 years	265	15.8	16.8	2	5	10	19	34
85 years and over	45	14.0	12.4	1	3	8	17	35
One diagnosis	150	10.8	8.6	2	3	7	15	22
Two or more diagnoses	1,060	13.9	12.6	3	6	10	17	28
With surgery	130	15.6	12.8	3	6	10	22	32
Without surgery	1,080	13.2	12.1	3	5	9	16	27
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	31,300	12.8	11.1	3	5	9	16	26
Age:								
65 to 74 years	13,900	11.9	10.0	3	5	9	15	24
75 to 84 years	13,630	13.3	11.7	3	5	10	16	27
85 years and over	3,770	14.3	12.2	2	5	10	19	30
One diagnosis	7,615	11.3	10.4	2	4	8	14	23
Two or more diagnoses	23,685	13.3	11.3	3	5	10	16	27
With surgery	1,910	19.6	15.3	5	9	14	26	41
Without surgery	29,390	12.4	10.6	2	5	9	15	25
ACUTE CORONARY OCCLUSION (420.1)								
Total	25,380	16.6	12.4	1	6	16	23	31
Age:								
65 to 74 years	14,820	17.0	11.7	1	7	17	23	30
75 to 84 years	9,040	16.4	13.3	1	4	14	23	33
85 years and over	1,520	13.9	13.9	1	2	10	20	30
One diagnosis	11,610	15.2	11.5	1	4	14	22	29
Two or more diagnoses	13,770	17.8	13.1	1	7	17	24	33
With surgery	845	23.6	17.2	2	10	21	32	45
Without surgery	24,535	16.4	12.2	1	5	15	23	31
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	34,485	12.7	10.9	3	5	9	16	25
Age:								
65 to 74 years	18,195	12.1	9.8	3	5	9	15	24
75 to 84 years	13,060	13.1	11.3	3	5	9	17	26
85 years and over	3,230	14.9	13.6	2	5	10	19	32
One diagnosis	9,390	11.1	10.3	2	4	8	14	22
Two or more diagnoses	25,095	13.4	11.0	3	6	10	17	26
With surgery	1,710	19.5	13.9	5	9	16	25	38
Without surgery	32,775	12.4	10.5	3	5	9	16	24
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	1,555	12.9	11.2	2	5	9	17	27
Age:								
65 to 74 years	780	11.8	8.2	3	6	9	16	23
75 to 84 years	550	15.1	14.1	2	5	11	20	33
85 years and over	225	10.9	11.5	1	2	6	14	28
One diagnosis	350	10.4	9.2	2	4	7	13	20
Two or more diagnoses	1,205	13.6	11.7	2	5	10	18	28
With surgery	50	18.4	11.5	6	8	12	23	38
Without surgery	1,505	12.7	11.2	2	5	9	17	26
FUNCTIONAL DISEASE OF HEART (433)								
Total	8,425	10.2	9.7	1	3	7	13	21
Age:								
65 to 74 years	4,320	9.6	8.5	2	3	7	12	19
75 to 84 years	3,300	10.8	11.4	1	3	7	13	22
85 years and over	805	10.7	8.9	1	4	8	13	21
One diagnosis	2,360	8.8	8.5	1	3	6	11	16
Two or more diagnoses	6,065	10.8	10.1	1	4	8	13	22
With surgery	1,250	13.9	10.2	3	6	11	18	27
Without surgery	7,175	9.6	9.5	1	3	7	12	19
CONGESTIVE HEART FAILURE (434.1)								
Total	17,180	12.9	11.3	2	5	9	16	26
Age:								
65 to 74 years	7,255	12.3	10.3	2	5	9	16	24
75 to 84 years	7,470	13.4	12.0	2	5	10	17	28
85 years and over	2,455	13.1	11.5	1	4	9	17	29
One diagnosis	6,345	11.6	10.4	2	4	8	14	23
Two or more diagnoses	10,835	13.7	11.7	2	5	10	17	28
With surgery	770	20.8	14.5	6	9	16	29	41
Without surgery	16,410	12.5	11.0	2	5	9	16	25
HYPERTENSIVE HEART DISEASE (442,443)								
Total	14,355	13.4	11.7	3	5	10	17	26
Age:								
65 to 74 years	7,730	12.9	11.3	3	5	9	16	25
75 to 84 years	5,555	13.9	12.0	3	6	10	17	27
85 years and over	1,070	14.3	13.0	3	5	10	17	29
One diagnosis	2,305	10.9	9.5	2	4	7	13	23
Two or more diagnoses	12,050	13.9	12.0	3	6	10	17	27
With surgery	735	18.8	15.2	3	8	15	24	34
Without surgery	13,620	13.1	11.4	3	5	9	16	26
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	8,470	10.5	9.2	2	4	8	13	21
Age:								
65 to 74 years	5,365	10.1	9.1	2	4	7	12	20
75 to 84 years	2,615	11.2	9.5	3	5	8	13	22
85 years and over	490	11.0	8.7	2	4	8	14	23
One diagnosis	2,290	8.2	6.8	2	3	6	10	16
Two or more diagnoses	6,180	11.3	9.8	2	5	8	14	22
With surgery	665	15.3	14.0	4	6	10	19	30
Without surgery	7,805	10.1	8.5	2	4	7	12	20
GENERAL ARTERIOSCLEROSIS (450)								
Total	11,750	14.9	13.7	3	5	10	19	31
Age:								
65 to 74 years	4,225	14.6	12.7	3	5	10	19	30
75 to 84 years	5,250	14.5	13.2	3	5	10	19	31
85 years and over	2,275	16.4	16.1	3	5	11	20	36
One diagnosis	2,165	13.9	13.3	2	4	9	18	30
Two or more diagnoses	9,585	15.1	13.7	3	5	10	19	31
With surgery	2,120	21.7	14.6	6	11	18	28	41
Without surgery	9,630	13.4	13.0	2	5	9	16	28
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	1,865	11.8	10.7	1	2	10	16	25
Age:								
65 to 74 years	1,105	12.2	9.9	1	2	11	18	25
75 to 84 years	630	11.6	12.2	1	2	7	15	27
85 years and over	130	8.8	7.3	1	1	7	13	17
One diagnosis	810	10.9	9.8	1	2	9	15	24
Two or more diagnoses	1,055	12.4	11.2	1	2	11	18	26
With surgery	935	15.5	10.3	1	8	14	20	27
Without surgery	930	8.0	9.6	1	1	4	11	19

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient chorocteristics	Number of discharges	Average stay (doys)	Standard deviation (doys)	Percentiles (doys)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Totol	1,410	16.4	14.4	2	7	12	19	32
Age:								
65 to 74 years	905	16.6	14.1	3	8	13	20	32
75 to 84 years	355	17.0	15.1	2	6	13	20	33
85 years ond over	150	13.9	13.8	2	5	11	15	29
One diognosis	625	14.3	12.8	3	6	11	17	26
Two or more diognoses	785	18.1	15.3	2	8	14	22	38
With surgery	840	19.5	14.2	7	10	15	22	37
Without surgery	570	11.9	13.4	1	3	8	14	25
GANGRENE OF LOWER EXTREMITY (455.0)								
Totol	1,360	23.3	16.5	6	11	19	30	43
Age:								
65 to 74 years	505	20.5	14.1	6	11	17	27	36
75 to 84 years	670	24.4	15.6	7	12	22	31	43
85 years ond over	185	27.3	23.2	4	10	20	34	59
One diognosis	665	19.9	12.7	5	10	17	27	36
Two or more diognoses	695	26.6	18.9	7	12	21	34	52
With surgery	990	25.1	16.4	8	13	21	30	45
Without surgery	370	18.6	15.9	2	6	13	25	42
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Totol	2,370	15.7	13.2	4	6	11	21	30
Age:								
65 to 74 years	1,635	13.8	11.8	3	5	9	18	27
75 to 84 years	655	19.7	15.5	5	8	15	26	40
85 years ond over	80	21.5	10.7	7	12	20	26	36
One diognosis	1,220	14.1	12.0	3	5	9	19	28
Two or more diognoses	1,150	17.4	14.1	4	7	13	22	32
With surgery	1,430	14.8	14.0	3	5	9	19	33
Without surgery	940	17.0	11.7	5	8	14	22	30
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Totol	3,400	9.5	7.2	3	5	7	11	17
Age:								
65 to 74 years	2,535	9.5	7.1	3	5	7	11	16
75 to 84 years	765	9.3	7.2	2	4	7	11	17
85 years ond over	100	11.5	9.3	3	5	9	14	21
One diognosis	1,620	8.2	4.8	3	5	7	10	14
Two or more diognoses	1,780	10.6	8.7	3	5	7	12	20
With surgery	2,780	10.0	7.3	4	5	7	11	17
Without surgery	620	7.3	6.6	1	2	5	8	15
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Totol	3,270	13.5	9.1	5	7	11	15	24
Age:								
65 to 74 years	2,050	13.2	8.7	4	7	11	15	24
75 to 84 years	1,065	13.3	8.6	5	7	11	15	23
85 years ond over	155	17.6	14.8	5	8	12	17	38
One diognosis	1,305	11.3	7.1	4	6	9	14	20
Two or more diognoses	1,965	14.9	10.0	5	8	12	17	27
With surgery	230	18.3	13.0	6	10	14	22	32
Without surgery	3,040	13.1	8.7	4	7	11	15	23
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Totol	1,505	12.9	7.5	5	7	11	16	23
Age:								
65 to 74 years	955	12.8	6.9	5	7	11	16	23
75 to 84 years	430	13.1	8.4	4	7	10	15	26
85 years and over	120	12.5	8.1	4	6	10	15	24
One diognosis	710	10.9	5.2	5	7	9	13	17
Two or more diognoses	795	14.6	8.7	5	7	12	19	26
With surgery	100	14.4	10.5	4	7	12	17	23
Without surgery	1,405	12.7	7.2	5	7	10	15	23
PULMONARY EMBOLISM AND INFARCTION (465)								
Totol	2,735	15.8	12.1	2	7	13	22	31
Age:								
65 to 74 years	1,530	15.1	10.5	4	7	12	21	29
75 to 84 years	995	16.8	13.1	1	7	14	23	32
85 years and over	210	16.6	16.2	1	4	11	21	40
One diognosis	675	13.4	12.0	1	5	11	15	28
Two or more diognoses	2,060	16.6	12.0	3	7	14	22	32
With surgery	265	25.1	16.7	8	14	20	30	42
Without surgery	2,470	14.8	11.0	2	6	12	21	29
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Totol	3,610	9.6	7.9	2	4	7	11	19
Age:								
65 to 74 years	2,045	8.7	6.5	2	4	7	11	15
75 to 84 years	1,240	10.2	7.6	3	5	8	12	20
85 years ond over	325	13.1	13.9	2	4	7	17	30
One diognosis	915	7.4	5.7	2	3	5	9	13
Two or more diognoses	2,695	10.4	8.4	3	5	8	12	20
With surgery	165	12.3	9.7	2	3	9	20	27
Without surgery	3,445	9.5	7.8	3	4	7	11	18
INFLUENZA (480-483)								
Totol	7,700	10.5	8.1	3	5	8	13	19
Age:								
65 to 74 years	5,025	10.0	7.4	3	5	8	12	18
75 to 84 years	2,210	11.3	9.1	3	5	8	14	20
85 years ond over	465	12.4	9.5	3	5	9	15	24
One diognosis	3,230	8.8	6.4	3	4	7	10	16
Two or more diognoses	4,470	11.8	9.0	3	5	9	14	21
With surgery	190	19.5	12.6	6	10	15	27	40
Without surgery	7,510	10.3	7.9	3	5	8	12	18
LOBAR PNEUMONIA (490)								
Totol	1,010	12.5	9.3	3	6	10	16	23
Age:								
65 to 74 years	525	12.8	9.1	4	6	10	15	24
75 to 84 years	405	12.7	9.0	3	6	10	17	22
85 years ond over	80	9.7	11.5	1	2	6	10	21
One diognosis	400	10.5	6.6	3	6	8	13	19
Two or more diognoses	610	13.9	10.5	2	6	11	17	26
With surgery	50	19.6	14.7	1	7	14	29	40
Without surgery	960	12.2	8.8	3	6	10	15	22
BRONCHOPNEUMONIA (491)								
Totol	7,520	12.9	10.4	3	6	10	16	25
Age:								
65 to 74 years	3,215	12.4	10.1	3	6	9	15	24
75 to 84 years	3,155	13.5	10.7	3	6	10	17	26
85 years ond over	1,150	12.9	10.6	2	6	10	16	24
One diognosis	2,075	10.6	7.3	3	5	8	13	20
Two or more diognoses	5,445	13.8	11.3	3	6	10	17	27
With surgery	315	21.2	14.0	6	10	18	27	41
Without surgery	7,205	12.6	10.1	3	6	9	15	24
PRIMARY ATYPICAL PNEUMONIA (492)								
Totol	6,315	12.6	9.9	4	6	10	15	23
Age:								
65 to 74 years	3,330	11.6	7.7	4	6	9	14	21
75 to 84 years	2,355	13.6	11.6	4	6	10	16	25
85 years ond over	630	14.7	12.6	3	6	10	19	30
One diognosis	1,850	10.2	7.5	3	5	8	12	19
Two or more diognoses	4,465	13.7	10.6	4	7	11	16	25
With surgery	265	19.1	12.2	6	9	16	27	37
Without surgery	6,050	12.4	9.7	4	6	9	15	22
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Totol	12,485	13.3	10.2	3	6	10	17	25
Age:								
65 to 74 years	6,050	12.4	9.1	4	6	10	15	23
75 to 84 years	4,710	14.0	10.8	3	6	11	18	29
85 years ond over	1,725	14.2	12.3	2	6	11	18	26
One diognosis	4,840	11.3	8.6	3	5	9	14	21
Two or more diognoses	7,645	14.5	11.0	3	7	11	19	28
With surgery	715	21.4	14.3	6	11	18	28	39
Without surgery	11,770	12.8	9.7	3	6	10	16	24
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Totol	5,750	10.1	6.9	3	5	8	12	17
Age:								
65 to 74 years	3,375	9.7	5.7	3	5	8	12	16
75 to 84 years	1,825	10.8	8.5	4	5	8	13	18
85 years ond over	550	10.3	6.9	3	5	8	13	20
One diognosis	1,465	8.2	4.6	3	4	7	10	14
Two or more diognoses	4,285	10.8	7.4	4	6	9	13	18
With surgery	210	12.8	8.4	3	6	10	16	24
Without surgery	5,540	10.0	6.8	3	5	8	12	17

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	4,440	10.0	7.2	3	5	8	12	18
Age:								
65 to 74 years	2,700	9.5	6.3	3	5	8	12	17
75 to 84 years	1,410	10.7	8.4	3	4	8	13	21
85 years and over	330	10.8	7.9	3	5	9	13	23
One diagnosis	1,545	8.1	5.3	2	4	6	10	15
Two or more diagnoses	2,895	11.0	7.9	3	5	9	13	20
With surgery	305	11.6	9.3	2	4	8	15	30
Without surgery	4,135	9.9	7.0	3	5	8	12	18
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	3,295	12.1	10.5	3	5	9	14	24
Age:								
65 to 74 years	2,250	11.5	9.6	3	5	8	13	22
75 to 84 years	940	13.1	11.1	3	6	9	15	30
85 years and over	105	17.3	18.3	2	6	11	17	40
One diagnosis	1,160	10.8	9.4	3	4	7	13	24
Two or more diagnoses	2,135	12.9	11.0	4	6	9	15	24
With surgery	360	15.3	13.2	3	6	11	23	31
Without surgery	2,935	11.7	10.0	3	5	8	14	22
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	1,620	10.4	8.4	2	5	8	13	19
Age:								
65 to 74 years	1,070	9.9	7.5	3	5	7	12	18
75 to 84 years	470	10.7	8.4	2	4	9	13	19
85 years and over	80	14.6	14.8	3	5	8	17	31
One diagnosis	500	8.8	6.6	2	4	7	11	17
Two or more diagnoses	1,120	11.1	8.9	3	5	8	13	20
With surgery	350	10.8	8.7	2	4	8	15	19
Without surgery	1,270	10.2	8.2	3	5	8	12	19
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	1,945	12.3	11.5	1	5	9	15	25
Age:								
65 to 74 years	865	10.9	8.5	1	5	9	14	20
75 to 84 years	835	13.8	13.5	1	5	10	16	27
85 years and over	245	12.4	12.4	1	2	9	17	28
One diagnosis	430	10.4	8.4	1	4	8	13	20
Two or more diagnoses	1,515	12.9	12.1	1	5	10	16	26
With surgery	65	17.3	11.8	3	6	11	28	29
Without surgery	1,880	12.2	11.4	1	5	9	15	24
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	8,780	12.0	10.8	2	5	8	14	24
Age:								
65 to 74 years	5,735	11.9	10.6	3	5	8	14	23
75 to 84 years	2,665	11.7	10.9	2	5	8	14	24
85 years and over	380	14.8	13.7	2	5	9	19	30
One diagnosis	2,115	10.9	10.5	2	4	8	13	22
Two or more diagnoses	6,665	12.3	10.9	3	5	9	15	24
With surgery	665	15.8	11.9	3	7	13	21	32
Without surgery	8,115	11.6	10.7	2	5	8	14	23
DISEASES OF ESOPHAGUS (539)								
Total	2,025	9.6	9.1	2	3	7	11	19
Age:								
65 to 74 years	1,330	9.5	9.3	1	3	7	11	20
75 to 84 years	535	9.3	9.2	2	3	6	11	18
85 years and over	160	10.9	7.1	2	5	8	16	20
One diagnosis	775	7.4	6.4	1	2	5	9	16
Two or more diagnoses	1,250	10.9	10.2	2	4	7	13	21
With surgery	765	11.8	11.0	2	3	8	16	24
Without surgery	1,260	8.2	7.4	1	3	6	10	16
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	2,830	13.2	9.3	3	6	11	17	27
Age:								
65 to 74 years	1,915	12.8	8.9	2	5	10	17	25
75 to 84 years	810	13.3	9.5	3	6	11	17	27
85 years and over	105	18.3	11.4	4	8	14	29	36
One diagnosis	945	11.6	8.4	2	5	9	16	22
Two or more diagnoses	1,885	14.0	9.6	3	6	11	19	28
With surgery	775	18.7	9.7	7	11	17	26	32
Without surgery	2,055	11.1	8.2	2	5	8	14	22
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	1,000	15.4	11.2	4	7	12	20	31
Age:								
65 to 74 years	625	14.8	10.7	4	7	12	20	30
75 to 84 years	295	15.6	10.6	5	9	12	19	27
85 years and over	80	19.5	15.9	3	7	16	26	37
One diagnosis	410	12.8	9.8	3	6	10	15	23
Two or more diagnoses	590	17.2	11.8	4	8	14	22	32
With surgery	285	20.2	11.4	8	13	18	24	32
Without surgery	715	13.5	10.5	3	6	10	16	29
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	6,215	11.4	9.6	3	5	8	14	22
Age:								
65 to 74 years	4,240	10.8	8.9	2	4	8	14	20
75 to 84 years	1,745	12.1	10.2	2	5	9	15	25
85 years and over	230	16.4	13.6	4	7	11	20	35
One diagnosis	2,460	9.6	7.9	2	4	7	12	19
Two or more diagnoses	3,755	12.6	10.3	3	5	9	16	24
With surgery	955	18.9	13.2	5	9	16	23	34
Without surgery	5,260	10.1	8.1	2	4	7	12	19
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	3,600	13.7	10.3	4	7	11	16	25
Age:								
65 to 74 years	2,190	13.2	10.2	4	7	10	15	23
75 to 84 years	1,135	14.3	10.0	4	7	11	18	28
85 years and over	275	14.3	11.3	2	5	12	19	28
One diagnosis	1,685	11.6	8.5	3	6	9	14	21
Two or more diagnoses	1,915	15.4	11.3	5	8	12	18	29
With surgery	785	19.5	12.9	8	11	16	23	36
Without surgery	2,815	12.0	8.7	4	6	9	14	22
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	495	13.7	9.7	2	7	11	17	27
Age:								
65 to 74 years	280	11.8	8.1	3	7	10	14	19
75 to 84 years	190	17.2	11.2	2	9	15	23	33
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	285	13.2	9.1	4	7	11	16	24
Two or more diagnoses	210	14.5	10.5	1	5	12	18	29
With surgery	340	14.1	9.2	4	8	12	17	27
Without surgery	155	13.0	10.7	1	5	10	16	27
GASTRITIS AND DUODENITIS (543)								
Total	5,130	8.5	7.5	2	3	6	10	16
Age:								
65 to 74 years	3,125	8.0	7.4	2	3	5	9	15
75 to 84 years	1,755	9.2	7.3	2	4	7	10	18
85 years and over	250	9.3	9.5	1	3	7	12	17
One diagnosis	1,700	6.5	6.9	1	2	4	7	11
Two or more diagnoses	3,430	9.4	7.6	2	4	7	11	18
With surgery	260	15.9	14.9	3	6	9	20	40
Without surgery	4,870	8.1	6.7	2	3	6	10	16
APPENDICITIS (550-553)								
Total	1,445	14.2	11.4	4	7	10	17	26
Age:								
65 to 74 years	1,000	14.0	11.3	5	7	10	16	27
75 to 84 years	395	13.5	11.1	2	7	10	16	24
85 years and over	50	23.8	12.8	9	15	19	24	45
One diagnosis	820	11.4	7.9	4	6	9	13	20
Two or more diagnoses	625	17.8	14.0	4	8	13	23	34
With surgery	1,240	14.8	11.2	5	7	11	18	27
Without surgery	205	10.2	12.1	1	2	7	10	23
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	10,515	9.4	6.1	4	6	8	10	15
Age:								
65 to 74 years	7,210	9.1	5.6	4	6	7	10	14
75 to 84 years	2,940	10.1	6.6	4	6	8	11	16
85 years and over	365	11.3	10.2	4	6	9	11	17
One diagnosis	6,970	8.4	4.0	4	5	7	9	12
Two or more diagnoses	3,545	11.6	8.5	5	6	9	13	19
With surgery	9,800	9.4	5.8	4	6	8	10	14
Without surgery	715	9.3	9.2	1	3	6	11	19

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	6,405	9.2	8.0	2	4	6	11	17
Age:								
65 to 74 years	4,150	9.1	8.2	2	4	6	11	17
75 to 84 years	1,985	9.3	7.5	2	4	7	11	18
85 years and over	270	9.6	7.1	2	4	7	12	19
One diagnosis	1,400	7.9	7.8	2	3	5	10	15
Two or more diagnoses	5,005	9.5	8.0	2	4	7	11	18
With surgery	1,145	13.9	11.1	3	7	11	17	26
Without surgery	5,260	8.1	6.7	2	3	6	10	15
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	3,205	11.2	6.9	4	6	9	13	19
Age:								
65 to 74 years	2,200	10.8	6.2	4	6	9	13	18
75 to 84 years	915	11.9	7.9	5	6	9	15	21
85 years and over	90	14.9	9.8	5	7	12	16	33
One diagnosis	1,910	9.9	5.0	4	6	8	12	17
Two or more diagnoses	1,295	13.2	8.6	5	7	11	15	22
With surgery	2,815	11.4	6.3	5	7	9	13	19
Without surgery	390	9.7	9.8	1	3	6	12	18
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	2,425	11.8	9.3	4	6	9	14	19
Age:								
65 to 74 years	1,050	10.7	8.1	4	6	8	12	17
75 to 84 years	1,055	12.7	10.4	4	6	10	15	21
85 years and over	320	12.4	8.5	3	6	10	15	23
One diagnosis	1,350	10.7	9.1	4	6	8	12	16
Two or more diagnoses	1,075	13.1	9.4	4	7	11	16	22
With surgery	2,085	12.4	9.3	5	7	9	14	20
Without surgery	340	7.8	7.9	1	2	6	10	15
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	5,340	12.1	11.8	1	4	8	15	26
Age:								
65 to 74 years	2,470	12.3	11.6	2	4	8	16	26
75 to 84 years	2,125	12.2	11.6	1	4	8	15	28
85 years and over	745	11.4	13.2	1	3	7	14	23
One diagnosis	2,205	10.6	10.0	1	3	7	13	23
Two or more diagnoses	3,135	13.2	12.8	2	4	9	17	29
With surgery	1,900	17.9	12.4	5	9	15	23	33
Without surgery	3,440	8.9	10.1	1	3	5	11	18
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	11,105	8.2	6.9	2	3	6	10	16
Age:								
65 to 74 years	5,935	7.6	6.1	2	3	5	9	14
75 to 84 years	4,120	8.8	7.1	2	4	6	11	17
85 years and over	1,050	9.0	9.3	2	3	6	11	18
One diagnosis	4,760	6.3	5.5	1	2	4	7	12
Two or more diagnoses	6,345	9.6	7.5	2	4	7	12	18
With surgery	660	12.9	9.9	3	6	9	17	24
Without surgery	10,445	7.9	6.5	2	3	6	10	15
DIVERTICULITIS (572.1)								
Total	12,345	10.2	9.3	2	4	7	12	21
Age:								
65 to 74 years	6,990	9.6	8.8	2	4	6	11	19
75 to 84 years	4,545	10.8	9.9	2	4	7	13	22
85 years and over	810	11.1	8.9	3	5	8	13	22
One diagnosis	4,420	7.9	6.6	2	3	6	9	15
Two or more diagnoses	7,925	11.4	10.2	3	4	8	14	23
With surgery	2,750	15.9	13.2	3	6	12	20	33
Without surgery	9,595	8.5	6.9	2	4	6	10	16
CIRRHOSIS OF LIVER (581)								
Total	1,700	15.7	12.8	3	6	11	21	33
Age:								
65 to 74 years	1,320	15.5	12.8	4	6	11	20	32
75 to 84 years	360	16.0	12.2	2	6	11	25	32
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	595	14.4	11.7	3	5	10	20	33
Two or more diagnoses	1,105	16.5	13.4	4	6	12	22	32
With surgery	350	19.3	13.7	4	9	16	26	38
Without surgery	1,350	14.8	12.4	3	6	10	20	31
CHOLELITHIASIS (584)								
Total	12,110	14.7	10.2	4	8	12	18	26
Age:								
65 to 74 years	7,625	13.9	9.3	4	8	11	17	24
75 to 84 years	3,855	15.8	10.9	4	8	13	20	29
85 years and over	630	16.7	13.8	3	7	12	21	31
One diagnosis	5,930	13.2	7.9	4	8	11	16	23
Two or more diagnoses	6,180	16.1	11.8	4	7	13	21	30
With surgery	7,635	17.4	9.5	8	10	14	21	29
Without surgery	4,475	10.1	9.6	2	4	7	12	19
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	5,860	12.5	10.1	3	5	9	16	23
Age:								
65 to 74 years	3,290	11.6	9.0	3	5	9	15	21
75 to 84 years	2,085	13.3	11.2	3	6	10	17	25
85 years and over	485	15.0	12.0	4	7	11	19	30
One diagnosis	2,875	10.8	8.2	3	5	9	13	20
Two or more diagnoses	2,985	14.1	11.5	3	6	10	18	27
With surgery	1,925	18.4	11.0	8	11	15	21	32
Without surgery	3,935	9.6	8.3	2	4	7	11	18
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	1,725	13.0	10.5	2	5	9	18	26
Age:								
65 to 74 years	925	12.4	9.9	2	5	9	18	25
75 to 84 years	660	13.5	11.2	3	5	10	17	30
85 years and over	140	14.0	10.1	3	6	10	18	30
One diagnosis	730	11.6	8.9	2	5	8	15	24
Two or more diagnoses	995	13.9	11.4	3	6	10	18	31
With surgery	585	21.1	11.1	7	13	19	26	36
Without surgery	1,140	8.8	7.1	2	4	7	10	14
DISEASES OF PANCREAS (587)								
Total	1,375	14.5	10.7	4	7	12	19	25
Age:								
65 to 74 years	885	14.7	10.8	4	7	12	19	26
75 to 84 years	400	14.3	11.1	3	6	11	20	25
85 years and over	90	13.2	7.9	2	7	11	19	23
One diagnosis	485	13.2	11.3	3	5	9	17	24
Two or more diagnoses	890	15.3	10.4	4	7	13	20	26
With surgery	285	25.0	13.6	11	16	22	29	38
Without surgery	1,090	11.8	7.8	3	6	10	16	21
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	1,620	15.0	13.2	3	6	11	19	29
Age:								
65 to 74 years	935	15.0	13.0	2	6	11	19	28
75 to 84 years	560	13.9	11.3	3	6	10	18	29
85 years and over	125	20.1	19.5	4	5	13	24	48
One diagnosis	390	14.5	15.9	2	4	8	17	32
Two or more diagnoses	1,230	15.2	12.2	3	7	11	20	28
With surgery	405	17.2	12.6	5	8	14	24	29
Without surgery	1,215	14.3	13.3	2	5	10	17	28
INFECTIONS OF KIDNEY (600)								
Total	6,425	12.2	10.8	3	5	8	14	22
Age:								
65 to 74 years	3,135	11.1	9.4	3	5	8	13	20
75 to 84 years	2,600	13.1	11.9	3	5	9	15	26
85 years and over	690	13.4	11.3	3	6	9	16	28
One diagnosis	2,215	10.0	8.7	3	5	7	12	18
Two or more diagnoses	4,210	13.3	11.5	3	6	9	16	26
With surgery	805	13.6	11.3	3	7	10	16	24
Without surgery	5,620	12.0	10.7	3	5	8	14	22
CALCULI OF KIDNEY AND URETER (602)								
Total	4,465	9.6	7.9	2	3	7	12	20
Age:								
65 to 74 years	3,290	9.1	7.7	2	3	6	12	19
75 to 84 years	1,080	10.7	7.8	2	4	8	14	21
85 years and over	95	13.7	11.2	3	5	9	18	34
One diagnosis	2,230	7.9	6.3	1	3	5	11	15
Two or more diagnoses	2,235	11.3	8.8	3	4	8	14	22
With surgery	2,420	12.3	8.1	3	6	10	15	22
Without surgery	2,045	6.5	6.3	1	2	4	7	12

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	2,390	11.7	10.7	2	4	8	15	23
Age:								
65 to 74 years	1,560	11.0	9.5	2	4	8	14	22
75 to 84 years	705	12.5	12.8	2	4	8	16	24
85 years and over	125	14.5	11.0	4	6	12	17	25
One diagnosis	900	9.9	9.5	2	3	6	13	20
Two or more diagnoses	1,490	12.7	11.3	2	5	9	16	24
With surgery	1,525	12.9	10.8	2	5	10	16	24
Without surgery	865	9.5	10.2	2	3	6	11	20
CYSTITIS (605)								
Total	4,750	9.7	9.2	2	4	7	11	19
Age:								
65 to 74 years	2,625	9.0	9.1	2	3	6	10	18
75 to 84 years	1,665	10.0	8.3	3	4	7	13	18
85 years and over	460	12.9	12.1	3	5	9	15	25
One diagnosis	1,580	7.5	8.3	2	3	5	8	14
Two or more diagnoses	3,170	10.9	9.4	3	5	7	13	21
With surgery	2,235	9.6	10.0	2	3	6	11	19
Without surgery	2,515	9.9	8.4	2	4	7	12	18
OTHER DISEASES OF BLADDER (606)								
Total	1,930	12.6	10.3	3	6	9	16	25
Age:								
65 to 74 years	1,070	12.4	10.3	3	5	8	15	24
75 to 84 years	725	12.8	10.7	3	6	10	15	27
85 years and over	135	13.5	6.5	6	8	12	18	21
One diagnosis	675	11.6	11.0	2	5	8	14	23
Two or more diagnoses	1,255	13.2	9.8	3	6	11	16	25
With surgery	1,380	13.2	10.4	3	6	10	16	27
Without surgery	550	11.2	9.8	3	4	7	14	21
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	2,990	9.0	8.3	2	3	6	11	18
Age:								
65 to 74 years	1,770	8.5	8.2	2	3	6	10	18
75 to 84 years	1,000	9.5	8.4	2	3	6	13	18
85 years and over	220	10.3	8.1	3	4	8	12	22
One diagnosis	1,060	7.2	6.9	1	3	5	8	13
Two or more diagnoses	1,930	10.0	8.8	2	4	7	12	20
With surgery	2,390	8.4	7.3	2	3	6	10	17
Without surgery	600	11.4	11.1	2	4	8	14	24
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	5,850	11.5	10.4	3	4	8	14	24
Age:								
65 to 74 years	2,860	10.6	9.7	2	4	7	13	20
75 to 84 years	2,325	11.8	10.5	3	5	8	14	25
85 years and over	665	14.2	12.8	3	6	10	19	28
One diagnosis	2,130	9.4	8.8	2	3	6	11	19
Two or more diagnoses	3,720	12.7	11.1	3	5	9	15	25
With surgery	1,690	12.0	10.9	2	4	8	15	25
Without surgery	4,160	11.3	10.3	3	4	8	13	23
HYPERPLASIA OF PROSTATE (610)								
Total	18,280	13.4	9.1	4	7	11	16	24
Age:								
65 to 74 years	10,435	12.5	8.4	3	7	10	15	22
75 to 84 years	6,475	14.6	9.8	4	8	12	18	26
85 years and over	1,370	14.9	10.1	4	8	12	18	28
One diagnosis	9,425	12.4	8.2	4	7	10	15	21
Two or more diagnoses	8,855	14.6	9.8	4	7	12	18	26
With surgery	15,310	13.8	8.6	5	8	11	17	24
Without surgery	2,970	11.4	11.1	2	4	8	14	25
OTHER DISEASES OF PROSTATE (611,612)								
Total	1,460	10.2	8.7	2	4	7	12	20
Age:								
65 to 74 years	860	9.8	9.1	2	4	7	11	19
75 to 84 years	485	10.5	7.4	3	5	8	14	19
85 years and over	115	11.5	10.0	2	3	8	15	23
One diagnosis	510	9.1	9.7	2	3	5	10	20
Two or more diagnoses	950	10.8	8.0	3	5	8	14	19
With surgery	645	12.1	10.4	2	4	8	15	25
Without surgery	815	8.7	6.6	2	4	7	10	16
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	2,015	8.6	7.0	2	3	6	10	17
Age:								
65 to 74 years	1,360	8.5	6.2	2	4	6	11	17
75 to 84 years	555	8.9	8.8	2	3	6	9	17
85 years and over	100	8.1	6.1	1	4	5	11	17
One diagnosis	905	6.1	4.4	1	3	5	7	11
Two or more diagnoses	1,110	10.6	8.1	2	4	8	14	20
With surgery	1,380	8.0	6.9	2	3	5	10	16
Without surgery	635	10.0	7.1	3	5	8	11	19
UTEROVAGINAL PROLAPSE (631)								
Total	4,680	12.4	7.4	6	8	10	14	19
Age:								
65 to 74 years	3,410	11.8	6.0	6	8	10	13	18
75 to 84 years	1,220	13.5	10.1	6	8	10	15	21
85 years and over	50	21.2	10.0	8	12	18	27	37
One diagnosis	2,265	11.7	6.9	6	8	10	13	18
Two or more diagnoses	2,415	13.0	7.9	6	8	11	15	20
With surgery	4,335	12.5	6.8	6	8	10	14	19
Without surgery	345	11.4	13.1	2	4	8	14	20
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	3,605	12.8	11.0	3	5	9	16	25
Age:								
65 to 74 years	2,110	12.4	10.7	3	5	9	15	24
75 to 84 years	1,210	13.6	11.7	3	5	10	17	27
85 years and over	285	12.9	9.2	4	6	9	17	22
One diagnosis	1,360	10.8	9.5	3	5	7	13	21
Two or more diagnoses	2,245	14.0	11.6	4	6	10	17	27
With surgery	880	13.7	12.3	2	5	9	17	30
Without surgery	2,725	12.5	10.4	4	5	9	15	24
RHEUMATOID ARTHRITIS (722.0)								
Total	2,615	14.8	11.6	4	6	11	19	30
Age:								
65 to 74 years	1,810	15.0	11.8	4	6	11	19	30
75 to 84 years	705	14.5	11.0	4	7	11	18	30
85 years and over	100	12.6	12.0	1	2	8	15	30
One diagnosis	780	13.2	9.3	3	6	11	16	26
Two or more diagnoses	1,835	15.4	12.4	4	6	11	20	32
With surgery	465	18.1	14.9	4	6	13	24	37
Without surgery	2,150	14.1	10.6	4	6	11	18	27
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	5,095	13.2	10.8	3	5	9	17	26
Age:								
65 to 74 years	2,770	12.8	9.7	3	6	9	17	26
75 to 84 years	1,855	13.2	11.8	3	5	9	16	27
85 years and over	470	15.2	12.6	3	6	11	21	28
One diagnosis	1,465	13.7	11.4	3	6	9	18	28
Two or more diagnoses	3,630	13.0	10.5	3	5	10	16	26
With surgery	1,005	19.4	13.0	6	10	17	24	35
Without surgery	4,090	11.7	9.6	3	5	8	14	23
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	3,705	10.5	8.1	3	5	8	13	19
Age:								
65 to 74 years	2,280	9.7	7.2	3	4	8	12	17
75 to 84 years	1,230	12.1	9.4	3	5	10	15	22
85 years and over	195	10.1	7.4	3	5	8	12	18
One diagnosis	800	9.5	7.9	2	4	7	11	17
Two or more diagnoses	2,905	10.8	8.1	3	5	9	13	20
With surgery	325	15.2	11.9	5	8	12	17	24
Without surgery	3,380	10.1	7.5	3	4	8	12	18
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	3,225	12.1	10.4	3	5	9	15	24
Age:								
65 to 74 years	1,665	12.9	11.8	3	5	9	15	27
75 to 84 years	1,275	11.2	8.5	3	5	8	14	21
85 years and over	285	11.9	9.1	2	4	8	19	24
One diagnosis	1,095	10.9	10.1	3	4	7	13	21
Two or more diagnoses	2,130	12.7	10.5	3	5	9	16	25
With surgery	335	17.4	14.2	3	6	13	24	38
Without surgery	2,890	11.5	9.7	3	5	8	14	23

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	2,165	13.0	10.0	3	6	10	16	25
Age:								
65 to 74 years	940	12.0	8.4	3	6	10	14	23
75 to 84 years	1,000	13.5	10.2	3	6	11	17	25
85 years and over	225	14.9	14.7	3	5	9	18	32
One diagnosis	395	10.5	7.7	2	4	8	13	19
Two or more diagnoses	1,770	13.6	10.4	3	6	10	16	26
With surgery	125	15.6	14.1	3	7	11	17	30
Without surgery	2,040	12.8	9.7	3	6	10	15	25
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	2,225	14.1	9.7	3	7	12	18	26
Age:								
65 to 74 years	1,685	13.7	9.0	3	7	12	18	25
75 to 84 years	475	15.0	10.8	5	8	11	18	27
85 years and over	65	17.9	15.1	4	6	13	21	28
One diagnosis	1,010	14.0	8.5	4	7	12	19	25
Two or more diagnoses	1,215	14.1	10.5	3	7	12	17	26
With surgery	565	20.7	10.9	10	13	18	24	34
Without surgery	1,660	11.8	8.1	3	6	10	14	22
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	1,860	7.3	6.2	1	2	5	9	16
Age:								
65 to 74 years	1,330	6.9	6.0	1	2	4	9	14
75 to 84 years	445	8.0	6.2	2	3	6	10	17
85 years and over	85	10.3	6.6	2	5	8	14	17
One diagnosis	1,000	5.0	4.1	1	2	3	6	10
Two or more diagnoses	860	10.0	6.9	2	4	8	13	19
With surgery	1,005	6.6	6.6	1	2	4	8	16
Without surgery	855	8.1	5.5	2	4	6	11	15
CONGENITAL MALFORMATIONS (750-759)								
Total	855	12.2	12.4	2	3	8	15	28
Age:								
65 to 74 years	620	11.0	11.0	2	3	7	13	26
75 to 84 years	220	15.4	15.5	2	3	10	19	33
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	240	7.6	8.4	1	2	4	9	18
Two or more diagnoses	615	14.0	13.2	2	4	9	18	32
With surgery	395	13.8	14.4	2	3	8	18	31
Without surgery	460	10.8	10.2	2	4	7	14	23
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	1,490	7.3	8.5	1	2	4	8	15
Age:								
65 to 74 years	940	6.6	6.8	1	2	4	8	13
75 to 84 years	445	8.9	11.4	1	2	4	11	18
85 years and over	105	7.3	6.6	2	3	4	7	15
One diagnosis	1,080	7.1	9.0	1	2	4	8	15
Two or more diagnoses	410	7.8	7.0	1	3	5	9	16
With surgery	180	13.3	16.9	2	3	5	16	31
Without surgery	1,310	6.5	6.2	1	2	4	8	15
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	2,440	7.8	7.7	1	3	5	9	16
Age:								
65 to 74 years	1,400	7.6	6.9	2	3	5	9	15
75 to 84 years	830	8.2	8.5	1	2	4	9	20
85 years and over	210	8.2	9.6	1	3	5	10	14
One diagnosis	1,740	7.1	7.3	1	2	4	8	14
Two or more diagnoses	700	9.6	8.4	2	4	7	11	20
With surgery	340	7.9	7.0	1	2	5	10	16
Without surgery	2,100	7.8	7.9	1	3	5	9	16
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	3,980	8.5	8.5	2	3	5	10	18
Age:								
65 to 74 years	2,315	8.0	8.1	2	3	5	9	16
75 to 84 years	1,350	9.4	9.0	2	3	6	10	20
85 years and over	315	8.7	8.4	2	3	5	9	20
One diagnosis	2,905	8.1	8.5	1	3	5	9	17
Two or more diagnoses	1,075	9.7	8.2	2	4	6	11	21
With surgery	525	14.9	13.6	3	5	10	19	28
Without surgery	3,455	7.5	6.9	1	3	5	9	15
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	1,745	10.2	9.1	2	3	8	13	20
Age:								
65 to 74 years	980	8.3	6.9	1	3	6	11	17
75 to 84 years	620	12.5	10.4	2	5	10	14	27
85 years and over	145	14.0	12.5	1	4	9	18	32
One diagnosis	1,405	10.1	8.8	1	3	8	13	21
Two or more diagnoses	340	10.7	10.3	2	4	8	13	20
With surgery	825	12.4	7.7	3	7	11	15	22
Without surgery	920	8.3	9.8	1	2	5	9	17
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	4,395	10.0	10.9	2	3	6	11	21
Age:								
65 to 74 years	2,520	9.2	9.4	2	3	6	10	19
75 to 84 years	1,535	11.4	13.1	2	4	7	13	24
85 years and over	340	9.6	8.8	1	4	7	11	22
One diagnosis	3,140	9.6	10.9	2	3	6	10	20
Two or more diagnoses	1,255	11.0	10.6	2	4	8	13	23
With surgery	1,030	11.0	11.2	2	3	7	13	22
Without surgery	3,365	9.7	10.7	2	3	6	10	20
NERVOUSNESS AND DEBILITY (790)								
Total	710	11.7	10.9	2	4	8	15	23
Age:								
65 to 74 years	300	12.6	10.1	2	5	9	17	26
75 to 84 years	295	10.0	7.2	2	4	8	14	20
85 years and over	115	13.4	17.8	3	4	7	11	25
One diagnosis	220	8.5	6.9	1	3	5	12	17
Two or more diagnoses	490	13.1	12.0	2	5	9	17	25
With surgery	55	14.7	9.9	3	6	9	19	26
Without surgery	655	11.4	10.9	2	4	8	14	23
UREMIA (792)								
Total	640	13.4	12.7	1	4	10	19	28
Age:								
65 to 74 years	240	16.8	16.1	2	5	11	23	32
75 to 84 years	270	10.7	8.1	1	4	9	15	22
85 years and over	130	12.8	12.1	1	3	7	19	26
One diagnosis	355	11.5	11.7	1	3	7	16	28
Two or more diagnoses	285	15.8	13.5	2	7	11	21	28
With surgery	45	19.1	17.8	3	4	9	27	37
Without surgery	595	13.0	12.2	1	4	10	19	27
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	715	11.4	11.5	3	4	7	13	26
Age:								
65 to 74 years	100	12.7	12.6	3	4	7	14	32
75 to 84 years	295	9.0	6.1	3	4	6	12	17
85 years and over	320	13.3	14.3	2	4	8	14	37
One diagnosis	195	8.9	5.6	2	3	7	12	16
Two or more diagnoses	520	12.4	13.0	3	4	7	14	31
With surgery	25	*	*	*	*	*	*	*
Without surgery	690	11.6	11.7	3	4	7	13	27
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	2,345	9.4	9.6	1	3	6	11	20
Age:								
65 to 74 years	1,450	8.7	8.4	1	3	6	10	17
75 to 84 years	765	10.6	10.9	1	3	7	14	24
85 years and over	130	11.0	13.1	1	2	4	14	25
One diagnosis	1,245	8.2	9.1	1	2	5	9	16
Two or more diagnoses	1,100	10.8	9.9	1	3	8	14	23
With surgery	530	9.0	9.2	1	2	5	13	20
Without surgery	1,815	9.6	9.7	1	3	7	11	19
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	3,625	16.6	12.0	5	8	13	21	33
Age:								
65 to 74 years	1,620	16.4	12.0	4	7	13	21	33
75 to 84 years	1,550	16.5	11.7	4	8	13	21	32
85 years and over	455	17.6	13.3	5	8	14	20	33
One diagnosis	1,555	15.3	10.5	4	7	13	19	29
Two or more diagnoses	2,070	17.6	13.0	5	8	14	22	35
With surgery	175	22.1	14.4	5	11	19	27	40
Without surgery	3,450	16.3	11.8	5	8	13	21	32

Table 9 SOUTH ATLANTIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient chorocteristics	Number of discharges	Average stoy (doys)	Standard deviation (doys)	Percentiles (doys) 10th	25th	50th	75th	90th
FRACTURE OF RIB(5), STERNUM AND LARYNX (807)								
Totol	2,195	12.7	9.9	3	5	10	16	25
Age:								
65 to 74 years	1,125	11.7	8.6	3	5	9	15	24
75 to 84 years	885	13.7	11.4	3	6	10	18	26
85 years ond over	185	13.5	9.3	4	6	10	19	24
One diognosis	570	9.4	7.3	2	4	7	11	21
Two or more diognoses	1,625	13.8	10.4	4	6	11	18	26
With surgery	180	19.1	11.9	7	10	17	22	36
Without surgery	2,015	12.1	9.5	3	5	9	15	23
FRACTURE OF PELVI5 (808)								
Totol	1,860	20.9	15.6	6	10	16	27	39
Age:								
65 to 74 years	570	21.3	17.4	6	9	15	27	38
75 to 84 years	835	21.2	15.0	6	10	17	27	40
85 years ond over	455	19.9	14.2	3	10	17	26	38
One diognosis	860	18.7	13.3	6	9	15	23	36
Two or more diognoses	1,000	22.8	17.1	6	10	18	29	44
With surgery	110	35.0	23.0	8	15	31	44	63
Without surgery	1,750	20.0	14.6	5	9	16	26	38
FRACTURE OF HUMERU5 (812)								
Totol	2,990	12.8	12.0	2	4	8	17	26
Age:								
65 to 74 years	1,405	12.4	12.4	2	4	8	16	26
75 to 84 years	1,220	13.5	12.3	2	5	9	18	26
85 years ond over	365	12.0	9.2	3	5	8	17	25
One diognosis	1,540	10.0	8.1	2	4	7	13	20
Two or more diognoses	1,450	15.8	14.5	3	5	11	20	31
With surgery	1,190	13.6	12.8	2	5	9	18	28
Without surgery	1,800	12.2	11.4	2	4	8	16	25
FRACTURE OF RAOIU5 ANO ULNA (EITHER OR 8OTH) (813)								
Totol	2,200	8.8	10.2	1	2	5	11	21
Age:								
65 to 74 years	1,235	7.5	9.3	1	1	4	9	17
75 to 84 years	775	10.2	11.1	1	2	6	13	23
85 years ond over	190	10.9	11.4	2	3	6	13	27
One diognosis	1,210	5.0	5.1	1	1	3	6	10
Two or more diognoses	990	13.4	12.8	1	4	9	17	30
With surgery	1,565	8.6	10.8	1	2	4	10	19
Without surgery	635	9.1	8.7	1	2	6	12	22
FRACTURE OF FEMUR (820,821)								
Totol	17,465	22.8	15.7	6	12	19	28	44
Age:								
65 to 74 years	5,425	22.7	16.0	6	12	18	28	44
75 to 84 years	8,025	23.0	15.5	6	13	19	28	43
85 years ond over	4,015	22.7	15.8	5	12	19	28	44
One diognosis	10,775	21.2	14.5	5	12	18	26	39
Two or mnre diognoses	6,690	25.4	17.2	6	13	21	32	49
With surgery	13,450	23.2	14.1	9	14	19	28	42
Without surgery	4,015	21.7	20.2	1	5	16	29	52
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Totol	3,610	15.6	15.5	3	6	10	19	36
Age:								
65 to 74 years	2,235	14.8	13.9	3	5	10	18	33
75 to 84 years	1,125	16.3	16.4	3	6	10	19	37
85 years ond over	250	20.1	22.0	3	6	11	20	60
One diognosis	2,125	13.6	13.0	3	5	9	16	30
Two or more diagnoses	1,485	18.5	18.0	4	6	12	23	43
With surgery	1,890	16.2	15.5	3	6	11	19	37
Without surgery	1,720	15.1	15.4	3	5	9	18	32
SPRAIN5 OF 8ACK (846,847)								
Totol	3,190	11.0	8.5	3	5	8	14	21
Age:								
65 to 74 years	1,950	10.1	7.5	3	5	8	13	19
75 to 84 years	1,020	11.8	8.3	3	5	9	15	23
85 years ond over	220	15.7	14.1	2	6	10	20	33
One diognosis	1,175	10.3	8.1	3	4	8	13	19
Two or more diagnoses	2,015	11.4	8.7	3	5	9	14	22
With surgery	155	19.5	13.6	6	11	15	25	35
Without surgery	3,035	10.6	7.9	3	5	8	13	20

Potient chorocteristics	Number of discharges	Average stoy (doys)	Standard deviation (doys)	Percentiles (doys) 10th	25th	50th	75th	90th
HEAD INJURY (EXCLUDING 5KULL FRACTURE) (850-856)								
Totol	2,540	10.6	11.7	1	2	6	13	24
Age:								
65 to 74 years	1,355	10.6	12.0	1	3	6	12	25
75 to 84 years	910	11.2	12.0	1	2	6	15	25
85 years ond over	275	8.8	8.7	1	2	6	12	20
One diagnosis	660	10.3	13.3	1	2	5	12	28
Two or more diognoses	1,880	10.7	11.1	1	3	7	14	23
With surgery	625	15.6	15.1	1	3	11	22	36
Without surgery	1,915	9.0	9.8	1	2	6	11	20
LACERATION AND OPEN WOUNO (870-898)								
Totol	2,290	9.6	11.2	1	2	6	12	20
Age:								
65 to 74 years	1,430	9.3	11.2	1	2	5	11	20
75 to 84 years	685	10.8	12.2	1	3	8	13	20
85 years ond over	175	8.1	5.9	1	2	7	11	15
One diagnosis	830	7.4	8.9	1	2	4	8	17
Two or more diognoses	1,460	10.9	12.1	1	3	7	13	21
With surgery	1,075	10.8	13.3	1	2	5	13	24
Without surgery	1,215	8.7	8.8	1	2	6	11	18
5UPERFICIAL INJURY (910-918)								
Totol	280	8.6	7.2	2	3	6	10	19
Age:								
65 to 74 years	150	8.8	7.4	2	3	5	11	18
75 to 84 years	100	7.6	7.0	1	2	5	9	15
85 years ond over	30	10.7	6.7	3	4	7	14	20
One diagnosis	60	6.0	4.8	2	2	3	9	13
Two or more diognoses	220	9.3	7.6	2	4	6	11	19
With surgery	35	12.9	9.5	2	4	10	17	24
Without surgery	245	8.0	6.6	2	3	6	9	17
CONTU5ION ANO CRU5HING WITH INTACT 5KIN 5URFACE (920-929)								
Totol	3,900	9.8	9.3	1	3	7	13	19
Age:								
65 to 74 years	1,850	9.0	8.1	1	3	6	12	18
75 to 84 years	1,505	10.5	10.3	2	4	7	13	20
85 years ond over	545	10.7	9.4	2	3	8	14	23
One diagnosis	985	7.4	6.3	1	2	5	9	14
Two or more diognoses	2,915	10.6	9.9	2	4	7	14	21
With surgery	325	12.7	10.3	2	5	11	15	23
Without surgery	3,575	9.6	9.1	1	3	6	12	19
AOVER5E EFFECT5 OF DRUG5 AND OTHER CHEMICAL 5U85TANCE5 (960-989)								
Totol	1,830	7.9	6.8	1	2	6	10	15
Age:								
65 to 74 years	1,055	7.5	6.9	1	2	5	9	15
75 to 84 years	645	8.4	6.2	1	3	7	12	17
85 years ond over	130	7.7	7.3	2	3	6	9	11
One diagnosis	695	5.7	4.9	1	2	4	7	12
Two or more diognoses	1,135	9.2	7.3	1	3	7	12	18
With surgery	70	11.0	5.5	2	6	11	14	18
Without surgery	1,760	7.7	6.8	1	2	5	10	15
COMPLICATION5 OF 5URGICAL PROCEOURE5 (997,998)								
Totol	2,140	10.7	11.0	2	3	7	12	26
Age:								
65 to 74 years	1,405	10.3	11.0	1	3	6	12	26
75 to 84 years	610	11.6	10.8	2	4	7	14	27
85 years ond over	125	10.1	11.8	2	4	7	9	13
One diagnosis	1,290	9.5	10.1	1	3	6	11	25
Two or more diognoses	850	12.4	11.9	2	4	8	16	27
With surgery	920	12.1	13.3	2	3	7	13	28
Without surgery	1,220	9.6	8.7	1	3	6	11	22

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	2,785	12.2	11.3	2	5	8	15	26
Age:								
65 to 74 years	1,495	12.0	12.3	2	4	7	14	25
75 to 84 years	1,075	12.8	10.2	3	5	9	16	26
85 years and over	215	11.1	7.7	2	5	9	15	21
One diagnosis	1,190	11.5	11.6	2	4	8	13	25
Two or more diagnoses	1,595	12.7	11.0	2	5	9	16	26
With surgery	400	15.1	11.4	3	6	11	22	28
Without surgery	2,385	11.7	11.2	2	4	8	15	24
HERPES ZOSTER (088)								
Total	815	14.0	12.9	4	6	9	16	29
Age:								
65 to 74 years	395	12.3	8.7	4	6	9	14	24
75 to 84 years	355	14.4	14.2	3	6	8	18	33
85 years and over	65	23.2	20.7	5	8	14	27	60
One diagnosis	320	12.0	11.9	4	6	8	13	22
Two or more diagnoses	495	15.4	13.4	4	6	9	19	33
With surgery	50	15.6	12.5	3	6	10	18	29
Without surgery	765	13.9	12.9	4	6	9	16	29
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	750	12.5	12.1	2	4	8	16	27
Age:								
65 to 74 years	475	11.1	10.4	2	3	8	15	24
75 to 84 years	250	15.2	14.4	2	5	11	17	36
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	410	11.9	12.9	2	3	7	16	29
Two or more diagnoses	340	13.4	11.1	2	5	11	16	26
With surgery	490	12.3	11.8	2	4	8	15	27
Without surgery	260	13.1	12.6	2	4	8	19	29
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	315	16.6	14.4	3	7	12	22	31
Age:								
65 to 74 years	210	15.1	13.5	2	6	11	21	26
75 to 84 years	90	20.8	16.3	3	8	14	26	43
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	175	15.1	11.4	2	6	10	22	30
Two or more diagnoses	140	18.4	17.2	4	7	13	22	30
With surgery	165	19.4	17.9	2	6	15	24	40
Without surgery	150	13.5	8.1	3	7	12	20	23
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	840	15.8	14.8	2	5	12	20	35
Age:								
65 to 74 years	460	14.0	13.5	1	4	10	19	25
75 to 84 years	305	17.1	15.6	3	5	14	22	33
85 years and over	75	21.8	16.7	3	5	18	32	43
One diagnosis	325	15.9	16.1	2	4	10	21	34
Two or more diagnoses	515	15.8	13.9	1	5	13	20	35
With surgery	260	19.3	13.6	5	11	17	23	30
Without surgery	580	14.2	15.1	1	4	9	17	37
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	2,435	18.5	15.1	2	7	15	24	37
Age:								
65 to 74 years	1,265	19.1	15.3	2	8	16	24	37
75 to 84 years	945	18.0	14.5	3	7	14	25	38
85 years and over	225	17.1	16.2	1	5	13	22	32
One diagnosis	955	18.3	15.1	2	7	14	24	38
Two or more diagnoses	1,480	18.6	15.1	3	7	15	25	37
With surgery	1,380	23.4	14.4	10	13	19	28	40
Without surgery	1,055	12.1	13.6	1	3	7	15	29
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	855	22.1	15.6	4	8	20	28	41
Age:								
65 to 74 years	475	20.5	14.4	3	8	19	27	37
75 to 84 years	255	23.6	16.7	6	11	20	32	46
85 years and over	125	25.0	16.9	5	8	21	38	50
One diagnosis	410	22.1	15.4	4	10	20	28	38
Two or more diagnoses	445	22.1	15.8	4	8	20	28	42
With surgery	590	26.5	14.9	9	17	23	33	44
Without surgery	265	12.3	12.2	2	4	8	14	27
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	550	16.1	12.1	4	7	12	21	33
Age:								
65 to 74 years	320	16.8	12.1	3	8	13	20	35
75 to 84 years	200	15.6	12.2	4	5	11	22	32
85 years and over	30	12.0	10.0	5	5	8	10	25
One diagnosis	240	15.5	12.4	3	7	11	18	35
Two or more diagnoses	310	16.5	11.9	4	6	14	22	32
With surgery	245	18.3	9.6	7	11	16	23	33
Without surgery	305	14.3	13.6	2	4	8	18	33
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	865	16.5	12.6	2	7	14	22	30
Age:								
65 to 74 years	405	18.0	13.6	2	8	16	23	31
75 to 84 years	355	14.9	12.1	2	5	12	21	29
85 years and over	105	16.1	9.4	4	8	14	20	29
One diagnosis	330	13.6	9.7	2	6	11	19	26
Two or more diagnoses	535	18.3	13.9	3	8	16	24	33
With surgery	355	21.9	8.5	12	16	20	27	33
Without surgery	510	12.8	13.7	2	4	9	15	25
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	2,450	15.6	13.4	2	6	11	21	35
Age:								
65 to 74 years	1,715	15.1	12.4	3	5	11	20	34
75 to 84 years	665	15.5	13.8	2	6	11	21	34
85 years and over	70	30.1	21.2	5	9	22	44	62
One diagnosis	1,095	16.4	14.6	2	6	11	22	36
Two or more diagnoses	1,355	15.0	12.3	3	6	11	20	32
With surgery	930	17.5	12.2	4	8	14	23	36
Without surgery	1,520	14.5	13.9	2	4	9	18	33
MALIGNANT NEOPLASM OF BREAST (170)								
Total	1,655	14.9	10.9	4	8	12	18	26
Age:								
65 to 74 years	1,015	16.0	11.5	5	8	13	19	30
75 to 84 years	510	14.1	9.8	4	7	12	17	24
85 years and over	130	9.8	6.9	2	5	8	10	19
One diagnosis	735	13.6	8.1	5	8	11	15	21
Two or more diagnoses	920	16.0	12.5	4	7	12	21	32
With surgery	1,135	14.7	8.9	6	9	12	17	24
Without surgery	520	15.5	14.3	3	5	9	21	38
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	1,005	13.7	11.5	3	5	9	19	32
Age:								
65 to 74 years	670	12.6	10.1	3	5	9	16	27
75 to 84 years	315	16.2	13.9	2	4	10	22	36
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	535	11.4	10.4	2	4	7	14	30
Two or more diagnoses	470	16.2	12.1	3	6	13	21	34
With surgery	615	13.9	11.6	3	5	10	18	32
Without surgery	390	13.3	11.3	2	4	9	21	31
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	550	11.2	9.4	2	4	9	14	22
Age:								
65 to 74 years	380	12.0	10.1	3	5	10	15	22
75 to 84 years	140	9.5	5.9	3	4	8	12	18
85 years and over	30	9.2	11.7	1	2	3	8	25
One diagnosis	285	10.1	6.2	3	5	8	13	18
Two or more diagnoses	265	12.4	11.8	2	4	9	17	24
With surgery	385	11.7	7.5	3	5	10	15	22
Without surgery	165	10.1	12.7	2	2	6	13	19
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	280	18.7	15.8	2	6	13	28	40
Age:								
65 to 74 years	180	17.6	13.6	2	6	13	28	33
75 to 84 years	80	20.7	20.0	2	3	13	24	54
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	115	15.3	13.7	1	3	9	23	35
Two or more diagnoses	165	21.0	16.8	3	10	15	29	40
With surgery	125	22.5	11.5	11	12	19	30	38
Without surgery	155	15.5	18.0	2	3	7	19	36

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	3,020	13.0	10.4	3	6	10	15	23
Age:								
65 to 74 years	1,380	13.4	10.5	4	6	10	16	25
75 to 84 years	1,400	13.0	10.8	3	7	10	15	23
85 years and over	240	11.3	6.9	3	5	11	14	21
One diagnosis	1,315	12.5	9.4	4	6	10	15	21
Two or more diagnoses	1,705	13.4	11.1	3	6	10	16	25
With surgery	1,635	13.2	7.5	5	8	11	16	22
Without surgery	1,385	12.9	13.0	2	4	9	15	28
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	305	15.3	11.6	2	6	13	20	27
Age:								
65 to 74 years	155	16.8	11.4	3	10	14	19	24
75 to 84 years	120	12.1	10.3	2	4	8	17	26
85 years and over	30	20.5	13.8	5	9	15	23	39
One diagnosis	120	14.5	9.9	2	7	12	18	23
Two or more diagnoses	185	15.8	12.5	2	5	13	20	33
With surgery	155	16.4	9.5	3	11	15	20	24
Without surgery	150	14.2	13.3	2	4	10	16	35
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	1,410	12.3	11.5	2	4	8	16	26
Age:								
65 to 74 years	775	10.9	9.5	2	4	8	14	22
75 to 84 years	550	13.4	13.5	1	4	8	18	29
85 years and over	85	18.4	11.0	3	8	17	25	33
One diagnosis	840	10.7	9.8	2	3	7	14	23
Two or more diagnoses	570	14.8	13.3	2	5	10	19	29
With surgery	1,050	12.8	11.0	2	5	9	17	26
Without surgery	360	10.9	12.8	1	2	6	11	25
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	2,045	8.8	10.2	1	2	5	10	20
Age:								
65 to 74 years	1,040	8.5	10.3	1	2	4	10	20
75 to 84 years	785	8.4	9.8	1	2	5	10	18
85 years and over	220	11.5	10.8	2	4	8	14	21
One diagnosis	1,070	6.7	7.7	1	2	4	8	14
Two or more diagnoses	975	11.2	12.0	1	3	6	13	26
With surgery	1,630	8.0	9.9	1	2	4	9	17
Without surgery	415	11.8	11.0	2	3	8	15	27
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	2,615	15.5	14.4	2	5	11	20	34
Age:								
65 to 74 years	1,495	14.9	14.0	2	5	10	19	31
75 to 84 years	910	16.8	15.2	2	5	12	23	36
85 years and over	210	14.5	12.6	2	5	11	21	33
One diagnosis	1,425	14.9	13.9	2	5	10	20	32
Two or more diagnoses	1,190	16.3	14.8	3	5	11	21	36
With surgery	765	17.5	14.5	2	7	13	23	36
Without surgery	1,850	14.7	14.2	2	5	10	19	31
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	520	14.5	13.6	1	5	10	21	29
Age:								
65 to 74 years	255	14.0	13.5	1	4	9	20	29
75 to 84 years	240	13.3	9.8	2	5	11	21	27
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	265	13.1	9.2	2	5	10	19	27
Two or more diagnoses	255	16.0	16.8	1	3	11	21	33
With surgery	175	16.9	15.7	3	5	12	23	35
Without surgery	345	13.3	12.1	1	4	10	21	27
LEUKEMIA AND ALEUKEMIA (204)								
Total	1,260	12.5	12.3	2	4	8	17	27
Age:								
65 to 74 years	685	12.6	12.4	2	3	8	17	27
75 to 84 years	475	11.7	11.8	2	4	7	16	25
85 years and over	100	15.0	13.2	3	5	12	17	27
One diagnosis	620	12.7	11.6	2	4	9	17	24
Two or more diagnoses	640	12.3	13.0	2	4	7	17	28
With surgery	75	15.7	10.7	4	8	14	19	24
Without surgery	1,185	12.3	12.4	2	4	7	16	27
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	670	15.1	12.6	2	5	11	21	32
Age:								
65 to 74 years	415	13.5	11.3	2	5	10	17	31
75 to 84 years	210	18.0	14.5	4	6	13	26	35
85 years and over	45	16.1	11.0	1	3	12	27	29
One diagnosis	340	14.9	12.5	2	5	11	23	31
Two or more diagnoses	330	15.3	12.6	2	5	11	20	33
With surgery	160	17.1	14.3	3	5	11	26	38
Without surgery	510	14.5	11.9	2	5	11	21	30
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	245	14.6	11.5	2	5	12	20	27
Age:								
65 to 74 years	170	13.8	12.0	2	5	11	17	25
75 to 84 years	65	17.7	10.2	3	6	18	23	29
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	105	14.6	13.8	2	4	11	15	30
Two or more diagnoses	140	14.6	9.4	3	6	13	22	24
With surgery	155	18.9	11.8	5	11	15	23	34
Without surgery	90	7.2	5.6	2	2	5	9	16
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	250	7.5	6.2	1	2	5	9	19
Age:								
65 to 74 years	185	6.5	5.6	1	2	4	8	15
75 to 84 years	60	11.1	6.9	3	5	8	12	20
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	140	5.3	5.5	1	2	3	5	9
Two or more diagnoses	110	10.4	6.0	3	5	9	12	20
With surgery	215	7.0	5.8	1	2	5	8	16
Without surgery	35	10.9	7.3	2	4	8	15	21
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	440	9.5	6.2	2	3	8	13	18
Age:								
65 to 74 years	330	9.2	6.1	2	3	8	13	18
75 to 84 years	105	10.3	6.9	2	4	8	15	19
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	205	6.5	4.8	2	2	4	10	12
Two or more diagnoses	235	12.0	6.2	3	7	11	16	19
With surgery	385	9.2	5.6	2	3	8	13	17
Without surgery	55	11.1	9.5	1	3	6	16	27
LIPOMA (226)								
Total	405	6.0	4.0	1	2	4	8	12
Age:								
65 to 74 years	320	5.9	4.0	1	2	4	8	11
75 to 84 years	80	6.1	3.9	2	2	5	8	11
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	255	5.4	3.6	1	2	4	7	10
Two or more diagnoses	150	7.1	4.5	2	3	5	10	14
With surgery	375	5.9	4.0	1	2	4	8	11
Without surgery	30	7.8	3.9	3	5	7	8	13
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	250	6.5	5.8	1	2	4	8	13
Age:								
65 to 74 years	120	6.9	6.9	1	2	4	8	15
75 to 84 years	110	5.8	4.6	1	2	4	8	13
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	180	6.1	5.7	1	2	4	7	11
Two or more diagnoses	70	7.7	6.0	1	2	5	11	16
With surgery	190	5.7	4.5	1	2	3	8	11
Without surgery	60	9.2	8.2	1	3	6	10	19
ASTHMA (241)								
Total	1,920	9.7	7.6	2	4	7	12	20
Age:								
65 to 74 years	1,340	9.4	6.7	2	5	7	12	17
75 to 84 years	520	9.9	8.9	2	3	6	13	24
85 years and over	60	14.1	11.2	3	6	9	19	28
One diagnosis	700	9.0	6.9	2	4	7	11	16
Two or more diagnoses	1,220	10.1	7.9	2	4	7	13	21
With surgery	75	15.7	12.2	3	5	14	18	24
Without surgery	1,845	9.5	7.2	2	4	7	12	19

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	950	10.8	10.2	4	5	7	13	19
Age:								
65 to 74 years	715	9.3	5.7	3	5	7	12	16
75 to 84 years	220	15.9	17.7	5	6	8	15	31
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	470	8.8	5.3	4	5	6	11	15
Two or more diagnoses	480	12.8	13.1	4	6	8	14	21
With surgery	405	9.9	8.4	4	5	7	12	15
Without surgery	545	11.5	11.4	3	5	8	14	22
DIABETES MELLITUS (260)								
Total	10,125	12.4	10.4	3	5	9	15	24
Age:								
65 to 74 years	5,980	11.9	10.0	3	5	8	14	23
75 to 84 years	3,595	13.1	10.8	3	6	10	16	27
85 years and over	550	13.7	11.8	2	5	10	18	30
One diagnosis	2,600	11.4	9.6	3	5	8	14	22
Two or more diagnoses	7,525	12.8	10.7	3	6	9	15	25
With surgery	985	19.4	14.3	5	8	15	26	39
Without surgery	9,140	11.7	9.6	3	5	9	14	22
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	540	11.5	9.5	2	5	9	15	20
Age:								
65 to 74 years	200	10.8	7.2	2	5	10	14	17
75 to 84 years	245	11.8	11.7	2	4	8	15	22
85 years and over	95	12.2	6.9	4	5	12	17	22
One diagnosis	155	9.5	8.2	2	4	7	12	15
Two or more diagnoses	385	12.3	9.8	2	5	10	16	20
With surgery	40	22.4	11.4	12	12	19	26	39
Without surgery	500	10.6	8.7	2	4	8	14	18
GOUT (288)								
Total	510	11.5	8.9	3	5	8	15	23
Age:								
65 to 74 years	310	10.4	6.2	3	5	8	14	18
75 to 84 years	155	12.9	12.8	2	4	8	19	25
85 years and over	45	13.4	7.4	3	7	11	17	22
One diagnosis	130	8.8	5.8	2	4	7	11	15
Two or more diagnoses	380	12.4	9.6	3	6	9	16	24
With surgery	35	8.7	7.8	3	3	5	9	17
Without surgery	475	11.7	8.9	3	5	9	15	23
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	595	11.3	7.5	3	6	8	14	24
Age:								
65 to 74 years	285	10.6	7.1	3	5	8	13	20
75 to 84 years	205	11.0	6.7	5	6	8	14	20
85 years and over	105	13.9	9.5	3	6	10	16	31
One diagnosis	285	9.3	6.1	3	5	7	11	18
Two or more diagnoses	310	13.2	8.2	5	7	11	15	27
With surgery	60	13.9	9.7	4	7	9	16	30
Without surgery	535	11.0	7.2	3	6	8	14	20
IRON DEFICIENCY ANEMIAS (291)								
Total	1,060	10.1	8.1	3	4	8	12	19
Age:								
65 to 74 years	460	9.8	7.9	2	4	7	12	21
75 to 84 years	495	9.7	7.1	2	5	8	11	17
85 years and over	105	13.5	12.0	3	5	8	15	21
One diagnosis	275	7.8	6.3	2	3	6	9	15
Two or more diagnoses	785	10.9	8.5	3	5	8	13	20
With surgery	145	13.4	9.0	4	7	11	16	21
Without surgery	915	9.6	7.9	2	4	7	11	18
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	2,880	10.1	9.4	2	4	7	12	20
Age:								
65 to 74 years	1,150	9.7	8.5	2	4	7	12	20
75 to 84 years	1,300	10.3	9.4	2	4	7	13	22
85 years and over	430	10.2	11.1	1	3	6	14	20
One diagnosis	1,120	8.2	8.0	1	3	5	10	17
Two or more diagnoses	1,760	11.2	9.9	2	5	7	14	23
With surgery	215	16.9	12.2	4	8	13	22	28
Without surgery	2,665	9.5	8.9	1	3	6	12	19
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	1,915	15.6	15.0	3	5	10	20	35
Age:								
65 to 74 years	665	15.2	13.3	3	6	10	21	30
75 to 84 years	880	16.0	15.9	2	5	10	21	41
85 years and over	370	15.1	15.3	3	5	9	19	32
One diagnosis	630	16.5	16.0	3	5	11	21	45
Two or more diagnoses	1,285	15.1	14.4	2	5	10	20	31
With surgery	70	29.5	23.7	3	8	20	49	65
Without surgery	1,845	15.1	14.2	3	5	10	20	33
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	550	16.9	14.8	2	5	13	22	37
Age:								
65 to 74 years	430	15.7	13.3	1	4	13	22	35
75 to 84 years	110	20.5	18.4	3	6	12	29	50
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	290	13.6	10.9	2	4	10	20	31
Two or more diagnoses	260	20.6	17.4	2	6	16	31	50
With surgery	45	25.1	21.9	3	7	16	35	54
Without surgery	505	16.2	13.7	1	4	13	22	36
PSYCHONEUROTIC DISORDERS (324)								
Total	1,895	11.8	9.8	2	4	8	15	26
Age:								
65 to 74 years	1,365	12.1	10.0	2	4	8	16	27
75 to 84 years	495	11.3	9.1	2	4	8	14	25
85 years and over	35	8.9	9.8	1	2	4	7	18
One diagnosis	740	12.6	9.7	2	4	10	17	27
Two or more diagnoses	1,155	11.3	9.8	2	4	8	14	25
With surgery	45	15.4	6.1	9	10	12	19	25
Without surgery	1,850	11.7	9.8	2	4	8	15	27
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	11,105	14.9	14.8	1	4	10	20	35
Age:								
65 to 74 years	4,305	14.6	15.3	1	3	9	19	34
75 to 84 years	5,100	15.2	14.0	2	5	10	20	35
85 years and over	1,700	15.2	16.0	1	3	10	21	37
One diagnosis	5,500	13.5	13.9	1	3	9	18	32
Two or more diagnoses	5,605	16.3	15.5	2	5	11	22	37
With surgery	265	20.2	18.4	2	6	14	28	43
Without surgery	10,840	14.8	14.7	1	4	10	20	34
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	4,935	16.2	14.7	2	5	11	22	36
Age:								
65 to 74 years	2,065	15.7	14.9	2	5	10	21	37
75 to 84 years	2,170	16.3	14.0	2	5	12	22	36
85 years and over	700	17.3	16.1	2	6	13	22	34
One diagnosis	1,780	14.6	14.2	1	4	10	19	32
Two or more diagnoses	3,155	17.1	14.9	2	6	12	23	38
With surgery	195	19.2	14.3	3	8	15	26	39
Without surgery	4,740	16.1	14.7	2	5	11	21	35
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	5,450	11.9	11.7	2	4	8	14	23
Age:								
65 to 74 years	2,105	11.3	10.9	2	4	8	13	21
75 to 84 years	2,500	12.0	11.8	3	4	8	15	23
85 years and over	845	13.0	13.3	2	4	8	15	28
One diagnosis	1,975	10.5	11.0	2	4	6	12	22
Two or more diagnoses	3,475	12.7	12.0	3	5	8	15	25
With surgery	280	18.4	15.7	5	7	12	22	45
Without surgery	5,170	11.5	11.4	2	4	8	13	22
PARALYSIS AGITANS (350)								
Total	695	15.6	12.7	4	6	12	21	28
Age:								
65 to 74 years	385	14.7	11.5	3	5	11	21	25
75 to 84 years	305	16.8	14.0	4	7	13	22	31
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	275	14.3	11.4	4	7	11	20	24
Two or more diagnoses	420	16.4	13.4	4	6	12	22	31
With surgery	50	16.1	14.6	3	4	9	23	35
Without surgery	645	15.5	12.5	4	7	12	21	27

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	1,620	10.2	8.7	3	4	8	12	20
Age:								
65 to 74 years	1,030	8.9	6.1	2	4	7	11	17
75 to 84 years	495	12.1	11.4	3	6	9	13	22
85 years and over	95	15.6	11.1	3	5	12	22	28
One diagnosis	790	8.9	6.5	2	4	7	11	17
Two or more diagnoses	830	11.5	10.1	3	6	8	13	22
With surgery	215	13.2	12.5	3	5	10	15	25
Without surgery	1,405	9.8	7.7	2	4	7	12	19
CATARACT (385)								
Total	8,045	7.9	3.7	4	5	6	9	12
Age:								
65 to 74 years	4,170	7.5	3.2	4	5	6	8	11
75 to 84 years	3,355	8.2	4.1	4	5	7	9	13
85 years and over	520	8.6	5.5	4	5	6	9	16
One diagnosis	6,475	7.7	3.3	4	5	6	8	12
Two or more diagnoses	1,570	8.7	5.0	4	5	7	10	14
With surgery	7,795	7.9	3.7	4	5	6	9	12
Without surgery	250	6.9	4.2	1	3	6	9	13
GLAUCOMA (387)								
Total	890	7.8	5.3	2	4	6	10	14
Age:								
65 to 74 years	525	7.6	5.5	2	3	6	10	14
75 to 84 years	295	8.2	5.1	2	4	6	11	15
85 years and over	70	8.2	3.9	2	6	7	9	12
One diagnosis	555	7.5	5.2	2	3	6	9	14
Two or more diagnoses	335	8.4	5.4	2	4	6	11	15
With surgery	685	8.5	5.4	3	4	7	11	15
Without surgery	205	5.5	4.1	1	2	4	7	12
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	345	12.3	9.9	4	5	9	16	20
Age:								
65 to 74 years	235	12.0	8.3	3	6	10	16	20
75 to 84 years	95	12.3	11.0	4	6	8	14	19
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	50	15.4	13.7	4	5	12	16	26
Two or more diagnoses	295	11.8	9.1	4	5	9	15	20
With surgery	20	*	*	*	*	*	*	*
Without surgery	325	11.4	8.7	4	5	9	15	19
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	17,540	11.8	10.1	3	5	8	14	23
Age:								
65 to 74 years	7,370	11.2	9.4	3	5	8	14	22
75 to 84 years	7,540	12.0	10.2	3	5	9	14	24
85 years and over	2,630	12.8	12.0	2	4	9	16	26
One diagnosis	4,675	9.8	7.9	2	4	7	12	19
Two or more diagnoses	12,865	12.5	10.8	3	5	9	15	25
With surgery	950	17.5	12.4	4	7	14	25	35
Without surgery	16,590	11.5	9.9	2	5	8	14	22
ACUTE CORONARY OCCLUSION (420.1)								
Total	10,705	14.7	11.7	1	4	13	21	28
Age:								
65 to 74 years	5,920	14.9	11.0	1	5	14	21	28
75 to 84 years	3,890	14.6	12.2	1	3	13	21	29
85 years and over	895	14.2	14.0	1	3	10	20	31
One diagnosis	5,510	13.8	11.1	1	3	13	20	26
Two or more diagnoses	5,195	15.8	12.4	1	5	14	22	31
With surgery	270	18.6	13.2	3	7	16	26	36
Without surgery	10,435	14.6	11.7	1	4	13	21	28
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	14,320	11.5	10.0	2	4	8	15	23
Age:								
65 to 74 years	6,935	11.2	9.6	2	5	8	14	22
75 to 84 years	5,980	11.9	10.2	2	4	8	15	24
85 years and over	1,405	11.6	11.3	2	4	8	15	23
One diagnosis	4,350	9.9	8.7	2	4	7	13	20
Two or more diagnoses	9,970	12.2	10.5	3	5	9	15	24
With surgery	485	18.7	15.2	5	7	14	23	40
Without surgery	13,835	11.3	9.7	2	4	8	14	22
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	1,400	12.6	12.0	3	5	9	15	24
Age:								
65 to 74 years	630	11.4	9.3	3	5	8	14	19
75 to 84 years	540	13.4	13.3	3	5	9	16	25
85 years and over	230	14.1	14.9	2	4	8	17	30
One diagnosis	525	11.4	10.6	3	4	8	15	20
Two or more diagnoses	875	13.3	12.8	3	5	9	16	25
With surgery	80	15.7	12.1	2	4	13	20	33
Without surgery	1,320	12.4	12.0	3	5	8	15	23
FUNCTIONAL DISEASE OF HEART (433)								
Total	3,300	10.6	10.0	2	3	7	13	22
Age:								
65 to 74 years	1,620	10.4	9.5	2	4	7	12	22
75 to 84 years	1,440	10.2	10.0	1	3	7	12	21
85 years and over	240	13.9	12.1	1	5	10	17	32
One diagnosis	1,050	9.4	9.0	1	3	6	11	19
Two or more diagnoses	2,250	11.1	10.4	2	4	8	13	23
With surgery	275	15.2	12.9	2	7	11	17	33
Without surgery	3,025	10.2	9.6	2	3	7	12	22
CONGESTIVE HEART FAILURE (434.1)								
Total	7,870	12.4	10.7	2	5	9	15	24
Age:								
65 to 74 years	3,250	11.8	9.8	2	5	8	15	23
75 to 84 years	3,440	12.7	11.7	3	5	9	15	25
85 years and over	1,180	13.0	10.0	2	6	10	17	26
One diagnosis	3,140	11.0	9.8	2	5	8	13	21
Two or more diagnoses	4,730	13.3	11.2	3	6	10	16	27
With surgery	240	20.1	11.2	8	11	19	24	32
Without surgery	7,630	12.1	10.6	2	5	9	15	23
HYPERTENSIVE HEART DISEASE (442,443)								
Total	8,855	11.6	9.8	3	5	8	14	23
Age:								
65 to 74 years	4,560	10.9	8.9	3	5	8	14	21
75 to 84 years	3,560	12.1	10.2	3	5	9	15	24
85 years and over	735	13.5	12.6	3	5	9	16	26
One diagnosis	1,940	10.0	9.1	2	4	7	12	20
Two or more diagnoses	6,915	12.1	10.0	3	5	9	15	23
With surgery	370	15.2	10.0	4	8	12	19	27
Without surgery	8,485	11.5	9.8	3	5	8	14	22
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	4,950	9.7	8.2	2	4	7	12	18
Age:								
65 to 74 years	2,845	9.1	8.1	2	4	6	11	17
75 to 84 years	1,700	10.5	8.2	3	5	8	13	19
85 years and over	405	11.1	8.4	3	5	8	14	20
One diagnosis	1,760	7.6	6.8	2	3	5	9	14
Two or more diagnoses	3,190	10.9	8.7	3	5	8	13	20
With surgery	295	15.7	13.3	4	7	12	17	34
Without surgery	4,655	9.4	7.6	2	4	7	12	18
GENERAL ARTERIOSCLEROSIS (450)								
Total	6,370	14.0	13.1	2	5	10	18	29
Age:								
65 to 74 years	2,170	13.2	13.2	2	4	9	16	27
75 to 84 years	2,860	13.8	12.3	3	5	10	18	28
85 years and over	1,340	15.7	14.6	2	6	11	19	37
One diagnosis	1,215	12.7	13.0	2	4	7	15	27
Two or more diagnoses	5,155	14.3	13.2	2	5	10	18	30
With surgery	835	21.2	14.4	6	11	17	27	41
Without surgery	5,535	12.9	12.6	2	4	9	16	27
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	570	12.1	10.6	1	3	10	18	26
Age:								
65 to 74 years	300	13.5	9.1	1	5	13	20	25
75 to 84 years	215	10.9	12.6	1	1	7	14	24
85 years and over	55	9.2	8.7	1	1	7	10	20
One diagnosis	310	10.9	10.1	1	1	8	18	25
Two or more diagnoses	260	13.6	11.0	1	5	11	19	26
With surgery	250	18.6	10.5	9	11	17	23	29
Without surgery	320	7.1	7.5	1	1	4	9	19

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	680	14.2	9.6	2	6	12	19	25
Age:								
65 to 74 years	390	13.7	7.5	2	8	12	19	24
75 to 84 years	225	16.6	12.2	3	7	13	24	33
85 years and over	65	8.7	6.9	1	2	5	12	19
One diagnosis	330	14.6	7.7	3	9	14	19	24
Two or more diagnoses	350	13.8	11.0	2	5	11	19	26
With surgery	410	17.1	9.1	7	11	15	22	27
Without surgery	270	9.7	8.5	1	2	6	14	23
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	550	21.3	16.4	5	8	17	27	42
Age:								
65 to 74 years	235	18.8	14.2	6	8	14	23	37
75 to 84 years	235	24.0	18.1	4	8	21	32	43
85 years and over	80	20.4	16.3	3	8	15	22	48
One diagnosis	260	19.7	14.2	5	10	15	24	38
Two or more diagnoses	290	22.7	18.1	4	8	20	30	45
With surgery	380	23.6	15.1	7	13	20	31	45
Without surgery	170	16.1	18.0	1	5	9	18	38
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	920	15.1	12.0	4	7	11	19	30
Age:								
65 to 74 years	645	13.3	9.9	4	6	10	16	24
75 to 84 years	235	17.8	14.4	4	8	14	23	28
85 years and over	40	28.4	14.1	7	12	26	39	44
One diagnosis	435	14.1	11.2	3	6	11	17	28
Two or more diagnoses	485	16.1	12.5	4	8	12	21	30
With surgery	480	15.5	12.0	4	7	11	19	33
Without surgery	440	14.7	11.9	3	7	12	19	24
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	1,415	9.1	5.7	3	5	7	11	15
Age:								
65 to 74 years	1,085	9.1	5.5	3	5	8	10	15
75 to 84 years	290	9.4	6.4	2	5	7	12	16
85 years and over	40	8.9	5.0	2	4	7	11	15
One diagnosis	715	8.2	4.4	3	5	7	9	12
Two or more diagnoses	700	10.1	6.6	3	5	8	13	18
With surgery	1,090	9.6	5.4	4	6	8	11	16
Without surgery	325	7.6	6.1	2	3	5	9	15
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	1,765	13.2	8.4	5	7	10	16	25
Age:								
65 to 74 years	1,135	12.2	6.9	5	7	10	15	22
75 to 84 years	525	14.4	10.1	5	7	10	17	29
85 years and over	105	17.1	10.5	7	8	13	25	28
One diagnosis	775	11.2	6.6	5	6	9	13	18
Two or more diagnoses	990	14.7	9.2	5	8	11	18	27
With surgery	95	16.8	9.3	5	11	14	20	28
Without surgery	1,670	12.9	8.2	5	7	10	15	24
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	670	14.7	11.2	4	7	10	18	31
Age:								
65 to 74 years	435	14.6	10.7	4	7	10	19	30
75 to 84 years	220	15.2	12.3	4	6	11	18	32
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	285	11.6	8.6	3	5	8	15	20
Two or more diagnoses	385	17.0	12.3	6	7	12	23	35
With surgery	55	19.2	12.9	4	6	14	28	38
Without surgery	615	14.3	11.0	4	7	10	17	29
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	1,025	15.6	10.7	2	7	14	21	31
Age:								
65 to 74 years	465	16.9	10.5	4	8	15	21	32
75 to 84 years	440	15.0	11.0	1	7	13	21	31
85 years and over	120	12.8	9.6	1	5	11	16	24
One diagnosis	235	12.6	9.1	1	6	12	16	21
Two or more diagnoses	790	16.5	11.0	2	8	14	23	31
With surgery	140	20.9	12.6	3	10	22	27	40
Without surgery	885	14.8	10.1	1	7	13	19	29
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	2,970	9.8	8.4	3	4	7	12	18
Age:								
65 to 74 years	1,555	8.7	6.2	3	4	7	11	15
75 to 84 years	1,115	10.5	9.4	3	4	7	13	20
85 years and over	300	12.1	12.2	3	5	7	14	22
One diagnosis	970	7.9	6.9	2	3	5	9	15
Two or more diagnoses	2,000	10.7	8.9	3	5	8	13	19
With surgery	110	9.5	6.5	2	5	8	11	13
Without surgery	2,860	9.8	8.5	3	4	7	12	18
INFLUENZA (480-483)								
Total	5,465	10.1	7.5	3	5	8	12	18
Age:								
65 to 74 years	3,420	9.7	7.2	3	5	7	11	17
75 to 84 years	1,610	10.7	7.7	3	5	8	13	20
85 years and over	435	11.0	8.4	3	4	9	13	19
One diagnosis	2,535	8.4	5.3	3	4	7	10	14
Two or more diagnoses	2,930	11.5	8.7	3	5	9	14	21
With surgery	75	15.8	7.1	6	10	14	20	27
Without surgery	5,390	10.0	7.4	3	5	8	12	18
LOBAR PNEUMONIA (490)								
Total	540	13.7	11.4	2	7	11	17	23
Age:								
65 to 74 years	245	11.5	7.7	2	6	10	16	20
75 to 84 years	245	14.8	13.6	3	7	11	16	21
85 years and over	50	19.3	11.3	1	10	17	24	29
One diagnosis	210	12.0	13.3	2	4	8	13	20
Two or more diagnoses	330	14.8	9.7	3	9	13	18	24
With surgery	30	25.3	25.0	2	8	16	23	57
Without surgery	510	13.0	9.5	2	6	11	16	23
BRONCHOPNEUMONIA (491)								
Total	5,010	12.6	10.0	4	6	9	15	24
Age:								
65 to 74 years	2,095	11.8	9.7	4	6	9	13	20
75 to 84 years	2,095	13.0	9.7	4	6	10	15	26
85 years and over	820	13.7	11.5	2	5	10	17	27
One diagnosis	1,770	10.4	7.1	4	5	8	12	18
Two or more diagnoses	3,240	13.8	11.1	3	6	10	17	27
With surgery	155	20.2	16.5	5	7	13	27	47
Without surgery	4,855	12.4	9.7	3	6	9	15	24
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	3,660	11.0	8.4	3	5	8	13	20
Age:								
65 to 74 years	1,760	10.6	7.9	3	5	8	13	19
75 to 84 years	1,415	11.2	8.4	3	5	9	14	20
85 years and over	485	11.9	9.5	3	5	9	14	22
One diagnosis	1,270	9.3	6.9	3	4	7	12	16
Two or more diagnoses	2,390	11.9	8.9	3	5	9	15	22
With surgery	155	11.6	8.5	2	6	8	16	22
Without surgery	3,505	11.0	8.3	3	5	8	13	20
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	7,890	12.8	10.4	4	6	9	15	24
Age:								
65 to 74 years	3,475	11.9	9.3	4	6	9	14	21
75 to 84 years	3,145	13.2	10.7	3	6	10	16	25
85 years and over	1,270	14.2	12.3	3	6	10	17	31
One diagnosis	3,440	11.2	8.9	4	6	9	13	20
Two or more diagnoses	4,450	14.0	11.3	4	6	10	17	26
With surgery	305	20.7	13.5	6	10	18	27	37
Without surgery	7,585	12.5	10.1	4	6	9	15	23
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	3,985	10.3	8.6	3	5	8	11	17
Age:								
65 to 74 years	2,275	9.6	7.1	3	5	8	11	16
75 to 84 years	1,390	11.3	10.6	3	6	8	12	20
85 years and over	320	10.3	8.1	3	5	8	11	18
One diagnosis	1,360	9.0	7.7	3	4	7	10	15
Two or more diagnoses	2,625	10.9	8.9	3	5	8	12	19
With surgery	85	16.2	15.8	5	7	10	18	31
Without surgery	3,900	10.1	8.3	3	5	8	11	17

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	3,025	9.3	6.3	3	4	7	12	17
Age:								
65 to 74 years	1,640	9.1	6.6	3	4	7	11	16
75 to 84 years	1,135	9.9	6.2	3	5	8	13	19
85 years and over	250	8.4	5.1	3	5	6	12	14
One diagnosis	1,305	7.9	4.9	2	4	6	9	14
Two or more diagnoses	1,720	10.4	7.1	3	5	8	13	20
With surgery	140	11.0	7.6	2	5	8	16	19
Without surgery	2,885	9.3	6.2	3	4	7	11	17
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	1,830	11.0	9.6	3	5	8	12	21
Age:								
65 to 74 years	1,185	11.3	10.3	3	5	8	13	21
75 to 84 years	595	9.9	6.6	3	5	8	11	20
85 years and over	50	15.6	16.0	2	4	6	19	41
One diagnosis	680	9.2	9.6	3	4	7	10	15
Two or more diagnoses	1,150	12.0	9.4	3	5	9	14	25
With surgery	105	17.0	11.7	4	7	14	22	33
Without surgery	1,725	10.6	9.3	3	5	8	12	20
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	885	11.6	9.6	4	6	8	14	22
Age:								
65 to 74 years	515	11.7	10.0	4	5	8	13	23
75 to 84 years	310	11.2	9.1	3	6	8	12	20
85 years and over	60	12.8	9.6	2	6	7	17	28
One diagnosis	205	9.4	7.3	2	4	6	12	17
Two or more diagnoses	680	12.3	10.1	4	6	8	14	23
With surgery	125	15.1	11.6	4	6	10	21	31
Without surgery	760	11.0	9.2	3	5	8	13	19
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	710	9.6	10.1	1	3	6	12	21
Age:								
65 to 74 years	295	10.8	10.6	2	3	7	15	21
75 to 84 years	290	8.6	9.0	1	3	6	10	18
85 years and over	125	9.2	11.4	1	1	5	11	22
One diagnosis	215	9.0	8.5	1	3	6	12	19
Two or more diagnoses	495	9.9	10.8	1	2	7	12	21
With surgery	20	*	*	*	*	*	*	*
Without surgery	690	9.3	10.1	1	3	6	11	20
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	3,995	11.6	10.7	3	5	8	14	22
Age:								
65 to 74 years	2,340	11.4	10.6	2	4	8	13	22
75 to 84 years	1,425	11.9	10.4	3	5	8	15	23
85 years and over	230	12.7	13.1	3	4	7	12	27
One diagnosis	1,185	10.4	10.7	2	4	7	12	19
Two or more diagnoses	2,810	12.1	10.7	3	5	9	15	24
With surgery	285	16.1	10.9	4	7	13	22	31
Without surgery	3,710	11.3	10.6	3	4	8	13	21
DISEASES OF ESOPHAGUS (539)								
Total	1,240	9.0	8.8	1	3	5	11	21
Age:								
65 to 74 years	675	9.1	8.8	1	3	5	11	22
75 to 84 years	440	8.1	8.5	1	2	5	10	16
85 years and over	125	11.5	9.4	3	4	8	14	20
One diagnosis	495	7.3	6.3	1	2	5	8	16
Two or more diagnoses	745	10.1	9.9	1	3	6	13	22
With surgery	445	10.9	11.3	1	2	5	16	26
Without surgery	795	7.9	6.8	2	3	5	10	16
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	1,330	11.9	9.5	2	5	9	15	24
Age:								
65 to 74 years	845	11.6	9.5	2	5	9	15	22
75 to 84 years	430	11.7	8.5	2	5	9	14	22
85 years and over	55	19.8	12.0	7	11	13	26	33
One diagnosis	515	10.4	8.3	1	4	8	14	22
Two or more diagnoses	815	12.9	10.0	3	6	11	15	27
With surgery	250	20.1	12.4	8	13	16	25	35
Without surgery	1,080	10.0	7.5	2	4	8	13	19
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	360	13.8	10.0	3	7	11	18	25
Age:								
65 to 74 years	195	11.9	6.7	3	7	10	16	21
75 to 84 years	145	16.1	13.2	1	7	12	20	34
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	135	12.7	8.3	4	7	10	17	23
Two or more diagnoses	225	14.5	10.9	1	8	11	18	26
With surgery	80	14.2	7.6	1	8	13	19	24
Without surgery	280	13.7	10.6	3	7	10	17	26
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	4,420	10.5	8.5	2	4	8	13	20
Age:								
65 to 74 years	2,960	9.9	7.7	2	4	7	12	19
75 to 84 years	1,270	11.3	9.3	3	5	8	13	22
85 years and over	190	13.0	12.6	3	6	9	14	22
One diagnosis	1,885	9.2	7.3	2	4	7	11	18
Two or more diagnoses	2,535	11.4	9.2	3	5	9	14	22
With surgery	475	19.3	10.3	6	12	18	24	33
Without surgery	3,945	9.4	7.6	2	4	7	11	17
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	1,865	12.3	8.8	3	6	10	16	22
Age:								
65 to 74 years	1,095	11.9	8.7	3	6	9	15	22
75 to 84 years	625	12.7	8.2	3	6	11	17	22
85 years and over	145	14.0	11.5	4	6	10	17	31
One diagnosis	935	11.0	8.5	3	5	9	13	20
Two or more diagnoses	930	13.6	9.0	4	7	11	18	23
With surgery	315	19.2	11.5	8	11	17	22	33
Without surgery	1,550	10.9	7.5	3	5	9	14	20
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	250	17.3	12.2	7	9	14	21	33
Age:								
65 to 74 years	165	15.5	8.1	4	9	13	17	27
75 to 84 years	80	21.7	17.3	4	10	15	29	37
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	130	14.0	7.7	4	8	12	17	25
Two or more diagnoses	120	20.9	14.9	7	11	14	26	37
With surgery	215	18.9	12.4	7	11	14	23	34
Without surgery	35	7.7	4.5	2	3	6	11	14
GASTRITIS AND DUODENITIS (543)								
Total	3,485	8.1	6.6	2	3	6	10	15
Age:								
65 to 74 years	2,155	7.4	5.6	2	3	5	9	14
75 to 84 years	1,055	8.6	6.7	2	4	6	10	16
85 years and over	275	11.6	10.6	3	4	8	13	22
One diagnosis	1,405	6.4	5.0	2	3	4	8	13
Two or more diagnoses	2,080	9.2	7.2	3	4	7	11	16
With surgery	140	11.5	9.5	3	5	9	13	21
Without surgery	3,345	7.9	6.3	2	3	6	10	15
APPENDICITIS (550-553)								
Total	805	12.5	9.0	4	6	9	15	23
Age:								
65 to 74 years	505	11.6	9.0	4	6	8	13	20
75 to 84 years	265	14.5	8.9	5	8	12	20	27
85 years and over	35	10.6	7.5	1	2	9	15	19
One diagnosis	525	11.7	8.2	4	6	9	14	21
Two or more diagnoses	280	13.9	10.2	4	7	10	18	27
With surgery	695	12.8	9.1	5	7	10	16	23
Without surgery	110	10.5	8.1	1	4	8	13	24
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	3,550	9.7	6.3	4	6	8	10	15
Age:								
65 to 74 years	2,320	9.1	4.8	4	6	8	10	14
75 to 84 years	1,090	10.5	8.1	5	6	8	11	17
85 years and over	140	13.8	9.8	4	7	9	17	25
One diagnosis	2,305	8.5	3.7	4	6	7	9	12
Two or more diagnoses	1,245	11.9	8.9	4	7	9	14	20
With surgery	3,260	9.8	6.0	5	6	8	10	15
Without surgery	290	8.3	9.3	1	2	6	10	15

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	3,815	8.6	7.3	2	4	6	10	16
Age:								
65 to 74 years	2,415	8.3	6.6	2	4	6	9	15
75 to 84 years	1,215	8.7	7.6	2	4	6	11	17
85 years and over	185	12.1	11.6	4	6	8	12	20
One diagnosis	915	7.3	5.4	2	3	5	9	13
Two or more diagnoses	2,900	9.0	7.7	2	4	6	10	16
With surgery	580	13.3	10.7	3	6	10	18	23
Without surgery	3,235	7.7	6.2	2	3	6	9	14
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	1,230	11.3	7.1	4	6	9	13	20
Age:								
65 to 74 years	810	10.2	5.5	4	6	9	12	18
75 to 84 years	380	13.0	8.6	5	7	10	15	24
85 years and over	40	15.1	12.7	2	3	9	23	32
One diagnosis	770	10.2	6.2	4	6	8	12	18
Two or more diagnoses	460	13.1	8.0	5	8	10	16	22
With surgery	1,010	11.8	6.9	5	7	9	14	20
Without surgery	220	8.7	7.0	2	4	6	9	15
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	1,090	12.4	10.1	3	6	9	14	22
Age:								
65 to 74 years	490	12.6	8.6	3	6	9	16	24
75 to 84 years	470	12.0	9.8	3	6	9	14	20
85 years and over	130	13.3	15.0	4	7	9	13	20
One diagnosis	565	10.3	7.4	2	5	8	12	17
Two or more diagnoses	525	14.7	11.9	5	7	11	19	24
With surgery	910	13.2	10.2	5	7	10	15	23
Without surgery	180	8.3	8.0	1	2	5	12	20
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	2,950	10.9	11.0	1	3	7	14	24
Age:								
65 to 74 years	1,335	11.7	10.9	1	3	8	16	25
75 to 84 years	1,115	10.4	10.8	1	2	6	14	25
85 years and over	500	10.0	11.2	1	3	6	12	20
One diagnosis	1,365	9.0	8.4	1	2	6	12	19
Two or more diagnoses	1,585	12.6	12.5	1	4	8	16	27
With surgery	955	17.1	12.3	3	9	14	21	31
Without surgery	1,995	8.0	8.8	1	2	5	10	16
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	7,105	8.4	7.7	2	3	6	10	16
Age:								
65 to 74 years	3,755	7.6	6.9	2	3	5	9	14
75 to 84 years	2,740	8.7	7.3	2	4	6	11	17
85 years and over	610	11.9	12.4	3	4	7	14	23
One diagnosis	3,305	7.0	6.9	2	3	4	8	13
Two or more diagnoses	3,800	9.6	8.3	3	4	7	11	18
With surgery	315	12.2	8.1	3	5	9	15	24
Without surgery	6,790	8.2	7.7	2	3	6	9	15
DIVERTICULITIS (572.1)								
Total	6,360	9.2	8.2	2	4	6	11	17
Age:								
65 to 74 years	3,520	9.1	8.2	2	3	6	11	17
75 to 84 years	2,385	9.6	8.4	2	4	7	12	17
85 years and over	455	8.9	6.7	3	4	6	10	18
One diagnosis	2,640	7.9	6.9	2	3	6	9	15
Two or more diagnoses	3,720	10.2	8.9	3	4	7	12	19
With surgery	1,060	14.4	12.8	3	5	10	18	29
Without surgery	5,300	8.2	6.5	2	4	6	10	15
CIRRHOSIS OF LIVER (581)								
Total	840	14.7	12.4	3	6	11	19	29
Age:								
65 to 74 years	575	14.4	12.8	3	5	10	18	25
75 to 84 years	255	15.8	11.6	2	7	12	20	31
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	280	14.1	14.3	2	6	9	16	28
Two or more diagnoses	560	15.0	11.3	3	7	11	20	27
With surgery	145	21.9	16.4	5	10	17	25	42
Without surgery	695	13.2	10.8	3	5	10	17	24
CHOLELITHIASIS (584)								
Total	5,915	13.6	9.8	3	6	11	17	25
Age:								
65 to 74 years	3,765	12.9	8.7	3	7	11	16	22
75 to 84 years	1,875	14.9	11.7	3	6	12	18	29
85 years and over	275	14.5	9.4	3	5	13	18	30
One diagnosis	2,965	12.8	8.6	3	7	11	16	22
Two or more diagnoses	2,950	14.3	10.9	3	6	12	18	26
With surgery	3,250	17.5	9.7	8	11	15	20	29
Without surgery	2,665	8.8	7.5	2	3	6	11	16
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	3,760	11.5	8.4	3	5	9	14	22
Age:								
65 to 74 years	2,125	11.4	8.3	3	5	9	14	22
75 to 84 years	1,290	11.5	8.3	3	5	9	14	21
85 years and over	345	11.8	9.3	4	6	9	15	19
One diagnosis	1,760	10.5	7.6	3	4	8	14	20
Two or more diagnoses	2,000	12.3	8.9	4	6	9	16	22
With surgery	870	17.7	8.9	9	11	16	21	28
Without surgery	2,890	9.6	7.3	3	4	7	12	18
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	900	11.4	10.3	2	4	7	15	24
Age:								
65 to 74 years	465	10.6	10.3	2	3	6	14	24
75 to 84 years	390	12.2	10.4	3	4	8	17	25
85 years and over	45	12.6	7.6	1	7	10	15	22
One diagnosis	395	10.1	10.1	1	3	5	15	22
Two or more diagnoses	505	12.4	10.2	3	5	9	15	28
With surgery	190	24.2	12.6	6	15	21	32	42
Without surgery	710	8.0	6.0	2	3	5	10	17
DISEASES OF PANCREAS (587)								
Total	680	12.8	9.2	3	6	10	17	23
Age:								
65 to 74 years	430	13.3	10.0	3	6	11	17	23
75 to 84 years	205	11.3	7.4	4	5	8	15	22
85 years and over	45	15.1	7.6	1	10	13	18	22
One diagnosis	280	11.9	8.7	2	5	10	16	21
Two or more diagnoses	400	13.5	9.5	4	7	11	17	26
With surgery	115	21.6	10.9	9	14	19	25	33
Without surgery	565	11.0	7.7	2	5	9	15	19
NEPHRITIS, NEPHROSIS, AND HYORONEPHROSIS (590-594,601)								
Total	845	14.7	12.8	2	5	11	18	30
Age:								
65 to 74 years	400	14.8	12.0	3	5	11	19	31
75 to 84 years	300	15.0	13.9	3	5	11	17	28
85 years and over	145	13.5	13.0	1	3	11	15	30
One diagnosis	275	11.9	10.1	1	4	10	15	26
Two or more diagnoses	570	16.0	13.8	3	5	13	20	35
With surgery	190	15.3	9.3	4	10	14	18	24
Without surgery	655	14.5	13.7	2	4	9	18	32
INFECTIONS OF KIDNEY (600)								
Total	4,910	10.9	8.8	3	5	8	13	21
Age:								
65 to 74 years	2,310	10.5	8.5	3	5	8	13	20
75 to 84 years	2,000	11.1	8.8	3	5	8	14	22
85 years and over	600	12.0	9.7	3	5	8	14	27
One diagnosis	1,860	9.0	6.5	3	5	7	10	16
Two or more diagnoses	3,050	12.1	9.7	3	5	9	15	25
With surgery	390	15.0	11.4	4	7	11	20	31
Without surgery	4,520	10.6	8.4	3	5	8	13	20
CALCULI OF KIDNEY AND URETER (602)								
Total	2,170	8.8	7.9	2	3	6	11	17
Age:								
65 to 74 years	1,575	8.8	7.5	2	3	6	11	16
75 to 84 years	520	8.3	7.1	1	3	6	10	17
85 years and over	75	12.1	16.1	2	3	5	11	25
One diagnosis	1,135	7.6	6.8	1	3	5	9	15
Two or more diagnoses	1,035	10.1	8.8	2	4	8	12	20
With surgery	890	12.6	8.7	4	6	10	15	23
Without surgery	1,280	6.1	6.0	1	2	4	7	11

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	985	11.9	10.2	2	4	9	15	23
Age:								
65 to 74 years	600	11.1	9.7	2	4	8	14	24
75 to 84 years	285	11.4	8.0	3	4	9	16	20
85 years and over	100	18.6	14.9	3	6	14	23	42
One diagnosis	390	10.6	10.6	1	3	7	14	19
Two or more diagnoses	595	12.8	9.8	3	5	10	16	25
With surgery	535	14.5	10.1	3	7	13	18	25
Without surgery	450	8.9	9.4	2	3	5	11	17
CYSTITIS (605)								
Total	2,815	9.6	7.9	2	4	7	12	18
Age:								
65 to 74 years	1,445	9.1	7.7	2	4	7	11	16
75 to 84 years	1,010	9.7	8.1	3	4	7	12	18
85 years and over	360	11.1	7.6	3	5	9	14	20
One diagnosis	870	7.7	7.4	2	4	6	9	14
Two or more diagnoses	1,945	10.5	7.9	3	5	8	13	19
With surgery	755	9.2	9.5	2	4	6	11	16
Without surgery	2,060	9.8	7.1	3	4	7	12	18
OTHER DISEASES OF BLADDER (606)								
Total	690	12.2	11.7	3	5	8	15	23
Age:								
65 to 74 years	235	14.7	15.2	4	6	9	15	29
75 to 84 years	325	10.6	8.5	2	4	7	14	22
85 years and over	130	11.8	10.8	2	5	8	13	23
One diagnosis	235	8.0	5.0	1	5	7	9	14
Two or more diagnoses	455	14.4	13.5	3	5	9	17	29
With surgery	405	15.0	12.9	5	7	11	18	28
Without surgery	285	8.2	8.4	1	3	6	9	15
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	1,030	8.0	6.2	2	3	6	10	16
Age:								
65 to 74 years	600	7.2	5.1	2	3	6	9	15
75 to 84 years	360	9.0	7.7	2	4	6	11	17
85 years and over	70	8.7	5.6	2	4	6	13	16
One diagnosis	430	6.7	4.7	1	2	5	8	12
Two or more diagnoses	600	8.9	6.9	2	4	6	11	18
With surgery	780	7.6	5.5	2	3	6	10	16
Without surgery	250	9.0	7.9	2	4	6	11	17
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	3,110	10.8	9.5	3	5	8	12	21
Age:								
65 to 74 years	1,235	10.3	9.4	3	4	7	11	21
75 to 84 years	1,430	10.9	9.2	3	5	8	12	20
85 years and over	445	11.6	10.4	2	4	8	13	23
One diagnosis	1,215	9.2	7.6	2	4	6	11	17
Two or more diagnoses	1,895	11.8	10.4	3	5	9	13	24
With surgery	420	12.3	9.7	2	4	10	17	25
Without surgery	2,690	10.5	9.4	3	5	7	12	20
HYPERPLASIA OF PROSTATE (610)								
Total	8,165	12.3	8.2	4	7	10	15	21
Age:								
65 to 74 years	4,250	11.6	7.0	4	7	10	14	20
75 to 84 years	3,105	12.9	8.5	5	7	10	15	23
85 years and over	810	13.4	11.6	4	6	10	16	23
One diagnosis	3,980	11.3	6.6	5	7	9	13	19
Two or more diagnoses	4,185	13.2	9.4	4	7	11	16	23
With surgery	6,215	13.2	8.1	6	8	11	15	22
Without surgery	1,950	9.4	8.1	2	4	7	12	18
OTHER DISEASES OF PROSTATE (611,612)								
Total	815	9.7	8.7	2	4	7	12	20
Age:								
65 to 74 years	445	8.2	6.2	2	3	6	10	18
75 to 84 years	295	11.3	9.1	2	5	8	13	22
85 years and over	75	13.1	15.4	2	5	8	14	18
One diagnosis	405	7.6	6.2	1	3	5	9	16
Two or more diagnoses	410	11.8	10.2	3	5	8	13	22
With surgery	205	12.5	8.2	2	6	10	19	22
Without surgery	610	8.8	8.7	2	4	6	10	15
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	1,010	8.2	6.5	2	4	6	9	15
Age:								
65 to 74 years	645	8.0	5.9	2	4	6	9	14
75 to 84 years	280	9.1	7.9	2	3	7	11	18
85 years and over	85	6.1	4.1	1	3	5	7	10
One diagnosis	485	7.5	6.8	2	3	5	8	13
Two or more diagnoses	525	8.8	6.1	2	4	7	11	16
With surgery	620	8.2	7.6	2	3	6	8	16
Without surgery	390	8.1	4.1	3	4	7	10	14
UTEROVAGINAL PROLAPSE (631)								
Total	2,075	12.6	7.1	6	8	11	14	19
Age:								
65 to 74 years	1,515	12.0	6.9	6	8	11	14	18
75 to 84 years	540	13.9	7.5	6	9	12	16	23
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	1,020	11.9	5.3	6	8	11	14	17
Two or more diagnoses	1,055	13.1	8.5	6	8	11	15	20
With surgery	1,905	13.0	7.1	7	8	11	15	19
Without surgery	170	7.4	4.1	2	3	7	10	12
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	2,000	11.8	8.5	3	5	9	15	22
Age:								
65 to 74 years	1,135	11.6	9.2	3	5	8	14	22
75 to 84 years	660	11.6	7.5	4	6	9	15	21
85 years and over	205	13.5	7.4	3	7	12	18	24
One diagnosis	905	11.0	7.1	3	5	9	14	21
Two or more diagnoses	1,095	12.4	9.5	4	6	9	15	23
With surgery	370	13.6	9.1	3	6	11	19	25
Without surgery	1,630	11.4	8.4	3	5	9	14	21
RHEUMATOID ARTHRITIS (722.0)								
Total	1,395	12.7	11.0	3	5	9	16	26
Age:								
65 to 74 years	900	12.5	10.3	3	5	9	16	26
75 to 84 years	425	13.5	10.9	4	6	9	17	26
85 years and over	70	11.1	17.3	3	3	5	9	15
One diagnosis	595	11.0	9.5	3	5	8	14	20
Two or more diagnoses	800	14.0	11.7	3	5	10	18	30
With surgery	110	14.8	10.0	2	6	11	22	29
Without surgery	1,285	12.6	11.0	3	5	9	16	25
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	2,910	11.9	10.3	3	5	8	14	23
Age:								
65 to 74 years	1,495	11.9	9.6	3	5	8	14	24
75 to 84 years	1,100	10.8	9.9	3	5	8	12	20
85 years and over	315	16.3	13.1	3	7	12	20	36
One diagnosis	790	11.4	8.9	3	5	8	13	23
Two or more diagnoses	2,120	12.1	10.8	3	5	8	14	23
With surgery	330	20.4	14.2	5	8	16	26	39
Without surgery	2,580	10.9	9.1	3	5	8	12	20
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	2,050	10.3	8.5	3	4	8	12	21
Age:								
65 to 74 years	1,155	10.3	8.0	3	5	7	12	21
75 to 84 years	745	9.9	9.1	2	4	7	12	18
85 years and over	150	12.5	9.2	2	5	9	19	27
One diagnosis	625	8.8	6.2	2	4	7	10	17
Two or more diagnoses	1,425	11.0	9.3	3	5	8	13	22
With surgery	115	17.5	11.4	6	8	13	21	38
Without surgery	1,935	9.9	8.1	2	4	7	11	20
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	2,415	11.7	10.1	3	5	8	14	22
Age:								
65 to 74 years	1,280	10.8	8.5	3	5	8	13	20
75 to 84 years	925	11.9	10.2	3	5	8	14	23
85 years and over	210	16.0	15.9	2	5	11	17	37
One diagnosis	940	10.4	8.7	2	4	7	13	20
Two or more diagnoses	1,475	12.5	10.9	3	5	9	14	23
With surgery	110	14.8	14.3	4	6	9	15	24
Without surgery	2,305	11.5	9.8	3	5	8	14	22

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	1,225	12.7	8.8	4	6	10	15	24
Age:								
65 to 74 years	555	12.4	8.4	4	6	9	15	24
75 to 84 years	530	12.7	9.0	4	6	10	15	23
85 years and over	140	14.1	9.0	5	8	11	16	24
One diagnosis	190	11.3	8.4	3	5	9	14	20
Two or more diagnoses	1,035	12.9	8.8	4	6	10	16	23
With surgery	45	19.9	14.4	2	8	16	23	39
Without surgery	1,180	12.4	8.4	4	6	9	15	23
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	1,275	12.5	8.7	3	6	10	14	24
Age:								
65 to 74 years	975	12.3	8.7	4	6	10	14	24
75 to 84 years	265	13.3	8.1	4	6	11	18	24
85 years and over	35	10.6	11.8	3	3	6	8	21
One diagnosis	650	12.7	9.1	3	6	10	15	26
Two or more diagnoses	625	12.3	8.3	4	7	9	15	23
With surgery	255	19.5	10.3	9	11	15	24	32
Without surgery	1,020	10.8	7.3	3	6	8	13	21
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	785	9.2	7.9	2	3	7	11	18
Age:								
65 to 74 years	535	9.2	8.4	2	3	6	11	18
75 to 84 years	215	8.7	6.3	2	4	7	11	15
85 years and over	35	12.4	7.7	3	3	11	16	20
One diagnosis	415	7.4	6.2	2	3	5	9	15
Two or more diagnoses	370	11.2	8.9	2	5	9	13	22
With surgery	275	5.9	5.1	1	2	4	7	12
Without surgery	510	11.0	8.5	3	5	8	13	21
CONGENITAL MALFORMATIONS (750-759)								
Total	440	11.6	11.6	2	4	7	14	22
Age:								
65 to 74 years	335	11.3	12.2	2	3	7	14	21
75 to 84 years	90	13.5	9.7	2	5	12	17	25
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	160	8.3	6.2	1	3	6	12	18
Two or more diagnoses	280	13.4	13.5	2	4	8	16	30
With surgery	180	13.5	14.0	2	4	9	14	28
Without surgery	260	10.2	9.4	2	3	7	15	21
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	620	8.9	11.5	1	2	4	10	21
Age:								
65 to 74 years	380	8.0	10.8	1	2	4	8	19
75 to 84 years	190	11.1	13.2	2	3	5	12	29
85 years and over	50	7.1	7.4	1	1	2	11	17
One diagnosis	475	9.0	11.1	1	2	5	10	20
Two or more diagnoses	145	8.4	12.5	1	2	4	8	22
With surgery	40	13.6	12.2	4	4	7	15	28
Without surgery	580	8.5	11.4	1	2	4	9	21
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	1,400	6.3	6.0	1	2	4	7	13
Age:								
65 to 74 years	875	6.2	5.2	1	2	4	7	12
75 to 84 years	430	6.5	7.3	1	2	5	7	13
85 years and over	95	6.6	6.1	1	2	4	8	13
One diagnosis	1,170	6.3	6.3	1	2	4	7	13
Two or more diagnoses	230	6.4	3.9	2	3	5	8	12
With surgery	165	8.0	8.1	1	2	5	8	18
Without surgery	1,235	6.1	5.6	1	2	4	7	13
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	1,875	8.4	7.9	2	3	5	10	16
Age:								
65 to 74 years	1,120	8.2	7.3	2	3	5	10	15
75 to 84 years	545	8.6	7.6	2	3	6	10	18
85 years and over	210	9.4	10.7	1	3	6	11	20
One diagnosis	1,465	8.0	7.3	2	3	5	9	15
Two or more diagnoses	410	10.2	9.4	2	4	6	12	21
With surgery	175	13.1	12.7	3	6	9	13	25
Without surgery	1,700	8.0	7.0	2	3	5	9	15
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	670	9.6	8.9	1	3	7	13	18
Age:								
65 to 74 years	340	8.0	8.2	1	2	6	10	16
75 to 84 years	255	11.8	10.0	1	5	9	15	23
85 years and over	75	9.1	6.1	3	5	6	10	18
One diagnosis	525	8.9	8.9	1	3	6	11	17
Two or more diagnoses	145	12.2	8.6	2	6	10	16	19
With surgery	200	12.1	9.2	3	6	10	15	18
Without surgery	470	8.5	8.6	1	3	6	10	18
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	1,750	8.3	8.4	2	3	6	10	15
Age:								
65 to 74 years	940	8.3	7.9	2	3	6	10	16
75 to 84 years	615	7.7	8.2	1	3	5	9	13
85 years and over	195	10.0	10.5	2	4	6	11	16
One diagnosis	1,370	7.7	7.7	1	3	5	9	15
Two or more diagnoses	380	10.7	10.2	3	4	8	12	20
With surgery	235	10.2	11.9	1	3	6	11	20
Without surgery	1,515	8.0	7.6	2	3	6	9	15
NERVOUSNESS AND DEBILITY (790)								
Total	310	10.5	7.5	2	4	9	14	19
Age:								
65 to 74 years	160	10.8	7.3	2	4	9	15	19
75 to 84 years	120	9.8	7.1	1	4	8	13	18
85 years and over	30	11.5	9.7	2	4	7	11	24
One diagnosis	140	10.6	6.8	3	5	9	13	20
Two or more diagnoses	170	10.4	8.1	1	3	8	14	19
With surgery	10	*	*	*	*	*	*	*
Without surgery	300	10.2	7.1	2	4	9	14	19
UREMIA (792)								
Total	285	17.6	14.6	2	6	13	25	38
Age:								
65 to 74 years	135	20.2	17.1	4	7	12	27	48
75 to 84 years	105	13.6	10.5	1	3	11	17	30
85 years and over	45	19.0	12.6	2	8	16	20	38
One diagnosis	125	18.0	16.3	1	4	12	28	42
Two or more diagnoses	160	17.2	13.1	3	8	13	20	36
With surgery	15	*	*	*	*	*	*	*
Without surgery	270	17.0	14.2	2	6	12	23	37
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	280	11.9	10.0	2	5	9	15	25
Age:								
65 to 74 years	45	9.4	10.2	1	2	6	9	19
75 to 84 years	85	11.2	6.6	3	5	9	16	21
85 years and over	150	13.1	11.4	2	5	9	15	29
One diagnosis	85	10.9	10.0	1	3	7	13	27
Two or more diagnoses	195	12.4	10.0	3	6	9	15	22
With surgery	—	—	—	—	—	—	—	—
Without surgery	280	11.9	10.0	2	5	9	15	25
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	1,030	10.4	12.3	1	3	6	13	23
Age:								
65 to 74 years	720	8.7	9.5	1	2	6	10	18
75 to 84 years	250	13.8	16.5	1	3	7	17	28
85 years and over	60	16.2	16.4	2	3	8	22	35
One diagnosis	590	9.5	12.5	1	2	5	12	21
Two or more diagnoses	440	11.5	12.0	2	3	7	14	27
With surgery	190	10.5	11.4	1	2	6	12	30
Without surgery	840	10.3	12.5	1	3	6	13	21
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	1,620	15.4	10.6	4	7	12	19	30
Age:								
65 to 74 years	695	16.3	12.1	4	7	12	20	32
75 to 84 years	745	14.4	9.2	4	7	12	18	29
85 years and over	180	16.1	9.9	4	7	14	22	30
One diagnosis	690	13.9	10.3	3	7	10	18	28
Two or more diagnoses	930	16.5	10.8	5	8	13	20	32
With surgery	65	19.1	12.9	2	9	18	23	27
Without surgery	1,555	15.2	10.5	4	7	12	19	30

Table 10 EAST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	1,200	11.6	10.2	2	4	8	14	26
Age:								
65 to 74 years	600	9.8	9.1	2	4	8	11	18
75 to 84 years	470	13.3	10.1	3	5	9	18	28
85 years and over	130	13.7	13.7	2	4	9	17	26
One diagnosis	410	8.6	7.0	2	3	6	11	15
Two or more diagnoses	790	13.2	11.3	3	5	9	17	27
With surgery	100	17.6	16.7	2	7	13	19	33
Without surgery	1,100	11.1	9.2	2	4	8	14	25
FRACTURE OF PELVIS (808)								
Total	730	25.2	17.2	6	13	22	31	46
Age:								
65 to 74 years	235	25.4	17.0	6	14	21	32	47
75 to 84 years	340	26.6	18.1	6	13	23	34	50
85 years and over	155	21.7	14.8	6	10	22	27	35
One diagnosis	305	22.7	13.5	6	13	20	29	41
Two or more diagnoses	425	27.0	19.2	6	12	23	34	53
With surgery	60	38.2	19.8	16	23	31	47	57
Without surgery	670	24.0	16.5	6	11	21	29	44
FRACTURE OF HUMERUS (812)								
Total	1,395	13.3	12.9	2	4	8	17	30
Age:								
65 to 74 years	545	12.5	13.6	2	4	8	14	22
75 to 84 years	625	14.6	13.0	2	4	9	20	34
85 years and over	225	11.5	9.8	1	3	8	16	27
One diagnosis	790	10.6	9.7	1	4	7	14	22
Two or more diagnoses	605	16.8	15.4	3	5	11	22	38
With surgery	475	13.5	12.6	2	4	8	18	30
Without surgery	920	13.2	13.0	2	4	8	17	31
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	1,120	7.9	9.2	1	2	5	9	16
Age:								
65 to 74 years	625	7.3	9.3	1	2	4	8	15
75 to 84 years	380	8.5	9.3	1	3	5	9	18
85 years and over	115	8.9	7.6	1	2	8	12	16
One diagnosis	655	5.5	4.7	1	2	3	7	12
Two or more diagnoses	465	11.2	12.4	1	3	7	13	25
With surgery	785	7.7	9.8	1	2	4	8	16
Without surgery	335	8.1	7.3	1	2	6	10	17
FRACTURE OF FEMUR (820,821)								
Total	8,410	20.8	15.2	5	11	16	26	39
Age:								
65 to 74 years	2,400	20.4	14.6	5	11	16	26	39
75 to 84 years	3,855	21.4	15.7	5	11	17	27	41
85 years and over	2,155	20.1	14.9	4	10	16	26	37
One diagnosis	5,390	19.3	13.9	5	11	16	24	35
Two or more diagnoses	3,020	23.4	17.1	5	11	19	30	48
With surgery	6,295	21.7	14.0	*8	12	17	27	39
Without surgery	2,115	18.0	18.1	1	4	13	24	41
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	1,725	14.3	13.5	2	5	9	17	32
Age:								
65 to 74 years	1,135	13.1	12.2	2	5	9	16	27
75 to 84 years	510	16.4	14.8	3	6	11	20	35
85 years and over	80	18.4	17.7	2	4	12	25	48
One diagnosis	945	11.8	10.2	2	5	8	16	23
Two or more diagnoses	780	17.4	16.0	3	6	11	22	40
With surgery	1,055	14.3	13.5	3	5	9	17	32
Without surgery	670	14.3	13.3	2	4	10	20	30
SPRAINS OF BACK (846,847)								
Total	1,670	10.6	9.2	3	5	8	13	20
Age:								
65 to 74 years	990	9.7	7.9	3	4	7	12	18
75 to 84 years	590	11.7	10.8	2	5	8	15	22
85 years and over	90	13.9	8.5	3	6	12	19	25
One diagnosis	685	9.7	9.8	2	4	6	11	17
Two or more diagnoses	985	11.3	8.6	3	5	9	14	21
With surgery	35	15.4	9.4	5	7	10	20	28
Without surgery	1,635	10.5	9.1	3	5	8	12	20

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	1,060	10.4	11.0	1	3	6	14	22
Age:								
65 to 74 years	550	10.0	10.2	1	3	6	14	21
75 to 84 years	350	11.0	12.6	1	2	6	13	24
85 years and over	160	10.1	9.4	1	3	6	14	21
One diagnosis	330	9.3	11.4	1	2	5	12	18
Two or more diagnoses	730	10.9	10.7	1	3	7	14	24
With surgery	240	12.6	14.4	1	3	7	15	31
Without surgery	820	9.7	9.6	1	3	6	12	22
LACERATION AND OPEN WOUND (870-898)								
Total	1,535	9.0	9.6	1	3	6	11	19
Age:								
65 to 74 years	905	8.0	8.6	1	3	5	10	15
75 to 84 years	500	9.8	8.9	1	4	7	11	20
85 years and over	130	12.9	15.5	2	3	4	17	27
One diagnosis	525	8.4	11.6	1	2	5	9	16
Two or more diagnoses	1,010	9.3	8.4	2	3	6	11	19
With surgery	695	10.2	11.9	1	3	6	12	21
Without surgery	840	8.0	6.9	1	3	5	10	17
SUPERFICIAL INJURY (910-918)								
Total	245	9.1	7.4	1	3	6	13	20
Age:								
65 to 74 years	120	7.5	6.8	2	3	5	8	17
75 to 84 years	105	11.5	7.7	1	3	11	16	22
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	65	7.0	6.0	1	2	4	8	14
Two or more diagnoses	180	9.8	7.7	2	3	7	14	21
With surgery	20	*	*	*	*	*	*	*
Without surgery	225	8.4	6.6	1	3	6	12	19
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	2,525	10.0	8.8	2	4	7	12	20
Age:								
65 to 74 years	1,260	9.5	8.4	2	4	7	11	18
75 to 84 years	975	10.4	9.4	2	3	7	13	22
85 years and over	290	10.8	8.6	3	5	8	13	18
One diagnosis	650	9.0	9.8	1	3	6	10	17
Two or more diagnoses	1,875	10.3	8.4	2	4	7	13	20
With surgery	150	13.4	10.7	2	6	9	17	31
Without surgery	2,375	9.8	8.7	2	4	7	12	19
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	870	7.2	6.5	1	2	5	9	15
Age:								
65 to 74 years	545	7.5	7.1	1	2	5	9	18
75 to 84 years	275	6.5	4.8	1	2	5	9	13
85 years and over	50	7.0	6.4	1	2	3	11	15
One diagnosis	405	5.4	5.1	1	1	3	7	10
Two or more diagnoses	465	8.7	7.1	1	3	6	11	19
With surgery	30	17.2	13.7	7	7	8	22	37
Without surgery	840	6.8	5.7	1	2	5	9	14
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	1,030	10.3	9.6	2	4	7	12	22
Age:								
65 to 74 years	565	9.8	9.4	2	4	7	11	20
75 to 84 years	390	9.8	9.0	2	4	7	12	22
85 years and over	75	16.6	12.6	4	6	12	18	34
One diagnosis	590	8.2	6.2	2	3	6	10	15
Two or more diagnoses	440	13.1	12.4	2	4	9	16	27
With surgery	285	13.6	11.3	3	5	10	18	27
Without surgery	745	9.1	8.6	2	4	6	11	16

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	4,315	11.6	12.3	2	4	7	14	27
Age:								
65 to 74 years	2,295	11.4	11.7	2	4	7	14	27
75 to 84 years	1,700	12.0	13.5	1	3	7	14	27
85 years and over	320	11.1	10.0	2	4	7	14	25
One diagnosis	2,330	10.6	11.5	1	3	6	13	23
Two or more diagnoses	1,985	12.8	13.2	2	4	8	14	29
With surgery	720	15.7	14.9	2	5	10	21	36
Without surgery	3,595	10.8	11.6	2	3	6	13	25
HERPES ZOSTER (088)								
Total	1,135	12.2	10.2	3	5	9	14	23
Age:								
65 to 74 years	575	11.8	11.1	3	5	8	13	25
75 to 84 years	465	12.6	9.1	3	6	10	16	23
85 years and over	95	13.1	9.5	3	4	10	16	25
One diagnosis	570	11.5	10.0	2	4	9	14	22
Two or more diagnoses	565	12.9	10.3	3	5	10	16	25
With surgery	50	23.8	19.0	5	7	12	38	52
Without surgery	1,085	11.7	9.2	3	5	9	14	23
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	1,005	10.7	12.4	1	3	7	12	20
Age:								
65 to 74 years	605	9.6	11.4	1	3	6	11	17
75 to 84 years	320	12.9	13.8	2	4	8	15	23
85 years and over	80	10.6	12.6	3	4	7	10	13
One diagnosis	580	10.3	12.4	1	3	6	12	20
Two or more diagnoses	425	11.3	12.3	2	3	7	14	20
With surgery	635	9.9	11.2	1	3	7	11	17
Without surgery	370	12.2	14.1	1	3	6	15	23
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	435	14.2	14.2	1	3	9	22	30
Age:								
65 to 74 years	250	14.5	14.1	2	3	9	23	30
75 to 84 years	130	13.6	10.8	1	3	10	23	27
85 years and over	55	14.3	20.5	1	1	4	18	33
One diagnosis	285	13.6	13.7	1	3	9	21	29
Two or more diagnoses	150	15.3	15.1	1	3	7	24	31
With surgery	200	15.3	14.3	2	3	10	23	29
Without surgery	235	13.2	14.1	1	3	6	21	30
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	1,255	16.3	13.9	2	5	12	23	34
Age:								
65 to 74 years	545	18.3	14.7	3	8	13	25	38
75 to 84 years	560	15.6	13.6	2	5	11	23	34
85 years and over	150	12.2	10.8	1	2	10	17	29
One diagnosis	565	13.8	12.1	2	5	10	18	30
Two or more diagnoses	690	18.4	15.0	2	7	13	26	40
With surgery	440	22.5	14.3	6	12	20	29	46
Without surgery	815	13.0	12.6	1	4	9	16	30
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	3,580	17.0	14.2	2	6	14	22	34
Age:								
65 to 74 years	1,885	16.8	13.3	2	7	14	22	33
75 to 84 years	1,285	18.5	15.8	2	6	15	23	38
85 years and over	410	12.9	12.4	1	4	8	19	30
One diagnosis	1,570	14.4	12.5	1	4	12	19	30
Two or more diagnoses	2,010	19.0	15.1	4	8	15	24	38
With surgery	1,985	21.4	13.5	8	12	18	26	37
Without surgery	1,595	11.5	13.2	1	3	6	14	27
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	1,185	19.0	14.4	3	7	16	26	37
Age:								
65 to 74 years	625	18.1	13.4	3	6	15	26	38
75 to 84 years	420	19.7	14.5	4	7	19	26	33
85 years and over	140	21.3	17.3	2	6	17	30	39
One diagnosis	690	18.2	13.9	3	6	16	25	36
Two or more diagnoses	495	20.3	14.9	3	7	19	27	39
With surgery	735	22.0	13.0	6	13	20	28	38
Without surgery	450	14.1	15.2	1	3	9	19	35
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	830	16.5	14.3	3	6	12	21	34
Age:								
65 to 74 years	500	16.0	12.6	2	6	12	21	33
75 to 84 years	275	19.0	17.4	4	7	13	22	36
85 years and over	55	8.3	4.1	2	4	7	12	14
One diagnosis	390	15.4	12.2	2	5	11	21	34
Two or more diagnoses	440	17.4	15.8	3	7	13	21	34
With surgery	285	22.3	11.9	9	14	20	27	37
Without surgery	545	13.4	14.5	2	4	9	14	29
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	1,190	16.9	14.7	2	5	13	23	36
Age:								
65 to 74 years	625	17.2	15.5	2	5	13	22	37
75 to 84 years	455	17.5	14.2	2	5	14	24	36
85 years and over	110	12.2	10.1	2	4	7	17	26
One diagnosis	630	15.8	14.9	2	5	12	20	35
Two or more diagnoses	560	18.1	14.3	2	6	14	28	37
With surgery	460	22.4	14.1	7	13	19	28	38
Without surgery	730	13.4	14.0	1	3	8	18	33
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	4,050	14.7	13.9	2	5	10	19	33
Age:								
65 to 74 years	2,800	14.7	13.8	2	5	10	18	33
75 to 84 years	1,120	14.2	14.0	1	4	9	20	31
85 years and over	130	17.9	16.3	3	6	10	23	33
One diagnosis	2,035	14.6	14.1	2	4	10	18	33
Two or more diagnoses	2,015	14.8	13.7	2	5	10	20	33
With surgery	1,590	16.2	14.0	2	6	12	21	34
Without surgery	2,460	13.7	13.8	1	4	8	18	32
MALIGNANT NEOPLASM OF BREAST (170)								
Total	2,690	14.1	11.7	3	7	11	16	27
Age:								
65 to 74 years	1,740	14.0	12.1	3	6	11	16	25
75 to 84 years	780	13.9	10.2	4	7	10	16	28
85 years and over	170	16.4	13.3	2	7	13	20	34
One diagnosis	1,330	12.6	9.5	4	7	10	15	22
Two or more diagnoses	1,360	15.6	13.3	3	6	12	19	33
With surgery	1,685	13.3	9.4	4	7	11	16	20
Without surgery	1,005	15.5	14.7	2	5	11	22	34
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	1,340	11.4	11.9	2	4	7	13	26
Age:								
65 to 74 years	850	11.9	13.0	2	4	7	14	28
75 to 84 years	420	9.8	8.3	2	4	7	12	21
85 years and over	70	16.4	14.3	1	4	9	30	36
One diagnosis	845	9.6	9.5	2	3	6	10	21
Two or more diagnoses	495	14.7	14.5	2	5	9	18	31
With surgery	820	11.1	10.4	3	4	7	13	25
Without surgery	520	12.0	14.0	1	3	7	13	28
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	865	13.3	13.3	3	5	9	15	25
Age:								
65 to 74 years	565	13.0	14.4	3	5	9	14	24
75 to 84 years	235	13.7	11.7	3	6	10	16	26
85 years and over	65	14.0	9.4	4	6	12	16	29
One diagnosis	555	10.6	9.3	3	4	8	12	17
Two or more diagnoses	310	18.1	17.5	3	6	11	22	44
With surgery	680	12.0	10.0	3	5	9	14	23
Without surgery	185	17.9	20.9	2	4	10	18	52
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	555	16.6	14.1	4	7	12	20	37
Age:								
65 to 74 years	350	15.6	13.7	4	6	12	19	35
75 to 84 years	185	18.7	15.2	3	9	13	26	40
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	210	17.8	14.2	3	8	12	21	41
Two or more diagnoses	345	15.9	14.0	3	6	12	19	35
With surgery	245	21.8	15.3	8	11	16	29	42
Without surgery	310	12.5	11.5	2	5	9	16	23

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	4,455	13.0	11.4	2	5	9	16	27
Age:								
65 to 74 years	2,135	11.9	10.2	2	5	8	15	25
75 to 84 years	1,850	13.8	12.5	3	5	10	17	28
85 years and over	470	15.2	11.8	2	7	13	18	29
One diagnosis	2,015	11.5	9.1	2	5	9	14	21
Two or more diagnoses	2,440	14.3	13.0	2	5	10	18	30
With surgery	2,160	14.0	11.4	4	7	11	16	27
Without surgery	2,295	12.1	11.4	2	4	8	15	27
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	380	14.4	11.7	2	5	11	19	29
Age:								
65 to 74 years	220	13.5	9.6	2	5	11	19	23
75 to 84 years	120	17.3	13.6	3	6	12	21	42
85 years and over	40	11.4	13.9	1	1	5	13	27
One diagnosis	175	12.8	8.8	1	4	12	19	21
Two or more diagnoses	205	15.9	13.5	3	5	11	19	40
With surgery	170	16.6	10.7	4	9	16	20	26
Without surgery	210	12.7	12.1	1	3	8	16	35
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	2,045	11.7	12.3	2	4	7	14	25
Age:								
65 to 74 years	1,130	11.6	12.8	2	4	7	13	24
75 to 84 years	730	10.7	10.1	1	4	6	14	24
85 years and over	185	16.5	15.2	3	7	10	20	33
One diagnosis	1,310	10.2	9.7	2	3	6	12	23
Two or more diagnoses	735	14.4	15.5	2	4	9	17	29
With surgery	1,400	10.5	10.6	2	4	7	12	21
Without surgery	645	14.4	14.9	1	3	9	19	32
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	2,905	6.9	8.3	1	2	4	8	14
Age:								
65 to 74 years	1,485	6.9	8.4	1	2	3	8	15
75 to 84 years	990	6.7	8.2	1	2	4	7	13
85 years and over	430	7.8	7.7	1	2	5	12	16
One diagnosis	1,705	5.9	7.1	1	1	3	7	13
Two or more diagnoses	1,200	8.4	9.5	1	2	5	10	18
With surgery	2,330	6.0	6.3	1	2	3	7	13
Without surgery	575	10.7	13.0	1	2	5	13	22
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	4,240	14.1	13.9	2	4	9	18	30
Age:								
65 to 74 years	2,690	13.6	13.0	1	4	9	18	30
75 to 84 years	1,295	15.0	15.4	2	5	10	18	32
85 years and over	255	14.4	14.0	1	3	11	20	27
One diagnosis	2,570	13.0	12.8	1	3	8	18	28
Two or more diagnoses	1,670	15.6	15.1	2	5	11	19	33
With surgery	1,335	15.8	13.9	2	5	11	22	32
Without surgery	2,905	13.3	13.7	2	4	8	17	29
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	655	15.2	13.7	3	5	10	21	31
Age:								
65 to 74 years	390	13.6	12.6	2	5	9	19	28
75 to 84 years	225	16.6	15.3	4	6	11	22	33
85 years and over	40	22.6	10.9	4	12	20	30	36
One diagnosis	405	14.5	13.2	3	5	11	19	29
Two or more diagnoses	250	16.3	14.5	3	5	10	25	33
With surgery	205	17.4	11.6	4	7	14	26	31
Without surgery	450	14.2	14.4	2	5	10	18	30
LEUKEMIA AND ALEUKEMIA (204)								
Total	1,590	11.6	12.1	1	3	7	14	26
Age:								
65 to 74 years	855	11.5	11.4	1	3	7	15	25
75 to 84 years	605	11.1	12.5	1	3	6	12	25
85 years and over	130	13.9	14.3	2	3	7	17	31
One diagnosis	770	10.1	10.3	1	3	6	12	23
Two or more diagnoses	820	13.0	13.4	2	3	8	17	29
With surgery	110	11.3	12.0	1	3	8	12	22
Without surgery	1,480	11.6	12.1	1	3	7	14	26
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	1,255	14.4	13.6	2	4	10	20	32
Age:								
65 to 74 years	795	15.8	14.6	2	5	11	23	35
75 to 84 years	415	11.6	11.2	1	3	7	15	29
85 years and over	45	15.7	10.5	1	5	15	21	25
One diagnosis	675	13.3	12.3	2	4	9	19	28
Two or more diagnoses	580	15.7	14.8	2	4	10	23	34
With surgery	225	16.3	12.3	3	5	12	25	33
Without surgery	1,030	14.0	13.8	2	4	9	19	31
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	500	9.9	8.7	1	3	7	14	20
Age:								
65 to 74 years	365	10.3	9.1	1	3	7	15	20
75 to 84 years	130	8.8	7.6	2	3	6	10	16
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	250	8.5	5.7	1	3	6	13	16
Two or more diagnoses	250	11.4	10.7	1	3	7	16	26
With surgery	320	12.7	9.3	2	5	11	16	24
Without surgery	180	5.0	4.4	1	2	3	5	11
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	345	10.1	14.2	1	3	5	12	18
Age:								
65 to 74 years	230	8.2	10.8	1	2	5	9	16
75 to 84 years	105	13.4	19.6	2	3	6	13	22
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	175	8.5	14.7	1	2	4	8	16
Two or more diagnoses	170	11.8	13.5	2	4	7	13	23
With surgery	250	12.2	15.8	2	4	6	14	20
Without surgery	95	4.8	6.2	1	1	2	4	8
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	675	9.9	8.2	1	2	8	13	20
Age:								
65 to 74 years	550	9.9	8.4	1	3	8	12	20
75 to 84 years	85	8.8	6.8	1	2	8	15	18
85 years and over	40	12.0	8.6	3	3	10	15	23
One diagnosis	300	6.1	5.6	1	2	3	8	13
Two or more diagnoses	375	12.9	8.7	3	7	11	16	24
With surgery	605	10.1	8.4	2	3	8	13	21
Without surgery	70	7.9	6.3	1	2	7	11	18
LIPOMA (226)								
Total	675	5.5	6.6	1	2	3	5	10
Age:								
65 to 74 years	530	5.2	6.5	1	2	3	5	8
75 to 84 years	125	6.8	7.4	1	1	4	9	14
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	445	4.5	6.2	1	2	3	4	7
Two or more diagnoses	230	7.4	7.0	1	2	5	9	18
With surgery	610	5.3	6.4	1	2	3	5	9
Without surgery	65	7.2	8.4	2	2	3	5	22
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	700	7.0	5.9	1	2	4	9	16
Age:								
65 to 74 years	430	6.7	6.4	1	2	4	8	17
75 to 84 years	235	7.1	4.7	1	3	6	10	13
85 years and over	35	10.0	6.7	2	4	9	10	17
One diagnosis	600	6.4	5.7	1	2	4	8	13
Two or more diagnoses	100	10.2	6.6	2	3	9	16	18
With surgery	605	7.0	5.9	1	2	5	9	15
Without surgery	95	6.7	6.0	1	1	4	11	17
ASTHMA (241)								
Total	2,495	9.6	8.5	2	4	7	11	19
Age:								
65 to 74 years	1,640	9.4	7.9	2	4	7	11	19
75 to 84 years	760	10.2	9.6	2	4	8	12	20
85 years and over	95	8.2	6.9	2	3	7	10	14
One diagnosis	1,065	8.9	7.9	1	4	6	10	19
Two or more diagnoses	1,430	10.2	8.8	3	4	8	12	19
With surgery	60	18.5	12.9	4	7	17	23	29
Without surgery	2,435	9.4	8.2	2	4	7	11	18

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	1,135	9.5	8.5	3	4	7	11	16
Age:								
65 to 74 years	845	8.9	7.1	3	4	6	10	15
75 to 84 years	260	11.8	12.0	3	6	8	12	21
85 years and over	30	6.7	6.1	2	3	4	6	14
One diagnosis	540	7.9	4.5	3	5	6	9	13
Two or more diagnoses	595	11.0	10.8	3	4	7	12	21
With surgery	525	8.9	5.3	4	5	7	10	13
Without surgery	610	10.1	10.5	2	4	7	11	20
DIABETES MELLITUS (260)								
Total	15,530	11.1	9.6	2	5	8	13	21
Age:								
65 to 74 years	9,080	10.6	9.0	2	4	8	13	20
75 to 84 years	5,450	11.7	10.3	2	5	8	14	23
85 years and over	1,000	12.2	11.0	3	5	9	14	27
One diagnosis	4,550	10.0	8.5	2	4	7	12	19
Two or more diagnoses	10,980	11.5	10.0	3	5	8	14	22
With surgery	1,540	19.0	14.4	5	9	14	25	39
Without surgery	13,990	10.2	8.5	2	4	8	12	19
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	955	11.9	10.9	2	5	8	14	28
Age:								
65 to 74 years	370	11.1	10.6	2	4	7	14	25
75 to 84 years	430	11.7	11.0	2	5	8	12	27
85 years and over	155	14.2	11.0	2	4	11	17	32
One diagnosis	345	11.1	9.2	2	4	8	15	26
Two or more diagnoses	610	12.3	11.7	2	5	8	14	28
With surgery	60	17.7	13.6	4	7	11	27	32
Without surgery	895	11.5	10.6	2	4	7	14	27
GOUT (288)								
Total	645	9.8	9.6	2	4	7	11	20
Age:								
65 to 74 years	340	8.0	6.1	2	3	6	9	18
75 to 84 years	255	11.5	12.5	3	4	8	12	20
85 years and over	50	13.1	9.4	3	5	8	19	24
One diagnosis	265	8.1	11.5	2	3	5	8	15
Two or more diagnoses	380	11.0	7.8	3	5	8	15	21
With surgery	35	18.0	6.9	7	11	17	21	25
Without surgery	610	9.3	9.5	2	4	7	10	19
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	580	10.4	7.4	2	5	8	14	21
Age:								
65 to 74 years	180	9.2	6.6	2	4	7	10	19
75 to 84 years	305	11.1	7.9	2	5	8	15	22
85 years and over	95	10.5	6.9	3	4	8	13	19
One diagnosis	265	8.7	4.9	2	4	8	12	16
Two or more diagnoses	315	11.9	8.8	2	5	8	16	24
With surgery	35	14.7	4.2	8	11	13	17	20
Without surgery	545	10.1	7.5	2	4	8	13	21
IRON DEFICIENCY ANEMIAS (291)								
Total	1,330	9.9	7.1	2	4	8	13	19
Age:								
65 to 74 years	635	9.7	6.6	2	4	8	12	19
75 to 84 years	565	9.9	7.7	2	4	8	13	19
85 years and over	130	10.8	7.1	3	6	8	14	19
One diagnosis	410	8.1	5.6	1	3	7	10	16
Two or more diagnoses	920	10.7	7.6	3	5	8	14	20
With surgery	160	12.8	8.9	3	8	10	16	21
Without surgery	1,170	9.5	6.8	2	4	7	12	19
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	4,925	9.5	8.7	1	3	7	12	19
Age:								
65 to 74 years	1,975	9.1	8.5	1	3	6	12	19
75 to 84 years	2,180	9.9	9.1	1	3	7	13	19
85 years and over	770	9.2	8.2	2	3	6	11	19
One diagnosis	2,210	9.1	8.5	1	3	6	12	19
Two or more diagnoses	2,715	9.8	8.9	2	3	7	12	20
With surgery	365	16.4	11.0	5	8	13	21	31
Without surgery	4,560	8.9	8.3	1	3	6	11	18
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	2,290	14.8	13.8	2	5	10	20	34
Age:								
65 to 74 years	820	15.2	13.8	2	5	10	20	35
75 to 84 years	1,100	15.1	14.4	2	5	10	20	35
85 years and over	370	13.3	11.7	2	4	9	17	28
One diagnosis	830	14.8	13.7	2	4	10	19	39
Two or more diagnoses	1,460	14.9	13.8	2	5	10	20	32
With surgery	95	19.4	12.0	5	11	16	21	42
Without surgery	2,195	14.6	13.8	2	4	9	19	33
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	930	15.7	15.1	2	4	10	22	34
Age:								
65 to 74 years	695	16.3	15.7	2	4	10	24	34
75 to 84 years	220	14.2	13.3	3	5	9	17	30
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	540	15.6	14.7	2	3	11	24	34
Two or more diagnoses	390	15.7	15.6	3	5	10	20	35
With surgery	35	29.0	23.2	1	3	23	44	59
Without surgery	895	15.2	14.4	2	4	10	20	33
PSYCHONEUROTIC DISORDERS (324)								
Total	3,065	12.8	12.4	2	3	8	16	30
Age:								
65 to 74 years	2,175	13.0	12.2	2	4	9	17	31
75 to 84 years	795	12.2	12.6	2	4	8	15	27
85 years and over	95	12.5	15.5	1	1	5	14	28
One diagnosis	1,670	14.4	14.0	2	4	9	20	33
Two or more diagnoses	1,395	10.8	9.9	2	3	8	13	23
With surgery	115	17.9	12.1	3	9	14	25	32
Without surgery	2,950	12.6	12.4	2	3	8	16	30
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	17,325	14.4	14.5	1	4	9	18	33
Age:								
65 to 74 years	6,615	13.9	13.9	1	4	9	17	31
75 to 84 years	7,855	14.5	14.8	1	4	9	19	34
85 years and over	2,855	14.8	15.1	1	4	9	20	34
One diagnosis	9,660	13.4	14.1	1	3	8	17	31
Two or more diagnoses	7,665	15.6	14.9	2	5	10	20	36
With surgery	520	22.8	19.1	3	9	16	30	54
Without surgery	16,805	14.1	14.3	1	4	9	18	32
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	4,400	14.4	13.3	2	4	10	19	31
Age:								
65 to 74 years	1,825	14.6	13.6	2	5	10	19	31
75 to 84 years	1,865	14.0	12.4	1	4	10	19	31
85 years and over	710	14.7	14.7	1	4	10	19	28
One diagnosis	1,820	14.1	13.6	1	4	10	19	32
Two or more diagnoses	2,580	14.5	13.1	2	5	10	19	30
With surgery	265	21.6	16.9	3	10	18	27	42
Without surgery	4,135	13.9	12.9	2	4	10	18	30
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	8,595	10.6	11.2	2	4	7	12	22
Age:								
65 to 74 years	3,505	9.7	9.6	2	3	7	12	20
75 to 84 years	3,980	11.2	12.0	2	4	7	13	23
85 years and over	1,110	11.7	12.2	2	4	7	14	25
One diagnosis	3,570	9.3	9.9	2	3	6	10	20
Two or more diagnoses	5,025	11.6	11.8	2	4	7	14	24
With surgery	685	16.2	13.3	4	7	11	20	33
Without surgery	7,910	10.2	10.8	2	3	6	12	21
PARALYSIS AGITANS (350)								
Total	1,750	14.3	13.0	3	6	10	18	30
Age:								
65 to 74 years	1,085	14.4	13.7	4	6	10	17	29
75 to 84 years	590	14.3	12.0	3	6	9	19	30
85 years and over	75	14.7	9.8	4	5	12	20	27
One diagnosis	670	14.3	11.7	4	6	11	18	26
Two or more diagnoses	1,080	14.3	13.8	3	5	9	17	31
With surgery	95	21.0	16.6	4	8	15	27	47
Without surgery	1,655	14.0	12.7	3	6	9	17	29

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	2,395	9.4	8.0	2	4	7	11	17
Age:								
65 to 74 years	1,435	9.3	7.9	2	4	7	11	16
75 to 84 years	790	9.8	8.5	2	4	7	12	20
85 years and over	170	8.9	6.4	3	4	7	10	16
One diagnosis	1,365	9.1	8.0	2	3	6	11	17
Two or more diagnoses	1,030	9.8	7.9	2	4	8	11	17
With surgery	315	10.1	7.3	3	5	8	13	16
Without surgery	2,080	9.3	8.1	2	4	7	11	17
CATARACT (385)								
Total	15,575	7.7	4.7	3	5	6	8	12
Age:								
65 to 74 years	8,145	7.5	4.4	3	5	6	8	12
75 to 84 years	6,400	7.9	4.9	4	5	6	8	13
85 years and over	1,030	8.5	5.7	4	5	6	9	15
One diagnosis	12,660	7.5	4.5	3	5	6	8	12
Two or more diagnoses	2,915	8.5	5.6	4	5	6	9	15
With surgery	14,845	7.7	4.6	4	5	6	8	12
Without surgery	730	7.7	7.1	1	2	5	10	16
GLAUCOMA (387)								
Total	1,305	8.1	5.5	2	4	6	10	14
Age:								
65 to 74 years	775	7.8	4.9	2	4	6	10	14
75 to 84 years	430	7.7	5.4	2	4	6	9	14
85 years and over	100	11.7	7.9	4	5	8	14	23
One diagnosis	830	7.8	4.9	2	4	6	10	14
Two or more diagnoses	475	8.7	6.2	2	5	6	11	15
With surgery	1,050	8.7	5.7	3	4	7	11	15
Without surgery	255	5.7	3.0	2	3	5	7	10
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	465	11.3	9.1	2	4	8	15	25
Age:								
65 to 74 years	350	11.0	7.8	2	4	8	15	22
75 to 84 years	90	9.5	7.0	2	4	7	12	19
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	135	12.9	9.3	2	4	10	17	27
Two or more diagnoses	330	10.7	8.9	2	4	8	14	21
With surgery	100	15.3	9.7	2	6	13	23	27
Without surgery	365	10.2	8.6	2	4	7	14	19
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	23,975	10.9	10.3	2	4	7	13	22
Age:								
65 to 74 years	9,950	10.5	10.2	2	4	7	12	21
75 to 84 years	10,225	11.0	10.3	2	4	8	13	22
85 years and over	3,800	11.4	10.7	2	4	8	14	23
One diagnosis	7,810	9.7	9.4	2	3	7	12	20
Two or more diagnoses	16,165	11.4	10.7	2	4	8	14	23
With surgery	1,105	16.9	13.2	4	7	13	21	35
Without surgery	22,870	10.6	10.1	2	4	7	13	21
ACUTE CORONARY OCCLUSION (420.1)								
Total	14,915	14.5	11.7	1	4	13	21	28
Age:								
65 to 74 years	8,185	15.2	11.4	1	5	14	21	28
75 to 84 years	5,475	13.6	11.8	1	3	11	20	28
85 years and over	1,255	13.5	13.0	1	2	10	20	30
One diagnosis	8,780	14.1	11.2	1	4	13	20	27
Two or more diagnoses	6,135	15.0	12.3	1	4	12	21	30
With surgery	340	20.6	17.1	2	8	17	27	43
Without surgery	14,575	14.4	11.5	1	4	13	20	28
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	21,220	10.3	9.3	2	4	7	13	21
Age:								
65 to 74 years	11,475	9.6	8.1	2	4	7	12	20
75 to 84 years	7,780	11.0	10.2	2	4	7	13	23
85 years and over	1,965	11.7	10.9	2	4	8	14	25
One diagnosis	8,600	9.6	8.9	2	3	6	12	20
Two or more diagnoses	12,620	10.9	9.4	2	4	8	13	22
With surgery	675	18.0	14.3	3	7	14	23	39
Without surgery	20,545	10.1	8.9	2	4	7	13	21
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	1,665	11.1	10.8	2	4	7	14	21
Age:								
65 to 74 years	795	10.2	9.8	2	4	7	12	19
75 to 84 years	645	11.5	10.9	2	4	7	15	26
85 years and over	225	13.3	13.2	3	4	8	16	29
One diagnosis	515	8.6	8.1	2	4	6	10	17
Two or more diagnoses	1,150	12.3	11.6	2	4	8	15	26
With surgery	55	22.7	20.9	2	6	13	29	54
Without surgery	1,610	10.7	10.0	2	4	7	13	21
FUNCTIONAL DISEASE OF HEART (433)								
Total	5,435	9.5	9.0	1	3	7	12	21
Age:								
65 to 74 years	2,825	8.9	8.4	1	3	6	11	19
75 to 84 years	2,215	9.7	8.8	1	3	7	13	20
85 years and over	395	13.4	12.8	2	5	9	16	26
One diagnosis	2,190	8.6	8.0	1	3	6	11	18
Two or more diagnoses	3,245	10.2	9.5	2	3	7	13	22
With surgery	580	13.3	8.9	4	7	11	16	26
Without surgery	4,855	9.1	8.9	1	3	6	11	20
CONGESTIVE HEART FAILURE (434.1)								
Total	15,385	11.9	11.0	2	4	8	15	25
Age:								
65 to 74 years	6,235	11.6	10.6	2	4	8	14	24
75 to 84 years	6,655	12.1	11.0	2	4	8	15	25
85 years and over	2,495	12.4	11.5	2	4	9	15	26
One diagnosis	7,690	10.9	10.2	2	4	8	13	23
Two or more diagnoses	7,695	12.9	11.5	2	5	9	16	27
With surgery	460	21.3	14.7	6	10	17	27	42
Without surgery	14,925	11.6	10.7	2	4	8	14	24
HYPERTENSIVE HEART DISEASE (442,443)								
Total	9,180	10.6	9.7	2	4	7	13	20
Age:								
65 to 74 years	4,570	10.0	8.8	2	4	7	12	19
75 to 84 years	3,620	10.9	9.5	3	5	8	13	21
85 years and over	990	12.8	13.3	2	4	8	15	27
One diagnosis	2,165	9.8	9.9	2	4	6	11	18
Two or more diagnoses	7,015	10.9	9.6	2	4	8	13	21
With surgery	375	13.2	9.9	4	6	10	17	28
Without surgery	8,805	10.5	9.7	2	4	7	12	20
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	8,945	9.2	8.9	2	3	6	11	18
Age:								
65 to 74 years	5,315	8.5	7.7	2	3	6	10	17
75 to 84 years	2,970	10.2	10.0	2	3	7	12	20
85 years and over	660	10.9	11.4	2	3	7	13	23
One diagnosis	3,340	7.4	7.0	1	3	5	9	15
Two or more diagnoses	5,605	10.3	9.7	2	4	7	12	21
With surgery	460	17.1	13.3	4	8	12	21	37
Without surgery	8,485	8.8	8.4	2	3	6	10	17
GENERAL ARTERIOSCLEROSIS (450)								
Total	9,200	12.3	11.8	2	4	8	15	26
Age:								
65 to 74 years	3,155	12.1	12.0	2	4	8	15	25
75 to 84 years	4,070	12.0	11.1	2	4	8	15	26
85 years and over	1,975	13.4	12.8	2	4	9	17	28
One diagnosis	2,370	11.1	10.4	2	4	8	13	23
Two or more diagnoses	6,830	12.8	12.2	2	4	9	16	28
With surgery	1,455	19.1	13.5	5	9	15	24	37
Without surgery	7,745	11.1	11.0	2	4	7	13	23
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	1,130	11.0	11.1	1	2	9	14	21
Age:								
65 to 74 years	685	11.8	11.5	1	2	10	15	22
75 to 84 years	390	9.9	10.8	1	2	6	14	20
85 years and over	55	8.9	5.3	1	3	9	11	12
One diagnosis	655	9.5	7.5	1	2	9	13	19
Two or more diagnoses	475	13.1	14.4	1	3	9	16	29
With surgery	550	14.7	10.4	4	9	13	17	24
Without surgery	580	7.5	10.5	1	1	3	9	16

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	995	13.3	11.9	2	4	10	18	27
Age:								
65 to 74 years	640	13.8	12.7	2	4	10	17	29
75 to 84 years	290	12.2	9.9	1	4	9	19	21
85 years and over	65	14.0	11.1	1	6	10	18	25
One diagnosis	585	12.1	10.1	2	4	9	16	22
Two or more diagnoses	410	15.2	13.7	1	4	11	20	34
With surgery	630	15.7	11.0	4	8	13	20	28
Without surgery	365	9.3	12.3	1	2	4	9	25
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	710	22.7	17.7	6	10	17	30	45
Age:								
65 to 74 years	320	26.0	20.0	5	10	21	35	49
75 to 84 years	255	21.1	16.9	5	9	15	28	46
85 years and over	135	18.0	10.1	7	10	14	23	32
One diagnosis	405	22.0	17.2	6	10	15	31	46
Two or more diagnoses	305	23.6	18.3	4	10	20	30	45
With surgery	465	24.0	17.0	7	11	19	30	44
Without surgery	245	20.3	18.6	3	7	13	25	44
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	1,360	13.3	12.4	3	5	8	16	29
Age:								
65 to 74 years	840	10.9	10.3	3	5	7	11	23
75 to 84 years	445	17.9	14.6	4	8	12	25	34
85 years and over	75	12.7	11.4	2	5	10	14	20
One diagnosis	750	12.3	12.1	3	5	8	15	25
Two or more diagnoses	610	14.5	12.5	3	6	9	19	31
With surgery	670	11.1	9.5	3	5	7	13	25
Without surgery	690	15.4	14.3	3	6	10	18	34
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	2,390	8.9	6.9	2	4	7	10	16
Age:								
65 to 74 years	1,675	8.7	7.0	2	4	7	10	15
75 to 84 years	650	9.5	6.6	2	4	8	11	19
85 years and over	65	6.5	3.9	2	3	5	7	10
One diagnosis	1,315	8.7	5.7	2	4	7	10	15
Two or more diagnoses	1,075	9.2	7.9	2	4	7	10	18
With surgery	1,765	10.0	6.6	3	5	8	11	18
Without surgery	625	5.8	6.6	1	2	4	7	10
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	2,080	11.2	7.9	3	6	9	14	19
Age:								
65 to 74 years	1,250	10.4	7.5	3	5	9	12	17
75 to 84 years	745	12.4	8.3	3	6	10	16	22
85 years and over	85	12.7	7.2	3	7	12	16	19
One diagnosis	1,245	10.3	6.6	3	5	8	13	18
Two or more diagnoses	835	12.7	9.2	4	6	10	15	20
With surgery	130	13.0	14.8	3	5	9	14	20
Without surgery	1,950	11.1	7.1	3	6	9	14	19
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	1,235	12.4	9.9	4	6	9	15	23
Age:								
65 to 74 years	675	11.3	9.1	4	5	8	13	20
75 to 84 years	460	14.2	11.4	4	7	11	17	24
85 years and over	100	11.3	5.9	2	6	11	14	18
One diagnosis	855	12.0	9.4	4	6	9	14	23
Two or more diagnoses	380	13.4	11.0	4	6	10	16	25
With surgery	65	16.4	8.2	7	9	13	19	29
Without surgery	1,170	12.2	10.0	4	6	9	14	23
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	1,060	13.7	10.8	1	6	11	18	27
Age:								
65 to 74 years	545	14.1	11.5	2	6	11	18	29
75 to 84 years	440	13.1	8.6	2	7	11	17	25
85 years and over	75	13.9	15.7	1	1	7	19	33
One diagnosis	370	11.2	9.9	1	5	8	15	21
Two or more diagnoses	690	15.0	11.0	2	7	12	20	29
With surgery	135	17.8	13.8	3	6	14	24	37
Without surgery	925	13.1	10.1	1	6	11	16	25
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	5,310	8.3	6.6	2	4	6	10	14
Age:								
65 to 74 years	2,910	7.8	6.0	2	4	6	9	14
75 to 84 years	1,880	8.6	6.9	3	4	7	10	14
85 years and over	520	9.9	7.6	3	5	7	13	20
One diagnosis	1,910	7.2	4.9	2	3	5	9	13
Two or more diagnoses	3,400	8.9	7.2	3	4	7	10	15
With surgery	205	11.8	13.5	2	3	9	13	20
Without surgery	5,105	8.2	6.0	3	4	6	10	14
INFLUENZA (480-483)								
Total	9,760	9.0	7.1	3	4	7	10	16
Age:								
65 to 74 years	5,645	8.1	6.0	3	4	6	9	14
75 to 84 years	3,335	10.0	7.9	3	5	7	12	19
85 years and over	780	11.0	9.6	3	5	8	12	22
One diagnosis	5,700	7.8	5.7	2	4	6	9	13
Two or more diagnoses	4,060	10.6	8.4	3	5	8	13	20
With surgery	165	16.3	13.1	4	9	13	17	30
Without surgery	9,595	8.8	6.9	3	4	7	10	16
LOBAR PNEUMONIA (490)								
Total	765	13.0	9.9	3	6	10	15	27
Age:								
65 to 74 years	340	13.1	11.9	2	5	10	14	29
75 to 84 years	320	13.1	8.6	4	7	11	17	25
85 years and over	105	12.6	6.4	5	8	11	15	18
One diagnosis	410	11.6	8.0	3	6	10	14	22
Two or more diagnoses	355	14.7	11.6	3	7	12	17	29
With surgery	25	*	*	*	*	*	*	*
Without surgery	740	13.0	9.8	3	6	10	15	26
BRONCHOPNEUMONIA (491)								
Total	5,565	11.2	9.5	3	5	8	13	21
Age:								
65 to 74 years	2,600	10.2	7.7	3	5	8	12	17
75 to 84 years	2,095	11.6	9.4	3	5	8	13	22
85 years and over	870	12.9	13.7	2	4	8	17	28
One diagnosis	2,415	9.5	7.7	3	5	7	11	17
Two or more diagnoses	3,150	12.4	10.6	3	6	9	15	23
With surgery	145	20.5	16.4	3	10	16	25	36
Without surgery	5,420	10.9	9.2	3	5	8	13	20
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	5,350	10.2	7.5	3	5	8	12	18
Age:								
65 to 74 years	2,685	9.5	6.9	3	5	7	11	17
75 to 84 years	2,070	11.1	8.2	3	5	8	13	21
85 years and over	595	10.3	8.1	3	6	8	12	15
One diagnosis	2,270	8.9	6.2	3	4	7	10	15
Two or more diagnoses	3,080	11.1	8.3	3	5	8	13	20
With surgery	235	17.4	10.5	8	10	14	22	29
Without surgery	5,115	9.9	7.3	3	5	7	12	17
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	10,370	11.7	10.0	3	5	9	13	22
Age:								
65 to 74 years	4,825	11.1	8.9	3	5	8	13	20
75 to 84 years	3,750	11.9	10.1	3	5	9	14	23
85 years and over	1,795	13.0	12.4	2	5	9	15	29
One diagnosis	5,400	10.4	8.7	3	5	8	12	19
Two or more diagnoses	4,970	13.1	11.2	3	6	10	15	27
With surgery	465	18.7	13.5	5	9	14	27	35
Without surgery	9,905	11.4	9.7	3	5	8	13	21
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	4,950	8.6	5.9	3	4	7	10	15
Age:								
65 to 74 years	2,895	8.3	5.6	3	4	6	10	15
75 to 84 years	1,665	8.7	6.0	2	4	7	11	15
85 years and over	390	10.2	7.4	3	5	8	10	20
One diagnosis	2,045	7.8	5.2	2	4	6	9	13
Two or more diagnoses	2,905	9.2	6.2	3	5	7	11	16
With surgery	75	11.9	6.0	3	7	10	16	19
Without surgery	4,875	8.5	5.8	3	4	7	10	15

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	4,190	8.9	7.1	3	4	7	10	16
Age:								
65 to 74 years	2,400	8.2	5.6	3	4	6	10	14
75 to 84 years	1,430	10.0	8.8	3	4	7	12	18
85 years and over	360	9.6	8.2	2	4	7	12	16
One diagnosis	2,030	8.0	6.2	2	4	6	9	14
Two or more diagnoses	2,160	9.8	7.9	3	5	7	12	17
With surgery	250	12.5	11.0	2	4	8	15	27
Without surgery	3,940	8.7	6.8	3	4	7	10	15
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	2,550	10.1	8.6	3	5	7	12	18
Age:								
65 to 74 years	1,585	9.6	8.0	3	5	7	11	16
75 to 84 years	865	10.8	9.5	3	5	8	12	20
85 years and over	100	12.2	8.1	2	6	10	16	22
One diagnosis	1,055	8.9	7.5	3	5	7	10	15
Two or more diagnoses	1,495	10.9	9.2	3	5	8	13	20
With surgery	105	9.6	5.2	4	6	8	11	13
Without surgery	2,445	10.1	8.7	3	5	7	12	18
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	1,055	9.5	8.2	3	4	7	10	17
Age:								
65 to 74 years	695	8.7	7.6	2	4	6	9	15
75 to 84 years	280	11.1	9.1	4	6	8	12	20
85 years and over	80	10.9	8.5	2	5	8	12	19
One diagnosis	440	8.1	5.7	2	4	7	10	14
Two or more diagnoses	615	10.5	9.5	3	5	7	10	20
With surgery	110	8.0	5.7	3	3	5	10	18
Without surgery	945	9.7	8.4	3	5	7	10	16
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	990	10.6	9.3	1	4	8	14	20
Age:								
65 to 74 years	470	10.0	7.8	1	4	7	14	21
75 to 84 years	375	10.8	9.1	2	4	8	14	20
85 years and over	145	11.9	13.3	2	4	9	13	18
One diagnosis	390	10.1	10.1	1	3	6	14	19
Two or more diagnoses	600	10.9	8.7	2	4	8	14	21
With surgery	45	16.8	15.7	1	3	12	23	31
Without surgery	945	10.3	8.8	2	4	8	14	19
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	7,415	10.3	9.3	2	4	7	12	20
Age:								
65 to 74 years	4,570	10.3	9.3	2	4	7	12	21
75 to 84 years	2,430	10.4	9.4	2	4	7	12	19
85 years and over	415	10.0	8.9	2	4	6	14	21
One diagnosis	2,655	9.6	9.2	2	4	7	12	18
Two or more diagnoses	4,760	10.7	9.3	2	4	7	13	21
With surgery	365	13.8	10.7	2	5	11	19	27
Without surgery	7,050	10.1	9.2	2	4	7	12	20
DISEASES OF ESOPHAGUS (539)								
Total	1,675	8.0	9.0	1	2	5	9	18
Age:								
65 to 74 years	860	7.1	7.1	1	2	5	8	15
75 to 84 years	685	8.8	11.0	1	2	5	10	20
85 years and over	130	9.2	8.2	1	2	6	13	22
One diagnosis	840	7.1	7.6	1	2	4	8	15
Two or more diagnoses	835	8.9	10.1	1	2	5	10	21
With surgery	570	9.7	10.6	1	2	5	13	24
Without surgery	1,105	7.1	7.9	1	2	5	8	14
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	2,135	10.0	8.7	1	4	7	13	20
Age:								
65 to 74 years	1,315	9.7	9.4	1	3	7	12	20
75 to 84 years	760	10.4	7.5	1	4	8	15	22
85 years and over	60	11.9	4.1	6	8	10	14	17
One diagnosis	1,150	9.2	8.5	1	3	6	12	19
Two or more diagnoses	985	10.9	8.7	2	5	8	15	22
With surgery	415	17.9	12.4	4	9	16	24	29
Without surgery	1,720	8.1	6.1	1	3	6	10	16
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	385	13.8	11.4	3	6	9	18	31
Age:								
65 to 74 years	175	10.9	9.2	3	5	8	12	23
75 to 84 years	190	16.7	12.3	4	8	13	21	36
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	195	9.7	6.5	2	5	8	12	16
Two or more diagnoses	190	18.0	13.6	5	7	13	23	39
With surgery	80	16.3	10.8	5	8	13	20	28
Without surgery	305	13.2	11.4	3	6	9	14	32
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	6,005	9.0	7.9	2	3	6	11	18
Age:								
65 to 74 years	4,070	8.5	7.5	2	3	6	10	16
75 to 84 years	1,740	10.1	8.1	2	4	7	12	22
85 years and over	195	10.7	10.5	2	3	6	13	27
One diagnosis	2,950	7.5	6.5	1	3	5	9	14
Two or more diagnoses	3,055	10.4	8.8	2	4	7	13	21
With surgery	600	16.4	10.3	5	9	14	20	28
Without surgery	5,405	8.2	7.1	2	3	6	10	15
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	2,300	12.6	10.2	3	6	9	15	26
Age:								
65 to 74 years	1,400	12.4	10.2	3	5	9	15	24
75 to 84 years	750	12.5	9.7	3	6	9	15	26
85 years and over	150	15.4	12.0	2	5	13	21	31
One diagnosis	1,345	12.5	10.4	3	5	9	15	27
Two or more diagnoses	955	12.8	9.8	3	6	9	16	26
With surgery	425	20.3	11.6	7	11	17	27	38
Without surgery	1,875	10.9	8.9	3	5	8	12	21
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	320	14.2	10.5	2	5	12	18	27
Age:								
65 to 74 years	190	12.4	8.5	2	5	11	15	22
75 to 84 years	115	17.4	12.8	1	6	16	23	35
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	180	13.8	9.7	2	8	11	18	23
Two or more diagnoses	140	14.7	11.5	1	4	12	22	29
With surgery	245	17.0	10.4	4	9	14	22	30
Without surgery	75	5.2	3.9	1	2	4	7	10
GASTRITIS AND DUODENITIS (543)								
Total	5,900	7.3	6.6	1	2	5	9	15
Age:								
65 to 74 years	3,330	6.7	6.5	1	2	4	8	14
75 to 84 years	2,140	7.9	6.4	1	3	5	10	15
85 years and over	430	8.3	8.2	1	2	5	9	19
One diagnosis	2,700	6.0	5.9	1	2	4	7	12
Two or more diagnoses	3,200	8.3	7.1	2	3	6	10	17
With surgery	295	12.8	9.6	3	5	10	16	28
Without surgery	5,605	7.0	6.3	1	2	5	8	14
APPENDICITIS (550-553)								
Total	1,105	12.6	8.2	4	7	10	16	22
Age:								
65 to 74 years	655	12.7	8.6	4	7	9	17	24
75 to 84 years	350	13.2	8.0	3	7	12	17	21
85 years and over	100	9.6	5.3	2	7	8	11	14
One diagnosis	635	11.0	6.8	3	6	9	14	20
Two or more diagnoses	470	14.8	9.3	4	8	13	19	28
With surgery	925	13.5	7.9	5	7	11	17	24
Without surgery	180	8.1	8.2	1	2	5	9	20
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	6,125	9.1	5.5	4	6	7	10	14
Age:								
65 to 74 years	4,065	9.8	4.8	4	5	7	10	13
75 to 84 years	1,815	9.5	6.4	4	6	8	11	14
85 years and over	245	10.6	8.0	4	6	9	12	15
One diagnosis	4,475	8.4	4.2	4	5	7	9	13
Two or more diagnoses	1,650	10.8	7.7	4	6	9	12	17
With surgery	5,640	9.1	5.4	4	6	8	10	14
Without surgery	485	8.0	6.4	1	3	6	10	15

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	5,520	8.1	7.0	2	3	5	10	16
Age:								
65 to 74 years	3,505	8.0	7.2	2	3	5	10	15
75 to 84 years	1,705	8.4	6.6	2	3	6	10	17
85 years and over	310	8.5	7.5	2	3	6	9	18
One diagnosis	1,760	7.8	7.5	1	3	5	9	15
Two or more diagnoses	3,760	8.3	6.8	2	3	6	10	16
With surgery	910	14.0	9.2	3	8	12	17	26
Without surgery	4,610	7.0	5.9	2	3	5	8	13
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	2,575	10.3	6.2	3	6	8	12	17
Age:								
65 to 74 years	1,845	9.9	6.0	3	6	8	12	16
75 to 84 years	610	11.2	6.7	5	7	9	13	18
85 years and over	120	10.3	6.1	2	6	8	14	19
One diagnosis	1,660	9.8	5.7	4	6	8	12	15
Two or more diagnoses	915	11.1	6.9	3	6	9	14	19
With surgery	2,040	11.1	5.8	5	7	9	13	17
Without surgery	535	7.1	6.4	1	2	5	8	13
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	1,520	11.1	8.9	2	5	8	13	21
Age:								
65 to 74 years	775	11.5	9.1	3	5	9	14	22
75 to 84 years	540	9.7	7.4	1	4	8	12	19
85 years and over	205	12.8	11.1	2	4	9	17	29
One diagnosis	940	9.7	7.4	2	5	8	11	18
Two or more diagnoses	580	13.3	10.5	2	6	9	18	29
With surgery	1,150	12.3	8.7	4	6	9	15	22
Without surgery	370	7.2	8.5	1	2	4	9	12
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	4,670	10.8	11.7	1	3	7	14	23
Age:								
65 to 74 years	2,050	11.8	13.2	1	3	7	14	26
75 to 84 years	1,870	10.1	10.7	1	3	6	14	22
85 years and over	750	9.9	9.2	1	3	7	13	21
One diagnosis	2,705	9.6	10.4	1	2	6	12	21
Two or more diagnoses	1,965	12.5	13.1	1	4	8	15	27
With surgery	1,380	18.5	13.5	5	9	15	22	35
Without surgery	3,290	7.6	9.2	1	2	5	9	15
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	12,945	7.3	7.1	1	3	5	8	14
Age:								
65 to 74 years	6,655	6.6	6.2	1	3	4	7	12
75 to 84 years	5,005	7.8	7.7	2	3	5	9	15
85 years and over	1,285	9.3	8.5	2	3	6	11	18
One diagnosis	6,825	5.9	5.5	1	2	4	7	10
Two or more diagnoses	6,120	8.9	8.4	2	3	6	10	18
With surgery	545	12.1	11.0	2	6	9	15	21
Without surgery	12,400	7.1	6.9	1	3	5	8	13
DIVERTICULITIS (572.1)								
Total	10,035	7.9	7.4	2	3	5	9	15
Age:								
65 to 74 years	5,580	7.5	7.1	1	3	5	9	15
75 to 84 years	3,615	8.2	7.8	2	3	5	10	16
85 years and over	840	9.2	7.5	2	4	7	11	16
One diagnosis	4,840	7.1	7.0	1	2	5	8	14
Two or more diagnoses	5,195	8.6	7.8	2	3	6	10	17
With surgery	1,480	14.2	11.6	3	6	11	18	26
Without surgery	8,555	6.8	5.8	1	3	5	8	13
CIRRHOSIS OF LIVER (581)								
Total	995	14.0	12.2	2	5	10	19	30
Age:								
65 to 74 years	690	14.3	12.3	3	5	10	20	30
75 to 84 years	235	12.8	11.7	2	4	8	17	26
85 years and over	70	14.9	11.9	1	4	9	23	33
One diagnosis	345	13.7	13.5	2	4	10	17	30
Two or more diagnoses	650	14.2	11.4	3	5	10	20	30
With surgery	170	19.2	13.9	4	8	15	23	37
Without surgery	825	13.0	11.5	2	4	9	18	29
CHOLELITHIASIS (584)								
Total	8,880	12.4	9.2	3	6	10	15	22
Age:								
65 to 74 years	5,605	12.0	8.9	3	6	10	15	21
75 to 84 years	2,680	13.3	9.5	3	6	11	18	24
85 years and over	595	12.5	9.4	3	5	9	16	25
One diagnosis	4,810	11.8	7.9	3	6	10	15	20
Two or more diagnoses	4,070	13.1	10.3	3	5	10	17	25
With surgery	5,095	15.7	8.8	7	10	13	18	26
Without surgery	3,785	8.0	7.7	2	3	5	10	15
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	6,250	9.9	7.9	2	4	7	12	19
Age:								
65 to 74 years	3,400	10.0	7.9	2	4	8	13	19
75 to 84 years	2,310	10.0	8.2	2	4	7	12	19
85 years and over	540	9.1	6.2	3	4	7	11	18
One diagnosis	3,760	9.0	6.9	2	4	7	11	17
Two or more diagnoses	2,490	11.2	8.9	3	5	8	14	21
With surgery	1,565	15.2	8.4	7	10	13	17	25
Without surgery	4,685	8.1	6.8	2	3	6	10	15
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	1,785	11.5	9.4	2	4	7	16	23
Age:								
65 to 74 years	1,035	10.7	8.7	2	4	7	15	22
75 to 84 years	595	11.7	9.6	3	4	7	16	24
85 years and over	155	15.5	11.7	4	6	13	21	30
One diagnosis	915	11.1	9.7	2	4	7	16	23
Two or more diagnoses	870	11.8	9.1	3	4	8	16	23
With surgery	460	19.3	10.1	7	13	18	23	32
Without surgery	1,325	8.8	7.4	2	3	6	11	18
DISEASES OF PANCREAS (587)								
Total	910	11.2	8.8	2	4	9	14	24
Age:								
65 to 74 years	595	10.6	7.6	2	4	9	14	21
75 to 84 years	280	12.2	9.6	2	5	9	15	26
85 years and over	35	15.1	16.2	2	3	5	19	34
One diagnosis	430	9.4	6.5	2	4	8	13	19
Two or more diagnoses	480	12.9	10.2	3	5	10	16	27
With surgery	150	21.7	9.3	9	15	20	26	37
Without surgery	760	9.2	7.1	2	4	7	12	16
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	1,425	13.4	12.7	2	4	9	16	30
Age:								
65 to 74 years	730	13.6	12.2	2	4	9	17	30
75 to 84 years	535	13.3	14.3	2	4	8	15	28
85 years and over	160	12.8	9.0	2	6	11	17	25
One diagnosis	425	11.3	11.4	2	3	7	14	24
Two or more diagnoses	1,000	14.3	13.1	2	5	10	17	30
With surgery	310	16.9	14.5	2	8	12	21	37
Without surgery	1,115	12.4	12.0	2	4	8	15	28
INFECTIONS OF KIDNEY (600)								
Total	6,990	10.8	9.9	3	4	7	12	21
Age:								
65 to 74 years	3,195	10.1	9.3	3	4	7	12	18
75 to 84 years	2,775	11.2	10.0	3	5	7	13	22
85 years and over	1,020	12.0	11.4	3	5	8	13	24
One diagnosis	2,965	9.4	8.1	2	4	7	11	17
Two or more diagnoses	4,025	11.8	11.0	3	5	8	13	24
With surgery	530	14.7	10.9	4	7	12	17	26
Without surgery	6,460	10.5	9.8	3	4	7	12	21
CALCULI OF KIDNEY AND URETER (602)								
Total	2,940	8.1	8.3	1	3	5	10	17
Age:								
65 to 74 years	2,210	7.7	7.1	1	3	5	10	16
75 to 84 years	660	9.2	11.4	1	3	5	11	18
85 years and over	70	12.4	7.9	2	5	11	17	24
One diagnosis	1,845	7.2	7.3	1	2	4	9	14
Two or more diagnoses	1,095	9.6	9.6	2	3	7	12	19
With surgery	1,115	11.5	8.7	3	5	9	14	22
Without surgery	1,825	6.1	7.3	1	2	4	7	12

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	1,595	10.2	8.7	2	3	7	13	22
Age:								
65 to 74 years	935	8.8	7.4	1	3	6	11	18
75 to 84 years	555	12.3	10.3	2	5	8	16	26
85 years and over	105	11.4	6.9	4	5	8	17	22
One diagnosis	900	8.8	8.5	1	2	6	10	20
Two or more diagnoses	695	12.0	8.6	3	5	9	16	22
With surgery	855	11.9	9.0	2	5	9	16	24
Without surgery	740	8.2	7.8	1	2	5	10	18
CYSTITIS (605)								
Total	4,900	8.6	7.3	2	4	6	11	16
Age:								
65 to 74 years	2,335	7.5	5.7	2	3	5	9	14
75 to 84 years	1,865	9.5	7.6	2	4	7	12	18
85 years and over	700	10.4	10.0	2	4	7	12	18
One diagnosis	2,020	7.0	5.1	2	3	5	9	14
Two or more diagnoses	2,880	9.8	8.4	2	4	7	12	18
With surgery	1,470	8.9	8.6	2	3	6	11	16
Without surgery	3,430	8.5	6.7	2	4	6	10	16
OTHER DISEASES OF BLADDER (606)								
Total	1,515	11.5	9.3	2	4	8	15	24
Age:								
65 to 74 years	720	11.1	9.1	2	4	8	15	23
75 to 84 years	655	11.7	9.2	3	5	9	14	22
85 years and over	140	12.3	10.8	2	4	7	16	25
One diagnosis	605	10.4	8.9	2	4	7	13	22
Two or more diagnoses	910	12.2	9.5	2	5	9	16	25
With surgery	1,055	12.5	9.8	3	5	9	16	25
Without surgery	460	9.1	7.5	1	3	6	12	18
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	2,015	8.3	7.7	1	3	5	10	17
Age:								
65 to 74 years	1,180	7.6	6.5	1	2	5	9	16
75 to 84 years	715	10.0	9.7	2	3	6	12	23
85 years and over	120	6.0	4.1	1	3	4	7	12
One diagnosis	830	6.8	6.2	1	2	4	8	15
Two or more diagnoses	1,185	9.4	8.5	2	3	6	12	20
With surgery	1,420	9.1	8.4	1	3	6	12	18
Without surgery	595	6.6	5.7	1	2	4	7	13
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	4,460	9.4	7.7	2	4	7	11	19
Age:								
65 to 74 years	1,990	8.6	7.1	2	4	6	11	17
75 to 84 years	1,790	9.6	7.7	2	4	7	12	20
85 years and over	680	11.3	8.9	3	5	8	13	23
One diagnosis	2,170	8.2	7.0	2	3	6	10	17
Two or more diagnoses	2,290	10.7	8.1	3	5	8	13	21
With surgery	1,050	9.8	8.2	2	4	7	11	21
Without surgery	3,410	9.3	7.5	2	4	7	11	18
HYPERPLASIA OF PROSTATE (610)								
Total	13,045	12.2	8.9	3	6	10	15	22
Age:								
65 to 74 years	7,370	11.5	8.1	3	6	9	14	21
75 to 84 years	4,635	13.0	9.7	4	7	10	15	24
85 years and over	1,040	12.9	10.6	3	6	11	16	23
One diagnosis	7,460	11.3	7.5	4	6	9	14	20
Two or more diagnoses	5,585	13.3	10.4	3	6	10	17	25
With surgery	10,310	12.9	8.8	5	7	10	15	23
Without surgery	2,735	9.3	8.9	2	3	6	11	19
OTHER DISEASES OF PROSTATE (611,612)								
Total	1,580	8.6	8.2	2	3	6	10	16
Age:								
65 to 74 years	925	8.2	8.4	2	3	6	10	15
75 to 84 years	550	8.8	6.8	2	4	7	11	16
85 years and over	105	10.8	12.2	1	3	6	9	23
One diagnosis	805	8.9	9.9	1	3	6	10	16
Two or more diagnoses	775	8.2	5.9	2	3	6	10	15
With surgery	565	11.2	10.3	2	5	9	13	18
Without surgery	1,015	7.2	6.3	2	3	5	8	13
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	1,400	8.4	7.0	2	3	6	10	16
Age:								
65 to 74 years	970	8.0	6.6	2	3	6	10	15
75 to 84 years	375	9.9	7.7	2	4	7	13	22
85 years and over	55	6.9	5.8	2	2	4	8	13
One diagnosis	855	7.3	5.5	2	3	5	9	14
Two or more diagnoses	545	10.2	8.5	2	4	7	13	21
With surgery	850	8.1	7.5	2	3	5	9	15
Without surgery	550	9.1	5.9	3	4	7	11	17
UTEROVAGINAL PROLAPSE (631)								
Total	3,265	11.7	6.3	6	8	10	13	17
Age:								
65 to 74 years	2,455	11.5	5.5	6	8	10	13	17
75 to 84 years	735	12.3	8.2	5	8	10	14	20
85 years and over	75	11.6	9.4	2	5	8	14	23
One diagnosis	1,790	11.4	5.2	6	8	10	13	17
Two or more diagnoses	1,475	12.1	7.4	5	8	10	14	18
With surgery	2,980	12.1	6.3	6	8	10	14	18
Without surgery	285	6.9	4.4	1	3	6	10	13
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	2,780	10.5	8.4	3	4	8	13	20
Age:								
65 to 74 years	1,495	10.5	8.5	2	4	8	12	20
75 to 84 years	1,010	10.0	8.2	3	4	7	12	19
85 years and over	275	12.1	8.6	4	5	10	15	23
One diagnosis	1,410	9.5	8.6	2	4	7	11	18
Two or more diagnoses	1,370	11.5	8.1	3	5	9	14	21
With surgery	680	11.7	10.4	2	4	8	15	26
Without surgery	2,100	10.1	7.7	3	4	8	12	19
RHEUMATOID ARTHRITIS (722.0)								
Total	2,230	12.8	11.4	3	5	8	17	27
Age:								
65 to 74 years	1,415	13.0	12.1	2	4	8	17	27
75 to 84 years	715	12.2	9.9	3	5	9	16	24
85 years and over	100	13.8	11.9	3	6	10	17	26
One diagnosis	860	11.8	11.6	2	4	8	15	25
Two or more diagnoses	1,370	13.4	11.4	3	5	9	17	28
With surgery	300	17.3	13.4	4	8	13	23	34
Without surgery	1,930	12.1	11.0	2	4	8	16	26
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	4,280	10.8	10.5	2	4	7	12	21
Age:								
65 to 74 years	2,150	10.3	10.5	2	4	7	11	22
75 to 84 years	1,740	11.2	10.9	3	4	8	12	21
85 years and over	390	10.8	8.5	2	4	7	14	21
One diagnosis	1,320	11.0	11.4	2	4	7	12	24
Two or more diagnoses	2,960	10.7	10.0	2	4	7	12	20
With surgery	550	18.7	16.1	3	6	14	25	40
Without surgery	3,730	9.6	8.8	2	4	7	11	17
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	2,550	9.5	7.5	2	4	7	11	18
Age:								
65 to 74 years	1,375	8.6	6.0	2	4	7	10	17
75 to 84 years	990	10.7	8.9	3	5	8	12	19
85 years and over	185	10.3	8.4	2	4	8	13	17
One diagnosis	715	8.4	5.7	2	4	6	10	14
Two or more diagnoses	1,835	10.0	8.1	3	4	8	11	19
With surgery	170	14.8	9.7	3	7	11	19	24
Without surgery	2,380	9.2	7.2	2	4	7	11	17
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	3,820	9.8	9.2	2	4	7	12	19
Age:								
65 to 74 years	1,960	9.5	9.0	2	4	6	11	19
75 to 84 years	1,490	10.5	10.0	2	4	7	12	20
85 years and over	370	8.8	6.1	2	4	7	12	16
One diagnosis	1,430	9.5	8.7	2	3	6	12	20
Two or more diagnoses	2,390	10.1	9.4	2	4	7	11	19
With surgery	285	16.1	14.4	4	8	11	15	32
Without surgery	3,535	9.3	8.4	2	4	6	11	18

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	2,010	12.3	10.7	2	4	9	16	25
Age:								
65 to 74 years	885	13.0	11.0	2	5	10	18	24
75 to 84 years	845	11.0	9.2	3	4	8	13	23
85 years and over	280	14.3	13.0	3	5	9	17	34
One diagnosis	430	11.4	11.1	2	4	8	13	23
Two or more diagnoses	1,580	12.6	10.6	3	4	9	16	25
With surgery	115	12.0	7.5	2	5	11	17	22
Without surgery	1,895	12.3	10.9	3	4	9	15	25
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	1,605	12.8	9.9	4	6	10	16	23
Age:								
65 to 74 years	1,210	12.8	9.8	4	6	10	16	23
75 to 84 years	350	11.9	7.9	4	6	9	15	21
85 years and over	45	20.1	19.5	6	6	8	26	43
One diagnosis	925	13.5	9.9	4	7	10	17	25
Two or more diagnoses	680	11.8	9.8	3	5	8	15	20
With surgery	385	20.5	12.8	9	13	17	23	32
Without surgery	1,220	10.4	7.3	3	5	8	12	18
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	1,120	6.6	6.3	1	2	4	8	14
Age:								
65 to 74 years	795	6.3	5.7	1	2	4	7	13
75 to 84 years	295	6.7	6.6	1	2	4	8	13
85 years and over	30	12.3	13.6	2	2	4	15	32
One diagnosis	645	5.7	5.7	1	2	3	6	12
Two or more diagnoses	475	7.8	7.1	2	3	5	9	14
With surgery	450	5.5	5.9	1	2	3	5	14
Without surgery	670	7.4	6.6	1	3	5	9	13
CONGENITAL MALFORMATIONS (750-759)								
Total	495	10.3	8.4	2	3	8	14	21
Age:								
65 to 74 years	340	10.1	7.9	2	3	7	14	22
75 to 84 years	120	9.7	7.9	2	3	8	12	16
85 years and over	35	14.1	12.5	2	5	9	15	29
One diagnosis	235	8.0	7.1	1	2	5	11	17
Two or more diagnoses	260	12.4	8.9	3	5	9	16	24
With surgery	235	11.7	8.7	2	4	10	15	20
Without surgery	260	9.1	7.9	1	3	6	11	22
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	1,255	6.9	6.9	1	2	4	9	15
Age:								
65 to 74 years	655	6.5	7.0	1	2	4	7	14
75 to 84 years	515	7.1	6.1	1	2	5	10	15
85 years and over	85	8.6	9.5	1	2	6	9	17
One diagnosis	1,120	6.3	5.7	1	2	4	8	14
Two or more diagnoses	135	11.6	11.6	1	3	8	14	22
With surgery	110	8.9	11.7	1	2	4	9	20
Without surgery	1,145	6.7	6.2	1	2	4	9	14
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	2,495	7.5	6.6	1	3	5	9	16
Age:								
65 to 74 years	1,450	7.1	6.4	1	2	5	8	17
75 to 84 years	860	7.8	6.6	2	3	5	11	15
85 years and over	185	8.6	7.3	2	3	6	12	15
One diagnosis	2,235	7.5	6.8	1	2	5	9	16
Two or more diagnoses	260	7.3	4.9	2	3	6	9	13
With surgery	305	10.9	10.2	2	4	7	12	23
Without surgery	2,190	7.0	5.7	1	2	5	9	15
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	3,775	8.6	8.9	1	3	5	10	18
Age:								
65 to 74 years	2,115	7.6	7.3	1	2	5	9	16
75 to 84 years	1,270	9.7	9.9	1	3	6	12	22
85 years and over	390	10.8	12.4	1	3	6	12	23
One diagnosis	3,385	8.5	8.8	1	3	5	10	18
Two or more diagnoses	390	9.4	10.1	2	3	5	12	18
With surgery	535	14.4	11.7	2	5	12	21	27
Without surgery	3,240	7.6	8.0	1	2	5	9	16
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	1,330	10.1	9.3	1	3	8	12	18
Age:								
65 to 74 years	715	9.6	8.7	1	3	8	12	17
75 to 84 years	470	9.6	8.4	1	3	8	13	17
85 years and over	145	14.3	13.4	1	4	10	16	32
One diagnosis	1,190	10.1	9.2	1	3	8	13	17
Two or more diagnoses	140	10.3	10.7	2	3	6	12	22
With surgery	605	13.7	10.5	3	8	11	16	24
Without surgery	725	7.0	6.9	1	2	5	9	13
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	4,300	9.5	10.0	1	3	6	11	20
Age:								
65 to 74 years	2,310	8.8	10.0	1	2	5	10	18
75 to 84 years	1,425	10.2	10.5	1	3	6	12	23
85 years and over	565	10.7	8.7	1	4	8	13	23
One diagnosis	3,760	9.5	10.1	1	3	6	11	21
Two or more diagnoses	540	9.6	9.6	1	3	7	12	17
With surgery	870	11.5	11.5	1	3	7	14	25
Without surgery	3,430	9.0	9.6	1	3	6	10	18
NERVOUSNESS AND DEBILITY (790)								
Total	565	8.9	8.8	1	3	6	10	17
Age:								
65 to 74 years	275	8.5	8.7	1	3	6	9	16
75 to 84 years	225	10.0	9.6	2	3	7	11	18
85 years and over	65	6.3	3.7	1	2	7	10	11
One diagnosis	280	8.2	8.3	2	3	6	10	13
Two or more diagnoses	285	9.5	9.1	1	3	6	11	18
With surgery	15	*	*	*	*	*	*	*
Without surgery	550	8.9	8.8	2	3	6	10	17
UREMIA (792)								
Total	395	14.7	15.7	2	4	8	19	30
Age:								
65 to 74 years	150	12.1	11.4	2	3	7	16	29
75 to 84 years	150	14.8	16.7	3	4	7	15	32
85 years and over	95	18.7	18.5	1	4	9	27	51
One diagnosis	325	15.9	16.4	3	5	9	23	38
Two or more diagnoses	70	9.0	9.4	1	3	4	11	27
With surgery	10	*	*	*	*	*	*	*
Without surgery	385	14.5	15.8	2	4	7	17	30
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	385	10.8	11.4	1	3	6	14	23
Age:								
65 to 74 years	60	11.2	12.4	1	3	6	12	29
75 to 84 years	160	9.5	9.1	1	3	7	10	23
85 years and over	165	12.0	12.8	2	4	7	15	21
One diagnosis	80	5.1	4.2	1	1	3	7	11
Two or more diagnoses	305	12.4	12.2	3	4	7	16	28
With surgery	35	18.0	10.2	2	8	17	25	30
Without surgery	350	10.1	11.3	1	3	6	13	18
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	2,065	8.8	9.1	1	3	6	10	18
Age:								
65 to 74 years	1,310	8.1	7.5	1	3	5	10	17
75 to 84 years	655	10.2	11.5	1	3	6	11	21
85 years and over	100	8.9	8.7	1	2	5	10	24
One diagnosis	1,355	8.5	9.2	1	3	5	10	16
Two or more diagnoses	710	9.4	8.9	1	3	6	10	20
With surgery	325	8.6	7.9	1	2	6	11	18
Without surgery	1,740	8.8	9.3	1	3	6	10	17
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	2,100	16.5	12.0	5	8	13	21	30
Age:								
65 to 74 years	905	15.8	12.5	5	8	11	19	29
75 to 84 years	870	17.0	12.1	4	9	14	21	30
85 years and over	325	17.0	9.8	4	8	15	24	31
One diagnosis	905	14.9	9.9	5	8	12	19	28
Two or more diagnoses	1,195	17.7	13.2	5	9	14	22	31
With surgery	130	22.6	19.6	4	10	15	28	46
Without surgery	1,970	16.1	11.2	5	8	13	21	29

Table 11 WEST SOUTH CENTRAL: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	1,775	11.5	10.6	2	4	8	14	23
Age:								
65 to 74 years	925	9.7	7.5	2	4	7	13	20
75 to 84 years	590	13.1	12.2	3	5	9	15	28
85 years and over	260	14.5	13.9	4	6	9	18	27
One diagnosis	685	9.6	8.1	2	4	6	12	21
Two or more diagnoses	1,090	12.7	11.7	3	5	9	16	26
With surgery	125	18.2	13.3	3	7	15	26	33
Without surgery	1,650	11.0	10.1	2	4	7	13	22
FRACTURE OF PELVIS (808)								
Total	925	19.7	14.6	4	8	17	27	36
Age:								
65 to 74 years	290	18.7	15.0	4	9	14	23	36
75 to 84 years	375	21.1	13.4	3	11	20	28	35
85 years and over	260	19.0	15.6	4	7	13	28	38
One diagnosis	485	17.5	12.0	3	7	14	25	34
Two or more diagnoses	440	22.2	16.7	5	10	19	29	38
With surgery	35	26.6	8.5	12	16	27	34	35
Without surgery	890	19.5	14.7	4	8	16	26	37
FRACTURE OF HUMERUS (812)								
Total	2,095	13.1	12.5	2	4	9	16	28
Age:								
65 to 74 years	970	12.1	12.1	2	4	8	14	26
75 to 84 years	855	13.0	11.5	2	4	10	17	27
85 years and over	270	16.8	15.8	3	6	11	21	35
One diagnosis	1,355	11.0	10.4	2	3	8	14	24
Two or more diagnoses	740	16.8	15.0	3	6	11	21	36
With surgery	700	14.3	13.1	2	4	10	20	34
Without surgery	1,395	12.5	12.2	2	4	9	15	26
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	1,635	9.1	12.1	1	2	4	10	22
Age:								
65 to 74 years	795	5.7	6.2	1	2	3	6	12
75 to 84 years	660	12.8	16.1	1	2	6	16	35
85 years and over	180	10.8	9.8	1	3	6	16	23
One diagnosis	950	5.6	7.1	1	1	3	5	13
Two or more diagnoses	685	14.0	15.4	2	4	8	17	30
With surgery	1,075	7.2	8.5	1	2	4	8	18
Without surgery	560	12.9	16.2	1	2	6	15	39
FRACTURE OF FEMUR (820,821)								
Total	12,325	21.6	15.7	4	11	18	27	43
Age:								
65 to 74 years	3,230	21.5	14.8	4	11	18	27	40
75 to 84 years	6,155	21.2	15.8	4	10	17	27	43
85 years and over	2,940	22.6	16.6	4	11	18	28	47
One diagnosis	8,425	20.6	14.9	4	11	17	26	39
Two or more diagnoses	3,900	23.8	17.2	5	11	19	31	47
With surgery	8,790	22.5	14.2	8	13	19	27	42
Without surgery	3,535	19.3	18.8	1	3	14	27	46
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	2,585	13.3	13.3	1	4	8	18	30
Age:								
65 to 74 years	1,715	12.4	12.4	1	3	8	16	27
75 to 84 years	705	15.7	15.0	2	4	10	23	35
85 years and over	165	12.5	12.9	3	4	9	15	20
One diagnosis	1,615	12.2	12.8	1	3	7	15	29
Two or more diagnoses	970	15.2	13.9	2	5	11	20	33
With surgery	1,380	14.7	13.6	2	4	10	20	33
Without surgery	1,205	11.8	12.8	1	3	7	15	27
SPRAINS OF BACK (846,847)								
Total	2,760	9.6	8.1	2	4	7	12	20
Age:								
65 to 74 years	1,700	8.6	6.9	2	4	6	10	17
75 to 84 years	880	10.8	8.5	2	4	8	13	22
85 years and over	180	13.5	12.5	2	4	9	18	24
One diagnosis	1,220	8.7	7.7	2	4	6	10	17
Two or more diagnoses	1,540	10.4	8.2	2	4	7	13	21
With surgery	100	15.2	9.5	5	7	14	18	26
Without surgery	2,660	9.4	7.9	2	4	7	11	19
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	1,870	9.5	11.3	1	2	5	12	23
Age:								
65 to 74 years	955	10.0	12.1	1	2	5	12	26
75 to 84 years	670	9.7	11.4	1	2	5	12	23
85 years and over	245	7.1	6.3	1	1	5	10	15
One diagnosis	620	8.7	11.2	1	1	4	10	21
Two or more diagnoses	1,250	9.9	11.3	1	2	6	13	24
With surgery	415	13.1	15.0	1	2	7	16	35
Without surgery	1,455	8.5	9.7	1	2	5	11	21
LACERATION AND OPEN WOUND (870-898)								
Total	2,205	8.1	9.1	1	2	5	9	16
Age:								
65 to 74 years	1,250	8.1	9.6	1	2	5	9	17
75 to 84 years	755	8.6	8.9	1	2	6	10	17
85 years and over	200	7.1	5.4	2	3	5	9	12
One diagnosis	885	6.8	6.9	1	2	4	9	15
Two or more diagnoses	1,320	9.1	10.2	1	3	6	10	18
With surgery	1,020	8.9	10.2	1	2	5	10	22
Without surgery	1,185	7.5	7.9	1	2	5	9	15
SUPERFICIAL INJURY (910-918)								
Total	325	8.4	7.9	1	3	6	11	17
Age:								
65 to 74 years	210	7.5	6.2	1	3	5	9	13
75 to 84 years	105	10.0	10.1	1	2	6	13	19
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	125	7.9	9.1	1	2	5	9	14
Two or more diagnoses	200	8.7	7.0	1	3	6	12	18
With surgery	35	16.3	14.1	5	5	8	21	32
Without surgery	290	7.4	6.1	1	2	5	10	14
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	3,570	8.5	8.8	1	3	6	10	18
Age:								
65 to 74 years	1,635	7.6	7.7	1	2	5	9	15
75 to 84 years	1,335	9.0	9.0	1	3	6	10	18
85 years and over	600	10.1	10.8	1	4	7	12	20
One diagnosis	1,115	7.0	6.2	1	2	4	9	15
Two or more diagnoses	2,455	9.2	9.7	1	3	6	10	19
With surgery	190	13.8	12.2	1	4	12	18	29
Without surgery	3,380	8.2	8.5	1	3	5	10	17
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	1,340	6.7	6.6	1	2	4	8	13
Age:								
65 to 74 years	815	6.7	7.1	1	2	4	8	14
75 to 84 years	460	6.7	5.9	1	2	5	8	12
85 years and over	65	6.8	5.1	2	3	4	9	15
One diagnosis	700	5.6	6.2	1	1	3	7	11
Two or more diagnoses	640	7.9	6.9	1	3	5	10	15
With surgery	20	*	*	*	*	*	*	*
Without surgery	1,320	6.4	6.0	1	2	4	8	13
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	1,875	10.9	11.8	2	3	7	13	25
Age:								
65 to 74 years	1,185	9.9	11.2	1	3	6	12	19
75 to 84 years	570	12.9	13.3	2	4	8	16	28
85 years and over	120	10.3	9.3	1	3	6	12	24
One diagnosis	1,210	10.4	12.1	1	3	6	12	22
Two or more diagnoses	665	11.7	11.4	2	4	8	13	25
With surgery	650	12.0	13.0	2	3	7	14	25
Without surgery	1,225	10.3	11.1	1	3	6	12	23

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	1,505	12.3	13.0	2	4	7	16	26
Age:								
65 to 74 years	815	10.3	12.1	1	3	6	11	21
75 to 84 years	555	15.3	14.5	2	5	12	20	27
85 years and over	135	12.4	9.2	3	5	10	13	27
One diagnosis	610	10.2	12.6	1	3	6	11	23
Two or more diagnoses	895	13.8	13.2	2	4	9	19	27
With surgery	265	15.4	12.5	2	5	11	22	36
Without surgery	1,240	11.7	13.1	2	4	7	14	25
HERPES ZOSTER (088)								
Total	395	13.6	14.5	3	6	9	15	23
Age:								
65 to 74 years	175	10.7	8.9	3	5	7	12	20
75 to 84 years	155	14.9	15.4	4	7	10	16	22
85 years and over	65	18.4	21.1	4	6	10	15	43
One diagnosis	150	10.3	8.2	2	5	8	13	16
Two or more diagnoses	245	15.7	16.9	4	6	9	17	29
With surgery	10	*	*	*	*	*	*	*
Without surgery	385	12.7	11.8	3	6	9	15	22
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	385	11.7	11.8	1	3	7	14	29
Age:								
65 to 74 years	215	9.2	9.2	1	3	6	11	21
75 to 84 years	120	14.2	13.8	1	4	9	17	34
85 years and over	50	16.5	13.6	2	3	12	24	38
One diagnosis	200	9.2	10.3	1	2	5	11	19
Two or more diagnoses	185	14.4	12.6	2	4	9	22	32
With surgery	255	10.4	10.8	1	3	6	12	25
Without surgery	130	14.2	13.2	2	4	8	21	35
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	125	13.2	10.8	2	4	10	15	31
Age:								
65 to 74 years	75	10.8	9.2	1	2	8	14	22
75 to 84 years	50	16.7	11.9	3	8	10	23	36
85 years and over	–	–	–	–	–	–	–	–
One diagnosis	60	14.9	13.5	1	2	9	24	35
Two or more diagnoses	65	11.5	7.0	3	5	10	14	20
With surgery	65	14.5	12.7	2	2	8	23	34
Without surgery	60	11.7	7.9	1	6	9	13	15
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	630	16.2	12.8	2	7	14	20	31
Age:								
65 to 74 years	190	15.1	10.5	1	7	13	19	31
75 to 84 years	345	16.0	13.3	3	6	14	19	27
85 years and over	95	19.2	14.3	3	9	15	28	36
One diagnosis	315	13.9	11.5	2	6	11	18	26
Two or more diagnoses	315	18.5	13.5	3	9	16	21	37
With surgery	270	19.1	8.1	9	13	17	22	31
Without surgery	360	14.0	15.0	1	4	9	18	31
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	1,585	18.9	14.7	3	8	15	25	37
Age:								
65 to 74 years	755	17.6	12.5	3	9	14	23	37
75 to 84 years	680	19.4	15.9	3	7	16	26	35
85 years and over	150	22.9	18.4	2	9	16	33	41
One diagnosis	560	17.2	13.4	3	8	14	21	33
Two or more diagnoses	1,025	19.8	15.4	3	8	16	27	38
With surgery	860	21.4	12.1	10	13	18	27	37
Without surgery	725	15.9	16.9	2	4	9	20	36
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	615	19.1	14.2	3	8	15	27	39
Age:								
65 to 74 years	345	19.2	14.0	3	8	16	27	38
75 to 84 years	210	20.4	14.7	2	8	19	27	41
85 years and over	60	14.4	12.7	1	3	10	17	32
One diagnosis	270	17.6	15.8	2	3	14	27	33
Two or more diagnoses	345	20.3	12.7	6	9	19	28	39
With surgery	410	22.2	14.4	3	12	22	28	40
Without surgery	205	13.0	11.7	2	4	9	15	29
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	345	17.7	11.9	5	9	14	23	31
Age:								
65 to 74 years	220	18.5	12.3	5	10	15	23	32
75 to 84 years	115	17.0	10.9	5	8	14	22	25
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	120	17.0	11.0	6	10	13	21	24
Two or more diagnoses	225	18.0	12.3	3	9	15	24	31
With surgery	160	19.6	10.2	8	12	17	22	31
Without surgery	185	16.0	12.9	2	7	12	23	28
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	395	17.2	14.7	3	5	14	22	34
Age:								
65 to 74 years	215	14.2	10.4	1	4	13	20	30
75 to 84 years	165	21.1	18.6	4	7	16	23	45
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	130	11.7	8.7	1	4	9	18	21
Two or more diagnoses	265	19.9	16.3	3	7	16	26	39
With surgery	205	23.3	11.9	8	15	21	29	40
Without surgery	190	10.7	14.6	1	3	6	13	17
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	1,380	14.4	14.2	2	4	9	19	32
Age:								
65 to 74 years	970	14.9	15.0	2	4	10	19	33
75 to 84 years	355	12.3	11.7	2	4	8	15	30
85 years and over	55	19.5	10.6	8	10	17	24	33
One diagnosis	540	12.8	12.4	2	4	9	17	28
Two or more diagnoses	840	15.4	15.1	2	4	10	21	36
With surgery	475	17.0	15.8	2	4	11	23	43
Without surgery	905	13.0	13.1	2	4	8	17	26
MALIGNANT NEOPLASM OF BREAST (170)								
Total	1,310	12.8	9.9	2	6	10	16	26
Age:								
65 to 74 years	785	12.7	9.0	2	6	10	16	25
75 to 84 years	415	13.6	11.1	3	7	10	16	27
85 years and over	110	10.6	11.0	1	3	6	11	28
One diagnosis	515	9.9	6.2	2	5	9	13	16
Two or more diagnoses	795	14.6	11.4	3	7	11	18	29
With surgery	880	12.4	8.9	3	7	10	14	20
Without surgery	430	13.6	11.7	1	4	9	19	29
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	365	10.0	11.8	2	3	6	11	17
Age:								
65 to 74 years	245	8.5	9.6	2	3	5	8	14
75 to 84 years	90	9.3	5.1	1	5	8	13	16
85 years and over	30	24.2	25.1	3	4	10	32	60
One diagnosis	190	8.3	11.9	2	3	5	7	12
Two or more diagnoses	175	11.8	11.3	2	5	8	14	18
With surgery	240	8.2	10.1	2	3	5	8	13
Without surgery	125	13.4	13.7	1	3	7	15	40
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	555	9.7	8.7	2	4	7	11	18
Age:								
65 to 74 years	380	8.3	6.6	2	4	7	9	15
75 to 84 years	165	12.7	11.4	3	5	9	15	21
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	290	7.1	4.6	2	3	6	9	12
Two or more diagnoses	265	12.5	11.0	3	5	8	16	24
With surgery	435	8.3	5.3	2	4	7	9	15
Without surgery	120	15.0	14.6	2	3	8	19	38
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	190	15.2	10.8	3	7	11	20	29
Age:								
65 to 74 years	120	17.5	12.0	3	8	15	22	36
75 to 84 years	70	11.2	6.6	3	6	9	13	21
85 years and over	–	–	–	–	–	–	–	–
One diagnosis	60	13.4	7.0	3	5	12	20	21
Two or more diagnoses	130	16.0	12.1	4	7	11	22	36
With surgery	120	16.6	10.5	6	9	12	21	26
Without surgery	70	12.9	11.0	2	3	8	16	31

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	1,920	13.0	12.1	3	5	9	15	27
Age:								
65 to 74 years	980	12.1	11.9	2	4	8	14	27
75 to 84 years	725	13.7	13.0	3	6	9	16	26
85 years and over	215	15.1	9.4	4	8	13	19	27
One diagnosis	850	10.3	8.6	2	4	7	13	19
Two or more diagnoses	1,070	15.2	14.0	3	5	10	18	36
With surgery	1,200	12.4	11.0	3	6	9	15	24
Without surgery	720	14.0	13.8	3	4	8	16	38
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	220	14.3	9.1	3	7	13	19	26
Age:								
65 to 74 years	115	13.9	6.6	4	8	14	17	23
75 to 84 years	95	14.2	10.3	2	5	11	20	26
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	75	12.5	6.5	3	7	11	17	20
Two or more diagnoses	145	15.2	10.1	3	6	13	22	28
With surgery	80	17.6	7.3	7	12	17	20	24
Without surgery	140	12.4	9.5	2	5	8	16	26
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	1,140	9.9	11.3	1	2	6	12	20
Age:								
65 to 74 years	605	10.9	13.8	1	2	6	13	22
75 to 84 years	400	8.7	7.5	1	3	6	12	17
85 years and over	135	8.9	6.9	1	2	7	11	19
One diagnosis	595	7.7	8.7	1	2	4	9	19
Two or more diagnoses	545	12.2	13.1	1	4	9	14	21
With surgery	830	9.0	9.2	1	3	6	12	18
Without surgery	310	12.2	15.3	1	2	7	16	25
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	775	8.7	11.0	1	2	3	10	23
Age:								
65 to 74 years	380	6.9	8.2	1	1	3	8	17
75 to 84 years	290	8.7	10.5	1	2	4	10	19
85 years and over	105	14.8	17.0	1	2	7	22	38
One diagnosis	485	8.1	11.0	1	1	3	10	17
Two or more diagnoses	290	9.6	10.9	1	2	4	11	26
With surgery	635	7.3	8.7	1	2	3	9	16
Without surgery	140	14.8	16.6	1	2	7	21	39
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	1,760	14.8	14.4	2	4	10	19	31
Age:								
65 to 74 years	1,035	15.6	15.1	2	5	11	19	32
75 to 84 years	625	13.2	13.0	1	4	9	18	26
85 years and over	100	15.4	13.7	2	4	13	19	27
One diagnosis	1,000	13.6	12.9	2	4	10	17	28
Two or more diagnoses	760	16.3	16.0	2	5	11	22	32
With surgery	485	15.6	15.7	1	4	10	21	35
Without surgery	1,275	14.5	13.8	2	5	10	18	29
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	275	18.6	14.9	5	9	15	23	33
Age:								
65 to 74 years	135	16.3	13.7	4	7	11	19	33
75 to 84 years	135	20.6	16.0	7	11	16	23	34
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	135	18.0	14.2	5	8	14	21	28
Two or more diagnoses	140	19.1	15.6	4	9	14	25	36
With surgery	125	16.5	18.0	3	7	11	16	26
Without surgery	150	20.3	11.6	5	11	17	26	36
LEUKEMIA AND ALEUKEMIA (204)								
Total	705	11.9	11.8	1	3	7	15	31
Age:								
65 to 74 years	355	11.9	12.3	1	2	7	16	32
75 to 84 years	280	13.5	12.0	1	4	9	19	33
85 years and over	70	5.3	3.2	1	2	4	7	10
One diagnosis	325	12.2	11.3	1	2	7	20	29
Two or more diagnoses	380	11.6	12.2	1	3	7	12	31
With surgery	65	15.8	11.9	4	7	10	28	33
Without surgery	640	11.5	11.7	1	3	7	15	29
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	405	14.0	11.3	2	5	11	20	29
Age:								
65 to 74 years	320	14.1	11.8	2	5	11	20	30
75 to 84 years	80	13.2	9.1	2	5	12	17	27
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	160	12.2	12.2	2	4	8	15	22
Two or more diagnoses	245	15.3	10.4	3	6	12	22	31
With surgery	100	15.9	11.2	4	6	12	21	33
Without surgery	305	13.4	11.2	2	5	11	19	28
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	205	12.0	10.1	1	3	10	15	30
Age:								
65 to 74 years	140	14.0	10.7	2	5	10	21	31
75 to 84 years	65	7.9	6.9	1	2	5	11	13
85 years and over	–	–	–	–	–	–	–	–
One diagnosis	115	10.8	9.2	1	3	8	12	26
Two or more diagnoses	90	13.6	10.9	1	4	10	19	31
With surgery	155	14.4	10.3	2	6	10	22	31
Without surgery	50	4.8	4.2	1	2	3	5	10
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	200	8.8	12.3	1	2	6	11	15
Age:								
65 to 74 years	110	5.0	3.9	1	1	2	8	11
75 to 84 years	65	14.8	19.2	2	4	10	15	18
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	105	5.0	4.0	1	2	3	7	11
Two or more diagnoses	95	13.1	16.4	2	5	9	14	18
With surgery	155	7.8	5.4	1	2	7	11	15
Without surgery	45	12.3	23.7	1	2	3	6	21
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	275	6.7	5.1	1	2	5	9	14
Age:								
65 to 74 years	220	6.2	4.4	1	2	5	9	12
75 to 84 years	55	8.5	7.0	1	2	4	12	20
85 years and over	–	–	–	–	–	–	–	–
One diagnosis	90	4.3	3.2	1	2	3	5	9
Two or more diagnoses	185	7.8	5.4	1	2	7	10	15
With surgery	250	7.0	5.2	1	2	5	9	14
Without surgery	25	*	*	*	*	*	*	*
LIPOMA (226)								
Total	285	3.5	2.6	1	1	2	4	8
Age:								
65 to 74 years	205	3.0	2.4	1	1	2	3	5
75 to 84 years	80	4.9	3.0	1	2	3	7	9
85 years and over	–	–	–	–	–	–	–	–
One diagnosis	205	3.1	2.2	1	1	2	3	7
Two or more diagnoses	80	4.6	3.5	1	1	2	8	10
With surgery	255	3.2	2.4	1	1	2	3	7
Without surgery	30	6.0	3.7	2	2	4	9	11
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	375	5.3	5.6	1	2	3	6	10
Age:								
65 to 74 years	210	4.1	3.7	1	1	3	5	7
75 to 84 years	125	7.1	7.6	1	2	4	7	20
85 years and over	40	6.1	4.2	1	2	4	7	11
One diagnosis	290	4.9	5.6	1	1	3	5	8
Two or more diagnoses	85	6.7	5.5	1	2	4	9	16
With surgery	350	5.3	5.6	1	2	3	6	9
Without surgery	25	*	*	*	*	*	*	*
ASTHMA (241)								
Total	1,510	10.0	9.5	2	4	7	11	20
Age:								
65 to 74 years	945	9.4	10.1	2	4	6	10	19
75 to 84 years	525	11.1	8.1	3	5	8	12	20
85 years and over	40	10.7	11.0	1	1	4	15	28
One diagnosis	705	8.0	6.4	1	3	6	10	16
Two or more diagnoses	805	11.7	11.4	3	4	8	12	25
With surgery	45	12.2	10.5	3	4	7	13	29
Without surgery	1,465	9.9	9.5	2	4	7	11	19

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	545	9.5	7.2	3	5	7	11	19
Age:								
65 to 74 years	400	8.7	6.2	3	4	6	10	16
75 to 84 years	145	11.8	9.1	3	5	8	15	22
85 years and over	—	—	—	—	—	—	—	—
One diagnosis	250	8.1	4.7	4	4	6	10	14
Two or more diagnoses	295	10.7	8.7	3	5	7	11	21
With surgery	310	7.8	5.8	4	5	6	8	11
Without surgery	235	11.7	8.2	3	5	10	16	21
DIABETES MELLITUS (260)								
Total	5,860	11.7	10.4	3	5	8	14	22
Age:								
65 to 74 years	3,340	11.6	10.6	3	5	8	14	22
75 to 84 years	2,150	11.5	10.0	3	5	9	14	21
85 years and over	370	12.9	10.7	3	5	9	17	29
One diagnosis	1,480	9.8	7.8	2	4	7	12	19
Two or more diagnoses	4,380	12.3	11.0	3	5	9	14	24
With surgery	525	17.2	14.1	4	6	14	20	35
Without surgery	5,335	11.1	9.8	3	5	8	13	21
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	405	10.8	9.4	2	4	8	12	23
Age:								
65 to 74 years	205	9.6	9.3	2	3	7	11	16
75 to 84 years	155	11.9	8.2	3	5	9	13	25
85 years and over	45	12.8	12.6	3	5	8	10	25
One diagnosis	100	5.7	3.5	2	3	4	8	9
Two or more diagnoses	305	12.5	10.1	3	5	9	15	28
With surgery	5	*	*	*	*	*	*	*
Without surgery	400	10.4	8.5	2	4	8	12	21
GOUT (288)								
Total	355	8.8	6.7	3	4	6	10	17
Age:								
65 to 74 years	190	8.2	4.9	3	4	6	10	14
75 to 84 years	135	9.3	8.7	3	4	6	9	20
85 years and over	30	10.7	5.8	2	4	10	15	18
One diagnosis	95	5.7	2.4	2	3	5	7	9
Two or more diagnoses	260	10.0	7.4	3	5	7	12	19
With surgery	35	11.9	9.3	2	3	7	18	25
Without surgery	320	8.5	6.3	3	4	6	10	16
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	230	11.8	8.6	3	6	10	14	21
Age:								
65 to 74 years	80	13.2	10.6	2	5	10	15	22
75 to 84 years	115	10.4	5.5	3	6	9	12	20
85 years and over	35	13.4	10.8	3	5	9	14	25
One diagnosis	100	11.0	5.7	5	6	9	14	18
Two or more diagnoses	130	12.5	10.3	2	5	11	14	22
With surgery	20	*	*	*	*	*	*	*
Without surgery	210	12.2	8.9	4	6	10	15	22
IRON DEFICIENCY ANEMIAS (291)								
Total	480	9.2	7.9	2	4	7	11	17
Age:								
65 to 74 years	145	7.8	5.0	2	3	6	11	13
75 to 84 years	260	9.6	8.7	2	4	7	11	18
85 years and over	75	10.9	8.8	1	4	8	14	18
One diagnosis	125	8.6	7.3	2	4	7	9	16
Two or more diagnoses	355	9.5	8.0	2	4	7	12	17
With surgery	35	15.7	16.9	2	6	9	13	33
Without surgery	445	8.7	6.4	2	4	7	11	16
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	1,570	10.0	11.1	1	3	6	11	25
Age:								
65 to 74 years	590	10.2	12.1	1	2	6	12	25
75 to 84 years	735	8.6	9.0	1	3	5	9	19
85 years and over	245	13.8	13.3	2	4	9	17	34
One diagnosis	560	6.2	6.9	1	1	4	8	13
Two or more diagnoses	1,010	12.1	12.4	2	4	7	14	31
With surgery	190	18.0	15.7	3	5	11	24	44
Without surgery	1,380	8.9	9.8	1	2	5	9	21
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	940	12.2	9.9	3	5	9	15	24
Age:								
65 to 74 years	335	11.5	8.3	3	5	9	14	21
75 to 84 years	365	13.3	12.0	2	4	9	17	26
85 years and over	240	11.5	8.3	3	5	9	14	22
One diagnosis	285	10.2	9.1	2	4	8	13	21
Two or more diagnoses	655	13.1	10.1	3	6	10	16	26
With surgery	40	17.4	15.2	4	4	12	22	38
Without surgery	900	12.0	9.6	3	5	9	15	23
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	350	13.5	14.8	2	4	8	16	33
Age:								
65 to 74 years	275	12.9	12.1	2	4	9	15	30
75 to 84 years	70	16.9	22.4	1	3	7	15	43
85 years and over	5	*	*	*	*	*	*	*
One diagnosis	170	12.6	13.4	1	3	8	14	31
Two or more diagnoses	180	14.4	15.9	2	4	9	17	34
With surgery	10	*	*	*	*	*	*	*
Without surgery	340	13.5	15.0	2	4	8	15	33
PSYCHONEUROTIC DISORDERS (324)								
Total	1,470	10.5	8.9	2	4	7	12	22
Age:								
65 to 74 years	950	9.8	8.7	2	4	7	11	22
75 to 84 years	450	12.1	9.7	3	5	9	15	24
85 years and over	70	9.1	4.9	1	4	8	13	15
One diagnosis	575	10.4	8.2	1	4	8	12	21
Two or more diagnoses	895	10.5	9.4	2	4	7	12	22
With surgery	40	12.6	9.5	4	4	8	17	24
Without surgery	1,430	10.4	8.9	2	4	7	12	22
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	5,520	14.7	15.4	1	4	9	19	35
Age:								
65 to 74 years	2,045	14.2	15.9	1	3	8	18	37
75 to 84 years	2,490	15.1	15.3	1	4	9	21	34
85 years and over	985	14.9	14.8	1	4	10	18	34
One diagnosis	2,590	13.9	14.7	1	3	9	19	33
Two or more diagnoses	2,930	15.5	16.0	2	4	9	20	37
With surgery	195	13.6	9.7	3	6	9	20	27
Without surgery	5,325	14.8	15.6	1	4	9	19	36
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	1,980	16.1	15.3	2	5	12	21	34
Age:								
65 to 74 years	870	15.1	13.3	2	5	11	20	32
75 to 84 years	885	17.4	17.9	2	5	12	22	40
85 years and over	225	14.9	10.2	3	6	12	21	30
One diagnosis	700	15.9	16.0	2	5	11	19	36
Two or more diagnoses	1,280	16.2	14.9	2	5	12	21	32
With surgery	175	22.1	18.8	6	8	19	26	36
Without surgery	1,805	15.5	14.8	2	5	11	20	33
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	3,020	9.8	10.2	2	3	6	12	19
Age:								
65 to 74 years	1,025	9.0	9.2	1	3	6	11	16
75 to 84 years	1,500	10.2	10.3	2	3	7	12	20
85 years and over	495	10.4	11.5	2	3	6	14	19
One diagnosis	965	8.4	8.8	1	2	6	10	18
Two or more diagnoses	2,055	10.4	10.7	2	3	7	12	19
With surgery	175	15.3	13.6	5	7	11	16	30
Without surgery	2,845	9.5	9.8	1	3	6	11	19
PARALYSIS AGITANS (350)								
Total	770	15.7	14.4	4	6	11	19	28
Age:								
65 to 74 years	485	14.8	11.6	4	7	11	19	27
75 to 84 years	250	18.0	19.0	2	6	11	22	34
85 years and over	35	11.7	4.4	4	8	11	14	17
One diagnosis	280	16.1	15.5	4	6	11	20	27
Two or more diagnoses	490	15.4	13.6	3	6	11	18	29
With surgery	30	21.2	22.9	5	7	10	18	51
Without surgery	740	15.5	13.9	4	6	11	19	28

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	890	9.9	8.8	2	4	7	11	19
Age:								
65 to 74 years	580	9.1	6.9	3	4	7	11	17
75 to 84 years	250	12.3	12.4	3	5	7	13	31
85 years and over	60	7.1	5.0	1	2	6	9	12
One diagnosis	380	8.6	9.1	2	3	5	9	16
Two or more diagnoses	510	10.9	8.5	3	4	8	13	21
With surgery	150	13.1	10.5	3	4	10	16	31
Without surgery	740	9.2	8.3	2	4	7	10	17
CATARACT (385)								
Total	6,985	6.5	3.7	3	4	5	7	10
Age:								
65 to 74 years	3,290	6.3	3.7	3	4	5	6	9
75 to 84 years	2,980	6.6	3.7	3	4	5	7	10
85 years and over	715	6.7	3.5	3	4	5	7	10
One diagnosis	5,605	6.2	3.2	3	4	5	7	9
Two or more diagnoses	1,380	7.7	5.2	3	4	6	8	13
With surgery	6,810	6.4	3.5	3	4	5	7	10
Without surgery	175	8.5	7.9	1	3	6	10	16
GLAUCOMA (387)								
Total	425	6.7	6.1	1	3	5	9	12
Age:								
65 to 74 years	235	6.1	4.5	1	3	4	8	11
75 to 84 years	175	7.2	7.4	1	2	4	9	11
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	275	5.9	5.7	1	2	4	8	10
Two or more diagnoses	150	8.2	6.3	2	4	5	10	20
With surgery	355	7.1	6.4	1	3	5	9	12
Without surgery	70	4.9	3.5	1	2	4	6	10
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	695	13.8	13.2	3	5	9	17	28
Age:								
65 to 74 years	520	14.2	13.6	2	4	10	17	29
75 to 84 years	155	13.1	12.6	4	5	8	14	24
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	165	15.2	12.8	2	4	11	22	30
Two or more diagnoses	530	13.4	13.3	3	5	9	15	27
With surgery	60	26.8	14.9	3	12	25	35	45
Without surgery	635	12.6	12.3	2	5	8	15	24
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	8,925	11.4	10.3	2	4	8	14	23
Age:								
65 to 74 years	3,380	10.6	9.1	2	4	7	13	22
75 to 84 years	4,130	11.8	10.8	3	5	8	14	23
85 years and over	1,415	12.1	11.4	2	4	7	15	26
One diagnosis	2,160	10.0	9.2	2	4	7	12	21
Two or more diagnoses	6,765	11.8	10.6	3	5	8	15	23
With surgery	470	17.6	13.4	4	7	13	23	34
Without surgery	8,455	11.1	10.0	2	4	8	13	22
ACUTE CORONARY OCCLUSION (420.1)								
Total	5,720	16.0	11.4	1	6	15	22	29
Age:								
65 to 74 years	3,220	16.4	10.8	1	7	16	22	30
75 to 84 years	2,040	15.8	11.8	1	5	15	21	29
85 years and over	460	14.3	13.0	1	2	13	21	30
One diagnosis	2,720	15.1	10.8	1	4	15	21	28
Two or more diagnoses	3,000	16.7	11.9	2	7	15	22	31
With surgery	180	19.6	14.1	3	9	16	27	36
Without surgery	5,540	15.9	11.3	1	6	15	22	29
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	7,100	10.4	10.2	2	4	7	13	21
Age:								
65 to 74 years	3,720	10.0	9.7	2	3	7	12	21
75 to 84 years	2,695	10.4	9.7	2	4	7	13	21
85 years and over	685	12.9	13.8	2	4	8	15	29
One diagnosis	2,630	9.4	10.2	1	3	6	11	19
Two or more diagnoses	4,470	11.0	10.2	2	4	8	14	22
With surgery	210	13.7	11.1	3	7	11	15	23
Without surgery	6,890	10.3	10.2	2	3	7	13	21
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	585	12.8	11.1	2	5	9	18	25
Age:								
65 to 74 years	225	11.0	11.0	1	3	8	13	22
75 to 84 years	275	13.8	11.0	2	4	11	20	26
85 years and over	85	14.5	10.6	5	7	10	19	31
One diagnosis	130	14.8	14.1	3	4	11	19	31
Two or more diagnoses	455	12.3	9.9	2	5	9	17	24
With surgery	20	*	*	*	*	*	*	*
Without surgery	565	12.6	11.1	2	4	9	17	25
FUNCTIONAL DISEASE OF HEART (433)								
Total	2,810	8.8	8.8	1	3	6	11	19
Age:								
65 to 74 years	1,535	8.7	8.4	1	3	5	10	19
75 to 84 years	1,045	9.1	8.8	1	3	6	11	18
85 years and over	230	8.5	10.9	1	2	5	10	19
One diagnosis	965	7.8	8.0	1	2	5	9	18
Two or more diagnoses	1,845	9.3	9.2	1	3	6	12	19
With surgery	355	14.1	12.6	3	4	10	19	27
Without surgery	2,455	8.0	7.8	1	2	5	10	17
CONGESTIVE HEART FAILURE (434.1)								
Total	5,125	11.8	9.9	2	5	9	15	24
Age:								
65 to 74 years	1,965	11.6	9.2	2	5	9	14	23
75 to 84 years	2,300	11.6	10.4	2	4	8	15	24
85 years and over	860	12.5	10.3	2	5	9	16	26
One diagnosis	1,970	10.7	9.8	2	4	7	14	22
Two or more diagnoses	3,155	12.4	9.9	2	5	9	16	25
With surgery	155	20.2	8.1	9	14	19	26	29
Without surgery	4,970	11.5	9.8	2	4	8	14	23
HYPERTENSIVE HEART DISEASE (442,443)								
Total	2,560	11.2	10.5	2	4	7	13	25
Age:								
65 to 74 years	1,180	10.8	10.1	2	4	7	12	22
75 to 84 years	1,105	10.8	9.2	2	4	7	13	25
85 years and over	275	14.9	15.0	2	4	9	20	35
One diagnosis	515	9.6	12.3	2	3	5	10	18
Two or more diagnoses	2,045	11.7	9.9	3	5	8	14	26
With surgery	140	16.1	12.7	4	7	9	22	36
Without surgery	2,420	10.9	10.3	2	4	7	13	23
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	2,515	8.8	8.5	2	3	6	10	18
Age:								
65 to 74 years	1,305	8.4	8.4	1	3	6	10	17
75 to 84 years	995	9.2	8.7	2	3	6	11	19
85 years and over	215	9.5	7.9	2	4	6	12	20
One diagnosis	900	6.8	7.4	1	2	4	7	15
Two or more diagnoses	1,615	10.0	8.9	2	4	7	12	20
With surgery	185	12.5	9.5	3	5	10	15	23
Without surgery	2,330	8.5	8.4	1	3	6	10	18
GENERAL ARTERIOSCLEROSIS (450)								
Total	3,040	12.8	13.0	2	4	8	16	30
Age:								
65 to 74 years	965	12.6	12.3	2	3	8	16	32
75 to 84 years	1,405	12.4	12.1	2	4	8	16	27
85 years and over	670	13.8	15.3	2	3	8	17	33
One diagnosis	585	12.3	12.5	2	3	8	16	28
Two or more diagnoses	2,455	12.9	13.0	2	4	8	16	30
With surgery	375	21.7	14.5	6	11	16	31	40
Without surgery	2,665	11.5	12.2	2	3	7	14	26
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	530	13.4	13.5	1	3	10	18	26
Age:								
65 to 74 years	295	13.5	12.5	1	3	11	18	25
75 to 84 years	195	13.2	14.4	1	3	9	17	26
85 years and over	40	13.2	16.0	1	1	5	15	35
One diagnosis	255	12.3	13.0	1	2	9	17	21
Two or more diagnoses	275	14.4	13.9	1	5	11	19	27
With surgery	285	16.7	14.0	1	9	13	19	29
Without surgery	245	9.6	11.8	1	1	5	12	22

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	380	17.4	17.7	3	6	11	21	35
Age:								
65 to 74 years	250	15.3	12.8	2	4	10	21	34
75 to 84 years	90	20.1	24.8	3	7	11	18	48
85 years and over	40	24.5	21.8	6	7	13	31	50
One diagnosis	165	17.0	20.1	2	4	9	20	35
Two or more diagnoses	215	17.7	15.6	3	8	13	21	34
With surgery	220	18.8	15.5	4	8	14	24	34
Without surgery	160	15.4	20.2	2	3	9	16	36
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	135	23.2	13.2	8	14	19	30	43
Age:								
65 to 74 years	60	16.8	8.3	5	9	15	20	29
75 to 84 years	50	29.5	14.5	13	16	25	38	48
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	40	26.2	15.6	13	14	20	27	51
Two or more diagnoses	95	21.9	11.9	6	13	19	30	35
With surgery	105	26.1	13.3	13	15	21	33	45
Without surgery	30	13.0	6.0	5	6	13	17	20
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	800	12.5	10.5	3	5	8	16	26
Age:								
65 to 74 years	475	10.9	8.5	3	5	7	14	23
75 to 84 years	275	14.7	11.7	4	6	11	20	27
85 years and over	50	15.7	16.7	1	3	9	16	39
One diagnosis	375	9.3	7.1	3	4	6	12	18
Two or more diagnoses	425	15.4	12.1	5	6	11	20	32
With surgery	405	10.3	7.7	3	5	7	13	21
Without surgery	395	14.8	12.4	3	5	10	19	32
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	860	8.5	5.5	3	5	7	10	16
Age:								
65 to 74 years	575	7.7	5.0	3	4	6	9	13
75 to 84 years	235	10.0	6.2	2	6	8	15	19
85 years and over	50	10.1	5.7	4	6	8	10	17
One diagnosis	410	7.5	4.1	3	5	6	9	13
Two or more diagnoses	450	9.4	6.4	3	5	7	12	18
With surgery	680	8.9	5.5	4	5	7	10	17
Without surgery	180	7.0	5.2	1	2	6	9	12
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	1,110	12.7	8.4	4	6	10	15	24
Age:								
65 to 74 years	665	12.8	8.5	4	6	10	16	23
75 to 84 years	385	11.6	7.1	4	6	9	14	19
85 years and over	60	17.2	12.6	3	6	13	25	31
One diagnosis	505	11.2	7.7	4	6	10	13	18
Two or more diagnoses	605	13.9	8.9	5	7	11	17	27
With surgery	75	18.3	9.7	8	11	15	25	28
Without surgery	1,035	12.3	8.2	4	6	10	15	23
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	665	11.7	8.5	4	6	10	14	18
Age:								
65 to 74 years	450	11.7	9.6	4	6	9	13	19
75 to 84 years	185	11.9	5.9	5	6	11	15	18
85 years and over	30	11.2	3.5	8	8	9	13	16
One diagnosis	345	9.7	4.9	4	6	8	13	16
Two or more diagnoses	320	13.9	10.9	4	8	11	16	22
With surgery	35	23.6	24.7	1	3	18	21	47
Without surgery	630	11.1	5.9	4	6	9	14	17
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	840	15.5	11.4	3	7	12	20	32
Age:								
65 to 74 years	435	16.4	11.8	5	8	12	20	31
75 to 84 years	295	14.5	10.4	2	7	11	19	32
85 years and over	110	14.9	12.4	1	5	12	20	33
One diagnosis	215	14.0	10.6	2	6	11	17	31
Two or more diagnoses	625	16.0	11.7	3	7	12	22	32
With surgery	85	25.9	14.6	8	11	26	33	42
Without surgery	755	14.3	10.4	2	7	11	19	29
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	1,440	8.2	6.6	2	3	6	10	17
Age:								
65 to 74 years	730	7.9	6.7	2	3	5	9	16
75 to 84 years	580	8.5	6.8	2	3	6	10	18
85 years and over	130	8.6	4.7	2	4	8	11	14
One diagnosis	495	6.9	5.4	2	3	4	8	14
Two or more diagnoses	945	8.9	7.1	2	4	6	11	18
With surgery	80	12.4	11.1	2	4	7	17	28
Without surgery	1,360	7.9	6.2	2	3	6	10	16
INFLUENZA (480-483)								
Total	2,555	9.0	7.3	2	4	6	11	17
Age:								
65 to 74 years	1,430	8.8	6.7	2	4	6	11	18
75 to 84 years	925	9.1	7.6	2	4	7	11	16
85 years and over	200	10.1	9.2	2	3	7	12	20
One diagnosis	1,150	7.2	5.8	2	3	5	8	13
Two or more diagnoses	1,405	10.4	8.0	3	4	8	14	20
With surgery	90	16.7	10.8	5	8	14	18	31
Without surgery	2,465	8.7	6.9	2	4	6	11	17
LOBAR PNEUMONIA (490)								
Total	200	9.9	7.6	2	4	8	14	17
Age:								
65 to 74 years	75	9.8	5.7	3	5	7	13	18
75 to 84 years	90	10.1	9.5	1	2	8	13	17
85 years and over	35	9.9	5.0	2	4	9	14	15
One diagnosis	105	9.0	6.2	1	4	6	13	18
Two or more diagnoses	95	10.9	8.7	2	5	9	13	15
With surgery	10	*	*	*	*	*	*	*
Without surgery	190	9.6	7.5	2	4	8	13	16
BRONCHOPNEUMONIA (491)								
Total	2,255	12.4	11.9	3	5	8	15	24
Age:								
65 to 74 years	985	11.6	11.2	3	5	8	13	21
75 to 84 years	865	13.9	13.0	3	6	9	17	29
85 years and over	405	11.6	10.8	1	4	8	14	28
One diagnosis	745	10.5	10.9	3	5	7	12	19
Two or more diagnoses	1,510	13.4	12.2	3	6	9	16	28
With surgery	85	17.5	11.0	5	8	15	20	38
Without surgery	2,170	12.2	11.9	3	5	8	14	24
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	1,835	11.1	8.9	3	5	8	13	22
Age:								
65 to 74 years	770	10.5	8.8	2	5	8	12	19
75 to 84 years	825	11.5	9.1	3	5	9	13	23
85 years and over	240	11.3	8.3	3	5	8	14	22
One diagnosis	545	7.9	5.3	2	4	6	10	14
Two or more diagnoses	1,290	12.4	9.7	3	6	9	15	24
With surgery	95	19.7	14.4	5	9	16	25	34
Without surgery	1,740	10.6	8.2	3	5	8	13	21
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	3,230	11.8	9.8	3	5	9	14	22
Age:								
65 to 74 years	1,400	10.8	8.5	3	5	8	13	19
75 to 84 years	1,235	12.3	10.1	3	6	10	15	22
85 years and over	595	13.1	11.5	2	5	10	16	27
One diagnosis	1,325	9.6	7.6	2	4	8	11	17
Two or more diagnoses	1,905	13.3	10.8	3	6	10	16	24
With surgery	140	19.2	16.3	7	9	14	22	28
Without surgery	3,090	11.4	9.3	3	5	9	14	21
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	1,400	8.2	5.8	2	4	6	10	14
Age:								
65 to 74 years	815	7.5	5.2	2	4	6	8	13
75 to 84 years	485	9.9	6.9	3	5	8	12	18
85 years and over	100	6.3	2.4	3	4	6	7	10
One diagnosis	435	6.8	3.7	2	4	6	8	11
Two or more diagnoses	965	8.9	6.5	3	4	7	11	15
With surgery	35	10.0	6.0	2	4	8	12	16
Without surgery	1,365	8.2	5.8	2	4	6	10	14

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	1,240	9.0	6.6	2	4	7	10	17
Age:								
65 to 74 years	720	8.4	5.7	2	4	6	10	15
75 to 84 years	415	9.9	6.7	3	5	7	13	20
85 years and over	105	9.9	10.7	3	4	6	7	24
One diagnosis	475	7.4	5.4	2	3	6	9	13
Two or more diagnoses	765	10.0	7.2	3	5	7	12	19
With surgery	70	11.9	9.2	2	3	10	15	22
Without surgery	1,170	8.8	6.4	2	4	7	10	17
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	980	11.2	9.3	3	4	8	13	25
Age:								
65 to 74 years	675	11.9	9.8	3	5	8	14	26
75 to 84 years	290	9.8	7.7	2	3	7	12	20
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	370	7.9	6.0	2	3	6	9	15
Two or more diagnoses	610	13.2	10.2	3	5	10	15	29
With surgery	70	24.8	13.6	5	12	20	36	44
Without surgery	910	10.2	7.9	3	4	7	12	20
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	565	9.8	8.4	3	4	7	12	19
Age:								
65 to 74 years	335	8.4	5.7	2	4	6	11	15
75 to 84 years	195	11.8	11.4	3	5	9	13	22
85 years and over	35	11.7	8.2	5	5	7	14	24
One diagnosis	135	8.0	6.9	3	4	5	8	15
Two or more diagnoses	430	10.4	8.7	3	4	8	13	19
With surgery	65	8.2	5.7	1	3	7	10	16
Without surgery	500	10.0	8.7	3	4	7	12	19
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	380	10.3	9.1	2	4	7	11	24
Age:								
65 to 74 years	135	9.3	8.2	2	4	6	10	18
75 to 84 years	160	11.4	9.7	3	5	8	12	26
85 years and over	85	9.8	8.8	1	3	5	13	23
One diagnosis	140	11.4	9.0	2	5	9	13	23
Two or more diagnoses	240	9.6	9.0	2	3	6	11	24
With surgery	10	*	*	*	*	*	*	*
Without surgery	370	10.4	9.1	2	4	7	12	24
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	3,235	12.0	11.3	3	5	8	14	24
Age:								
65 to 74 years	2,020	11.5	10.5	3	4	8	14	23
75 to 84 years	1,085	13.0	12.0	3	5	9	15	27
85 years and over	130	9.9	15.7	1	2	5	10	19
One diagnosis	815	10.3	9.7	2	4	6	12	21
Two or more diagnoses	2,420	12.5	11.7	3	5	8	15	26
With surgery	220	17.4	12.6	3	7	14	24	36
Without surgery	3,015	11.6	11.1	3	4	8	13	22
DISEASES OF ESOPHAGUS (539)								
Total	730	10.2	11.4	2	3	6	11	23
Age:								
65 to 74 years	400	10.0	11.7	2	3	6	11	22
75 to 84 years	280	10.9	11.7	1	3	6	12	31
85 years and over	50	7.8	4.1	3	4	7	8	13
One diagnosis	255	9.3	8.5	2	3	6	11	17
Two or more diagnoses	475	10.7	12.6	2	3	7	11	23
With surgery	275	12.1	11.3	2	3	8	14	28
Without surgery	455	9.0	11.2	2	3	6	9	15
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	940	11.4	8.7	3	5	9	14	20
Age:								
65 to 74 years	565	11.5	9.5	2	5	8	14	21
75 to 84 years	350	11.4	7.3	3	6	11	15	18
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	335	9.9	6.3	2	4	8	13	18
Two or more diagnoses	605	12.2	9.7	3	5	10	15	23
With surgery	210	15.7	7.7	6	11	14	17	26
Without surgery	730	10.2	8.6	2	4	7	13	19
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	310	13.3	9.6	4	5	11	18	24
Age:								
65 to 74 years	165	13.6	9.2	4	5	10	19	24
75 to 84 years	105	14.2	10.8	4	5	12	18	34
85 years and over	40	10.0	6.9	1	2	6	13	20
One diagnosis	145	11.0	6.9	3	5	10	14	19
Two or more diagnoses	165	15.3	11.0	4	5	13	20	28
With surgery	100	16.9	10.0	5	10	14	20	27
Without surgery	210	11.6	8.9	3	4	9	15	21
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	1,860	10.7	8.2	2	4	8	14	20
Age:								
65 to 74 years	1,135	10.2	7.9	2	4	7	14	20
75 to 84 years	620	11.4	9.0	3	5	8	14	22
85 years and over	105	11.2	6.5	3	4	10	16	19
One diagnosis	695	8.5	5.7	2	4	7	11	16
Two or more diagnoses	1,165	12.0	9.2	3	5	9	15	24
With surgery	360	16.6	8.0	8	11	15	20	26
Without surgery	1,500	9.2	7.6	2	4	7	11	17
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	1,085	12.1	11.2	3	5	9	15	24
Age:								
65 to 74 years	625	12.0	12.2	3	5	8	13	22
75 to 84 years	340	12.9	10.2	3	6	9	16	26
85 years and over	120	10.5	7.5	1	5	8	14	21
One diagnosis	575	10.1	8.8	3	4	7	13	18
Two or more diagnoses	510	14.5	13.0	3	7	10	16	30
With surgery	180	21.6	16.2	6	11	17	26	36
Without surgery	905	10.3	8.7	3	5	8	12	18
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	180	14.5	9.6	2	6	12	20	26
Age:								
65 to 74 years	105	16.4	10.1	4	7	13	23	28
75 to 84 years	65	11.8	7.7	1	3	10	18	21
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	80	12.1	7.7	1	7	10	14	23
Two or more diagnoses	100	16.3	10.5	3	6	16	21	29
With surgery	135	17.0	9.1	6	9	16	21	27
Without surgery	45	6.9	6.9	1	1	3	12	16
GASTRITIS AND DUODENITIS (543)								
Total	1,715	7.4	6.6	1	3	5	8	15
Age:								
65 to 74 years	935	6.8	5.9	1	2	5	8	14
75 to 84 years	655	7.6	6.2	2	3	5	9	16
85 years and over	125	10.5	11.4	2	3	5	14	23
One diagnosis	640	5.9	6.2	1	2	4	7	13
Two or more diagnoses	1,075	8.2	6.7	2	3	6	10	16
With surgery	165	12.5	7.1	2	6	11	17	19
Without surgery	1,550	6.8	6.3	1	3	5	8	14
APPENDICITIS (550-553)								
Total	420	12.8	9.2	3	6	10	17	22
Age:								
65 to 74 years	255	11.9	8.5	4	6	9	17	21
75 to 84 years	140	13.5	10.5	3	5	12	16	22
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	235	10.9	7.9	4	5	7	15	21
Two or more diagnoses	185	15.2	10.2	3	9	12	20	24
With surgery	340	12.4	7.0	4	6	10	17	21
Without surgery	80	14.8	15.4	2	3	7	22	38
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	3,285	8.3	5.8	3	5	6	9	13
Age:								
65 to 74 years	2,140	7.6	4.9	3	5	6	8	11
75 to 84 years	995	9.7	7.3	4	5	7	11	16
85 years and over	150	8.9	5.7	4	5	7	10	15
One diagnosis	2,110	7.7	5.2	3	5	6	8	11
Two or more diagnoses	1,175	9.4	6.7	4	5	7	10	16
With surgery	3,040	8.3	5.7	4	5	6	9	13
Without surgery	245	8.3	8.1	1	3	6	9	16

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Potient chorocteristics	Number of discharges	Average stoy (doys)	Standard deviation (doys)	Percentiles (doys)				
				10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Totol	1,905	9.3	9.3	2	3	6	11	18
Age:								
65 to 74 years	1,175	8.9	8.5	2	3	6	10	18
75 to 84 years	640	10.1	10.7	2	3	7	11	19
85 years ond over	90	9.8	7.9	3	4	6	13	18
One diognosis	450	8.3	7.6	2	3	5	10	18
Two or more diognoses	1,455	9.6	9.7	2	3	6	11	18
With surgery	410	15.0	10.3	4	7	13	19	29
Without surgery	1,495	7.8	8.4	2	3	5	9	14
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Totol	1,170	10.1	7.6	3	5	7	11	19
Age:								
65 to 74 years	825	9.8	7.1	3	5	7	11	18
75 to 84 years	305	11.0	8.1	4	5	7	13	20
85 years ond over	40	10.2	11.6	1	1	6	11	23
One diognosis	715	8.8	5.5	3	5	7	10	15
Two or more diognoses	455	12.3	9.6	4	6	9	14	27
With surgery	1,040	10.2	7.3	4	5	7	11	18
Without surgery	130	10.0	9.6	1	3	6	12	26
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Totol	635	10.3	6.9	3	5	8	13	19
Age:								
65 to 74 years	295	8.9	5.3	3	5	7	11	16
75 to 84 years	250	11.9	8.2	4	6	9	14	20
85 years ond over	90	10.4	6.2	2	4	8	16	18
One diognosis	340	9.8	6.8	3	5	7	11	19
Two or more diognoses	295	10.9	6.9	4	6	8	15	19
With surgery	505	10.9	7.1	4	6	8	13	20
Without surgery	130	7.9	5.3	1	3	7	10	16
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Totol	2,235	11.9	12.6	1	3	7	15	24
Age:								
65 to 74 years	1,055	12.5	13.7	1	4	7	16	25
75 to 84 years	885	11.8	12.0	1	3	8	16	24
85 years ond over	295	9.9	9.9	1	3	7	12	20
One diognosis	1,090	9.3	10.1	1	3	6	11	20
Two or more diognoses	1,145	14.4	14.1	2	4	10	19	28
With surgery	735	19.3	14.5	6	9	14	24	37
Without surgery	1,500	8.2	9.7	1	2	5	10	17
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Totol	4,000	6.8	6.9	1	2	4	8	13
Age:								
65 to 74 years	2,000	6.4	6.0	1	2	4	7	13
75 to 84 years	1,580	7.2	7.5	1	3	4	8	14
85 years ond over	420	7.7	7.9	1	3	5	9	13
One diognosis	1,795	5.8	5.3	1	2	4	7	11
Two or more diognoses	2,205	7.7	7.8	1	3	5	9	15
With surgery	110	16.9	17.4	4	6	11	17	29
Without surgery	3,890	6.6	6.1	1	2	4	8	13
DIVERTICULITIS (572.1)								
Totol	3,750	8.6	8.3	2	3	6	10	18
Age:								
65 to 74 years	1,985	8.2	8.2	2	3	5	9	16
75 to 84 years	1,415	9.2	8.8	2	3	6	11	19
85 years ond over	350	8.5	6.9	2	4	6	10	18
One diognosis	1,410	7.4	7.4	1	3	5	8	14
Two or more diognoses	2,340	9.4	8.7	2	4	6	11	20
With surgery	675	14.7	11.5	3	6	11	19	29
Without surgery	3,075	7.3	6.7	2	3	5	8	13
CIRRHOSIS OF LIVER (581)								
Totol	465	13.5	10.0	3	6	10	18	26
Age:								
65 to 74 years	345	13.5	10.4	3	6	10	17	26
75 to 84 years	115	14.0	8.8	5	8	10	18	25
85 years ond over	5	*	*	*	*	*	*	*
One diognosis	175	11.5	8.5	4	6	9	13	22
Two or more diognoses	290	14.8	10.6	3	7	11	20	31
With surgery	105	17.5	13.5	2	5	12	23	34
Without surgery	360	12.4	8.4	4	7	10	16	22
CHOLELITHIASIS (584)								
Totol	3,515	13.0	9.7	3	7	10	16	23
Age:								
65 to 74 years	2,075	12.7	9.4	4	7	10	15	21
75 to 84 years	1,215	13.4	9.9	3	6	11	17	24
85 years ond over	225	13.5	10.6	4	6	10	15	27
One diognosis	1,655	12.5	8.8	3	7	10	16	21
Two or more diognoses	1,860	13.5	10.4	3	6	11	16	25
With surgery	2,335	15.6	10.0	7	9	12	18	26
Without surgery	1,180	8.0	6.6	2	3	5	10	16
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Totol	1,855	11.4	10.3	2	4	8	14	23
Age:								
65 to 74 years	1,005	11.3	9.0	2	4	8	15	23
75 to 84 years	690	11.5	12.2	2	4	8	13	22
85 years ond over	160	11.6	9.3	4	5	8	13	23
One diognosis	960	9.2	6.7	2	4	7	12	19
Two or more diognoses	895	13.7	12.8	3	5	10	16	27
With surgery	580	16.8	9.6	7	10	14	20	27
Without surgery	1,275	8.9	9.7	2	3	6	9	16
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Totol	605	9.8	9.5	2	3	6	13	19
Age:								
65 to 74 years	320	9.7	9.9	1	3	6	12	23
75 to 84 years	240	9.7	9.6	2	4	6	11	16
85 years ond over	45	10.9	4.8	4	7	9	14	17
One diognosis	245	8.3	7.7	1	3	5	9	18
Two or more diognoses	360	10.8	10.4	2	4	8	14	20
With surgery	145	18.3	11.7	5	10	16	23	32
Without surgery	460	7.1	6.7	1	3	5	9	14
DISEASES OF PANCREAS (587)								
Totol	435	11.7	10.3	2	4	8	14	28
Age:								
65 to 74 years	250	10.4	9.7	2	4	7	13	23
75 to 84 years	160	13.8	11.0	3	5	9	18	30
85 years ond over	25	*	*	*	*	*	*	*
One diognosis	195	10.0	9.9	2	4	7	12	17
Two or more diognoses	240	13.1	10.4	2	5	9	18	28
With surgery	80	17.6	10.0	7	9	13	24	30
Without surgery	355	10.4	9.9	2	3	7	12	27
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Totol	570	12.3	11.9	2	3	9	15	30
Age:								
65 to 74 years	365	12.2	12.0	1	3	10	15	26
75 to 84 years	185	13.5	11.7	3	4	9	18	33
85 years ond over	20	*	*	*	*	*	*	*
One diognosis	135	9.5	10.0	2	3	6	10	19
Two or more diognoses	435	13.2	12.2	2	3	10	16	31
With surgery	155	13.3	11.6	2	4	10	16	29
Without surgery	415	12.0	11.9	2	3	8	15	29
INFECTIONS OF KIDNEY (600)								
Totol	1,290	12.7	11.0	3	5	8	16	25
Age:								
65 to 74 years	650	10.3	9.3	3	4	7	12	21
75 to 84 years	525	13.9	11.2	4	6	9	18	26
85 years ond over	115	20.5	14.2	6	8	19	23	36
One diognosis	465	8.7	6.4	2	4	6	11	16
Two or more diognoses	825	14.9	12.4	4	6	10	19	27
With surgery	160	15.7	12.8	4	7	10	21	34
Without surgery	1,130	12.2	10.7	3	5	8	16	24
CALCULI OF KIDNEY AND URETER (602)								
Total	1,045	8.7	7.8	1	3	6	11	20
Age:								
65 to 74 years	750	8.1	7.1	1	2	5	10	19
75 to 84 years	265	10.1	9.4	1	3	6	14	23
85 years and over	30	11.3	5.4	2	6	10	14	18
One diagnosis	570	7.6	6.1	1	2	5	10	18
Two or more diagnoses	475	10.1	9.2	2	3	7	13	22
With surgery	480	11.8	8.2	3	6	9	16	22
Without surgery	565	6.2	6.3	1	2	3	7	14

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	710	10.8	11.8	1	3	8	12	21
Age:								
65 to 74 years	420	8.5	8.9	1	2	6	10	15
75 to 84 years	250	14.1	14.5	2	5	10	16	23
85 years and over	40	14.1	13.3	2	3	7	21	32
One diagnosis	235	8.9	9.1	1	2	6	11	15
Two or more diagnoses	475	11.7	12.8	2	4	8	13	22
With surgery	425	12.8	12.8	2	5	9	15	23
Without surgery	285	7.8	9.2	1	2	5	10	13
CYSTITIS (605)								
Total	1,555	8.8	8.8	1	3	6	10	18
Age:								
65 to 74 years	805	8.4	8.2	1	3	5	10	18
75 to 84 years	585	8.0	6.6	1	3	6	11	17
85 years and over	165	12.8	15.4	2	5	8	12	22
One diagnosis	610	8.0	9.0	1	2	5	10	16
Two or more diagnoses	945	9.2	8.7	2	3	6	11	20
With surgery	605	8.5	9.4	1	2	6	10	18
Without surgery	950	8.9	8.4	2	3	6	10	19
OTHER DISEASES OF BLADDER (606)								
Total	620	8.9	7.2	2	3	7	12	16
Age:								
65 to 74 years	290	7.5	4.8	2	3	6	11	14
75 to 84 years	235	9.1	7.4	2	4	7	11	17
85 years and over	95	12.8	10.6	3	5	9	15	28
One diagnosis	255	8.2	7.4	2	3	6	9	14
Two or more diagnoses	365	9.5	7.1	2	3	8	13	17
With surgery	390	9.5	7.3	2	4	7	12	17
Without surgery	230	7.9	6.9	1	3	6	10	14
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	815	6.9	5.5	1	2	5	9	14
Age:								
65 to 74 years	505	6.3	5.0	1	2	4	9	12
75 to 84 years	230	7.8	6.3	1	3	5	10	15
85 years and over	80	8.3	5.2	2	3	7	9	16
One diagnosis	340	5.4	4.4	1	2	4	7	11
Two or more diagnoses	475	8.0	5.9	2	3	6	10	16
With surgery	660	6.9	5.7	1	2	5	9	14
Without surgery	155	6.8	4.4	2	3	5	9	13
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	1,390	9.7	9.9	2	3	6	12	20
Age:								
65 to 74 years	605	8.9	10.9	1	2	6	10	18
75 to 84 years	630	10.5	9.8	2	3	6	12	25
85 years and over	155	9.9	5.7	3	4	9	13	18
One diagnosis	575	8.9	10.3	2	3	6	10	19
Two or more diagnoses	815	10.3	9.6	2	3	7	13	22
With surgery	440	9.2	8.5	2	2	7	11	20
Without surgery	950	10.0	10.5	2	3	6	12	20
HYPERPLASIA OF PROSTATE (610)								
Total	5,575	11.2	8.1	4	6	8	13	20
Age:								
65 to 74 years	3,200	10.2	7.3	4	6	8	12	18
75 to 84 years	1,935	12.1	9.1	3	6	9	15	22
85 years and over	440	13.7	7.5	5	8	12	17	25
One diagnosis	2,980	10.3	6.6	3	6	8	12	18
Two or more diagnoses	2,595	12.2	9.4	4	6	9	15	21
With surgery	4,795	11.4	7.3	4	6	9	14	20
Without surgery	780	9.8	11.9	1	3	6	11	20
OTHER DISEASES OF PROSTATE (611,612)								
Total	355	7.1	5.1	2	3	5	10	13
Age:								
65 to 74 years	220	6.2	4.0	2	3	5	7	12
75 to 84 years	95	8.1	6.1	2	2	5	11	14
85 years and over	40	10.1	5.7	5	5	8	11	18
One diagnosis	175	5.8	3.7	1	2	4	7	12
Two or more diagnoses	180	8.4	5.7	2	4	6	11	16
With surgery	195	7.8	4.4	2	4	6	11	13
Without surgery	160	6.3	5.7	1	3	4	6	15
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	640	6.8	5.8	1	2	5	8	12
Age:								
65 to 74 years	435	6.9	6.2	1	2	5	7	12
75 to 84 years	170	6.7	4.9	1	2	4	10	13
85 years and over	35	6.6	4.0	2	2	5	9	12
One diagnosis	370	6.4	6.0	1	2	4	8	12
Two or more diagnoses	270	7.4	5.6	2	3	6	9	13
With surgery	480	6.5	5.9	1	2	4	7	12
Without surgery	160	7.7	5.4	1	4	7	10	13
UTEROVAGINAL PROLAPSE (631)								
Total	1,445	10.4	5.9	5	7	9	11	17
Age:								
65 to 74 years	1,065	10.2	5.4	5	7	8	11	15
75 to 84 years	345	11.1	7.4	4	7	9	12	19
85 years and over	35	8.1	4.2	2	3	6	10	13
One diagnosis	655	10.0	5.3	5	6	8	11	16
Two or more diagnoses	790	10.7	6.4	5	7	9	11	17
With surgery	1,320	10.3	5.0	5	7	9	11	16
Without surgery	125	10.8	11.9	1	2	7	12	27
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	980	13.0	13.3	3	5	9	15	22
Age:								
65 to 74 years	525	12.3	13.1	3	4	8	14	21
75 to 84 years	315	14.0	13.6	3	6	9	17	28
85 years and over	140	13.2	13.0	4	6	9	14	18
One diagnosis	395	11.2	10.5	2	4	7	15	21
Two or more diagnoses	585	14.1	14.8	3	6	10	15	23
With surgery	220	15.4	16.6	2	4	9	19	29
Without surgery	760	12.2	12.1	3	5	9	15	20
RHEUMATOID ARTHRITIS (722.0)								
Total	1,200	13.8	13.6	3	5	9	16	30
Age:								
65 to 74 years	875	13.8	13.7	3	5	9	15	27
75 to 84 years	300	13.3	12.8	2	4	7	17	31
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	475	13.4	14.4	3	4	8	15	26
Two or more diagnoses	725	14.1	13.0	3	5	10	16	29
With surgery	275	15.7	14.8	3	4	10	21	40
Without surgery	925	13.2	13.2	3	5	9	15	24
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	1,945	13.2	11.7	3	5	9	17	29
Age:								
65 to 74 years	905	13.8	12.2	3	5	10	17	28
75 to 84 years	845	13.1	11.2	3	5	9	18	29
85 years and over	195	10.7	11.2	3	4	7	9	23
One diagnosis	695	15.3	14.0	3	5	10	20	34
Two or more diagnoses	1,250	12.0	10.0	3	5	8	15	24
With surgery	405	20.2	13.1	6	9	17	27	34
Without surgery	1,540	11.3	10.6	3	4	7	14	23
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	1,200	11.6	8.8	3	5	9	15	22
Age:								
65 to 74 years	595	11.2	8.2	2	5	9	14	21
75 to 84 years	475	11.7	7.9	3	5	9	16	24
85 years and over	130	12.8	12.7	3	4	8	16	25
One diagnosis	270	12.5	9.3	3	4	9	19	24
Two or more diagnoses	930	11.3	8.5	3	5	9	14	21
With surgery	80	14.4	9.9	4	7	11	16	27
Without surgery	1,120	11.4	8.7	3	5	9	15	21
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	1,355	10.4	8.4	2	4	7	13	22
Age:								
65 to 74 years	650	9.9	7.9	3	4	7	12	21
75 to 84 years	570	10.8	8.7	2	4	7	15	24
85 years and over	135	11.1	8.9	2	4	7	14	24
One diagnosis	560	9.8	8.1	2	4	7	13	21
Two or more diagnoses	795	10.8	8.5	2	4	8	13	24
With surgery	105	17.6	12.2	4	7	15	23	29
Without surgery	1,250	9.8	7.6	2	4	7	12	21

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	775	12.0	9.6	3	5	9	16	22
Age:								
65 to 74 years	275	11.7	12.1	2	3	8	13	26
75 to 84 years	365	12.1	6.9	3	6	9	18	21
85 years and over	135	12.4	10.4	4	5	8	17	23
One diagnosis	150	9.2	7.6	2	3	6	13	18
Two or more diagnoses	625	12.7	9.9	3	5	9	18	23
With surgery	45	22.0	18.7	3	6	11	33	52
Without surgery	730	11.4	8.4	3	5	9	16	22
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	810	11.3	7.6	3	5	8	15	21
Age:								
65 to 74 years	630	11.3	7.9	3	5	8	15	23
75 to 84 years	160	10.8	6.9	4	6	8	13	17
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	435	10.8	7.8	3	5	8	15	20
Two or more diagnoses	375	11.7	7.3	4	6	9	15	20
With surgery	220	16.7	9.0	6	9	14	22	30
Without surgery	590	9.2	5.8	3	5	7	12	16
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	505	7.4	7.3	1	2	5	8	14
Age:								
65 to 74 years	325	6.6	6.3	1	2	4	7	14
75 to 84 years	140	9.6	9.5	3	4	6	11	14
85 years and over	40	5.5	2.2	2	3	4	7	8
One diagnosis	270	5.9	6.1	1	2	4	6	11
Two or more diagnoses	235	9.0	8.2	2	4	6	11	15
With surgery	295	6.3	7.4	1	2	4	6	12
Without surgery	210	8.8	6.9	3	4	6	11	15
CONGENITAL MALFORMATIONS (750-759)								
Total	255	9.7	10.0	2	3	7	12	17
Age:								
65 to 74 years	190	10.2	11.4	2	3	6	13	17
75 to 84 years	55	8.5	3.7	3	4	8	11	13
85 years and over	10	*	*	*	*	*	*	*
One diagnosis	110	9.0	6.6	2	3	6	12	17
Two or more diagnoses	145	10.3	12.0	3	4	7	11	16
With surgery	120	12.1	13.6	2	3	7	15	22
Without surgery	135	7.7	4.1	2	4	6	11	13
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	535	5.7	6.0	1	1	3	7	13
Age:								
65 to 74 years	305	4.9	4.4	1	1	3	6	12
75 to 84 years	210	6.8	7.7	1	1	4	8	18
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	360	6.5	6.8	1	1	3	8	15
Two or more diagnoses	175	4.1	3.2	1	1	3	5	9
With surgery	60	6.8	6.1	1	1	3	10	15
Without surgery	475	5.6	6.0	1	1	3	7	13
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	1,080	4.6	4.0	1	1	3	6	9
Age:								
65 to 74 years	560	4.1	3.3	1	1	3	5	8
75 to 84 years	385	5.2	4.9	1	1	3	6	10
85 years and over	135	4.9	3.5	1	2	3	6	10
One diagnosis	770	4.0	3.2	1	1	3	5	8
Two or more diagnoses	310	6.0	5.1	1	2	4	8	11
With surgery	115	5.6	6.3	1	1	4	6	9
Without surgery	965	4.4	3.6	1	1	3	5	9
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	1,085	6.7	5.0	1	3	5	9	13
Age:								
65 to 74 years	500	5.9	4.5	1	2	4	8	11
75 to 84 years	475	6.9	4.7	1	3	5	9	14
85 years and over	110	9.7	7.0	1	4	8	12	17
One diagnosis	840	6.6	5.3	1	2	4	9	13
Two or more diagnoses	245	7.0	3.9	2	3	5	9	13
With surgery	65	6.5	3.5	3	3	5	8	11
Without surgery	1,020	6.7	5.1	1	3	5	9	13
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	585	9.8	9.7	1	3	7	12	20
Age:								
65 to 74 years	305	8.6	8.9	1	2	7	10	14
75 to 84 years	185	12.6	11.9	1	3	8	17	29
85 years and over	95	8.3	5.1	2	4	6	12	14
One diagnosis	420	9.0	8.4	1	3	6	11	18
Two or more diagnoses	165	12.0	12.2	1	4	8	12	31
With surgery	260	12.4	9.9	2	6	10	13	24
Without surgery	325	7.7	8.9	1	2	4	9	17
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	965	7.9	8.7	1	2	5	9	16
Age:								
65 to 74 years	565	8.1	9.9	1	2	5	8	16
75 to 84 years	275	7.5	6.3	1	3	5	10	15
85 years and over	125	8.1	6.9	1	2	5	12	19
One diagnosis	705	6.8	6.6	1	2	5	8	13
Two or more diagnoses	260	11.0	12.3	1	4	6	14	18
With surgery	205	8.1	6.9	1	3	6	11	17
Without surgery	760	7.9	9.1	1	2	5	9	16
NERVOUSNESS AND DEBILITY (790)								
Total	280	9.5	9.9	1	2	5	13	21
Age:								
65 to 74 years	115	9.0	7.0	1	2	6	13	19
75 to 84 years	110	11.6	13.2	1	2	4	15	36
85 years and over	55	6.5	5.7	1	2	5	7	12
One diagnosis	100	9.1	10.6	1	1	5	10	25
Two or more diagnoses	180	9.7	9.5	1	3	6	13	20
With surgery	15	*	*	*	*	*	*	*
Without surgery	265	9.6	10.1	1	2	5	13	21
UREMIA (792)								
Total	125	12.0	9.7	1	3	8	18	25
Age:								
65 to 74 years	50	7.9	5.9	1	3	6	9	16
75 to 84 years	45	14.0	11.7	1	2	10	19	28
85 years and over	30	15.7	9.2	2	6	13	22	27
One diagnosis	50	11.8	7.9	1	3	10	18	20
Two or more diagnoses	75	12.1	10.8	1	3	7	17	27
With surgery	—	—	—	—	—	—	—	—
Without surgery	125	12.0	9.7	1	3	8	18	25
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	440	11.8	14.1	3	4	6	12	26
Age:								
65 to 74 years	40	10.6	7.6	3	4	7	14	23
75 to 84 years	240	11.8	15.5	3	4	6	12	22
85 years and over	160	12.1	13.3	3	4	6	13	33
One diagnosis	105	11.1	16.8	3	3	5	11	14
Two or more diagnoses	335	12.0	13.2	3	4	6	13	26
With surgery	25	*	*	*	*	*	*	*
Without surgery	415	11.7	14.2	3	4	6	12	25
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	695	6.8	7.5	1	2	4	8	16
Age:								
65 to 74 years	405	7.0	6.8	1	2	4	9	13
75 to 84 years	245	7.0	9.1	1	1	3	7	17
85 years and over	45	4.8	3.7	1	1	3	7	9
One diagnosis	380	5.3	4.9	1	1	3	7	12
Two or more diagnoses	315	8.7	9.5	1	3	4	9	19
With surgery	135	4.8	4.5	1	1	2	6	12
Without surgery	560	7.3	8.1	1	2	4	8	17
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	1,210	15.1	10.5	4	7	12	18	29
Age:								
65 to 74 years	535	15.5	11.4	3	7	12	20	30
75 to 84 years	485	15.5	10.7	5	7	13	19	30
85 years and over	190	13.4	6.8	5	9	12	16	23
One diagnosis	460	14.4	9.1	4	8	12	19	26
Two or more diagnoses	750	15.6	11.3	4	7	12	18	31
With surgery	50	21.9	15.8	1	8	12	35	44
Without surgery	1,160	14.9	10.1	4	7	12	18	27

Table 12 MOUNTAIN: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	920	11.2	9.2	2	4	8	15	21
Age:								
65 to 74 years	445	10.6	7.9	3	5	8	13	18
75 to 84 years	350	10.9	7.9	3	4	9	15	19
85 years and over	125	14.3	14.9	2	3	9	21	27
One diagnosis	225	9.7	7.3	2	4	7	13	19
Two or more diagnoses	695	11.7	9.7	3	5	9	15	22
With surgery	115	17.0	9.4	6	8	15	20	30
Without surgery	805	10.4	8.9	2	4	8	13	19
FRACTURE OF PELVIS (808)								
Total	550	23.6	17.7	5	11	19	30	45
Age:								
65 to 74 years	145	27.0	18.5	8	13	22	31	48
75 to 84 years	295	21.4	15.5	4	10	19	28	37
85 years and over	110	25.3	20.8	2	10	18	35	49
One diagnosis	250	24.0	17.1	5	10	21	32	44
Two or more diagnoses	300	23.3	18.1	3	12	18	30	47
With surgery	20	*	*	*	*	*	*	*
Without surgery	530	23.0	16.8	5	11	19	29	44
FRACTURE OF HUMERUS (812)								
Total	810	12.4	12.8	2	4	7	15	28
Age:								
65 to 74 years	310	10.6	10.1	1	4	7	13	28
75 to 84 years	380	13.6	15.3	2	4	7	17	32
85 years and over	120	13.5	9.8	2	6	10	19	23
One diagnosis	375	11.7	13.8	1	3	6	15	24
Two or more diagnoses	435	13.1	12.0	2	5	9	15	30
With surgery	265	12.9	14.4	1	4	8	15	28
Without surgery	545	12.2	12.0	2	4	7	16	26
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	680	6.9	8.0	1	1	3	8	17
Age:								
65 to 74 years	390	5.7	7.3	1	1	2	7	11
75 to 84 years	260	8.0	8.3	1	2	4	11	18
85 years and over	30	11.3	11.1	2	2	6	14	27
One diagnosis	430	5.2	6.7	1	1	2	5	11
Two or more diagnoses	250	9.8	9.2	1	2	6	12	23
With surgery	415	6.8	7.4	1	1	4	7	17
Without surgery	265	6.9	8.9	1	1	3	8	15
FRACTURE OF FEMUR (820,821)								
Total	4,680	23.1	17.2	4	12	19	29	45
Age:								
65 to 74 years	1,235	23.0	17.5	5	11	19	28	45
75 to 84 years	2,205	23.9	17.6	5	12	19	30	46
85 years and over	1,240	21.9	16.0	3	11	19	28	42
One diagnosis	2,815	21.5	15.9	3	11	18	26	41
Two or more diagnoses	1,865	25.5	18.7	6	13	20	32	50
With surgery	3,290	23.6	16.0	8	13	19	28	43
Without surgery	1,390	21.9	19.7	1	6	17	30	52
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	1,350	13.2	12.8	2	4	9	18	26
Age:								
65 to 74 years	940	11.7	10.3	2	5	8	15	22
75 to 84 years	340	16.9	15.6	2	5	13	23	30
85 years and over	70	14.8	20.8	2	3	5	14	34
One diagnosis	800	10.3	8.7	2	4	7	13	21
Two or more diagnoses	550	17.3	16.1	3	6	13	21	33
With surgery	725	14.2	13.6	3	5	10	18	28
Without surgery	625	12.0	11.6	2	4	8	17	25
SPRAINS OF BACK (846,847)								
Total	930	9.0	8.4	2	4	7	11	16
Age:								
65 to 74 years	545	8.4	6.2	2	4	6	10	15
75 to 84 years	335	9.9	11.3	2	3	8	12	16
85 years and over	50	10.3	6.1	2	5	7	15	19
One diagnosis	415	7.6	4.6	2	4	6	9	14
Two or more diagnoses	515	10.2	10.4	2	4	7	13	19
With surgery	25	*	*	*	*	*	*	*
Without surgery	905	8.9	8.2	2	4	6	11	16
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	1,015	9.8	9.5	1	2	7	13	20
Age:								
65 to 74 years	545	10.4	10.5	1	3	7	14	21
75 to 84 years	345	8.6	8.0	1	2	5	13	18
85 years and over	125	10.5	8.4	2	4	8	13	19
One diagnosis	260	9.3	9.3	1	1	5	13	21
Two or more diagnoses	755	10.0	9.6	1	3	7	13	20
With surgery	265	13.8	12.4	1	3	13	20	27
Without surgery	750	8.4	7.9	1	2	6	12	16
LACERATION AND OPEN WOUND (870-898)								
Total	830	7.5	10.0	1	2	4	9	14
Age:								
65 to 74 years	510	6.4	8.3	1	1	3	7	14
75 to 84 years	265	9.4	12.8	1	2	6	10	14
85 years and over	55	9.2	7.8	1	2	6	11	17
One diagnosis	325	6.2	9.6	1	1	3	6	11
Two or more diagnoses	505	8.4	10.2	1	2	5	10	15
With surgery	425	8.0	11.3	1	2	4	8	18
Without surgery	405	7.0	8.6	1	2	5	9	13
SUPERFICIAL INJURY (910-918)								
Total	125	13.8	15.1	2	4	6	12	42
Age:								
65 to 74 years	60	12.2	12.6	1	3	6	14	32
75 to 84 years	50	17.6	18.6	1	4	7	29	47
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	20	*	*	*	*	*	*	*
Two or more diagnoses	105	13.4	14.1	1	4	6	12	41
With surgery	25	*	*	*	*	*	*	*
Without surgery	100	9.7	11.6	1	3	5	9	25
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	1,380	9.1	8.6	1	3	6	11	19
Age:								
65 to 74 years	555	7.9	7.4	1	2	5	10	17
75 to 84 years	625	10.2	9.3	1	3	7	13	23
85 years and over	200	9.3	8.8	1	3	7	10	19
One diagnosis	405	6.3	6.1	1	2	4	8	13
Two or more diagnoses	975	10.3	9.2	1	4	7	13	22
With surgery	110	14.5	11.7	2	5	11	20	23
Without surgery	1,270	8.7	8.1	1	3	6	11	17
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	715	5.9	5.4	1	2	4	7	11
Age:								
65 to 74 years	445	5.7	5.7	1	2	4	7	11
75 to 84 years	205	7.1	5.2	2	4	6	8	12
85 years and over	65	4.0	2.2	1	1	3	6	7
One diagnosis	320	5.4	6.1	1	1	3	6	10
Two or more diagnoses	395	6.3	4.7	1	3	5	7	11
With surgery	10	*	*	*	*	*	*	*
Without surgery	705	5.8	5.1	1	2	4	7	10
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	860	10.0	10.6	2	3	6	12	21
Age:								
65 to 74 years	490	8.8	7.7	2	3	6	11	17
75 to 84 years	320	12.4	14.0	2	3	7	16	29
85 years and over	50	7.0	4.4	3	4	5	7	12
One diagnosis	530	9.6	11.6	2	3	5	11	19
Two or more diagnoses	330	10.7	8.7	2	4	7	13	26
With surgery	310	9.9	7.2	3	4	8	12	18
Without surgery	550	10.1	12.1	1	3	5	12	23

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
INFECTIVE AND PARASITIC DISEASES (002-138)								
Total	4,075	11.9	13.0	1	3	7	14	26
Age:								
65 to 74 years	2,265	12.4	13.7	1	3	7	15	28
75 to 84 years	1,380	11.4	11.9	1	4	7	13	25
85 years and over	430	11.0	13.0	1	3	7	12	23
One diagnosis	1,425	10.8	13.3	1	2	6	13	26
Two or more diagnoses	2,650	12.5	12.8	2	4	8	15	26
With surgery	895	13.5	12.8	2	4	9	18	28
Without surgery	3,180	11.5	13.1	1	3	7	13	25
HERPES ZOSTER (088)								
Total	1,155	12.7	10.6	3	5	9	17	26
Age:								
65 to 74 years	530	11.8	10.1	3	5	8	17	23
75 to 84 years	475	13.6	11.0	3	6	10	18	27
85 years and over	150	13.3	10.9	3	5	8	17	31
One diagnosis	385	10.9	9.1	2	4	7	14	23
Two or more diagnoses	770	13.6	11.2	3	6	10	18	26
With surgery	70	24.1	18.9	4	6	21	36	47
Without surgery	1,085	12.0	9.4	3	5	9	16	23
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX (140-148)								
Total	1,315	10.4	12.3	1	2	5	12	24
Age:								
65 to 74 years	940	10.9	13.2	1	2	5	13	25
75 to 84 years	310	9.0	9.3	1	3	5	11	21
85 years and over	65	9.6	11.9	2	3	6	8	14
One diagnosis	705	7.6	9.3	1	2	4	9	15
Two or more diagnoses	610	13.6	14.4	2	3	8	17	34
With surgery	905	9.0	10.5	1	2	4	11	21
Without surgery	410	13.5	15.1	2	3	8	16	32
MALIGNANT NEOPLASM OF ESOPHAGUS (150)								
Total	645	14.4	14.6	1	3	10	19	31
Age:								
65 to 74 years	400	13.8	14.1	1	3	10	18	31
75 to 84 years	220	15.2	16.0	1	4	8	21	40
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	310	11.7	14.0	1	3	6	16	24
Two or more diagnoses	335	17.0	14.7	2	6	12	23	36
With surgery	360	14.7	14.8	2	4	10	20	30
Without surgery	285	14.0	14.4	1	3	9	18	35
MALIGNANT NEOPLASM OF STOMACH (151)								
Total	1,920	16.7	13.3	2	6	13	23	33
Age:								
65 to 74 years	795	16.5	13.5	2	7	13	23	33
75 to 84 years	880	17.2	13.6	3	6	13	23	34
85 years and over	245	15.9	12.0	2	5	13	23	29
One diagnosis	605	15.1	13.7	1	4	12	20	34
Two or more diagnoses	1,315	17.5	13.1	3	7	14	24	33
With surgery	890	20.2	12.0	8	11	18	25	35
Without surgery	1,030	13.7	13.7	1	4	9	19	32
MALIGNANT NEOPLASM OF INTESTINE EXCEPT RECTUM (152,153)								
Total	5,520	17.2	12.4	4	9	14	21	33
Age:								
65 to 74 years	2,740	16.7	12.1	4	9	13	20	31
75 to 84 years	2,265	17.6	12.8	3	9	15	22	34
85 years and over	515	17.7	12.8	4	9	15	22	33
One diagnosis	1,770	15.7	10.4	4	9	13	19	28
Two or more diagnoses	3,750	17.8	13.2	4	8	14	22	35
With surgery	3,500	18.9	10.9	8	11	16	22	32
Without surgery	2,020	14.2	14.2	2	4	9	18	34
MALIGNANT NEOPLASM OF RECTUM (154)								
Total	2,435	16.6	12.6	3	6	14	22	31
Age:								
65 to 74 years	1,355	16.7	13.3	3	6	14	21	31
75 to 84 years	920	16.6	12.0	3	6	14	23	32
85 years and over	160	16.4	10.0	2	7	16	23	29
One diagnosis	965	15.7	12.4	2	6	14	20	29
Two or more diagnoses	1,470	17.2	12.8	3	6	14	23	32
With surgery	1,540	18.4	11.2	4	11	17	23	31
Without surgery	895	13.6	14.4	2	3	8	18	31
MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (155,156)								
Total	1,205	14.7	11.9	2	6	12	19	29
Age:								
65 to 74 years	620	16.9	13.2	4	8	13	21	33
75 to 84 years	440	12.7	9.4	1	5	10	17	28
85 years and over	145	11.1	10.3	1	3	7	14	23
One diagnosis	430	13.9	11.1	1	6	11	18	31
Two or more diagnoses	775	15.1	12.2	3	7	12	19	28
With surgery	420	17.6	9.3	7	10	15	22	31
Without surgery	785	13.1	12.8	1	4	9	16	28
MALIGNANT NEOPLASM OF PANCREAS (157)								
Total	1,370	17.8	14.8	2	6	14	23	33
Age:								
65 to 74 years	745	18.8	15.7	2	6	16	25	35
75 to 84 years	490	15.8	13.3	2	6	12	21	27
85 years and over	135	19.0	14.5	5	8	15	25	32
One diagnosis	385	16.0	13.0	2	6	14	21	30
Two or more diagnoses	985	18.5	15.4	3	6	14	24	34
With surgery	625	23.1	14.1	11	14	20	27	37
Without surgery	745	13.3	13.9	2	4	7	17	27
MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA, AND LUNG (162,163)								
Total	6,025	13.0	11.6	2	4	9	17	28
Age:								
65 to 74 years	4,260	13.0	11.4	2	4	9	17	28
75 to 84 years	1,555	13.1	11.8	2	4	9	17	29
85 years and over	210	12.4	12.7	2	4	9	16	22
One diagnosis	2,310	11.1	10.3	1	3	9	14	25
Two or more diagnoses	3,715	14.2	12.1	2	5	10	19	30
With surgery	2,550	13.4	10.6	2	5	11	18	28
Without surgery	3,475	12.7	12.2	2	4	8	16	29
MALIGNANT NEOPLASM OF BREAST (170)								
Total	4,800	11.6	9.5	3	6	9	13	22
Age:								
65 to 74 years	2,735	11.9	9.8	3	6	9	13	22
75 to 84 years	1,665	11.5	9.3	3	6	9	13	21
85 years and over	400	10.6	8.4	3	5	7	11	23
One diagnosis	2,125	9.9	6.2	3	6	8	11	16
Two or more diagnoses	2,675	13.0	11.4	3	6	9	16	26
With surgery	3,195	10.6	6.7	4	6	8	12	17
Without surgery	1,605	13.6	13.3	2	4	9	18	28
MALIGNANT NEOPLASM OF CERVIX UTERI (171)								
Total	1,350	7.1	6.7	1	3	5	8	14
Age:								
65 to 74 years	840	7.8	7.6	1	3	5	9	17
75 to 84 years	460	5.7	4.8	1	2	4	7	11
85 years and over	50	6.7	3.3	2	3	7	9	11
One diagnosis	815	5.7	6.5	1	2	4	6	9
Two or more diagnoses	535	9.2	6.6	2	4	7	12	18
With surgery	935	6.6	5.3	2	3	5	8	12
Without surgery	415	8.1	9.1	1	2	5	10	17
MALIGNANT NEOPLASM OF UTERUS EXCEPT CERVIX (172-174)								
Total	2,185	9.6	9.9	2	3	7	11	18
Age:								
65 to 74 years	1,580	8.8	9.0	2	3	7	10	15
75 to 84 years	535	11.2	11.5	2	4	8	12	21
85 years and over	70	14.3	13.5	3	4	7	20	24
One diagnosis	1,195	8.0	8.6	2	3	6	9	14
Two or more diagnoses	990	11.5	11.0	2	5	9	13	22
With surgery	1,780	8.7	6.6	2	4	7	10	16
Without surgery	405	13.4	17.8	1	2	6	16	34
MAL. NEOPLASM OF OVARY, FALLOPIAN TUBE & BROAD LIGAMENT (175)								
Total	800	15.8	12.1	3	8	12	20	28
Age:								
65 to 74 years	510	14.9	11.8	3	7	11	19	27
75 to 84 years	235	15.7	9.9	4	9	13	20	26
85 years and over	55	25.3	18.1	7	10	18	28	48
One diagnosis	170	14.8	13.1	2	7	10	18	27
Two or more diagnoses	630	16.1	11.8	4	8	12	20	31
With surgery	430	15.3	8.5	6	10	13	19	25
Without surgery	370	16.4	15.3	2	5	10	22	41

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
MALIGNANT NEOPLASM OF PROSTATE (177)								
Total	6,065	11.0	10.7	2	4	7	13	23
Age:								
65 to 74 years	2,810	9.9	8.8	1	3	7	13	20
75 to 84 years	2,655	11.8	12.0	2	4	8	13	25
85 years and over	600	13.1	11.6	3	5	9	17	24
One diagnosis	2,475	9.4	8.5	1	3	7	12	18
Two or more diagnoses	3,590	12.2	11.8	2	4	8	15	26
With surgery	3,690	11.0	9.5	2	5	8	13	22
Without surgery	2,375	11.1	12.2	1	3	7	13	24
MALIGNANT NEOPLASM OF KIDNEY AND URETER (180)								
Total	815	15.7	12.4	3	7	12	20	29
Age:								
65 to 74 years	515	16.6	13.3	3	8	13	20	30
75 to 84 years	260	14.5	10.6	3	5	12	20	26
85 years and over	40	12.1	7.9	4	6	8	13	23
One diagnosis	245	13.2	7.7	3	9	12	15	23
Two or more diagnoses	570	16.7	13.7	3	6	13	21	32
With surgery	435	16.5	8.6	8	10	14	20	28
Without surgery	380	14.7	15.5	2	4	8	17	33
MALIGNANT NEOPLASM OF BLADDER (181.0)								
Total	4,355	9.2	9.6	2	3	5	11	20
Age:								
65 to 74 years	2,410	8.8	9.7	1	3	5	10	19
75 to 84 years	1,610	9.5	9.9	2	3	6	12	21
85 years and over	335	10.4	7.9	2	4	7	15	22
One diagnosis	2,455	7.5	7.9	1	2	4	9	16
Two or more diagnoses	1,900	11.3	11.2	2	4	7	14	24
With surgery	3,460	8.8	8.7	2	3	5	11	19
Without surgery	895	10.7	12.6	1	3	6	12	24
MALIGNANT NEOPLASM OF SKIN (190,191)								
Total	2,820	7.3	8.9	1	2	4	8	16
Age:								
65 to 74 years	1,490	6.5	8.2	1	2	3	7	14
75 to 84 years	1,005	8.6	10.4	1	2	4	10	22
85 years and over	325	7.3	7.0	1	2	5	9	16
One diagnosis	1,695	5.7	6.3	1	1	3	6	13
Two or more diagnoses	1,125	9.8	11.4	2	3	6	11	22
With surgery	2,345	6.6	8.0	1	2	3	8	15
Without surgery	475	10.9	12.2	2	3	6	12	24
MAL. NEOPLASM OF UNSPEC. PRIMARY SITE & OTHER & UNSPEC. SECONDARY SITES (199)								
Total	5,550	13.2	11.6	1	4	9	18	29
Age:								
65 to 74 years	3,220	13.0	11.7	1	4	9	18	29
75 to 84 years	1,990	13.3	11.6	1	4	9	18	29
85 years and over	340	14.6	11.4	2	5	11	21	29
One diagnosis	2,765	12.8	11.7	1	4	9	17	29
Two or more diagnoses	2,785	13.6	11.5	2	4	10	19	28
With surgery	1,660	14.5	11.5	2	5	11	21	29
Without surgery	3,890	12.7	11.6	1	4	9	17	28
LYMPHOSARCOMA AND RETICULOSARCOMA (200)								
Total	1,270	13.8	12.2	2	4	10	19	29
Age:								
65 to 74 years	735	13.0	11.0	2	4	9	19	25
75 to 84 years	485	14.9	13.6	2	5	10	21	34
85 years and over	50	15.9	15.1	3	4	9	18	41
One diagnosis	560	10.0	8.9	1	3	6	12	23
Two or more diagnoses	710	16.9	13.6	3	6	13	23	35
With surgery	425	14.0	12.4	3	4	10	19	28
Without surgery	845	13.7	12.2	2	4	9	20	30
LEUKEMIA AND ALEUKEMIA (204)								
Total	2,050	10.6	11.0	1	3	7	13	22
Age:								
65 to 74 years	1,040	9.7	9.5	1	3	6	12	21
75 to 84 years	760	12.0	13.0	1	4	8	15	25
85 years and over	250	10.5	8.8	1	3	8	15	23
One diagnosis	700	10.5	10.4	1	3	7	13	22
Two or more diagnoses	1,350	10.7	11.2	1	3	7	14	23
With surgery	185	13.8	9.0	3	6	11	19	24
Without surgery	1,865	10.3	11.1	1	3	7	12	22
OTHER NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES (201-203,205)								
Total	1,570	13.5	13.1	2	4	9	18	31
Age:								
65 to 74 years	1,075	12.9	12.8	1	3	8	17	30
75 to 84 years	445	15.8	13.9	3	5	11	22	35
85 years and over	50	7.6	7.0	1	3	5	8	16
One diagnosis	650	12.1	11.7	1	3	7	16	31
Two or more diagnoses	920	14.6	14.0	2	4	10	18	33
With surgery	365	15.2	15.0	2	4	9	20	38
Without surgery	1,205	13.1	12.5	2	4	9	17	30
BENIGN NEOPLASM OF INTESTINE, EXCLUDING RECTUM (211.2,211.3)								
Total	795	10.9	8.5	2	5	9	13	20
Age:								
65 to 74 years	505	11.3	8.1	2	5	9	14	21
75 to 84 years	275	10.2	9.2	3	5	8	11	16
85 years and over	15	*	*	*	*	*	*	*
One diagnosis	305	9.0	7.0	1	4	8	10	13
Two or more diagnoses	490	12.1	9.1	3	6	10	15	21
With surgery	615	12.1	8.9	3	7	10	14	21
Without surgery	180	6.7	5.2	1	3	4	9	13
BENIGN NEOPLASM OF RECTUM (211.4)								
Total	750	6.8	6.1	1	2	4	8	14
Age:								
65 to 74 years	455	5.9	5.5	1	2	3	7	14
75 to 84 years	215	7.4	5.2	1	3	6	10	13
85 years and over	80	10.0	9.2	3	4	7	10	24
One diagnosis	400	5.5	5.3	1	2	3	7	11
Two or more diagnoses	350	8.2	6.6	2	3	5	11	17
With surgery	660	6.9	5.9	1	2	4	9	14
Without surgery	90	5.7	6.7	1	1	3	6	10
BENIGN NEOPLASM OF UTERUS (214,215)								
Total	985	7.2	6.4	1	2	5	10	13
Age:								
65 to 74 years	720	7.0	6.0	1	2	6	10	12
75 to 84 years	240	7.9	7.3	1	2	5	10	19
85 years and over	25	*	*	*	*	*	*	*
One diagnosis	295	4.5	4.4	1	1	2	6	11
Two or more diagnoses	690	8.3	6.7	1	3	7	10	15
With surgery	940	7.1	6.3	1	2	5	10	13
Without surgery	45	9.0	7.6	2	2	6	12	18
LIPOMA (226)								
Total	895	4.5	4.9	1	1	2	4	8
Age:								
65 to 74 years	690	4.2	4.8	1	1	2	4	7
75 to 84 years	185	5.0	4.9	1	1	3	5	14
85 years and over	20	*	*	*	*	*	*	*
One diagnosis	585	3.8	4.4	1	1	2	4	6
Two or more diagnoses	310	5.7	5.5	1	2	3	7	14
With surgery	850	4.5	4.8	1	2	2	4	8
Without surgery	45	4.3	6.0	1	1	2	3	9
NEOPLASMS OF UNSPECIFIED NATURE OF THE BLADDER (236.2)								
Total	920	5.0	6.2	1	1	3	5	8
Age:								
65 to 74 years	465	4.1	3.9	1	1	3	4	7
75 to 84 years	370	5.2	6.9	1	1	2	5	10
85 years and over	85	9.3	10.8	2	3	5	10	19
One diagnosis	660	4.2	4.2	1	1	3	4	7
Two or more diagnoses	260	7.1	9.4	1	2	4	6	11
With surgery	845	4.8	5.9	1	1	3	5	8
Without surgery	75	7.3	9.2	1	1	3	8	20
ASTHMA (241)								
Total	3,150	9.1	7.1	2	4	7	11	17
Age:								
65 to 74 years	2,045	9.2	7.3	2	4	7	11	17
75 to 84 years	980	9.0	6.5	2	4	7	11	16
85 years and over	125	9.4	7.3	3	4	6	13	19
One diagnosis	940	8.6	6.5	2	4	7	10	16
Two or more diagnoses	2,210	9.3	7.3	2	4	7	12	17
With surgery	105	13.6	9.1	2	6	11	20	22
Without surgery	3,045	9.0	7.0	2	4	7	11	17

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
DISEASES OF THYROID GLAND (250-254)								
Total	1,300	9.7	8.9	3	4	6	11	18
Age:								
65 to 74 years	865	8.8	7.6	3	4	6	10	16
75 to 84 years	395	11.3	10.9	2	4	7	13	21
85 years and over	40	12.9	8.7	2	2	11	21	24
One diagnosis	490	7.3	6.6	3	4	5	8	11
Two or more diagnoses	810	11.1	9.7	3	4	7	14	21
With surgery	620	7.8	7.1	3	4	5	7	12
Without surgery	680	11.4	9.9	2	5	9	15	20
DIABETES MELLITUS (260)								
Total	14,275	11.0	10.2	2	4	7	13	22
Age:								
65 to 74 years	8,330	11.1	10.7	2	4	7	12	23
75 to 84 years	4,985	11.0	9.7	2	5	8	13	21
85 years and over	960	9.9	8.8	2	4	7	12	19
One diagnosis	2,725	9.3	8.8	2	4	6	11	18
Two or more diagnoses	11,550	11.4	10.5	3	5	8	13	23
With surgery	1,335	19.5	16.7	3	7	14	27	43
Without surgery	12,940	10.1	8.9	2	4	7	12	19
MALNUTRITIONAL DEFICIENCY STATES (286)								
Total	1,425	10.5	8.8	2	4	7	13	21
Age:								
65 to 74 years	685	10.0	7.5	2	4	8	12	17
75 to 84 years	495	10.5	9.7	2	4	7	13	20
85 years and over	245	12.0	9.9	2	4	8	18	26
One diagnosis	295	8.0	6.6	2	3	5	11	15
Two or more diagnoses	1,130	11.2	9.2	2	5	8	14	22
With surgery	80	18.1	11.4	3	8	14	29	34
Without surgery	1,345	10.1	8.4	2	4	7	13	19
GOUT (288)								
Total	900	9.1	7.9	2	4	7	10	16
Age:								
65 to 74 years	500	7.9	5.7	2	4	6	9	15
75 to 84 years	305	9.4	4.8	3	5	9	12	15
85 years and over	95	14.6	17.7	2	4	7	16	32
One diagnosis	210	6.7	4.0	2	3	6	8	13
Two or more diagnoses	690	9.9	8.7	3	5	8	11	17
With surgery	90	13.0	14.6	2	3	8	13	28
Without surgery	810	8.7	6.6	2	4	7	10	15
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS (290)								
Total	825	10.8	6.2	3	6	9	14	20
Age:								
65 to 74 years	265	10.9	6.6	3	6	9	15	21
75 to 84 years	380	10.9	6.1	4	6	9	14	19
85 years and over	180	10.4	5.8	2	6	9	13	19
One diagnosis	230	8.8	5.7	2	5	8	10	17
Two or more diagnoses	595	11.6	6.2	4	7	10	15	21
With surgery	105	15.1	7.5	5	8	14	20	24
Without surgery	720	10.2	5.7	3	6	8	13	19
IRON DEFICIENCY ANEMIAS (291)								
Total	1,590	9.3	7.1	2	4	7	11	18
Age:								
65 to 74 years	575	8.7	6.0	2	4	7	11	17
75 to 84 years	755	9.3	7.7	2	4	7	10	16
85 years and over	260	10.4	7.7	2	4	7	14	23
One diagnosis	305	6.4	5.6	1	3	5	7	9
Two or more diagnoses	1,285	9.9	7.3	3	5	8	12	19
With surgery	140	14.3	8.1	6	7	10	20	26
Without surgery	1,450	8.8	6.9	2	4	7	11	16
OTHER AND UNSPECIFIED ANEMIAS (292,293)								
Total	3,480	9.3	9.3	1	3	6	11	19
Age:								
65 to 74 years	1,465	9.3	10.0	1	3	6	11	18
75 to 84 years	1,515	9.1	8.8	2	3	6	10	21
85 years and over	500	9.9	8.2	2	4	7	12	21
One diagnosis	1,005	7.2	8.9	1	2	4	9	14
Two or more diagnoses	2,475	10.2	9.3	2	4	7	12	23
With surgery	500	13.0	11.2	3	5	11	16	24
Without surgery	2,980	8.7	8.8	1	3	5	10	18
CHRONIC BRAIN SYNDROME ASSOCIATED WITH SELECTED DISEASES (313-317)								
Total	3,690	9.7	10.1	2	3	6	11	21
Age:								
65 to 74 years	1,225	11.0	12.1	2	3	7	12	25
75 to 84 years	1,860	9.1	9.2	2	3	6	10	21
85 years and over	605	9.0	7.8	2	3	6	12	17
One diagnosis	1,235	8.2	8.7	1	3	5	10	17
Two or more diagnoses	2,455	10.5	10.7	2	4	6	13	23
With surgery	120	19.7	16.9	2	6	14	28	44
Without surgery	3,570	9.4	9.6	2	3	6	11	20
PSYCHOTIC AND PSYCHOPHYSIOLOGIC DISORDERS (318-323)								
Total	1,190	14.4	13.0	2	5	10	20	31
Age:								
65 to 74 years	810	15.1	13.7	2	5	10	20	34
75 to 84 years	345	13.2	11.4	2	5	9	19	26
85 years and over	35	10.6	8.8	1	3	5	16	22
One diagnosis	610	13.7	12.2	2	5	9	19	28
Two or more diagnoses	580	15.1	13.7	2	5	10	21	35
With surgery	50	22.4	16.6	2	9	15	33	43
Without surgery	1,140	14.0	12.7	2	5	9	19	28
PSYCHONEUROTIC DISORDERS (324)								
Total	3,000	10.7	10.2	1	3	7	13	24
Age:								
65 to 74 years	2,125	11.5	10.9	1	3	8	14	26
75 to 84 years	750	9.0	8.5	1	3	6	11	20
85 years and over	125	7.7	7.1	1	3	5	9	15
One diagnosis	1,335	11.6	10.4	1	3	8	15	28
Two or more diagnoses	1,665	9.9	10.0	2	3	6	12	21
With surgery	60	14.2	12.5	1	3	8	20	32
Without surgery	2,940	10.6	10.2	1	3	7	13	24
CEREBRAL HEMORRHAGE, NONTRAUMATIC AND STROKE (331,334.8)								
Total	17,645	12.3	12.2	1	4	8	16	26
Age:								
65 to 74 years	6,750	12.0	12.2	1	3	8	15	26
75 to 84 years	8,005	12.3	12.2	1	4	8	16	26
85 years and over	2,890	12.7	12.4	1	4	8	16	30
One diagnosis	6,890	11.7	12.4	1	3	7	15	27
Two or more diagnoses	10,755	12.6	12.2	2	4	9	16	26
With surgery	975	16.8	16.1	2	5	12	22	35
Without surgery	16,670	12.0	11.9	1	3	8	15	26
CEREBRAL EMBOLISM AND THROMBOSIS (332)								
Total	7,685	13.6	12.2	2	5	10	17	27
Age:								
65 to 74 years	3,040	13.9	12.7	2	5	10	17	28
75 to 84 years	3,425	13.8	12.4	3	5	10	17	29
85 years and over	1,220	12.7	10.2	2	4	10	18	25
One diagnosis	2,210	12.5	12.2	2	4	8	15	26
Two or more diagnoses	5,475	14.1	12.2	2	5	11	18	28
With surgery	495	18.2	12.9	4	8	15	25	35
Without surgery	7,190	13.3	12.1	2	5	10	16	27
CEREBRAL ARTERIOSCLEROSIS (SO SPECIFIED) (334.0)								
Total	9,035	9.2	8.5	2	3	6	11	18
Age:								
65 to 74 years	3,475	9.1	8.2	2	3	6	11	17
75 to 84 years	4,090	9.0	7.9	2	3	6	11	18
85 years and over	1,470	9.9	10.3	2	3	6	12	20
One diagnosis	2,320	6.9	5.7	1	3	5	9	13
Two or more diagnoses	6,715	10.0	9.1	2	4	7	12	20
With surgery	660	14.7	10.9	4	7	11	18	30
Without surgery	8,375	8.7	8.1	2	3	6	11	17
PARALYSIS AGITANS (350)								
Total	1,685	11.9	10.6	3	4	8	15	23
Age:								
65 to 74 years	930	12.0	10.2	3	5	9	15	23
75 to 84 years	650	11.7	10.5	3	4	7	14	23
85 years and over	105	12.0	14.1	2	4	6	14	27
One diagnosis	565	12.1	11.2	2	4	9	15	24
Two or more diagnoses	1,120	11.8	10.3	3	5	8	14	23
With surgery	85	17.3	19.5	3	6	10	15	33
Without surgery	1,600	11.6	9.8	3	4	8	15	23

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
NEURALGIA AND NEURITIS (360-366)								
Total	2,160	10.0	9.1	2	4	7	12	20
Age:								
65 to 74 years	1,270	9.7	9.4	2	4	7	12	18
75 to 84 years	745	10.7	8.8	2	4	8	13	23
85 years and over	145	8.7	6.0	2	3	7	12	16
One diagnosis	845	8.6	7.1	2	3	6	11	18
Two or more diagnoses	1,315	10.9	10.0	2	4	8	13	21
With surgery	330	12.2	11.5	2	4	9	16	23
Without surgery	1,830	9.6	8.4	2	4	7	12	19
CATARACT (385)								
Total	20,620	6.7	3.9	3	4	5	7	10
Age:								
65 to 74 years	9,425	6.5	4.0	3	4	5	7	9
75 to 84 years	9,300	6.7	3.7	3	4	5	7	10
85 years and over	1,895	7.1	4.1	3	4	6	7	11
One diagnosis	15,435	6.3	3.0	3	4	5	7	9
Two or more diagnoses	5,185	7.7	5.7	3	4	6	8	12
With surgery	19,860	6.7	3.7	3	4	5	7	9
Without surgery	760	6.8	7.9	1	2	4	7	14
GLAUCOMA (387)								
Total	1,715	6.2	4.7	2	3	5	7	11
Age:								
65 to 74 years	875	5.7	3.7	1	2	4	7	11
75 to 84 years	670	6.1	4.7	2	3	5	7	9
85 years and over	170	9.6	7.1	3	5	7	10	15
One diagnosis	920	5.3	3.6	1	2	4	6	9
Two or more diagnoses	795	7.4	5.5	2	4	6	8	13
With surgery	1,360	6.1	3.6	2	3	5	7	10
Without surgery	355	6.9	7.5	1	2	4	7	14
CHRONIC RHEUMATIC HEART DISEASE (410-416)								
Total	1,415	12.0	11.2	2	4	8	14	25
Age:								
65 to 74 years	1,065	11.7	11.1	2	4	8	14	26
75 to 84 years	305	13.4	12.0	3	5	10	17	26
85 years and over	45	10.1	5.4	3	5	8	13	17
One diagnosis	145	12.8	12.7	2	4	7	14	31
Two or more diagnoses	1,270	11.9	11.0	2	4	8	14	24
With surgery	195	12.2	9.9	2	3	10	14	29
Without surgery	1,220	12.0	11.4	2	4	8	14	25
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED (420.0)								
Total	27,370	9.9	8.7	2	4	7	12	20
Age:								
65 to 74 years	10,495	9.6	8.2	2	4	7	12	19
75 to 84 years	12,295	9.9	8.6	2	4	7	12	20
85 years and over	4,580	10.4	9.7	2	4	7	13	21
One diagnosis	5,830	8.2	7.3	1	3	6	10	16
Two or more diagnoses	21,540	10.4	8.9	2	4	7	13	20
With surgery	1,740	15.4	11.8	3	6	12	21	31
Without surgery	25,630	9.5	8.2	2	4	7	12	19
ACUTE CORONARY OCCLUSION (420.1)								
Total	21,835	14.6	10.9	1	5	14	20	27
Age:								
65 to 74 years	11,980	15.3	10.7	1	6	15	21	27
75 to 84 years	8,220	14.1	11.2	1	4	13	20	27
85 years and over	1,635	12.6	10.6	1	3	11	19	25
One diagnosis	9,015	13.7	10.1	1	4	13	20	25
Two or more diagnoses	12,820	15.3	11.4	1	5	14	21	28
With surgery	765	19.9	13.7	2	10	18	27	37
Without surgery	21,070	14.4	10.8	1	5	13	20	26
OTHER ISCHEMIC HEART DISEASE (420.2-420.4,422.1)								
Total	21,435	9.9	8.5	2	4	7	13	20
Age:								
65 to 74 years	11,100	9.6	8.3	2	4	7	12	19
75 to 84 years	8,265	10.2	8.7	2	4	7	13	21
85 years and over	2,070	10.1	8.5	2	4	7	12	22
One diagnosis	5,355	8.7	7.7	1	3	6	11	18
Two or more diagnoses	16,080	10.3	8.7	2	4	7	13	21
With surgery	955	14.5	11.4	2	6	11	19	28
Without surgery	20,480	9.7	8.2	2	4	7	12	19
ALL OTHER MYOCARDIAL DEGENERATION (422.0,422.9)								
Total	955	11.0	9.1	2	4	8	15	23
Age:								
65 to 74 years	385	11.0	9.8	2	3	8	14	23
75 to 84 years	410	11.0	8.8	2	3	8	15	25
85 years and over	160	10.9	7.9	2	5	10	14	20
One diagnosis	190	9.7	9.5	1	2	6	14	23
Two or more diagnoses	765	11.3	9.0	2	4	9	15	23
With surgery	35	10.3	8.0	3	3	7	12	19
Without surgery	920	11.0	9.2	2	4	8	15	23
FUNCTIONAL DISEASE OF HEART (433)								
Total	8,660	8.6	7.8	1	3	6	11	17
Age:								
65 to 74 years	4,120	7.8	7.2	1	2	5	10	15
75 to 84 years	3,525	9.3	8.5	1	3	6	11	20
85 years and over	1,015	9.7	7.5	1	4	8	12	19
One diagnosis	2,475	7.2	6.2	1	2	5	9	15
Two or more diagnoses	6,185	9.2	8.3	1	3	6	11	18
With surgery	1,615	11.8	8.9	3	6	9	14	21
Without surgery	7,045	7.9	7.4	1	3	5	10	16
CONGESTIVE HEART FAILURE (434.1)								
Total	13,145	10.5	9.3	2	4	7	13	21
Age:								
65 to 74 years	5,040	10.4	8.9	2	4	7	13	21
75 to 84 years	5,825	10.7	9.7	2	4	8	13	21
85 years and over	2,280	10.0	8.7	1	4	7	12	20
One diagnosis	4,075	9.3	8.9	1	3	6	11	19
Two or more diagnoses	9,070	11.0	9.4	2	4	8	14	21
With surgery	650	17.5	13.3	3	7	14	24	34
Without surgery	12,495	10.1	8.8	2	4	7	12	20
HYPERTENSIVE HEART DISEASE (442,443)								
Total	9,095	10.1	9.0	2	4	7	12	20
Age:								
65 to 74 years	4,265	9.7	8.7	2	4	7	12	19
75 to 84 years	3,905	10.6	9.4	2	4	8	12	21
85 years and over	925	9.6	8.4	2	4	7	12	20
One diagnosis	1,210	7.4	7.0	1	3	5	9	14
Two or more diagnoses	7,885	10.5	9.2	2	4	8	12	21
With surgery	520	15.0	11.6	3	6	12	18	34
Without surgery	8,575	9.8	8.7	2	4	7	11	19
OTHER HYPERTENSIVE DISEASE (446,447)								
Total	5,125	8.4	7.9	2	3	6	10	17
Age:								
65 to 74 years	2,925	8.0	7.1	2	3	6	9	15
75 to 84 years	1,795	8.7	8.3	2	3	6	10	18
85 years and over	405	10.4	10.7	2	4	7	12	23
One diagnosis	1,215	6.5	6.5	1	2	4	7	11
Two or more diagnoses	3,910	9.0	8.2	2	3	6	11	18
With surgery	380	11.1	8.7	2	5	8	14	22
Without surgery	4,745	8.2	7.8	2	3	6	9	16
GENERAL ARTERIOSCLEROSIS (450)								
Total	9,445	10.9	10.9	2	3	7	14	23
Age:								
65 to 74 years	3,480	11.1	11.0	1	3	7	14	23
75 to 84 years	4,315	10.7	10.6	2	3	7	13	23
85 years and over	1,650	11.2	11.4	2	4	7	13	25
One diagnosis	1,410	10.0	11.2	1	2	6	12	21
Two or more diagnoses	8,035	11.1	10.8	2	4	7	14	24
With surgery	1,770	18.2	13.1	6	10	14	22	32
Without surgery	7,675	9.2	9.5	1	3	6	11	20
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM (451)								
Total	1,790	11.0	10.8	1	2	9	15	24
Age:								
65 to 74 years	1,025	12.6	11.2	1	2	10	17	28
75 to 84 years	660	8.7	9.6	1	1	5	14	17
85 years and over	105	10.4	10.7	1	1	6	14	26
One diagnosis	745	8.7	9.1	1	1	5	14	17
Two or more diagnoses	1,045	12.7	11.5	1	3	10	17	28
With surgery	950	13.6	9.0	1	8	13	17	26
Without surgery	840	8.1	11.8	1	1	3	9	20

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
ARTERIAL EMBOLISM AND THROMBOSIS (454)								
Total	1,570	11.8	9.8	1	4	9	15	24
Age:								
65 to 74 years	955	10.9	8.7	1	4	9	14	20
75 to 84 years	540	13.3	11.6	2	4	10	18	26
85 years and over	75	13.9	7.7	3	6	11	18	25
One diagnosis	715	11.1	8.9	2	4	9	13	21
Two or more diagnoses	855	12.5	10.5	1	4	10	17	26
With surgery	890	14.6	9.6	4	8	12	18	26
Without surgery	680	8.2	8.9	1	2	5	10	18
GANGRENE OF LOWER EXTREMITY (455.0)								
Total	715	21.4	16.3	4	9	17	26	47
Age:								
65 to 74 years	270	21.9	16.9	4	9	18	27	50
75 to 84 years	285	19.8	15.6	3	7	16	26	38
85 years and over	160	23.1	16.1	5	14	18	27	51
One diagnosis	230	20.8	15.0	6	12	15	25	35
Two or more diagnoses	485	21.6	16.9	3	7	18	28	49
With surgery	400	22.4	14.5	6	13	18	28	42
Without surgery	315	20.1	18.2	3	6	14	25	51
VARICOSE VEINS OF LOWER EXTREMITIES (460)								
Total	2,060	10.6	10.8	3	4	6	12	23
Age:								
65 to 74 years	1,390	8.9	7.9	2	4	5	10	20
75 to 84 years	590	13.2	13.4	3	5	8	16	26
85 years and over	80	21.5	18.5	5	8	14	25	49
One diagnosis	1,070	8.6	9.5	2	3	5	8	19
Two or more diagnoses	990	12.8	11.6	3	5	8	16	25
With surgery	1,310	8.0	7.1	3	3	5	8	17
Without surgery	750	15.2	14.0	3	5	10	20	30
HEMORRHOIDS (WITH OR WITHOUT ULCER) (461)								
Total	2,615	7.9	5.6	3	4	6	9	12
Age:								
65 to 74 years	1,835	7.2	4.1	3	4	6	8	11
75 to 84 years	680	9.9	8.0	3	5	7	11	16
85 years and over	100	7.5	3.6	2	4	8	9	11
One diagnosis	1,225	6.8	3.0	3	4	6	8	10
Two or more diagnoses	1,390	8.9	6.9	3	5	6	10	15
With surgery	2,190	8.1	5.0	4	5	6	9	13
Without surgery	425	6.7	7.5	1	3	5	7	12
PHLEBITIS AND THROMBOPHLEBITIS OF LOWER EXTREMITIES (463)								
Total	2,530	10.4	7.1	3	5	8	12	19
Age:								
65 to 74 years	1,495	10.5	7.1	3	6	9	13	19
75 to 84 years	850	10.2	7.0	3	5	8	12	18
85 years and over	185	10.3	7.8	3	5	7	11	22
One diagnosis	925	9.0	5.5	3	5	7	11	15
Two or more diagnoses	1,605	11.2	7.7	4	6	9	13	20
With surgery	195	11.2	8.1	2	4	8	18	23
Without surgery	2,335	10.3	7.0	3	6	8	12	18
PHLEBITIS AND THROMBOPHLEBITIS OF OTHER SITES (464)								
Total	800	11.9	9.2	4	6	9	14	22
Age:								
65 to 74 years	470	10.7	8.2	3	6	8	13	17
75 to 84 years	285	13.5	10.3	4	6	10	17	25
85 years and over	45	14.1	9.3	3	6	9	23	26
One diagnosis	345	11.1	9.6	3	5	8	13	19
Two or more diagnoses	455	12.5	8.8	4	7	10	15	22
With surgery	40	16.4	10.1	4	4	14	19	28
Without surgery	760	11.6	9.1	4	6	9	14	22
PULMONARY EMBOLISM AND INFARCTION (465)								
Total	1,785	14.0	10.5	2	6	11	19	26
Age:								
65 to 74 years	975	14.1	10.2	3	6	12	18	28
75 to 84 years	665	14.0	11.1	1	6	11	20	24
85 years and over	145	13.2	9.0	1	6	12	18	23
One diagnosis	390	13.1	10.1	1	5	12	17	25
Two or more diagnoses	1,395	14.3	10.6	3	6	11	19	27
With surgery	130	22.2	15.3	5	9	18	28	47
Without surgery	1,655	13.4	9.7	2	6	11	18	25
ACUTE UPPER RESPIRATORY INFECTIONS (470-475)								
Total	1,845	7.7	7.1	2	3	5	9	15
Age:								
65 to 74 years	945	7.0	6.4	2	3	5	7	13
75 to 84 years	685	8.8	8.2	2	4	6	11	17
85 years and over	215	7.4	5.8	2	3	5	10	13
One diagnosis	420	6.0	6.0	1	2	4	7	10
Two or more diagnoses	1,425	8.2	7.3	2	3	5	10	16
With surgery	70	12.9	16.9	1	1	3	11	45
Without surgery	1,775	7.5	6.3	2	3	5	8	15
INFLUENZA (480-483)								
Total	5,270	8.4	6.9	2	4	6	10	15
Age:								
65 to 74 years	3,115	8.0	5.8	2	4	6	9	14
75 to 84 years	1,695	9.2	8.9	2	4	7	10	17
85 years and over	460	7.6	4.6	2	4	6	10	13
One diagnosis	1,870	6.5	4.6	2	3	5	8	11
Two or more diagnoses	3,400	9.4	7.7	3	4	7	11	16
With surgery	85	17.4	17.5	4	6	11	17	38
Without surgery	5,185	8.2	6.5	2	4	6	10	15
LOBAR PNEUMONIA (490)								
Total	590	11.6	9.2	2	5	9	14	21
Age:								
65 to 74 years	240	11.4	10.4	2	5	8	13	20
75 to 84 years	265	11.5	7.5	1	6	11	14	20
85 years and over	85	12.5	9.9	1	4	10	16	21
One diagnosis	175	8.9	5.7	2	4	8	11	14
Two or more diagnoses	415	12.8	10.1	1	5	11	16	25
With surgery	50	20.0	9.9	1	13	17	29	31
Without surgery	540	10.8	8.7	2	5	9	13	19
BRONCHOPNEUMONIA (491)								
Total	5,000	11.2	9.7	2	5	8	13	22
Age:								
65 to 74 years	2,170	11.1	9.8	2	4	8	13	22
75 to 84 years	1,955	11.2	9.8	2	5	8	13	22
85 years and over	875	11.3	9.5	2	4	8	14	21
One diagnosis	1,245	9.4	8.7	2	4	7	11	16
Two or more diagnoses	3,755	11.7	10.0	2	5	9	14	23
With surgery	310	18.6	14.3	3	9	15	23	39
Without surgery	4,690	10.7	9.2	2	5	8	13	21
PRIMARY ATYPICAL PNEUMONIA (492)								
Total	5,355	10.1	8.0	3	5	8	12	18
Age:								
65 to 74 years	2,600	9.8	7.7	3	5	7	12	18
75 to 84 years	2,045	10.4	7.7	3	5	8	13	18
85 years and over	710	10.4	9.4	2	4	8	12	19
One diagnosis	1,460	8.7	7.4	3	4	7	10	16
Two or more diagnoses	3,895	10.6	8.1	3	5	8	13	19
With surgery	270	17.0	16.1	2	8	13	19	30
Without surgery	5,085	9.7	7.1	3	5	7	12	18
PNEUMONIA, OTHER AND UNSPECIFIED (493)								
Total	7,245	11.5	9.5	3	5	9	14	22
Age:								
65 to 74 years	3,330	10.8	8.8	3	5	8	13	20
75 to 84 years	2,810	12.1	10.1	3	5	9	15	23
85 years and over	1,105	12.1	10.1	2	5	9	15	22
One diagnosis	2,510	9.3	6.7	2	4	7	12	17
Two or more diagnoses	4,735	12.7	10.6	3	5	10	15	25
With surgery	530	17.1	12.8	3	8	13	23	31
Without surgery	6,715	11.1	9.1	3	5	8	14	21
ACUTE BRONCHITIS (OR SUBACUTE) (500)								
Total	3,110	8.5	6.8	2	4	6	10	15
Age:								
65 to 74 years	1,630	8.1	6.2	2	4	6	9	14
75 to 84 years	1,185	8.7	7.3	2	4	6	10	16
85 years and over	295	9.6	7.2	3	4	6	11	20
One diagnosis	725	6.6	4.9	2	3	5	7	12
Two or more diagnoses	2,385	9.1	7.1	3	4	6	11	16
With surgery	65	9.5	10.9	1	2	4	14	20
Without surgery	3,045	8.5	6.6	3	4	6	10	15

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
BRONCHITIS, UNQUALIFIED (501)								
Total	2,610	8.4	6.0	2	4	6	10	15
Age:								
65 to 74 years	1,515	8.0	5.8	2	4	6	10	14
75 to 84 years	850	8.8	6.2	3	4	7	11	15
85 years and over	245	9.2	6.3	3	4	7	12	17
One diagnosis	890	7.9	5.9	2	4	6	9	13
Two or more diagnoses	1,720	8.6	6.1	3	4	7	10	15
With surgery	130	9.9	7.5	1	3	7	14	21
Without surgery	2,480	8.3	5.9	2	4	6	10	14
CHRONIC BRONCHITIS WITH EMPHYSEMA (502.0)								
Total	2,430	10.0	7.9	2	4	7	12	19
Age:								
65 to 74 years	1,555	10.4	8.4	3	4	7	13	21
75 to 84 years	695	9.3	7.1	2	4	7	12	18
85 years and over	180	9.2	5.8	2	4	7	13	17
One diagnosis	695	8.0	6.0	2	4	6	9	14
Two or more diagnoses	1,735	10.8	8.4	3	5	8	13	22
With surgery	145	12.7	10.4	2	4	9	18	26
Without surgery	2,285	9.8	7.7	2	4	7	12	19
CHRONIC BRONCHITIS WITHOUT EMPHYSEMA (502.9)								
Total	1,055	8.1	6.9	2	3	6	10	15
Age:								
65 to 74 years	710	7.9	7.5	1	3	6	9	14
75 to 84 years	275	8.5	5.5	2	4	6	10	16
85 years and over	70	9.4	4.4	3	5	9	12	16
One diagnosis	340	7.1	7.7	1	2	5	8	12
Two or more diagnoses	715	8.6	6.5	2	4	7	11	15
With surgery	220	6.3	7.6	1	2	4	8	11
Without surgery	835	8.6	6.6	2	4	7	11	16
PULMONARY CONGESTION AND HYPOSTASIS (522)								
Total	1,335	9.3	8.3	1	3	6	13	20
Age:								
65 to 74 years	480	9.4	8.1	1	3	6	14	20
75 to 84 years	655	9.9	8.7	1	3	7	13	20
85 years and over	200	7.4	7.2	1	2	4	10	16
One diagnosis	350	8.6	8.1	1	3	6	11	17
Two or more diagnoses	985	9.6	8.4	1	3	6	14	20
With surgery	65	15.5	11.7	2	3	14	20	28
Without surgery	1,270	9.0	7.9	1	3	6	13	19
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS (527.1)								
Total	7,425	9.9	9.1	2	4	7	12	19
Age:								
65 to 74 years	4,460	9.9	9.3	2	4	7	12	19
75 to 84 years	2,480	9.9	8.7	2	4	7	13	19
85 years and over	485	10.4	8.8	2	5	7	12	20
One diagnosis	1,695	8.3	6.6	1	3	6	10	17
Two or more diagnoses	5,730	10.4	9.7	2	4	7	13	20
With surgery	440	14.2	11.3	2	5	12	17	28
Without surgery	6,985	9.7	8.9	2	4	7	12	19
DISEASES OF ESOPHAGUS (539)								
Total	1,820	8.5	8.5	1	2	5	11	17
Age:								
65 to 74 years	910	6.8	6.2	1	2	5	8	14
75 to 84 years	795	10.0	10.3	1	2	6	13	21
85 years and over	115	10.4	6.9	2	4	9	14	19
One diagnosis	655	6.0	5.2	1	2	4	8	13
Two or more diagnoses	1,165	9.8	9.6	1	3	6	13	20
With surgery	965	9.1	9.2	1	2	5	12	20
Without surgery	855	7.7	7.5	1	3	5	9	15
ULCER OF STOMACH W/O PERFORATION & W/O HEMORRHAGE (540.0)								
Total	2,525	11.5	9.1	3	5	9	14	22
Age:								
65 to 74 years	1,480	11.7	9.1	[illegible]	5	9	15	23
75 to 84 years	885	11.6	9.4	[illegible]	5	9	14	21
85 years and over	160	9.3	6.6	2	4	7	12	17
One diagnosis	850	10.1	7.3	[illegible]	4	8	12	19
Two or more diagnoses	1,675	12.2	9.8	3	5	9	15	23
With surgery	670	16.1	9.1	7	9	13	19	27
Without surgery	1,855	9.8	8.5	2	4	7	12	19
ULCER OF STOMACH W/O PERFORATION & WITH HEMORRHAGE (540.1)								
Total	990	12.3	9.3	3	5	10	16	23
Age:								
65 to 74 years	525	12.3	10.2	2	5	10	16	23
75 to 84 years	355	12.8	8.0	4	6	11	17	23
85 years and over	110	10.9	8.3	3	5	7	13	19
One diagnosis	385	9.5	6.9	2	4	7	13	17
Two or more diagnoses	605	14.1	10.1	4	6	11	18	25
With surgery	290	17.2	8.4	7	11	16	22	29
Without surgery	700	10.3	8.9	3	5	7	13	19
ULCER OF DUODENUM W/O PERFORATION & W/O HEMORRHAGE (541.0)								
Total	4,015	10.6	9.5	3	5	8	12	19
Age:								
65 to 74 years	2,410	10.5	9.9	3	4	7	12	19
75 to 84 years	1,320	10.8	9.0	3	4	8	13	20
85 years and over	285	10.6	7.4	3	5	8	13	20
One diagnosis	1,300	9.0	6.9	2	4	7	11	16
Two or more diagnoses	2,715	11.4	10.4	3	5	8	13	21
With surgery	860	15.8	10.8	6	9	13	18	27
Without surgery	3,155	9.2	8.6	2	4	7	10	16
ULCER OF DUODENUM W/O PERFORATION & WITH HEMORRHAGE (541.1)								
Total	3,025	10.8	8.1	3	5	8	13	19
Age:								
65 to 74 years	1,765	9.8	6.8	3	5	8	12	17
75 to 84 years	1,035	12.1	9.5	3	6	9	15	23
85 years and over	225	12.4	9.6	2	5	9	18	21
One diagnosis	1,190	9.6	6.5	3	4	8	12	18
Two or more diagnoses	1,835	11.6	8.9	3	5	9	14	20
With surgery	670	15.1	8.1	6	10	13	18	26
Without surgery	2,355	9.6	7.7	3	5	7	11	18
ULCER OF STOMACH & DUODENUM, WITH PERFORATION (540.2,.3,541.2,.3)								
Total	630	15.3	12.4	2	7	11	20	30
Age:								
65 to 74 years	380	14.6	11.0	2	7	10	20	29
75 to 84 years	210	17.4	13.7	7	9	13	21	31
85 years and over	40	11.6	15.9	1	1	5	10	30
One diagnosis	265	11.3	6.6	4	7	9	13	17
Two or more diagnoses	365	18.2	14.7	2	7	15	26	32
With surgery	440	15.6	9.8	7	8	12	21	27
Without surgery	190	14.6	17.1	1	3	8	18	32
GASTRITIS AND DUODENITIS (543)								
Total	3,335	7.3	6.5	2	3	5	9	14
Age:								
65 to 74 years	1,830	7.1	5.5	1	3	5	8	14
75 to 84 years	1,255	7.1	5.9	2	3	5	8	13
85 years and over	250	10.3	12.6	2	4	7	11	14
One diagnosis	875	5.3	5.4	1	2	3	6	9
Two or more diagnoses	2,460	8.0	6.7	2	4	6	9	15
With surgery	275	11.8	8.8	2	5	10	15	20
Without surgery	3,060	6.9	6.1	2	3	5	8	13
APPENDICITIS (550-553)								
Total	1,155	12.8	9.8	4	6	9	15	26
Age:								
65 to 74 years	730	12.3	10.2	4	6	8	14	24
75 to 84 years	360	14.0	9.1	4	7	11	18	28
85 years and over	65	12.1	8.0	3	5	9	13	25
One diagnosis	715	9.8	6.2	4	5	8	11	16
Two or more diagnoses	440	17.8	12.2	6	9	13	24	34
With surgery	1,015	12.4	9.4	4	6	9	14	25
Without surgery	140	15.5	11.5	2	5	13	24	31
INGUINAL HERNIA WITHOUT MENTION OF OBSTRUCTION (560.0)								
Total	11,010	7.0	4.4	3	4	6	8	11
Age:								
65 to 74 years	7,060	6.7	3.9	3	4	5	7	10
75 to 84 years	3,420	7.6	4.8	3	4	6	8	12
85 years and over	530	8.5	5.8	3	4	7	10	14
One diagnosis	7,480	6.3	3.5	3	4	5	7	9
Two or more diagnoses	3,530	8.5	5.4	3	5	7	9	14
With surgery	10,375	7.0	4.0	3	4	6	8	11
Without surgery	635	7.4	8.1	1	2	5	8	15

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days) 10th	25th	50th	75th	90th
DIAPHRAGMATIC HERNIA WITHOUT MENTION OF OBSTRUCTION (560.4)								
Total	4,575	8.5	7.1	2	3	6	10	17
Age:								
65 to 74 years	2,630	8.2	6.4	2	3	6	10	16
75 to 84 years	1,525	9.2	8.3	2	3	6	11	18
85 years and over	420	8.1	6.5	2	3	6	10	14
One diagnosis	1,035	7.1	6.2	1	2	5	9	13
Two or more diagnoses	3,540	9.0	7.3	2	4	6	11	17
With surgery	1,240	12.5	7.3	3	8	10	16	21
Without surgery	3,335	7.1	6.5	2	3	5	8	13
HERNIA OF OTHER SITES W/O MENTION OF OBSTRUCTION (560.1-.3,.8,.9)								
Total	3,175	8.7	6.3	3	4	7	10	15
Age:								
65 to 74 years	2,055	8.5	6.4	3	4	7	10	14
75 to 84 years	1,000	8.9	5.8	3	4	7	10	17
85 years and over	120	11.2	7.5	3	5	9	13	24
One diagnosis	1,630	7.6	4.8	3	4	6	9	13
Two or more diagnoses	1,545	9.8	7.4	3	5	8	11	17
With surgery	2,755	8.9	6.2	3	5	7	10	15
Without surgery	420	7.1	7.1	1	2	4	9	16
HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION (561)								
Total	2,130	11.0	10.0	3	5	8	12	20
Age:								
65 to 74 years	920	9.6	8.6	3	5	7	11	17
75 to 84 years	895	12.6	11.8	3	6	9	14	25
85 years and over	315	10.7	7.4	3	5	9	13	17
One diagnosis	1,045	8.7	6.0	2	4	7	10	16
Two or more diagnoses	1,085	13.3	12.4	4	6	9	15	28
With surgery	1,810	11.2	9.3	4	6	8	13	20
Without surgery	320	10.1	13.5	1	2	5	10	27
INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (570)								
Total	5,895	10.6	10.2	1	3	7	13	23
Age:								
65 to 74 years	2,595	10.6	9.4	1	3	7	14	23
75 to 84 years	2,415	10.9	11.3	1	3	7	14	24
85 years and over	885	9.7	9.5	1	3	6	13	20
One diagnosis	2,415	9.1	9.3	1	2	6	12	20
Two or more diagnoses	3,480	11.6	10.7	2	4	8	15	26
With surgery	2,020	15.5	11.1	4	8	13	19	28
Without surgery	3,875	8.1	8.8	1	2	5	9	17
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE (571)								
Total	6,850	6.7	6.5	1	2	4	8	13
Age:								
65 to 74 years	3,295	6.1	5.4	1	2	4	7	12
75 to 84 years	2,700	7.0	6.9	1	3	5	8	13
85 years and over	855	8.0	8.2	1	3	5	9	16
One diagnosis	2,520	4.8	4.0	1	2	3	5	9
Two or more diagnoses	4,330	7.8	7.3	2	3	5	9	14
With surgery	345	14.8	11.6	2	7	11	21	30
Without surgery	6,505	6.3	5.7	1	2	4	7	12
DIVERTICULITIS (572.1)								
Total	9,535	9.1	8.2	2	3	6	11	18
Age:								
65 to 74 years	4,540	8.7	8.0	2	3	6	10	17
75 to 84 years	3,895	9.3	8.3	2	4	6	11	19
85 years and over	1,100	10.1	9.1	2	4	7	12	20
One diagnosis	3,325	7.8	7.1	1	3	5	9	16
Two or more diagnoses	6,210	9.8	8.7	2	4	7	12	20
With surgery	1,975	15.8	11.0	4	8	13	20	30
Without surgery	7,560	7.4	6.3	2	3	5	9	14
CIRRHOSIS OF LIVER (581)								
Total	1,865	13.2	10.3	2	6	10	17	27
Age:								
65 to 74 years	1,445	13.6	10.7	3	6	10	17	27
75 to 84 years	365	10.9	7.5	2	5	9	14	19
85 years and over	55	17.7	12.6	2	6	15	24	37
One diagnosis	500	11.6	9.7	2	5	8	15	25
Two or more diagnoses	1,365	13.7	10.5	3	6	10	18	27
With surgery	255	16.0	10.3	3	8	14	23	29
Without surgery	1,610	12.7	10.2	2	5	10	15	26
CHOLELITHIASIS (584)								
Total	11,145	12.4	8.9	4	7	10	15	22
Age:								
65 to 74 years	6,735	11.7	8.1	4	7	9	13	20
75 to 84 years	3,695	13.1	9.6	4	7	10	16	24
85 years and over	715	14.5	10.7	4	6	12	18	27
One diagnosis	5,340	11.3	6.8	5	7	9	13	20
Two or more diagnoses	5,805	13.4	10.3	4	7	10	16	24
With surgery	7,840	13.8	8.4	6	8	11	16	23
Without surgery	3,305	8.9	8.9	2	4	6	10	18
CHOLECYSTITIS AND CHOLANGITIS WITHOUT MENTION OF CALCULI (585)								
Total	3,880	10.6	7.9	2	5	8	13	20
Age:								
65 to 74 years	2,070	9.5	6.6	2	5	8	12	17
75 to 84 years	1,430	11.6	9.1	2	5	9	15	24
85 years and over	380	12.4	8.7	2	5	9	17	24
One diagnosis	1,695	9.5	6.3	2	5	8	12	17
Two or more diagnoses	2,185	11.4	8.8	3	5	8	15	23
With surgery	1,520	14.2	7.8	7	8	11	17	25
Without surgery	2,360	8.2	7.0	2	3	6	10	15
OTHER DISEASES OF GALLBLADDER AND BILIARY DUCTS (586)								
Total	1,075	11.2	9.3	2	5	8	15	22
Age:								
65 to 74 years	495	11.3	9.9	2	4	8	15	23
75 to 84 years	445	10.3	7.9	3	4	7	13	19
85 years and over	135	13.7	10.4	3	6	10	19	24
One diagnosis	380	10.1	6.6	2	5	8	14	20
Two or more diagnoses	695	11.8	10.4	3	5	8	15	24
With surgery	330	16.6	10.5	6	10	15	21	27
Without surgery	745	8.8	7.5	2	4	6	10	19
DISEASES OF PANCREAS (587)								
Total	1,265	12.1	10.5	3	5	8	15	24
Age:								
65 to 74 years	790	12.6	11.1	3	5	9	16	24
75 to 84 years	415	11.1	9.3	3	4	8	14	20
85 years and over	60	11.9	9.3	1	5	7	19	26
One diagnosis	330	8.9	7.2	1	4	6	10	20
Two or more diagnoses	935	13.2	11.2	3	5	9	17	26
With surgery	235	20.4	10.1	8	12	19	24	33
Without surgery	1,030	10.2	9.6	2	4	7	12	19
NEPHRITIS, NEPHROSIS, AND HYDRONEPHROSIS (590-594,601)								
Total	1,380	13.6	12.4	2	4	10	19	29
Age:								
65 to 74 years	745	12.4	12.6	1	3	8	17	24
75 to 84 years	505	14.9	11.6	2	5	12	21	30
85 years and over	130	15.8	13.8	1	5	12	19	34
One diagnosis	325	11.9	11.3	1	3	9	16	23
Two or more diagnoses	1,055	14.2	12.7	2	4	10	19	31
With surgery	420	15.3	13.6	2	5	11	21	29
Without surgery	960	12.9	11.8	1	4	9	18	27
INFECTIONS OF KIDNEY (600)								
Total	3,185	10.0	8.8	2	4	7	12	19
Age:								
65 to 74 years	1,625	9.4	7.5	2	4	7	10	18
75 to 84 years	1,180	10.2	9.2	2	4	7	13	19
85 years and over	380	12.3	11.9	3	5	8	14	24
One diagnosis	840	7.6	5.3	2	4	6	9	12
Two or more diagnoses	2,345	10.9	9.6	3	4	8	13	20
With surgery	480	12.0	9.9	2	5	9	17	23
Without surgery	2,705	9.7	8.6	2	4	7	11	18
CALCULI OF KIDNEY AND URETER (602)								
Total	2,320	8.4	8.6	1	3	6	10	17
Age:								
65 to 74 years	1,715	8.3	9.2	1	2	5	10	16
75 to 84 years	535	8.8	6.6	2	4	7	11	17
85 years and over	70	9.2	8.2	1	3	5	11	24
One diagnosis	1,195	6.9	7.5	1	2	5	9	12
Two or more diagnoses	1,125	10.0	9.3	2	3	7	13	20
With surgery	1,225	10.6	7.4	3	5	9	13	19
Without surgery	1,095	6.0	9.2	1	2	3	6	11

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OTHER DISEASES OF KIDNEY AND URETER (603,604)								
Total	2,115	10.1	10.3	1	3	6	13	23
Age:								
65 to 74 years	1,365	9.4	9.5	1	2	6	12	22
75 to 84 years	620	11.4	11.8	1	3	8	14	24
85 years and over	130	11.2	9.4	1	2	7	14	26
One diagnosis	795	7.4	6.9	1	2	4	10	15
Two or more diagnoses	1,320	11.8	11.5	2	3	8	15	26
With surgery	1,305	11.3	9.8	2	4	9	14	24
Without surgery	810	8.2	10.7	1	2	4	9	19
CYSTITIS (605)								
Total	3,415	8.1	7.5	2	3	5	10	17
Age:								
65 to 74 years	1,670	7.4	6.9	1	2	4	9	15
75 to 84 years	1,360	8.9	8.3	2	3	6	10	18
85 years and over	385	8.7	7.1	2	3	6	11	16
One diagnosis	995	5.2	4.1	1	2	3	7	10
Two or more diagnoses	2,420	9.3	8.3	2	3	6	11	20
With surgery	1,620	8.1	8.2	1	2	5	10	19
Without surgery	1,795	8.1	6.9	2	3	6	9	15
OTHER DISEASES OF BLADDER (606)								
Total	2,175	9.9	9.3	2	4	7	12	19
Age:								
65 to 74 years	1,185	9.4	9.7	2	4	6	10	17
75 to 84 years	770	10.4	8.4	2	4	8	14	20
85 years and over	220	10.5	9.6	3	4	6	13	22
One diagnosis	730	8.2	6.9	2	3	6	10	16
Two or more diagnoses	1,445	10.7	10.2	2	4	7	14	21
With surgery	1,650	10.3	9.5	2	4	7	13	20
Without surgery	525	8.4	8.6	1	3	5	11	16
URETHRITIS AND STRICTURE OF URETHRA (607,608)								
Total	2,245	7.5	8.7	1	2	4	8	16
Age:								
65 to 74 years	1,350	6.7	8.4	1	2	4	7	13
75 to 84 years	720	9.0	9.8	1	3	5	11	20
85 years and over	175	7.9	5.5	2	3	6	11	15
One diagnosis	820	5.8	6.2	1	2	3	6	13
Two or more diagnoses	1,425	8.5	9.7	1	2	5	9	19
With surgery	1,845	7.3	8.4	1	2	4	8	15
Without surgery	400	8.8	10.1	1	3	5	9	18
OTHER DISEASES OF URETHRA AND URINARY TRACT (609)								
Total	2,965	8.5	7.7	2	3	6	11	18
Age:								
65 to 74 years	1,310	7.6	6.9	1	3	5	9	15
75 to 84 years	1,210	8.9	7.9	2	4	6	11	18
85 years and over	445	10.3	8.7	2	4	7	14	21
One diagnosis	930	6.2	5.4	1	2	4	7	12
Two or more diagnoses	2,035	9.6	8.3	2	4	7	12	19
With surgery	925	7.1	6.2	1	2	4	9	16
Without surgery	2,040	9.2	8.1	2	4	6	11	18
HYPERPLASIA OF PROSTATE (610)								
Total	16,995	10.5	7.9	3	5	8	13	19
Age:								
65 to 74 years	9,570	9.6	7.0	3	5	7	11	17
75 to 84 years	6,085	11.2	8.4	3	5	8	14	21
85 years and over	1,340	13.4	10.3	3	7	11	16	24
One diagnosis	8,330	9.1	6.5	3	5	7	11	16
Two or more diagnoses	8,665	11.8	8.9	3	5	9	15	22
With surgery	14,655	10.6	7.3	4	5	8	13	19
Without surgery	2,340	10.0	11.2	2	3	6	12	21
OTHER DISEASES OF PROSTATE (611,612)								
Total	1,060	8.1	7.7	1	3	5	9	16
Age:								
65 to 74 years	610	7.4	7.2	1	2	5	9	14
75 to 84 years	375	8.6	6.3	2	4	7	11	18
85 years and over	75	11.2	14.7	2	3	5	8	31
One diagnosis	410	6.2	5.3	1	2	4	8	12
Two or more diagnoses	650	9.3	8.8	2	4	7	11	17
With surgery	570	8.8	7.5	1	3	6	11	18
Without surgery	490	7.4	8.0	1	3	5	8	11
OTHER DISEASES OF MALE GENITAL ORGANS (613-617)								
Total	1,750	6.7	5.9	1	3	5	8	13
Age:								
65 to 74 years	1,215	6.9	6.2	2	3	5	8	13
75 to 84 years	460	6.4	5.4	1	2	4	7	14
85 years and over	75	6.3	3.2	2	3	4	8	11
One diagnosis	785	5.3	4.2	1	2	4	6	9
Two or more diagnoses	965	7.9	6.9	2	3	6	9	15
With surgery	1,215	6.1	5.6	1	2	4	7	12
Without surgery	535	8.0	6.6	2	4	6	9	13
UTEROVAGINAL PROLAPSE (631)								
Total	4,995	9.5	4.6	5	6	8	11	14
Age:								
65 to 74 years	3,580	9.2	4.1	5	6	8	10	13
75 to 84 years	1,320	10.3	5.1	5	7	9	12	16
85 years and over	95	11.3	8.0	4	6	9	13	18
One diagnosis	2,200	9.1	3.9	5	6	8	10	13
Two or more diagnoses	2,795	9.9	5.0	5	6	8	11	15
With surgery	4,675	9.6	4.2	5	7	8	11	14
Without surgery	320	8.3	7.3	1	3	7	9	14
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE (690-698)								
Total	2,355	10.9	10.4	2	4	7	13	21
Age:								
65 to 74 years	1,225	10.4	8.5	2	4	7	14	20
75 to 84 years	865	11.0	11.7	2	5	7	12	19
85 years and over	265	12.8	13.2	2	4	8	14	31
One diagnosis	865	9.1	8.7	2	4	6	10	17
Two or more diagnoses	1,490	12.0	11.1	3	5	8	15	23
With surgery	650	12.4	11.4	2	4	8	16	27
Without surgery	1,705	10.4	10.0	2	4	7	12	18
RHEUMATOID ARTHRITIS (722.0)								
Total	1,920	12.5	13.0	2	4	7	16	26
Age:								
65 to 74 years	1,240	12.9	14.4	2	4	7	16	29
75 to 84 years	615	11.9	9.9	2	5	8	16	24
85 years and over	65	9.5	6.5	3	3	7	11	18
One diagnosis	515	12.3	17.5	2	3	6	10	28
Two or more diagnoses	1,405	12.6	10.8	3	4	9	17	26
With surgery	340	14.1	11.9	3	4	10	20	30
Without surgery	1,580	12.2	13.2	2	4	7	15	26
OSTEOARTHRITIS (ARTHROSIS) (723.0)								
Total	3,900	13.3	12.0	3	5	9	16	29
Age:								
65 to 74 years	2,000	14.4	13.3	3	5	10	18	32
75 to 84 years	1,525	12.3	10.3	3	5	8	16	26
85 years and over	375	11.8	10.7	3	4	9	15	22
One diagnosis	1,275	15.0	13.5	2	4	10	21	33
Two or more diagnoses	2,625	12.5	11.2	3	5	9	15	27
With surgery	1,145	20.1	14.6	4	9	16	27	38
Without surgery	2,755	10.6	9.5	3	4	7	13	21
SPONDYLITIS OSTEOARTHRITICA (723.1)								
Total	2,750	10.0	8.3	2	4	7	12	19
Age:								
65 to 74 years	1,460	9.9	8.0	2	4	7	12	19
75 to 84 years	1,060	9.9	8.7	2	4	7	12	19
85 years and over	230	11.1	8.2	3	5	8	14	20
One diagnosis	555	9.3	8.7	1	3	7	12	18
Two or more diagnoses	2,195	10.2	8.2	3	4	7	12	19
With surgery	220	19.3	14.5	6	9	14	22	43
Without surgery	2,530	9.2	6.9	2	4	7	11	18
ARTHRITIS (POLYARTHRITIS), UNSPECIFIED (725)								
Total	1,755	10.2	8.9	2	4	7	13	19
Age:								
65 to 74 years	850	10.4	10.0	2	4	7	12	19
75 to 84 years	700	10.4	7.5	2	4	8	14	19
85 years and over	205	8.6	8.3	2	4	6	9	13
One diagnosis	500	10.7	10.7	2	3	7	13	20
Two or more diagnoses	1,255	10.0	8.1	3	4	7	12	18
With surgery	195	16.9	12.3	3	8	14	20	31
Without surgery	1,560	9.4	8.1	2	4	7	11	17

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
OSTEOPOROSIS AND ATROPHY (733.3)								
Total	2,025	11.6	11.3	3	4	8	14	22
Age:								
65 to 74 years	620	10.8	9.0	3	4	8	14	18
75 to 84 years	1,060	12.5	13.0	3	5	8	14	24
85 years and over	345	10.1	8.5	3	4	7	11	19
One diagnosis	310	11.1	12.2	2	4	8	12	22
Two or more diagnoses	1,715	11.6	11.1	3	4	8	14	22
With surgery	50	33.1	29.6	4	9	26	34	88
Without surgery	1,975	11.0	9.8	3	4	8	13	21
DISPLACEMENT OF INTERVERTEBRAL DISC (735)								
Total	2,380	13.4	9.7	3	6	11	17	25
Age:								
65 to 74 years	1,740	13.2	9.4	3	6	10	17	25
75 to 84 years	555	14.2	10.7	3	6	11	19	26
85 years and over	85	10.8	6.6	3	5	9	12	18
One diagnosis	1,010	13.3	9.9	3	6	10	17	25
Two or more diagnoses	1,370	13.4	9.5	4	6	11	17	25
With surgery	530	19.9	10.0	8	13	18	24	34
Without surgery	1,850	11.5	8.7	3	5	9	14	22
SYNOVITIS, BURSITIS AND TENOSYNOVITIS (741)								
Total	1,525	6.6	6.8	1	2	4	8	15
Age:								
65 to 74 years	1,050	6.3	6.9	1	2	3	7	13
75 to 84 years	425	7.1	6.6	1	2	4	8	18
85 years and over	50	8.5	5.5	1	4	6	12	16
One diagnosis	865	4.9	5.1	1	1	3	6	9
Two or more diagnoses	660	8.9	7.9	2	3	6	11	19
With surgery	910	5.4	6.6	1	1	3	5	11
Without surgery	615	8.4	6.5	2	3	6	10	18
CONGENITAL MALFORMATIONS (750-759)								
Total	875	10.4	9.7	2	3	7	13	22
Age:								
65 to 74 years	560	10.9	10.8	2	3	7	14	24
75 to 84 years	275	8.3	5.4	2	3	7	11	14
85 years and over	40	16.1	11.9	1	3	14	18	31
One diagnosis	300	7.5	8.8	1	2	4	10	15
Two or more diagnoses	575	11.8	9.7	2	5	8	15	25
With surgery	460	10.7	10.7	2	3	7	14	22
Without surgery	415	10.0	8.3	2	3	7	12	19
SYMPTOMS REFERABLE TO CARDIOVASCULAR AND LYMPHATIC SYSTEM (782)								
Total	1,145	5.0	5.2	1	1	3	6	11
Age:								
65 to 74 years	630	4.2	3.9	1	1	2	5	8
75 to 84 years	445	6.1	6.6	1	1	3	7	15
85 years and over	70	5.9	3.9	1	2	4	8	11
One diagnosis	810	5.0	5.1	1	1	3	6	10
Two or more diagnoses	335	5.2	5.5	1	1	3	6	12
With surgery	170	6.5	5.7	1	2	4	8	17
Without surgery	975	4.8	5.1	1	1	3	5	10
SYMPTOMS REFERABLE TO RESPIRATORY SYSTEM (783)								
Total	1,905	5.5	5.4	1	2	3	6	11
Age:								
65 to 74 years	1,295	5.3	5.2	1	2	3	6	11
75 to 84 years	525	6.2	6.2	1	2	4	8	12
85 years and over	85	4.4	1.7	2	2	3	5	7
One diagnosis	1,430	5.1	5.3	1	1	3	6	10
Two or more diagnoses	475	6.5	5.7	1	2	5	8	13
With surgery	320	6.5	6.3	1	1	4	8	14
Without surgery	1,585	5.3	5.2	1	2	3	6	11
SYMPTOMS REFERABLE TO GASTROINTESTINAL SYSTEM (784,785)								
Total	2,195	6.5	6.2	1	2	4	8	12
Age:								
65 to 74 years	1,260	6.0	5.5	1	2	4	7	11
75 to 84 years	745	7.0	6.6	1	2	5	8	14
85 years and over	190	8.4	7.3	1	3	6	10	17
One diagnosis	1,555	5.9	5.5	1	2	4	7	11
Two or more diagnoses	640	8.1	7.2	1	3	6	9	16
With surgery	200	9.9	8.8	2	5	8	11	19
Without surgery	1,995	6.2	5.7	1	2	4	7	12
SYMPTOMS REFERABLE TO GENITOURINARY SYSTEM (786)								
Total	980	8.7	7.6	1	3	7	11	17
Age:								
65 to 74 years	585	7.3	5.5	1	3	6	9	14
75 to 84 years	305	10.8	10.2	1	5	8	13	19
85 years and over	90	10.6	7.3	2	4	8	14	20
One diagnosis	725	8.6	8.1	1	3	7	10	15
Two or more diagnoses	255	9.2	6.3	2	4	7	12	20
With surgery	560	10.0	6.1	3	6	8	13	19
Without surgery	420	7.0	9.0	1	2	4	8	14
OTHER GENERAL SYMPTOMS (780,781,787-789)								
Total	2,535	7.3	6.9	1	2	5	9	15
Age:								
65 to 74 years	1,395	7.4	6.9	1	2	4	9	16
75 to 84 years	900	7.2	7.0	1	2	5	9	14
85 years and over	240	7.0	5.6	1	2	5	9	14
One diagnosis	1,735	6.6	6.2	1	2	4	8	14
Two or more diagnoses	800	8.9	7.7	2	3	6	11	17
With surgery	490	7.0	7.0	1	2	4	9	16
Without surgery	2,045	7.4	6.8	1	3	5	9	15
NERVOUSNESS AND DEBILITY (790)								
Total	795	10.0	11.5	1	3	6	12	21
Age:								
65 to 74 years	310	8.1	7.2	1	3	5	10	16
75 to 84 years	260	8.6	11.3	1	2	5	9	14
85 years and over	225	14.2	14.9	2	4	9	19	28
One diagnosis	180	7.4	7.1	1	2	4	9	15
Two or more diagnoses	615	10.8	12.4	2	3	6	13	24
With surgery	35	21.4	23.0	5	8	13	15	40
Without surgery	760	9.5	10.3	1	3	5	11	21
UREMIA (792)								
Total	265	11.0	8.2	2	4	9	14	21
Age:								
65 to 74 years	115	10.6	5.8	3	5	10	13	19
75 to 84 years	90	12.6	11.4	2	4	8	16	26
85 years and over	60	9.7	6.2	1	3	9	13	17
One diagnosis	95	9.1	5.1	2	5	8	12	15
Two or more diagnoses	170	12.1	9.4	2	4	10	16	24
With surgery	25	*	*	*	*	*	*	*
Without surgery	240	10.7	8.4	2	4	9	13	21
SENILITY WITHOUT MENTION OF PSYCHOSIS (794)								
Total	765	7.1	5.6	1	3	5	9	14
Age:								
65 to 74 years	100	6.3	4.1	2	3	4	9	11
75 to 84 years	385	7.1	5.7	1	3	5	9	14
85 years and over	280	7.3	5.7	2	3	5	11	14
One diagnosis	120	5.7	4.9	1	2	3	8	11
Two or more diagnoses	645	7.3	5.7	2	3	5	10	14
With surgery	25	*	*	*	*	*	*	*
Without surgery	740	6.7	5.2	1	3	4	9	13
OTHER AND ILL-DEFINED DISEASES (791,793,795)								
Total	2,380	8.0	8.9	1	2	4	9	20
Age:								
65 to 74 years	1,400	8.2	9.2	1	2	4	10	20
75 to 84 years	775	7.5	7.8	1	2	4	9	18
85 years and over	205	9.1	10.7	1	3	6	8	25
One diagnosis	1,110	7.1	8.8	1	1	3	7	18
Two or more diagnoses	1,270	8.9	8.9	1	3	5	11	20
With surgery	555	8.1	9.5	1	1	3	10	25
Without surgery	1,825	8.0	8.7	1	2	5	9	19
FRACTURE OF VERTEBRAL COLUMN (805,806)								
Total	4,025	13.9	10.9	4	6	11	17	26
Age:								
65 to 74 years	1,755	13.0	9.7	3	6	10	17	24
75 to 84 years	1,725	15.2	11.9	4	7	12	19	27
85 years and over	545	13.0	10.6	3	6	9	17	24
One diagnosis	1,400	12.4	10.0	3	5	10	16	22
Two or more diagnoses	2,625	14.8	11.3	4	7	11	19	28
With surgery	215	23.0	14.6	6	11	20	32	44
Without surgery	3,810	13.4	10.4	4	6	10	17	24

Table 13 PACIFIC: DISCHARGES FROM SHORT-STAY HOSPITALS BY LENGTH OF STAY FOR SELECTED DIAGNOSES, AND PATIENT CHARACTERISTICS—Con.

Patient characteristics	Number of discharges	Average stay (days)	Standard deviation (days)	Percentiles (days)				
				10th	25th	50th	75th	90th
FRACTURE OF RIB(S), STERNUM AND LARYNX (807)								
Total	2,330	10.6	9.4	2	4	8	13	21
Age:								
65 to 74 years	1,070	9.8	7.7	2	4	8	12	19
75 to 84 years	905	11.5	11.0	2	4	8	14	22
85 years and over	355	11.0	9.1	2	4	8	13	23
One diagnosis	505	7.3	6.1	1	3	5	9	14
Two or more diagnoses	1,825	11.5	9.9	3	4	9	14	22
With surgery	165	19.2	11.6	4	11	16	25	35
Without surgery	2,165	10.0	8.8	2	4	7	12	19
FRACTURE OF PELVIS (808)								
Total	1,855	18.3	13.7	4	7	15	24	36
Age:								
65 to 74 years	600	19.4	14.5	5	8	14	27	40
75 to 84 years	885	18.3	13.9	4	7	15	22	35
85 years and over	370	16.4	11.2	3	6	14	22	33
One diagnosis	685	15.9	12.6	4	6	12	20	33
Two or more diagnoses	1,170	19.7	14.1	4	9	16	26	39
With surgery	130	29.2	18.0	4	16	24	37	57
Without surgery	1,725	17.5	12.9	4	7	14	22	35
FRACTURE OF HUMERUS (812)								
Total	2,975	11.2	11.0	2	4	8	14	23
Age:								
65 to 74 years	1,225	9.9	9.4	1	3	7	12	21
75 to 84 years	1,235	12.8	13.2	2	4	9	15	26
85 years and over	515	10.4	8.3	2	4	8	14	22
One diagnosis	1,475	8.9	10.0	1	3	5	10	18
Two or more diagnoses	1,500	13.5	11.6	3	5	10	18	27
With surgery	1,060	11.9	11.1	2	4	8	15	25
Without surgery	1,915	10.8	11.0	1	3	8	13	22
FRACTURE OF RADIUS AND ULNA (EITHER OR BOTH) (813)								
Total	2,310	6.3	7.3	1	1	3	7	14
Age:								
65 to 74 years	1,235	5.6	5.8	1	1	3	7	13
75 to 84 years	820	7.2	9.1	1	2	4	8	16
85 years and over	255	7.1	7.3	1	2	5	8	14
One diagnosis	1,270	4.4	4.9	1	1	2	5	9
Two or more diagnoses	1,040	8.7	9.0	1	3	5	11	20
With surgery	1,550	6.2	7.8	1	1	3	7	14
Without surgery	760	6.7	6.2	1	2	4	9	15
FRACTURE OF FEMUR (820,821)								
Total	15,690	20.4	14.2	6	11	17	25	38
Age:								
65 to 74 years	4,150	20.6	14.5	5	11	16	25	38
75 to 84 years	7,390	20.3	13.6	6	11	17	25	37
85 years and over	4,150	20.4	15.1	5	11	17	25	38
One diagnosis	8,765	19.0	12.6	6	11	16	23	33
Two or more diagnoses	6,925	22.2	15.8	5	11	18	28	44
With surgery	11,825	19.9	12.1	8	12	17	24	34
Without surgery	3,865	21.9	19.2	2	6	16	30	52
FRACTURE OF LOWER EXTREMITY EXCEPT FEMUR (822-826)								
Total	4,000	12.5	12.1	2	5	8	15	26
Age:								
65 to 74 years	2,415	12.2	12.0	2	5	8	14	24
75 to 84 years	1,280	13.4	12.8	2	4	8	18	27
85 years and over	305	10.8	9.6	2	4	7	14	20
One diagnosis	2,165	10.6	9.8	2	4	7	13	21
Two or more diagnoses	1,835	14.7	13.9	3	5	10	20	30
With surgery	2,355	13.1	12.0	2	5	9	16	27
Without surgery	1,645	11.6	12.1	2	4	7	14	24
SPRAINS OF BACK (846,847)								
Total	2,785	9.5	7.0	2	4	7	12	18
Age:								
65 to 74 years	1,535	9.3	7.1	2	4	7	11	17
75 to 84 years	955	9.7	6.7	3	4	7	12	19
85 years and over	295	10.5	7.3	3	5	8	12	19
One diagnosis	955	8.0	5.7	2	3	6	10	15
Two or more diagnoses	1,830	10.4	7.5	3	5	8	13	19
With surgery	90	20.2	8.6	5	16	20	25	30
Without surgery	2,695	9.2	6.6	2	4	7	11	17
HEAD INJURY (EXCLUDING SKULL FRACTURE) (850-856)								
Total	2,570	8.0	9.6	1	2	4	10	19
Age:								
65 to 74 years	1,240	8.7	10.9	1	2	4	11	21
75 to 84 years	1,035	7.3	8.2	1	2	4	9	17
85 years and over	295	7.1	8.5	1	1	4	9	13
One diagnosis	670	8.2	11.8	1	1	3	10	20
Two or more diagnoses	1,900	7.9	8.8	1	2	4	10	19
With surgery	570	11.0	11.5	1	2	7	14	26
Without surgery	2,000	7.1	8.9	1	2	4	9	16
LACERATION AND OPEN WOUND (870-898)								
Total	2,230	7.7	9.2	1	2	4	9	16
Age:								
65 to 74 years	1,215	6.9	9.1	1	1	3	8	14
75 to 84 years	785	8.7	9.6	1	2	5	10	18
85 years and over	230	8.5	8.2	1	2	5	11	19
One diagnosis	775	4.9	5.1	1	1	3	6	11
Two or more diagnoses	1,455	9.1	10.5	1	2	5	11	18
With surgery	1,135	8.5	10.4	1	2	4	11	18
Without surgery	1,095	6.8	7.8	1	2	4	8	14
SUPERFICIAL INJURY (910-918)								
Total	310	7.3	6.6	1	2	5	10	15
Age:								
65 to 74 years	150	6.8	7.3	1	1	4	8	16
75 to 84 years	110	7.7	6.0	2	3	5	11	14
85 years and over	50	7.9	4.9	2	3	6	10	15
One diagnosis	60	7.4	6.2	1	2	4	11	16
Two or more diagnoses	250	7.3	6.6	1	2	5	9	14
With surgery	15	*	*	*	*	*	*	*
Without surgery	295	7.3	6.7	1	2	5	10	15
CONTUSION AND CRUSHING WITH INTACT SKIN SURFACE (920-929)								
Total	3,710	8.2	7.7	1	3	6	10	16
Age:								
65 to 74 years	1,540	7.8	7.3	1	3	6	9	15
75 to 84 years	1,540	8.4	8.5	1	3	6	10	17
85 years and over	630	8.5	6.9	2	3	6	11	16
One diagnosis	645	6.2	5.6	1	1	4	8	13
Two or more diagnoses	3,065	8.6	8.1	2	3	6	10	17
With surgery	285	12.2	9.3	2	4	9	17	23
Without surgery	3,425	7.8	7.5	1	3	6	9	15
ADVERSE EFFECTS OF DRUGS AND OTHER CHEMICAL SUBSTANCES (960-989)								
Total	2,070	6.6	6.2	1	2	4	8	13
Age:								
65 to 74 years	1,310	6.1	6.0	1	2	4	8	13
75 to 84 years	625	7.5	6.9	1	2	5	9	15
85 years and over	135	6.3	4.6	1	2	5	9	12
One diagnosis	730	4.6	5.6	1	1	2	5	9
Two or more diagnoses	1,340	7.6	6.3	1	3	6	10	14
With surgery	85	11.3	7.6	3	5	8	15	23
Without surgery	1,985	6.4	6.1	1	2	4	8	13
COMPLICATIONS OF SURGICAL PROCEDURES (997,998)								
Total	2,435	9.9	11.3	1	3	6	11	21
Age:								
65 to 74 years	1,395	8.9	9.5	1	3	5	11	18
75 to 84 years	855	11.0	12.2	1	3	7	12	26
85 years and over	185	12.4	16.9	1	3	5	11	29
One diagnosis	1,410	7.4	8.2	1	2	4	8	15
Two or more diagnoses	1,025	13.3	13.7	2	4	9	16	27
With surgery	950	11.5	11.4	2	3	8	14	25
Without surgery	1,485	8.9	11.1	1	3	5	9	19

CMS LIBRARY
3 8095 00010755 3

U.S. Department of
HEALTH, EDUCATION, AND WELFARE
Social Security Administration
Washington, D.C. 20201

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, $300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF H.E.W.
HEW 397

U.S.MAIL